

Ref. Dr : MediWheel Type : OP

<u>Investigation</u>	Observed Value	<u>Unit</u>	<b>Biological Reference Interval</b>
<b>IMMUNOHAEMATOLOGY</b>			
<b>BLOOD GROUPING AND Rh TYPING</b> (Blood /Agglutination)	'A' 'Positive'		
<b>HAEMATOLOGY</b>			
Complete Blood Count With - ESR			
Haemoglobin (Blood/Spectrophotometry)	16.12	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (Blood/Derived from Impedance)	47.96	%	42 - 52
RBC Count (Blood/Impedance Variation)	05.18	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (Blood/ Derived from Impedance)	92.61	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (Blood/Derived from Impedance)	31.14	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (Blood/Derived from Impedance)	33.62	g/dL	32 - 36
RDW-CV(Derived from Impedance)	10.5	%	11.5 - 16.0
RDW-SD(Derived from Impedance)	34.03	fL	39 - 46
Total Leukocyte Count (TC) (Blood/ Impedance Variation)	10730	cells/cu.mm	4000 - 11000
<b>Neutrophils</b> (Blood/Impedance Variation & Flow Cytometry)	48.50	%	40 - 75
<b>Lymphocytes</b> (Blood/Impedance Variation & Flow Cytometry)	42.10	%	20 - 45
<b>Eosinophils</b> (Blood/Impedance Variation & Flow Cytometry)	04.00	%	01 - 06
<b>Monocytes</b> (Blood/Impedance Variation & Flow Cytometry)	04.50	%	01 - 10
<b>Basophils</b> (Blood/Impedance Variation & Flow Cytometry)	00.90	%	00 - 02
<b>INTERPRETATION:</b> Tests done on Automated microscopically.	Five Part cell counter.	All abnormal res	ults are reviewed and confirmed
Absolute Neutrophil count (Blood/ Impedance Variation & Flow Cytometry)	5.20	10^3 / μΙ	1.5 - 6.6
Absolute Lymphocyte Count (Blood/ Impedance Variation & Flow Cytometry)	4.52	10^3 / μΙ	1.5 - 3.5
Absolute Eosinophil Count (AEC) (Blood/ Impedance Variation & Flow Cytometry)	0.43	10^3 / μΙ	0.04 - 0.44
Absolute Monocyte Count (Blood/ Impedance Variation & Flow Cytometry)	0.48	10^3 / μΙ	< 1.0







<b>Customer Name</b>	MR.JEYANTH B		
	MIK.UETANIA B	Customer ID	MED121762343
Age & Gender	38Y/MALE	Visit Date	The same of the sa
Ref Doctor	MediWheel	visit Date	25/03/2023
		*	

# **DIGITAL X- RAY CHEST PA VIEW**

Trachea appears normal.

Cardiothoracic ratio is within normal limits.

Bilateral lung fields appear normal.

Costo and cardiophrenic angles appear normal.

Visualised bony structures appear normal.

Extra thoracic soft tissues shadow grossly appears normal.

# **IMPRESSION:**

**❖ NO SIGNIFICANT ABNORMALITY DEMONSTRATED.** 

DR. DANIEL STANLEY PETER, M.D.R.D., CONSULTANT RADIOLOGIST. REG.NO: 82342.

Ref. Dr : MediWheel Type : OP

<u>Investigation</u>	Observed Value	<u>Unit</u>	<b>Biological Reference Interval</b>
<b>Absolute Basophil count</b> (Blood/Impedance Variation & Flow Cytometry)	0.10	10^3 / μΙ	< 0.2
Platelet Count (Blood/Impedance Variation)	289	10^3 / μl	150 - 450
MPV (Blood/Derived from Impedance)	08.19	fL	7.9 - 13.7
PCT(Automated Blood cell Counter)	0.24	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Blood/Automated ESR analyser)	10	mm/hr	< 15
<b>BIOCHEMISTRY</b>			
BUN / Creatinine Ratio	14.0		
<b>Glucose Fasting (FBS)</b> (Plasma - F/GOD-PAP)	140.0	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

**INTERPRETATION:** Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine) (Urine - F)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/	228.3	mg/dL	70 - 140


#### **INTERPRETATION:**

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Glucose(PP-2 hours) (Urine - PP)	Positive(+)		Negative
<b>Blood Urea Nitrogen (BUN)</b> (Serum/Urease UV / derived)	13.6	mg/dL	7.0 - 21
Creatinine (Serum/Modified Jaffe)	0.97	mg/dL	0.9 - 1.3
Uric Acid (Serum/Enzymatic)	4.7	mg/dL	3.5 - 7.2
Liver Function Test			
Bilirubin(Total) (Serum)	0.80	mg/dL	0.1 - 1.2
<b>Bilirubin(Direct)</b> (Serum/Diazotized Sulfanilic Acid)	0.23	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.57	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/Modified IFCC)	60.0	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum)	82.5	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	51.3	U/L	< 55







Ref. Dr : MediWheel Type : OP

<u>Investigation</u>	Observed Value	<u>Unit</u>	<b>Biological Reference Interval</b>
Alkaline Phosphatase (SAP) (Serum/ Modified IFCC)	114.9	U/L	53 - 128
Total Protein (Serum/Biuret)	7.92	gm/dL	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.8	gm/dL	3.5 - 5.2
Globulin (Serum/Derived)	3.12	gm/dL	2.3 - 3.6
A: GRATIO (Serum/Derived)	1.54		1.1 - 2.2
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	229.4	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	296.0	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

**INTERPRETATION:** The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the `usual\_circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	33.5	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/Calculated)	136.7	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	59.2	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	195.9	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

**INTERPRETATION:** 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.lt is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.







Customer Name	MR.JEYANTH B	Customer ID	MED121762343
Age & Gender	38Y/MALE	Visit Date	25/03/2023
Ref Doctor	MediWheel		, == / ===

# REAL - TIME 2D & 4D ULTRASOUND DONE WITH VOLUSON 730 EXPERT . SONOGRAM REPORT

# **WHOLE ABDOMEN**

Liver:

The liver is mildly enlarged in size (16.6 cm). Parenchymal echoes are

increased in intensity. No focal lesions. Surface is smooth. There is no intra or extra hepatic biliary ductal dilatation.

Gallbladder: The gall bladder is normal sized and smooth walled and contains no calculus.

Pancreas:

The pancreas shows a normal configuration and echotexture.

The pancreatic duct is normal.

Spleen:

The spleen is normal.

Kidneys:

The right kidney measures 9.8 x 4.5 cm. Normal architecture.

The collecting system is not dilated.

The left kidney measures 10.0 x 5.2 cm. Normal architecture.

The collecting system is not dilated.

Urinary

bladder:

The urinary bladder is partially filled. No demonstrable internal

echoes noted.

Ref. Dr : MediWheel Type : OP

Investigation	Observed Value	<u>Unit</u>	<b>Biological Reference Interval</b>
Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	6.8		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	8.8		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/ Calculated)	4.1		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0
Glycosylated Haemoglobin (HbA1c)			
<b>HbA1C</b> (Whole Blood/Ion exchange HPLC by D10)	8.9	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose (Whole Blood) 208.73 mg/dL

#### **INTERPRETATION: Comments**

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia,hyperbilirubinemia,Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies,

Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.

#### **IMMUNOASSAY**

#### THYROID PROFILE / TFT

**T3 (Triiodothyronine) - Total** (Serum/ 1.56 ng/mL 0.7 - 2.04 Chemiluminescent Immunometric Assay

(CLIA))

#### INTERPRETATION:

#### Comment:

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

**T4 (Tyroxine) - Total** (Serum/ 10.34 μg/dL 4.2 - 12.0

Chemiluminescent Immunometric Assay

(CLIA))

#### INTERPRETATION:

#### Comment:

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.







Customer Name	MR.JEYANTH B	Customer ID	MED121762343
Age & Gender	38Y/MALE	Visit Date	25/03/2023
Ref Doctor	MediWheel	*	

Prostate:

The prostate measures 3.7 x 3.6 x 3.2 cm and is normal sized.

Corresponds to a weight of about 23.39 gms.

The echotexture is homogeneous. The seminal vesicles are normal.

RIF:

Iliac fossae are normal.

No mass or fluid collection is seen in the right iliac fossa.

The appendix is not visualized.

There is no free or loculated peritoneal fluid.

No para aortic lymphadenopathy is seen.

# **IMPRESSION:**

> Hepatomegaly with grade II fatty liver.

DR. J. VINOLIN NIVETHA, M.D.R.D., Consultant Radiologist

Reg. No: 115999

Ref. Dr : MediWheel Type : OP

<u>Investigation</u> <u>Observed Value</u> <u>Unit</u> <u>Biological Reference Interval</u>

TSH (Thyroid Stimulating Hormone) (Serum 3.44 μIU/mL 0.35 - 5.50

/Chemiluminescent Immunometric Assay

(CLIA))

#### **INTERPRETATION:**

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment:

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.

2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations. 3. Values&amplt;0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.

## **CLINICAL PATHOLOGY**

#### Urine Analysis - Routine

Office Arialysis - Houline			
Colour (Urine)	Yellow		Yellow to Amber
Appearance (Urine)	Clear		Clear
Protein (Urine)	Negative		Negative
Glucose (Urine)	Negative		Negative
Pus Cells (Urine)	2-3	/hpf	NIL
Epithelial Cells (Urine)	1-2	/hpf	NIL
RBCs (Urine)	Nil	/hpf	NIL

-- End of Report --








# Medall Healthcare Pvt Ltd 10/5, HARSHA COMPLEX, NORTH BYE PASS ROAD, Vannarapetai, Tirunelveli-627003


Customer Name	MR.JEYANTH B	Customer ID	MED121762343
Age & Gender	38Y/MALE	Visit Date	25/03/2023
Ref Doctor	MediWheel	1 1010 2 400	25/03/2023



3















Name	MR.JEYANTH B	ID	MED121762343
Age & Gender	38Y/MALE	Visit Date	25 Mar 2023
Ref Doctor Name	MediWheel		

## ECHOCARDIOGRAM WITH COLOUR DOPPLER:

LVID d ... 4.8 cm LVID s ... 2.7 cm EF ... 75 % IVS d ... 1.0 cm IVS s ... 1.2 cm LVPW d ... 0.5 cm LVPW s ... 1.0 cm ... 2.9 cm LA ... 3.0 cm ΑO TAPSE ... 25m m IVC ... 0.9cm

Left ventricle, Left atrium normal.

Right ventricle, Right atrium normal.

No regional wall motion abnormality present.

Mitral valve, Aortic valve, Tricuspid valve & Pulmonary valve normal.

Aorta normal.

Inter atrial septum intact.

Inter ventricular septum intact.

No pericardial effusion.

## Doppler:

Mitral valve: E:1.06 m/s A:0.92 m/s



Customer Name MR.JEYANTH B	
Customer ID	MED121762343
Age & Gender 38Y/MALE	
Ref Doctor MediWheel	25/03/2023

# ECHOCARDIOGRAM WITH COLOUR DOPPLER:

LVID d ... 4.8 cm LVID s ... 2.7 cm EF ... 75 % **IVS** ... 1.0 cm IVS s ... 1.2 cm LVPW d ... 0.5 cm LVPW s ... 1.0 cm LA ... 2.9 cm ... 3.0 cm AO **TAPSE** ... 25mm **IVC** ... 0.9cm

Left ventricle, Left atrium normal.

Right ventricle, Right atrium normal.

No regional wall motion abnormality present.

Mitral valve, Aortic valve, Tricuspid valve & Pulmonary valve normal.

Aorta normal.

Inter atrial septum intact.

Inter ventricular septum intact.

No pericardial effusion .

Name	MR.JEYANTH B	ID	MED121762343
Age & Gender	38Y/MALE	Visit Date	25 Mar 2023
Ref Doctor Name	MediWheel		

Aortic valve: AV Jet velocity:1.60 m/s

Tricuspid valve: TV Jet velocity:2.33m/s

TRPG:21.81mmHg.

Pulmonary valve: PV Jet velocity:1.16 m/s

# **IMPRESSION:**

1. Normal chambers & Valves.

- 2. No regional wall motion abnormality present.
- 3. Normal LV systolic function.
- 4. Pericardial effusion Nil.

5. No pulmonary artery hypertension.

Dr. S. MANIKANDAN. MD.DM.(Cardio)
Cardiologist



Customer Name	MR.JEYANTH B	Customer ID	MED121762343
Age & Gender	38Y/MALE	Visit Date	25/03/2023
Ref Doctor	MediWheel		20/00/2020

# Doppler:

Mitral valve: E:1.06 m/s

A:0.92 m/s

E/A Ratio:1.15

E/E: 9.75

Aortic valve: AV Jet velocity:1.60 m/s

Tricuspid valve: TV Jet velocity:2.33m/s

TRPG:21.81mmHg.

Pulmonary valve: PV Jet velocity:1.16 m/s

# **IMPRESSION:**

1. Normal chambers & Valves.

- 2. No regional wall motion abnormality present.
- 3. Normal LV systolic function.
- 4. Pericardial effusion Nil.
- 5. No pulmonary artery hypertension.

Dr. S. MANIKANDAN. MD.DM.(Cardio)
Cardiologist

Name	MR.JEYANTH B	ID	MED121762343
Age & Gender	38Y/MALE	Visit Date	25 Mar 2023
Ref Doctor Name	MediWheel		

#### REAL - TIME 2D & 4D ULTRASOUND DONE WITH VOLUSON 730 EXPERT.

### **SONOGRAM REPORT**

## **WHOLE ABDOMEN**

Liver: The liver is mildly enlarged in size (16.6 cm). Parenchymal echoes

are

increased in intensity. No focal lesions. Surface is smooth. There is no intra or extra hepatic biliary ductal dilatation.

**Gallbladder:** The gall bladder is normal sized and smooth walled and contains no calculus.

**Pancreas:** The pancreas shows a normal configuration and echotexture.

The pancreatic duct is normal.

**Spleen:** The spleen is normal.

**Kidneys:** The right kidney measures 9.8 x 4.5 cm. Normal architecture.

The collecting system is not dilated.

The left kidney measures 10.0 x 5.2 cm. Normal architecture.

The collecting system is not dilated.

Urinary

**bladder:** The urinary bladder is partially filled. No demonstrable internal


echoes noted.

**Prostate:** The prostate measures 3.7 x 3.6 x 3.2 cm and is normal sized.





# Medall Healthcare Pvt Ltd 10/5,HARSHA COMPLEX, NORTH BYE PASS ROAD,Vannarapetai,Tirunelveli-627003


Customer Name	MR.JEYANTH B	Customer ID	MED121762343
Age & Gender	38Y/MALE	Visit Date	25/03/2023
Ref Doctor	MediWheel		20/03/2023





3

















Name	MR.JEYANTH B	ID	MED121762343
Age & Gender	38Y/MALE	Visit Date	25 Mar 2023
Ref Doctor Name	MediWheel		

Corresponds to a weight of about 23.39 gms.

The echotexture is homogeneous. The seminal vesicles are normal.

**RIF**: Iliac fossae are normal.

No mass or fluid collection is seen in the right iliac fossa.

The appendix is not visualized.

There is no free or loculated peritoneal fluid. No para aortic lymphadenopathy is seen.

# **IMPRESSION**:

> Hepatomegaly with grade II fatty liver.

DR. J. VINOLIN NIVETHA, M.D.R.D., Consultant Radiologist Reg. No: 115999

#### **MEDICAL EXAMINATION REPORT** B. Jeyandh Name Gender Date of Birth 21-05-1981 **Position Selected For** Identification marks HISTORY: 1. Do you have, or are you being treated for, any of the following coeditions? (please tick all that apply)? Anxiety Cancer High Blood Pressure **Arthritis** Depression/ bipolar disorder High Cholesterol Asthama, Bronchitis, Emphysema Diabetes Migraine Headaches Back or spinal problems **Heart Disease** Sinusitis or Allergic Rhinitis (Hay Fever) **Epilepsy** Any other serious problem for which you are receiving medical attention 2. List the medications taken Regularly. 3. List allergies to any known medications or chemicals 4. Alcohol: Yes Occasional Quit(more than 3 years) 5. Smoking: Yes No 6. Respiratory Function: a. Do you become unusually short of breath while walking fast or taking stair - case? b. Do you usually cough a lot first thing in morning? c. Have you vomited or coughed out blood? Yes 7. Cardiovascular Function & Physical Activity: a. Exercise Type: (Select 1) No Activity Very Light Activity (Seated At Desk, Standing) Light Activity (Walking on level surface, house cleaning) Moderate Activity (Brisk walking, dancing, weeding) Vigrous Activity (Soccer, Running) b. Exercise Frequency: Regular (less than 3 days/ week) / Irregular (more than 3 days/ Week) c. Do you feel pain in chest when engaging in physical activity? 8. Hearing: a. Do you have history of hearing troubles? Yes b. Do you experiences ringing in your ears? Yes c. Do you experience discharge from your ears? Yes d. Have you ever been diagnosed with industrial deafness? Yes 9. Musculo - Skeletal History a. Neck: Have you ever injured or experienced pain? Yes b. Back: If Yes; approximate date (MM/YYYY) c. Shoulder, Elbow, Writs, Hands Consulted a medical professional? Yes d. Hips, Knees, Ankles, Legs Resulted in time of work? Yes No Surgery Required? Yes No Ongoing Problems ? Yes No

Name	JEYANTH B	Customer ID	MED121762343
Age & Gender	38Y/M	Visit Date	Mar 25 2023 9:29AM
Ref Doctor	MediWheel		

# DIGITAL X- RAY CHEST PA VIEW

Trachea appears normal.

Cardiothoracic ratio is within normal limits.

Bilateral lung fields appear normal.

Costo and cardiophrenic angles appear normal.

Visualised bony structures appear normal.

Extra thoracic soft tissues shadow grossly appears normal.

# **IMPRESSION:**

i. NO SIGNIFICANT ABNORMALITY DEMONSTRATED.

DR. DANIEL STANLEY PETER, M.D.R.D.
Consultant Radiologist

Reg. No: 82342

. 10. Function History ☐			
<ul> <li>b. Do you have knee particle.</li> <li>c. Do you have back particle.</li> <li>d. Do you have pain or</li> <li>e. Do you have pain appropriate response</li> <li>•Walking: Yes No</li> </ul>	ain when squatting or kneain when forwarding or two difficulty when lifting objective when doing any of the e)  •Kneeling: •Sitting:	visting?  ects above your shoulder height?  following for prolonged periods  Yes No Squatin	
f. Do you have pain wh	nen working with hand too ny difficulty operating ma y operating computer inst	chinery?	Yes No Yes No No Pulso - 74
a. Height Chest measurements:	b. Weight 77, 7	Blood Pressure b. Expanded	175 mmhg
Waist Circumference		Ear, Nose & Throat	
Skin		Respiratory System	<u> </u>
Vision		Nervous System □	
Circulatory System		Genito- urinary System	
Gastro-intestinal System		Colour Vision	
Discuss Particulars of Section B :-  REMARKS OF PATHOLO	OCICAL TESTS		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Chest X -ray	OGICAL TESTS:	ECG	
Complete Blood Count		Urine routine	
Serum cholesterol		Blood sugar	
*Blood Group		S.Creatinine	
CONCLUSION:  Any further investigations re	equired	Any precautions suggested	
FITNESS CERTIFICATION  Certified that the above n  or otherwise, constitu	amed recruit does not a	appear to be suffering from any bodily informity excepter this as disqualification for emplo	2.0
Candidate is free	from Contagious/Co	mmunicable disease	

Date :

Signature of Medical Adviser Dr.S. MANIKANDAN, M.D., D.M. (Pol. 18)