Name	: Mrs. RUBIYA SULTANA		
PID No.	: MED122132319	Register On : 12/09/2023 8:59 AM	
SID No.	: 522314565	Collection On : 12/09/2023 10:20 AM	,
Age / Sex	: 32 Year(s) / Female	Report On : 12/09/2023 5:26 PM med	all
Туре	: OP	Printed On : 02/11/2023 5:43 PM DIAGNOS	TICS
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
BLOOD GROUPING AND Rh TYPING (EDTA Blood'Agglutination)	'O' 'Positive'		
INTERPRETATION: Note: Slide method is screening	g method. Kindly conf	irm with Tube method for t	ransfusion.
<u>Complete Blood Count With - ESR</u>			
Haemoglobin (EDTA Blood'Spectrophotometry)	10.3	g/dL	12.5 - 16.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	34.2	%	37 - 47
RBC Count (EDTA Blood)	5.18	mill/cu.mm	4.2 - 5.4
Mean Corpuscular Volume(MCV) (EDTA Blood)	66.0	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	19.8	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	30.0	g/dL	32 - 36
RDW-CV	18.7	%	11.5 - 16.0
RDW-SD	45.1	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	6900	cells/cu.m m	4000 - 11000
Neutrophils (Blood)	59.5	%	40 - 75
Lymphocytes (Blood)	24.7	%	20 - 45
Eosinophils (Blood)	9.0	%	01 - 06



nusha.K.S Sr.Consultant Pathologist Reg No : 100674 APPROVED BY

The results pertain to sample tested.

Page 1 of 8

Name	:	Mrs. RUBIYA SULTANA				
PID No.	:	MED122132319	Register On	:	12/09/2023 8:59 AM	
SID No.	:	522314565	<b>Collection On</b>	:	12/09/2023 10:20 AM	$\mathbf{O}$
Age / Sex	:	32 Year(s) / Female	Report On	:	12/09/2023 5:26 PM	medall
Туре	:	OP	Printed On	:	02/11/2023 5:43 PM	DIAGNOSTICS

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Monocytes (Blood)	6.0	%	01 - 10
Basophils (Blood)	0.8	%	00 - 02
INTERPRETATION: Tests done on Automated Fiv	ve Part cell counter. Al	l abnormal results are r	eviewed and confirmed microscopically.
Absolute Neutrophil count (EDTA Blood)	4.1	10^3 / µl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	1.7	10^3 / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.6	10^3 / µl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.4	10^3 / µl	< 1.0
Absolute Basophil count (EDTA Blood)	0.1	10^3 / µl	< 0.2
Platelet Count (EDTA Blood)	259	10^3 / µl	150 - 450
MPV (Blood)	8.8	fL	8.0 - 13.3
PCT (Automated Blood cell Counter)	0.229	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood)	31	mm/hr	< 20
BUN / Creatinine Ratio	11.3		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	92.01	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

**INTERPRETATION:** Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.





The results pertain to sample tested.

Page 2 of 8

Name	: Mrs. RUBIYA SULTANA			
PID No.	: MED122132319	Register On	: 12/09/2023 8:59 AM	
SID No.	: 522314565	<b>Collection On</b>	: 12/09/2023 10:20 AM	$\mathbf{O}$
Age / Sex	: 32 Year(s) / Female	Report On	: 12/09/2023 5:26 PM	medall
Туре	: OP	Printed On	: 02/11/2023 5:43 PM	DIAGNOSTICS

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Glucose, Fasting (Urine) (Urine - F/GOD - POD)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD-PAP)	84.21	mg/dL	70 - 140

#### **INTERPRETATION:**

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Blood Urea Nitrogen (BUN) (Serum/Urease UV/derived)	7.5	mg/dL	7.0 - 21
Creatinine	0.66	mg/dL	0.6 - 1.1
(Serum/Modified Jaffe)			

**INTERPRETATION:** Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid (Serum/ <i>Enzymatic</i> ) Liver Function Test	3.74	mg/dL	2.6 - 6.0
Bilirubin(Total) (Serum/DCA with ATCS)	0.81	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.19	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.62	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/ <i>Modified IFCC</i> )	18.82	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/Modified IFCC)	18.86	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	19.01	U/L	< 38





The results pertain to sample tested.

Page 3 of 8

Name	: Mrs. RUBIYA SULTANA		
PID No.	: MED122132319	Register On : 12/09/2023 8:59 AM	
SID No.	: 522314565	Collection On : 12/09/2023 10:20 AM	
Age / Sex	: 32 Year(s) / Female	Report On : 12/09/2023 5:26 PM meda	all
Туре	: OP	Printed On : 02/11/2023 5:43 PM DIAGNOST	
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Alkaline Phosphatase (SAP) (Serum/ <i>Modified IFCC</i> )	82.1	U/L	42 - 98
Total Protein (Serum/Biuret)	7.16	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.13	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	3.03	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived)	1.36		1.1 - 2.2
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	165.86	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	133.33	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

**INTERPRETATION:** The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the õusualö"circulating level of triglycerides during most part of the day.

HDL Cholesterol	34.72	mg/dL	Optimal(Negative Risk Factor): $\geq 60$
(Serum/Immunoinhibition)			Borderline: 50 - 59
			High Risk: < 50



Anusha.K.S Dr Anusha.K.S Sr.Consultant Pathologist Reg No : 100674 APPROVED BY

The results pertain to sample tested.

Page 4 of 8

Name	: Mrs. RUBIYA SULTANA			
PID No.	: MED122132319	Register On	: 12/09/2023 8:59 AM	
SID No.	: 522314565	<b>Collection On</b>	: 12/09/2023 10:20 AM	$\mathbf{O}$
Age / Sex	: 32 Year(s) / Female	Report On	: 12/09/2023 5:26 PM	medall
Туре	: OP	Printed On	: 02/11/2023 5:43 PM	DIAGNOSTICS

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
LDL Cholesterol (Serum/ <i>Calculated</i> )	104.4	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	26.7	mg/dL	< 30
Non HDL Cholesterol (Serum/ <i>Calculated</i> )	131.1	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

**INTERPRETATION:** 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio (Serum/ <i>Calculated</i> )	4.8	Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/ <i>Calculated</i> )	3.8	Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	3	Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0

# Glycosylated Haemoglobin (HbA1c)

Anusha.K.S Sr.Consultant Pathologist Reg No : 100674 APPROVED BY

The results pertain to sample tested.

Page 5 of 8

Lab Address: BANGALORE REFERENCE LABORATORY-CLUMAX DIAGNOSTIC AND RESEARCH CENTRE PVT LTD. (A UNIT OF MEDALL HEALTHCARE PVT. LTD.),Old No 66 & New No 1, 2nd Main Road, Bashyam Circle, Sankey Cross Road Malleswaram, Gayathri Devi Park Extension, Kodandarampura, Sadashiva Nagar, Bengaluru, Karnataka-560003,.

Name	: Mrs. RUBIYA SULTANA			
PID No.	: MED122132319	Register On : 12/0	9/2023 8:59 AM	
SID No.	: 522314565	Collection On : 12/0	09/2023 10:20 AM	$\mathbf{O}$
Age / Sex	: 32 Year(s) / Female	Report On : 12/	09/2023 5:26 PM	medall
Туре	: OP	Printed On : 02/	11/2023 5:43 PM	DIAGNOSTICS
Ref. Dr	: MediWheel			
Investiga	ation	<u>Observed</u> <u>Value</u>	Unit	Biological Reference Interval
HbA1C (Whole Ble	ood/HPLC)	6.3	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5
INTERPI	<b>RETATION:</b> If Diabetes - Good con	trol : 6.1 - 7.0 % , Fair cor	ntrol : 7.1 - 8.0 % , Poor	$r \text{ control} \ge 8.1 \%$
Estimate (Whole Bl	d Average Glucose	134.11	mg/dL	
control as Condition hypertrigh Condition ingestion,	compared to blood and urinary gluce s that prolong RBC life span like Iro yceridemia,hyperbilirubinemia,Drug	ose determinations. n deficiency anemia, Vitar s, Alcohol, Lead Poisoning te or chronic blood loss, he	nin B12 & Folate defici g, Asplenia can give fal molytic anemia, Hemo	
T3 (Triic (Serum/EC	odothyronine) - Total CLIA)	1.16	ng/ml	0.7 - 2.04
<b>Comment</b> Total T3 v		on like pregnancy, drugs, n	ephrosis etc. In such ca	uses, Free T3 is recommended as it is
T4 (Tyro (Serum/EC	oxine) - Total CLIA)	8.61	µg/dl	4.2 - 12.0
<b>Comment</b> Total T4 v		on like pregnancy, drugs, n	ephrosis etc. In such ca	ases, Free T4 is recommended as it is
TSH (Th (Serum/EC	yroid Stimulating Hormone)	5.39	µIU/mL	0.35 - 5.50
				Dr Anusha.K.S Sr.Consultant Pathologist Reg No : 100674 APPROVED BY

The results pertain to sample tested.


Page 6 of 8

Lab Address: BANGALORE REFERENCE LABORATORY-CLUMAX DIAGNOSTIC AND RESEARCH CENTRE PVT LTD. (A UNIT OF MEDALL HEALTHCARE PVT. LTD.),Old No 66 & New No 1, 2nd Main Road, Bashyam Circle, Sankey Cross Road Malleswaram, Gayathri Devi Park Extension, Kodandarampura, Sadashiva Nagar, Bengaluru, Karnataka-560003,.

Name	: Mrs. RUBIYA SULTANA			
PID No.	: MED122132319	Register On	: 12/09/2023 8:59 AM	~
SID No.	: 522314565	<b>Collection On</b>	: 12/09/2023 10:20 AM	
Age / Sex	: 32 Year(s) / Female	Report On	: 12/09/2023 5:26 PM	medall
Туре	: OP	Printed On	: 02/11/2023 5:43 PM	DIAGNOSTICS
Ref. Dr	: MediWheel			

Invest	igation
	<u> </u>

<u>Observed</u> <u>Value</u> Unit



# INTERPRETATION:

Reference range for cord blood - upto 20 1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0 (Indian Thyroid Society Guidelines) **Comment :** 

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI. 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.

3. Values&amplt,0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.

# URINE ROUTINE

# <u>PHYSICAL EXAMINATION (URINE</u> <u>COMPLETE)</u>

Colour (Urine)	Yellow	Yellow to Amber
Appearance (Urine)	Clear	Clear
Volume(CLU) (Urine)	25	
<u>CHEMICAL EXAMINATION (URIN COMPLETE)</u>	<u>/E</u>	
pH (Urine)	5	4.5 - 8.0
Specific Gravity (Urine)	1.015	1.002 - 1.035
Ketone (Urine)	Negative	Negative
Urobilinogen (Urine)	Normal	Normal
		Dr Anusha,K.S Sr.Consultant Pathologist Reg No : 100674 APPROVED BY

The results pertain to sample tested.

Page 7 of 8

Name	:	Mrs. RUBIYA SULTANA				
PID No.	:	MED122132319	Register On	:	12/09/2023 8:59 AM	
SID No.	:	522314565	<b>Collection On</b>	:	12/09/2023 10:20 AM	0
Age / Sex	:	32 Year(s) / Female	Report On	:	12/09/2023 5:26 PM	medall
Туре	:	OP	Printed On	:	02/11/2023 5:43 PM	DIAGNOSTICS

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Blood (Urine)	Negative		Negative
Nitrite (Urine)	Positive(+)		Negative
Bilirubin (Urine)	Negative		Negative
Protein (Urine)	Negative		Negative
Glucose (Urine/GOD - POD)	Negative		Negative
Leukocytes(CP) (Urine)	Positive(++)		
<u>MICROSCOPIC EXAMINATION</u> (URINE COMPLETE)			
Pus Cells (Urine)	5-10	/hpf	NIL
Epithelial Cells (Urine)	2-5	/hpf	NIL
RBCs (Urine)	NIL	/HPF	NIL
Others (Urine)	Bacteria present		
<b>INTERPRETATION:</b> Note: Done with Automated reviewed and confirmed microscopically.	Urine Analyser & Auton	nated urine sedimentation a	nalyser. All abnormal reports are

Casts (Urine)	NIL	/hpf	NIL
Crystals	NIL	/hpf	NIL
(Urine)			



Dr Anusha.K.S Sr.Consultant Pathologist Reg No : 100674 APPROVED BY

-- End of Report --

The results pertain to sample tested.


Page 8 of 8

Lab Address: BANGALORE REFERENCE LABORATORY-CLUMAX DIAGNOSTIC AND RESEARCH CENTRE PVT LTD. (A UNIT OF MEDALL HEALTHCARE PVT. LTD.),Old No 66 & New No 1, 2nd Main Road, Bashyam Circle, Sankey Cross Road Malleswaram, Gayathri Devi Park Extension, Kodandarampura, Sadashiva Nagar, Bengaluru, Karnataka-560003,.

				and the second	$\overline{\mathbf{i}}$
Patient Name	Rubiya !	Sultana	Date	121912	023
Age	321		Visit Number	Constant and a second	14565
Sex	Fem	ale	Corporate	Med	i wheel
GENERAL P	HYSICAL EXAMI	NATION			- maneer
Identification	Mark : Bisith	unde a	(17) eye !	bolow,	
Height :	59	cms	,		
Weight : 💡	30.4	kgs			Son: 97.1.
Pulse : 7		/minut	e		
Blood Pressure	: 110/70,	mm of	Hg		
вмі : З	1.8				
BMI INTERPRETATION Underweight = <18.5 Normal weight = 18.5-24.9 Overweight = 25-29.9					
Chest :					
Expiration :	95	cms			
Inspiration :	102	cms			
Abdomen Mea		cms			
Eyes : Ble p	upile searching	Ears	dau:		
Throat : NA	<b>,</b>	Necl	knodes : Not	palpable.	
RS : ()		CVS	: 9		
RS: JUDD	;	CNS	tang:		
No abnormality	/ is detected. <del>this</del> / <u>F</u>	ler general ph	ysical examinatio	on is within norma	l limits.

NOTE : MEDICAL FIT FOR EMPLOYMENT YES / NO

Signature M.B.B.S KMC. Reg. No. 99137



Name	RUBIYA SULTANA	ID	MED122132319	
Age & Gender	32-Female	Visit Date	9/12/2023 5:44:25 PM	N
Ref Doctor Name	MediWheel			

# ABDOMINO-PELVIC ULTRASONOGRAPHY

**LIVER** is normal in shape, size (12.2 cm) and shows increased echogenicity. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER is partially distended. CBD is not dilated.

**PANCREAS** has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

**SPLEEN** is enlarged in size (13.4 cm) with normal echopattern.

# **BOTH KIDNEYS**

**Right kidney:** Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

**Left kidney:** Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

-	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	11.4	1.5
Left Kidney	10.9	1.7

**URINARY BLADDER** show normal shape and wall thickness. It has clear contents. No evidence of diverticula.

**UTERUS** is anteverted and has normal shape and size. It has uniform myometrial echopattern. Uterus measures LS: 6.0 cms AP: 3.8 cms TS: 5.7 cms. IUCD in situ.

**OVARIES** are normal in size, shape and echotexture Right ovary measures 2.0 x 2.2 cm Left ovary measures 2.7 x 1.3 cm

POD & adnexa are free. No evidence of ascites.

A defect measuring 18.8 mm is noted in the level of umbilicus with herniation of omentum. Contents are partially reducible.

# **IMPRESSION:**

#### REPORT DISCLAIMER also have 7. Results of the test are influenced by the various factors such as sensitivity, specificity of the

- 1. This is only a radiologincal imperssion. Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and pathological findings.
- The results reported here in are subject to interpretation by qualified medical professionals only.
   Customer identities are accepted provided by the customer or their representative.
- 3.Customer identities are accepted provided by the customer or their representative.
  4.information about the customer's condition at the time of sample collection such as fasting, food
- Animation about the customer s construction at the time of sample concertoin such as fasting, food consumption, medication, tect are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.

8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification

procedures of the tests, quality of the samples and drug interactions etc.,

<sup>5.</sup>If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.

<sup>6.</sup>Test results should be interpreted in context of clinical and other findings if any.In case of any clarification /doubt, the refrering doctor/patient can contact the respective section head of the laboratory.

or retesting where practicable within 24 hours from the time of issue of results. 9.Liability is limited to the extend of amount billed. 10.Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.

<sup>11.</sup>Disputes, if any, with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.

Name	RUBIYA SULTANA	ID	MED122132319	
Age & Gender	32-Female	Visit Date	9/12/2023 5:44:25 PM	
Ref Doctor Name	MediWheel			



- Grade I fatty infiltration of liver
- Mild splenomegaly.
- Umbilical hernia.

-

Suggested clinical correlation.

DR. HEMANANDINI V.N CONSULTANT RADIOLOGIST Hn/Mi

- 1. This is only a radiologincal imperssion. Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and pathological findings.
- 2. The results reported here in are subject to interpretation by qualified medical professionals only.
- 3.Customer identities are accepted provided by the customer or their representative.
- 4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its ruthfulness.
- 5.If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.
- 6.Test results should be interpreted in context of clinical and other findings if any.In case of any clarification /doubt , the refrering doctor/patient can contact the respective section head of the laboratory.
- 7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,
- S.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.
- 9.Liability is limited to the extend of amount billed.
- 10.Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.
- 11.Disputes, if any, with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.

Name	RUBIYA SULTANA	ID	MED122132319	
Age & Gender	32-32-Female	Visit Date	9/12/2023 5:44:25 PM	
Ref Doctor Name	MediWheel			'



# **2D ECHOCARDIOGRAPHIC STUDY**

# **M-mode measurement:**

AORTA	:	2.27	cms.
LEFT ATRIUM	:	3.49	cms.
AVS <b>LEFT VENTRICLE</b>	:	1.47	cms.
(DIASTOLE)	:	3.54	cms.
(SYSTOLE)	:	2.36	cms.
VENTRICULAR SEPTUM	:		
(DIASTOLE)	:	0.90	cms.
(SYSTOLE)	:	1.27	cms.
POSTERIOR WALL	:		
(DIASTOLE)	:	1.18	cms.
(SYSTOLE)	:	1.54	cms.
EDV	:	29	ml.
ESV	:	16	ml.
FRACTIONAL SHORTENING	:	35	%
EJECTION FRACTION	:	60	%
EPSS	:		cms.
RVID		1.80	omo
	•	1.60	cms.

## **DOPPLER MEASUREMENTS:**

MITRAL VALVE:	E - 0.8 m/s	A - 1.0 m/s	NO MR.
AORTIC VALVE:	1.1 m	/s	NO AR.
TRICUSPID VALVE: E - 0	0.4 m/s A - 0.	.5 m/s	NO TR.
PULMONARY VALVE:	0.8 m	/s	NO PR.

- 1. This is only a radiologincal imperssion. Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and pathological findings.
- The results reported here in are subject to interpretation by qualified medical professionals only.
   Customer identities are accepted provided by the customer or their representative.
- 4.information about the customer's condition at the time of sample collection such as fasting, food
- 4. Information about the customer's contation at the time of sample concetion such as fasting, lood consumption, medication, let are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.
- 5.If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.
- 6.Test results should be interpreted in context of clinical and other findings if any.In case of any clarification /doubt , the refrering doctor/patient can contact the respective section head of the laboratory.
- The second se
  - 8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.
  - 9.Liability is limited to the extend of amount billed.
  - 10.Reports are subject to interpretation in their entirety partial or selective interpretation may lead to false opinion.
  - 11.Disputes, if any , with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.

Name	RUBIYA SULTANA	ID	MED122132319	
Age & Gender	32-32-Female	Visit Date	9/12/2023 5:44:25 PM	M
Ref Doctor Name	MediWheel			



# **2D ECHOCARDIOGRAPHY FINDINGS:**

Left Ventricle : Normal size, Normal systolic function. : No regional wall motion abnormalities.

Left Atrium		:	Normal.
Right Ventricle	:	Norma	ıl.
Right Atrium		:	Normal.
Mitral Valve		:	Normal. No mitral valve prolapsed.
Aortic Valve		:	Normal.Trileaflet.
Tricuspid Valve		:	Normal.
Pulmonary Valve		:	Normal.
IAS		:	Intact.
IVS		:	Intact.
Pericardium		:	No pericardial effusion.

# <u>IMPRESSION:</u> FAIR ECHO WINDOW. NORMAL SIZED CARDIAC CHAMBERS. GRADE I LV DIASTOLIC DYSFUNCTION. NORMAL LV SYSTOLIC FUNCTION. EF: 60 %. NO REGIONAL WALL MOTION ABNORMALITIES. NORMAL VALVES. NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

- 1. This is only a radiologincal imperssion. Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and pathological findings.
- The results reported here in are subject to interpretation by qualified medical professionals only.
   Customer identities are accepted provided by the customer or their representative.
- 4.information about the customer's condition at the time of sample collection such as fasting, food
- consumption notes that the case of the consumption is a simple concerning of the consumption in the case of the case and the case of the c
- 5.If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.
- 6.Test results should be interpreted in context of clinical and other findings if any.In case of any clarification /doubt , the refrering doctor/patient can contact the respective section head of the laboratory.
- 7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,
- 8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.
- 9.Liability is limited to the extend of amount billed.
- 10.Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.
- 11.Disputes, if any , with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.

Name	RUBIYA SULTANA	ID	MED122132319
Age & Gender	32-32-Female	Visit Date	9/12/2023 5:44:25 PM
Ref Doctor Name	MediWheel		



# DR. YASHODA RAVI CONSULTANT CARDIOLOGIST

- 1. This is only a radiologincal imperssion. Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and pathological findings.
- 2. The results reported here in are subject to interpretation by qualified medical professionals only.
- 3.Customer identities are accepted provided by the customer or their representative.
- 4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.
- 5.If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.
- 6.Test results should be interpreted in context of clinical and other findings if any.In case of any clarification /doubt , the refrering doctor/patient can contact the respective section head of the laboratory.
- 7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,
- S.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.
- 9.Liability is limited to the extend of amount billed.
- 10.Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.
- 11.Disputes, if any , with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.



Name	MRS. RUBIYA SULTANA	ID	MED122132319
Age & Gender	32Y/F	Visit Date	Sep 12 2023 8:59AM
Ref Doctor	MediWheel		

# X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

*<u>Impression</u>*: No significant abnormality detected.

DR KARTHIK VIJAY DATTANI. MD., PDCC CONSULTANT RADIOLOGIST