

16 Mar 2023 13:51

Registered Office: Sector-6, Dwarka, New Delhi-110075

: MRS SUNAINA DUTT 39 Yr(s) Sex :Female Name Age

**Registration No** : MH010851564 Lab No 31230300801

**Patient Episode** : H03000053029 **Collection Date:** 16 Mar 2023 09:55

**Receiving Date** : 16 Mar 2023 13:42

Referred By

#### **Department of Transfusion Medicine (Blood Bank)**

BLOOD GROUPING, RH TYPING & ANTIBODY SCREEN (TYPE & SCREEN) Specimen-Blood

Blood Group & Rh Typing (Agglutinaton by gel/tube technique)

B Rh(D) Positive Blood Group & Rh typing

: HEALTH CHECK MHD

Antibody Screening (Microtyping in gel cards using reagent red cells)

Cell Panel I NEGATIVE Cell Panel II NEGATIVE Cell Panel III NEGATIVE Autocontrol NEGATIVE

Final Antibody Screen Result Negative

#### Technical Note:

ABO grouping and Rh typing is done by cell and serum grouping by microplate / gel technique. Antibody screening is done using a 3 cell panel of reagent red cells coated with Rh, Kell, Duffy, Kidd, Lewis, P, MNS, Lutheran and Xg antigens using gel technique.

Page1 of 10

-----END OF REPORT-----



**Reporting Date:** 

Dr Himanshu Lamba











Awarded Nursing Excellence Services E-2019-0026/27/07/2019-26/07/2021 N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Registered Office: Sector-6, Dwarka, New Delhi-110075

: MRS SUNAINA DUTT 39 Yr(s) Sex :Female Name Age

**Registration No** MH010851564 Lab No 32230305993

: H03000053029 **Collection Date: Patient Episode** 16 Mar 2023 09:55

Referred By : HEALTH CHECK MHD **Reporting Date:** 16 Mar 2023 15:03

: 16 Mar 2023 11:32 **Receiving Date** 

### **BIOCHEMISTRY**

Glycosylated Hemoglobin Specimen: EDTA Whole blood

As per American Diabetes Association (ADA)

HbA1c (Glycosylated Hemoglobin) 5.6 [4.0-6.5] HbA1c in % Non diabetic adults >= 18 years <5.7

Prediabetes (At Risk ) 5.7-6.4

Diagnosing Diabetes >= 6.5

Methodology (HPLC)

114 Estimated Average Glucose (eAG) mq/dl

Comments: HbAlc provides an index of average blood glucose levels over the past 8-12 weeks and is a much better indicator of long term glycemic control.

Specimen Type : Serum

#### THYROID PROFILE, Serum

T3 - Triiodothyronine (ECLIA)	1.04	ng/ml	[0.70-2.04]
T4 - Thyroxine (ECLIA)	9.37	micg/dl	[4.60-12.00]
Thyroid Stimulating Hormone (ECLIA)	0.656	uIU/mL	[0.340-4.250]

1st Trimester: 0.6 - 3.4 micIU/mL 2nd Trimester: 0.37 - 3.6 micIU/mL 3rd Trimester: 0.38 - 4.04 micIU/mL

Note: TSH levels are subject to circadian variation, reaching peak levels between 2-4.a.m.and at a minimum between 6-10 pm.Factors such as change of seasons hormonal fluctuations, Ca or Fe supplements, high fibre diet, stress and illness






NABL Accredited Hospital



Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021 N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Awarded Nursing Excellence Services





Awarded Clean & Green Hospital



Registered Office: Sector-6, Dwarka, New Delhi-110075

: MRS SUNAINA DUTT 39 Yr(s) Sex: Female Name Age

**Registration No** MH010851564 Lab No 32230305993

**Patient Episode** H03000053029 **Collection Date:** 16 Mar 2023 09:55

**Referred By** : HEALTH CHECK MHD **Reporting Date:** 16 Mar 2023 12:46

**Receiving Date** : 16 Mar 2023 11:28

### **BIOCHEMISTRY**

affect TSH results.

- \* References ranges recommended by the American Thyroid Association
- 1) Thyroid. 2011 Oct; 21(10):1081-125.PMID .21787128
- 2) http://www.thyroid-info.com/articles/tsh-fluctuating.html

Test Name	Result	Unit	Biological Ref. Interval
Lipid Profile (Serum)			
TOTAL CHOLESTEROL (CHOD/POD)	176	mg/dl	[<200]
			Moderate risk:200-239
			High risk:>240
TRIGLYCERIDES (GPO/POD)	91	mg/dl	[<150]
			Borderline high:151-199
			High: 200 - 499
			Very high:>500
HDL - CHOLESTEROL (Direct)	67 #	mg/dl	[30-60]
VLDL - Cholesterol (Calculated)	18	mg/dl	[10-40]
LDL- CHOLESTEROL	91	mg/dl	[<100]
			Near/Above optimal-100-129
			Borderline High:130-159
			High Risk:160-189
T.Chol/HDL.Chol ratio	2.6		<4.0 Optimal
			4.0-5.0 Borderline
			>6 High Risk
LDL.CHOL/HDL.CHOL Ratio	1.4		<3 Optimal
			3-4 Borderline
			>6 High Risk

#### Note:

Reference ranges based on ATP III Classifications. Recommended to do fasting Lipid Profile after a minimum of 8 hours of overnight fasting.

Page 3 of 10







Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021



Awarded Nursing Excellence Services N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Awarded Clean & Green Hospital



Registered Office: Sector-6, Dwarka, New Delhi- 110075

Name : MRS SUNAINA DUTT Age : 39 Yr(s) Sex :Female

Referred By : HEALTH CHECK MHD Reporting Date : 16 Mar 2023 12:45

**Receiving Date** : 16 Mar 2023 11:28

### **BIOCHEMISTRY**

Test Name	Result	Unit	Biological Ref. Interval
LIVER FUNCTION TEST (Serum)			
BILIRUBIN-TOTAL (mod.J Groff) **	0.34	mg/dl	[0.10-1.20]
BILIRUBIN - DIRECT (mod.J Groff)	0.13	mg/dl	[<0.2]
BILIRUBIN - INDIRECT (mod.J Groff)	0.21	mg/dl	[0.20-1.00]
SGOT/ AST (P5P, IFCC)	20.20	IU/L	[5.00-37.00]
SGPT/ ALT (P5P, IFCC)	15.60	IU/L	[10.00-50.00]
ALP (p-NPP, kinetic) *	80	IU/L	[37-98]
TOTAL PROTEIN (mod.Biuret)	7.8	g/dl	[6.0-8.2]
SERUM ALBUMIN (BCG-dye)	4.4	g/dl	[3.5-5.0]
SERUM GLOBULIN (Calculated)	3.4	g/dl	[1.8-3.4]
ALB/GLOB (A/G) Ratio	1.29	_	[1.10-1.80]

#### Note:

Page 4 of 10











 NABL Accredited Hospital
 Awarded Emergency Excellence Services
 Awarded Nursing Excellence Services
 Awarded Clean & Green Hospital

 /3228/04/09/2019-03/09/2021
 E-2019-0026/27/07/2019-26/07/2021
 N-2019-0113/27/07/2019-26/07/2021
 IND18.6278/05/12/2018-04/12/2019

<sup>\*\*</sup>NEW BORN:Vary according to age (days), body wt & gestation of baby

<sup>\*</sup>New born: 4 times the adult value



Registered Office: Sector-6, Dwarka, New Delhi- 110075

: MRS SUNAINA DUTT 39 Yr(s) Sex :Female Name Age

**Registration No** MH010851564 Lab No 32230305993

**Patient Episode** H03000053029 **Collection Date:** 16 Mar 2023 09:55

: HEALTH CHECK MHD Referred By **Reporting Date:** 16 Mar 2023 12:45

**Receiving Date** : 16 Mar 2023 11:28

### **BIOCHEMISTRY**

Test Name	Result	Unit	Biological Ref. Interval
KIDNEY PROFILE (Serum)			
BUN (Urease/GLDH)	9.00	mg/dl	[8.00-23.00]
SERUM CREATININE (mod.Jaffe)	0.55 #	mg/dl	[0.60-1.40]
SERUM URIC ACID (mod.Uricase)	2.8	mg/dl	[2.6-6.0]
SERUM CALCIUM (NM-BAPTA)	9.5	mg/dl	[8.6-10.0]
SERUM PHOSPHORUS (Molybdate, UV)	3.2	mg/dl	[2.3-4.7]
SERUM SODIUM (ISE)	138.0	mmol/l	[134.0-145.0]
SERUM POTASSIUM (ISE)	4.00	mmol/l	[3.50-5.20]
SERUM CHLORIDE (ISE / IMT)	103.3	mmol/l	[95.0-105.0]
eGFR	118.5	ml/min/1.73s	q.m [>60.0]

Technical Note

eGFR which is primarily based on Serum Creatinine is a derivation of CKD-EPI 2009 equation normalized to 1.73 sq.m BSA and is not applicable to individuals below 18 years. eGFR tends to be less accurate when Serum Creatinine estimation is indeterminate e.g. patients at extremes of muscle mass, on unusual diets etc. and samples with severe Hemolysis / Icterus / Lipemia.

Page 5 of 10

-----END OF REPORT----

Dr. Neelam Singal CONSULTANT BIOCHEMISTRY











Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021



Awarded Nursing Excellence Services N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Awarded Clean & Green Hospital



Registered Office: Sector-6, Dwarka, New Delhi- 110075

Name : MRS SUNAINA DUTT 39 Yr(s) Sex: Female Age

**Registration No** MH010851564 Lab No 32230305994

H03000053029 **Patient Episode Collection Date:** 16 Mar 2023 09:55

: HEALTH CHECK MHD Referred By **Reporting Date:** 16 Mar 2023 13:52

**Receiving Date** : 16 Mar 2023 11:30

### **BIOCHEMISTRY**

Specimen Type : Serum/Plasma

Plasma GLUCOSE-Fasting (Hexokinase) 88 mq/dl [70-100]

Page 6 of 10

----END OF REPORT---

Dr. Neelam Singal

CONSULTANT BIOCHEMISTRY











Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021

Awarded Nursing Excellence Services N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019

Awarded Clean & Green Hospital



Registered Office: Sector-6, Dwarka, New Delhi-110075

: MRS SUNAINA DUTT 39 Yr(s) Sex :Female Name Age

**Registration No** MH010851564 Lab No 33230303575

**Patient Episode** H03000053029 **Collection Date:** 16 Mar 2023 09:55

Referred By : HEALTH CHECK MHD **Reporting Date:** 16 Mar 2023 15:31

**Receiving Date** : 16 Mar 2023 11:33

#### HAEMATOLOGY

#### ERYTHROCYTE SEDIMENTATION RATE (Automated) Specimen-Whole Blood

ESR 19.0 /1sthour [0.0-20.0]

#### Interpretation :

Erythrocyte sedimentation rate (ESR) is a non-specific phenomena and is clinically useful in the diagnosis and monitoring of disorders associated with an increased production of acute phase reactants (e.g. pyogenic infections, inflammation and malignancies). The ESR is increased in pregnancy from about the 3rd month and returns to normal by the 4th week postpartum.

ESR is influenced by age, sex, menstrual cycle and drugs (eg. corticosteroids, contraceptives).

It is especially low (0 - 1mm) in polycythemia, hypofibrinogenemia or congestive cardiac failure and when there are abnormalities of the red cells such as poikilocytosis, spherocytosis or sickle cells.

Test Name	Result	Unit Bio	ological Ref. Interval
COMPLETE BLOOD COUNT (EDTA Blood)			
WBC Count (Flow cytometry)	6910	/cu.mm	[4000-10000]
RBC Count (Impedence)	4.20	million/cu.mm	[3.80-4.80]
Haemoglobin (SLS Method)	11.2 #	g/dL	[12.0-15.0]
Haematocrit (PCV)	35.1 #	%	[36.0-46.0]
(RBC Pulse Height Detector Method)			
MCV (Calculated)	83.6	fL	[83.0-101.0]
MCH (Calculated)	26.7	pg	[25.0-32.0]
MCHC (Calculated)	31.9	g/dL	[31.5-34.5]
Platelet Count (Impedence)	178000	/cu.mm	[150000-410000]
RDW-CV (Calculated)	14.8 #	%	[11.6-14.0]
DIFFERENTIAL COUNT			
Neutrophils (Flowcytometry)	68.4	9	[40.0-80.0]
Lymphocytes (Flowcytometry)	14.5 #	8	[20.0-40.0]









E-2019-0026/27/07/2019-26/07/2021





Awarded Nursing Excellence Services N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019

Awarded Clean & Green Hospital



Registered Office: Sector-6, Dwarka, New Delhi- 110075

Name : MRS SUNAINA DUTT Age : 39 Yr(s) Sex :Female

Referred By: HEALTH CHECK MHD Reporting Date: 16 Mar 2023 14:00

**Receiving Date** : 16 Mar 2023 11:33

### **HAEMATOLOGY**

Monocytes (Flowcytometry)	10.1 #	:	%	[2.0-10.0]
Eosinophils (Flowcytometry)	6.1 #	:	%	[1.0-6.0]
Basophils (Flowcytometry)	0.9 #	:	%	[1.0-2.0]
IG	0.10		ଖ	
Neutrophil Absolute(Flouroscence	flow cytometry)	4.7	/cu mm	$[2.0-7.0] \times 10^{3}$
Lymphocyte Absolute(Flouroscence	flow cytometry)	1.0	/cu mm	$[1.0-3.0] \times 10^{3}$
Monocyte Absolute (Flouroscence fl	ow cytometry)	0.7	/cu mm	$[0.2-1.2] \times 10^{3}$
Eosinophil Absolute(Flouroscence	flow cytometry)	0.4	/cu mm	$[0.0-0.5] \times 10^{3}$
Basophil Absolute (Flouroscence fl	ow cytometry)	0.1	/cu mm	$[0.0-0.1] \times 10^{3}$

Complete Blood Count is used to evaluate wide range of health disorders, including anemia, infection, and leukemia. Abnormal increase or decrease in cell counts as revealed may indicate that an underlying medical condition that calls for further evaluation.

Page 8 of 10

-----END OF REPORT------

Dr.Lakshita singh













Registered Office: Sector-6, Dwarka, New Delhi- 110075

Name MRS SUNAINA DUTT 39 Yr(s) Sex: Female Age

**Registration No** MH010851564 Lab No 38230301175

H03000053029 **Patient Episode Collection Date:** 16 Mar 2023 09:55

HEALTH CHECK MHD 16 Mar 2023 17:22 **Referred By Reporting Date:** 

**Receiving Date** 16 Mar 2023 13:45

### **CLINICAL PATHOLOGY**

Test Name	Result	Biological Ref. Interval
ROUTINE URINE ANALYSIS		
MACROSCOPIC DESCRIPTION		
Colour (Visual)	PALE YELLOW	(Pale Yellow - Yellow)
Appearance (Visual)	CLEAR	
CHEMICAL EXAMINATION		
Reaction[pH]	5.0	(5.0-9.0)
(Reflectancephotometry(Indicator Metho	od))	
Specific Gravity	1.030	(1.003-1.035)
(Reflectancephotometry(Indicator Metho	od))	
Bilirubin	Negative	NEGATIVE
Protein/Albumin	Negative	(NEGATIVE-TRACE)
(Reflectance photometry(Indicator Meth	nod)/Manual SSA)	
Glucose	NOT DETECTED	(NEGATIVE)
(Reflectance photometry (GOD-POD/Bened	lict Method))	
Ketone Bodies	NOT DETECTED	(NEGATIVE)
(Reflectance photometry(Legal's Test)/	'Manual Rotheras)	
Urobilinogen	NORMAL	(NORMAL)
Reflactance photometry/Diazonium salt	reaction	
Nitrite	NEGATIVE	NEGATIVE
Reflactance photometry/Griess test		
Leukocytes	NIL	NEGATIVE
Reflactance photometry/Action of Ester	case	
BLOOD	NIL	NEGATIVE
(Reflectance photometry(peroxidase))		
MICROSCOPIC EXAMINATION (Manual) Me	thod: Light microscopy on	centrifuged urine
WBC/Pus Cells	1-2 /hpf	(4-6)
Red Blood Cells	NIL	(1-2)
Epithelial Cells	1-2 /hpf	(2-4)
Casts	NIL	(NIL)
Crystals	NIL	(NIL)
Bacteria	NIL	
Yeast cells	NIL	

Interpretation:

NABL Accredited Hospital

Awarded Emergency Excellence Services

E-2019-0026/27/07/2019-26/07/2021

Page 9 of 10

Awarded Nursing Excellence Services

Awarded Clean & Green Hospital N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Registered Office: Sector-6, Dwarka, New Delhi- 110075

: MRS SUNAINA DUTT 39 Yr(s) Sex :Female Name Age

38230301175 **Registration No** : MH010851564 Lab No

: H03000053029 **Collection Date:** 16 Mar 2023 09:55 **Patient Episode** 

Reporting Date: Referred By : HEALTH CHECK MHD 16 Mar 2023 17:22

: 16 Mar 2023 13:45 **Receiving Date** 

### **CLINICAL PATHOLOGY**

URINALYSIS-Routine urine analysis assists in screening and diagnosis of various metabolic , urological, kidney and liver disorders

Protein: Elevated proteins can be an early sign of kidney disease. Urinary protein excretion can also be temporarily elevated by strenuous exercise, orthostatic proteinuria, dehydration, urina tract infections and acute illness with fever

Glucose: Uncontrolled diabetes mellitus can lead to presence of glucose in urine.

Other causes include pregnancy, hormonal disturbances, liver disease and certain medications.

Ketones: Uncontrolled diabetes mellitus can lead to presence of ketones in urine.

Ketones can also be seen in starvation, frequent vomiting, pregnancy and strenuous exercise.

Blood: Occult blood can occur in urine as intact erythrocytes or haemoglobin, which can occur in various urological, nephrological and bleeding disorders.

Leukocytes: An increase in leukocytes is an indication of inflammation in urinary tract or kidneys Most Common cause is bacterial urinary tract infection.

Nitrite: Many bacteria give positive results when their number is high. Nitrite concentration duri infection increases with length of time the urine specimen is retained in bladder prior to collection.

pH: The kidneys play an important role in maintaining acid base balance of the body. Conditions of the body producing acidosis/alkalosis or ingestion of certain type of food can affect the pH of urine.

Specific gravity: Specific gravity gives an indication of how concentrated the urine is. Increased Specific gravity is seen in conditions like dehydration, glycosuria and proteinuria while decrease Specific gravity is seen in excessive fluid intake, renal failure and diabetes insipidus.

Bilirubin: In certain liver diseases such as biliary obstruction or hepatitis, bilirubin gets excreted in urine.

Urobilinogen: Positive results are seen in liver diseases like hepatitis and cirrhosis

and in case of hemolytic anemia.

Page 10 of 10

-----END OF REPORT-----

Dr.Lakshita singh
















Awarded Clean & Green Hospital

NAME	Sunaina DUTT	STUDY DATE	16-03-2023 13:50:43
AGE / SEX	039Yrs / F	HOSPITAL NO.	MH010851564
REFERRING DEPT	OPD	MODALITY/Procedure	US /Ultrasound abdomen n pelvis
REPORTED ON	16-03-2023 16:44:29	REFERRED BY	Dr. Health Check MHD

### **USG WHOLE ABDOMEN SCREENING**

### Findings:

Liver is normal in size and echopattern. No focal intra-hepatic lesion is detected. Intra-hepatic biliary radicals are not dilated. Portal vein is normal in calibre.

Gall bladder is adequately distended and appears echofree with normal wall thickness. Common bile duct is normal in calibre.

Pancreas is normal in size and echopattern.

Spleen is normal in size and echopattern.

Both kidneys are normal in position, size and outline. Cortico-medullary differentiation of both kidneys is maintained. Central sinus echoes are compact. No focal lesion or calculus seen in either kidney. Bilateral pelvicalyceal systems are not dilated.

Urinary bladder is optimally distended with normal wall thickness and clear contents. No significant intra or extraluminal mass is seen.

Uterus is anteverted. It is normal in size. Myometrial echogenicity appears uniform. Endometrium is central.

Both ovaries are normal in size and echopattern.

No significant free fluid is detected

Impression: USG findings are suggestive of normal study

Kindly correlate clinically

Dr.Simran Singh DNB, FRCR(UK), DMC Reg. no. 36404 Consultant Radiologist

N.B.: This is only a professional opinion and not the final diagnosis. Radiological investigations are subject to variations due to technical limitations. Hence, correlation with clinical findings and other investigations should be carried out to know true nature of illness.

NAME	Sunaina DUTT	STUDY DATE	16-03-2023 13:50:43
AGE / SEX	039Yrs / F	HOSPITAL NO.	MH010851564
REFERRING DEPT	OPD	MODALITY/Procedure	US /Ultrasound abdomen n pelvis
REPORTED ON	16-03-2023 16:44:29	REFERRED BY	Dr. Health Check MHD

N.B.: This is only a professional opinion and not the final diagnosis. Radiological investigations are subject to variations due to technical limitations. Hence, correlation with clinical findings and other investigations should be carried out to know true nature of illness.