Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019 Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



General Physical Examination

Date of Examination: 00,10,2012	
Name: PRADC-CP YADAV Age: 32, DOB: 03-10-1990	Sex: Male
Referred By: BOB (Medicoheel)	
Photo ID: AADHAR, ID #: Latteched.	
Ht: <u>180</u> (cm) Wt: <u>86</u> (Kg)	
Chest (Expiration): 110 (cm) Abdomen Circumference: 98.	(cm)
Blood Pressure: 27/90 mm Hg PR: 76 / min RR: 16 / min Temp:	Alebrile
вмі 26.5	
Eye Examination: Yis von normal 6/6, N/6 (B/ceye	(25
Mossacel Colorvision	
Other: NOCT significant-	
On examination he/she appears physically and mentally fit: Ves / No	
Name of Examine: Name of Examine: M.B.B.S. No. 911000	
Signature Of Examine: Name of Examinee: Name of Examinee: Name of Examinee: Name Name Name Name Name Name Name Name	
Signature Medical Examiner : Name Medical Examiner	



भारत सरकार Government of India



Issue Date: 20/11/2011



प्रदीप यादव Pradeep Yadav जन्म तिथि / DOB: 03/10/1990 पुरुष / Male

6126 4599 9538

मेरा आधार, मेरी पहचान



भारतीय विशिष्ट पहचान प्राधिकरण Unique Identification Authority

पताः S/O सुरेश कुमार यादव, ८१, अजमेर रोड, पुराणी ढाणी यादव ग्राम, रामचंद्रपुरा, : 06/04/202 जयपुर, राजस्थान, 302026

Address: S/O Suresh Kumar Yadav, 81, ajmer road, purani dhani yadav gram, Ramchandpura, Jaipur, Rajasthan, 302026



6126 4599 9538





help@uidai.gov.in



∰ www.uidai.go∵ '¬



Dr. Goyal Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



:- 08/10/2022 10:46:19 NAME :- Mr. PRADEEP YADAV

Sex / Age :- Male

32 Yrs 5 Days

Company :- MediWheel

Patient ID: -12222728 Ref. By Doctor:-BOB

Lab/Hosp:-

Final Authentication: 08/10/2022 14:55:43

BOB PACKAGE BELOW 40MALE

X RAY CHEST PA VIEW:

Both lung fields appears clear.

Bronchovascular markings appear normal.

Trachea is in midline.

Both the hilar shadows are normal.

Both the C.P.angles is clear.

Both the domes of diaphragm are normally placed.

Bony cage and soft tissue shadows are normal.

Heart shadows appear normal.

Impression :- Normal Study

(Please correlate clinically and with relevant further investigations)

*** End of Report ***

Page No: 1 of 1

Dr. Piyush Goyal

M.B.B.S., D.M.R.D.

RMC Reg No. 017996

Dr. Poortam Gupta MBBS, MD (Radio Diagnosis) RMC No. 32495

Dr. Ashish Choudhary MBBS, MD (Radio Diagnosis) Fetal Medicine Consultant

Dr. Rathod Hetali Amrutlal MBBS, M.D. (Radio-Diagnosis) RMC No. 17163

Transcript by.

BILAL

Dr. Piyush Goyal (D.M.R.D.)

FMF ID - 260517 | RMC No 22430

Allengers ECG (Pisces)(PIS212160118) 102220588 / MR PRADEEP YADAV / 32 Yrs / M/ Non Smoker Heart Rate: 66 bpm / / Refd By.: BOB / Tested On: 08-Oct-22 12:32:13 / HF 0.05 Hz - LF 100 Hz / Notch 50 Hz / Sn 1.00 Cm/mV / Sw 25 mm/s DR. GOYALS PATH LAB & IMAGING CENTER 4 **V**5 RMC No. 35703 MBBS, DIP. CARDIO (ESCORTS) D.E.M. (RCGP-UK) Dr. Naresh Kumar Mohanka avF 5 5 ECG

Report

(GEM210151123)Gemini A-DX by Allengers

2119 / MR PRADEEP YADAV / 32 Yrs / M / 0 Cms / 0 Kg Date: 08-Oct-2022 Refd By : BOB


You created this PDF from an application that is not licensed to print to novaPDF printer (http://www.novapdf.com)			Report:	Test End Reasons	Max WorkLoad Attained	Max BP Attained	Max HR Attained	Findings: Exercise Time	Recovery	Recovery	Recovery	Recovery	PeakEx	BRUCE Stage 4	BRUCE Stage 3	BRUCE Stage 2	BRUCE Stage 1	ExStart	Warm Up	¥	Standing	Supine	Stage
DF from an a				sons	d Attained	ed	ned .		20:19	19:43	17:43	16:43	15:44	15:21	12:21	09:21	06:21	03:21	. 01:41	01:32	01:24	01:11	Time
application the				: Test	: 13.7	: 145/90	: 161	: 12:24	4:35	4:00	2:00	1:00	0:23	3:00	3:00	3:00	3:00	0:07	0:01	0:01	0:01	0:01	Duration
at is not licen				: Test Complete, Heart Rate Acheived	13.7 Good response to induced stress	90	: 161 bpm 86% of Target 188	4	0.00	0.00	0.00	00.0	05.0	04.2	03.4	02.5	01.7	01.7	01.0	01.1	01.1	01.1	Belt Speed (mph)
sed to print				eart Rate Ach	nse to induce		Target 188		00.0	00.0	00.0	00.0	18.0	16.0	14.0	12.0	10.0	10.0	00.0	00.0	00.0	00.0	Elevation
to novaPDF		_\		neived	d stress				01.0	01.0	01.6	07.6	13.7	13.5	10.2	07.1	04.7	01.1	01.0	01.0	01.0	01.0	METs
printer (http		MIK							074	087	082	088	159	154	128	118	107	120	066	066	66	66	Rate
syon.www/):c			2						130/80	130/80	140/90	145/90	140/90	140/90	130/85	125/80	120/80	110/70	110/70	110/70	110/70	110/70	BP
		begaria	2:5						096	113	114	127	222	215	166	147	128	132	072	072	072	072	RPP
ABBS, DIP,	Dr. Nares	100	8						07	10	06	00	8	0	10	00	00	12	. 00	8	0	07	PVC
MBBS, DIP, CARDIO (ESCORTS) D.E.M (RCGP-UK)	Naresh Kumar Mohanka	J	T W T																				Comments
RTS)	an ka																						

2119 / MR PRADEEP YADAV / 32 Yrs / M

Date: 08-Oct-2022 12:33:41 PM METS: 1.0/ 66 bpm 35% of THR BP: 110/70 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz

Supine







2119 / MR PRADEEP YADAV / 32 Yrs / M

Date: 08-Oct-2022 12:33:41 PM METS: 1.0/ 66 bpm 35% of THR BP: 110/70 mmHg

REMARKS: **4** 0.1 avR 80 mS Post J avL avF **5 **2 **V**3 V5 STL 0.6 avF 0.7 0.1 avR -0.8 0.3 0.9 avL avR = Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz 0.6 0.1 0.2 0.2 0.4 0.6 0.6 0.6 115 = 4 5 52 **√**5 5 (GEM210151123)Gemini A-DX by Allengers ExTime: 01:24 1.1 mph, 0.0%

You created this PDF from an application that is not licensed to print to novaPDF printer (http://www.novapdf.com)

ExTime: 01:32 1.1 mph, 0.0%



Date: 08-Oct-2022 12:33:41 PM METS: 1.0/ 66 bpm 35% of THR BP: 110/70 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz


REMARKS: **4**× avL 0.1 80 mS Post J avR avL avF ₹ ¥2 5 4 **V**5 6 STL 0.8 1.0 0.4 avR -0.7 0.1 0.3 0.5 1.4 avL avR = . 0.2 0.0 0.7 0.5 0.8 0.9 1.6 1.4 0.7 > 5 52> 5 4 4 (GEM210151123)Gemini A-DX by Allengers 25 mm/Sec. 1.0 Cm/mV



2119 / MR PRADEEP YADAV / 32 Yrs / M

Date: 08-Oct-2022 12:33:41 PM METS: 1.0/ 66 bpm 35% of THR BP: 110/70 mmHg


4× 0.2 80 mS Post J 0.5 STL 0.8 Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz 0.3 1 1 2 ¥2 ExTime: 01:41 1.0 mph, 0.0% 25 mm/Sec. 1.0 Cm/mV



2119 / MR PRADEEP YADAV / 32 Yrs / M

Date: 08-Oct-2022 12:33:41 PM METS: 1.1/ 120 bpm 63% of THR BP: 110/70 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz






2119 / MR PRADEEP YADAV / 32 Yrs / M

BRUCE:Stage 1(3:00)






You created this PDF from an application that is not licensed to print to novaPDF printer (http://www.novapdf.com)

2119 / MR PRADEEP YADAV / 32 Yrs / M

Date: 08-Oct-2022 12:33:41 PM METS: 7.1/ 118 bpm 62% of THR BP: 125/80 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz

BRUCE:Stage 2(3:00)






2119 / MR PRADEEP YADAV / 32 Yrs / M

METS: 10.2/ 128 bpm 68% of THR BP: 130/85 mmHg

BRUCE:Stage 3(3:00)






2119 / MR PRADEEP YADAV / 32 Yrs / M

Date: 08-Oct-2022 12:33:41 PM METS: 13.5/ 154 bpm 81% of THR BP: 140/90 mmHg

BRUCE:Stage 4(3:00)





You created this PDF from an application that is not licensed to print to novaPDF printer (http://www.novapdf.com)


2119 / MR PRADEEP YADAV / 32 Yrs / M

Date: 08-Oct-2022 12:33:41 PM METS: 13.7/ 159 bpm 84% of THR BP: 140/90 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz

PeakEx

ExTime: 12:23 5.0 mph, 18.0%





2119 / MR PRADEEP YADAV / 32 Yrs / M


Date: 08-Oct-2022 12:33:41 PM

METS: 7.6/ 88 bpm 46% of THR BP: 145/90 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz

Recovery(1:00)

ExTime: 12:24 0.0 mph, 0.0%








2119 / MR PRADEEP YADAV / 32 Yrs / M

Date: 08-Oct-2022 12:33:41 PM METS: 1.6/ 82 bpm 43% of THR BP: 140/90 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz






2119 / MR PRADEEP YADAV / 32 Yrs / M

Date: 08-Oct-2022 12:33:41 PM METS: 1.0/ 87 bpm 46% of THR BP: 130/80 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz


* 80 mS Post J ExTime: 12:24 0.0 mph, 0.0% 25 mm/Sec. 1.0 Cm/mV



2119 / MR PRADEEP YADAV /32 Yrs / M


Recovery(4:35)







Average








Average



(GEM210151123)Gemini A-DX by Allengers

Average

2119 / MR PRADEEP YADAV / 32 Yrs / M





Dr. Goyal's Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 08/10/2022 10:46:19
NAME :- Mr. PRADEEP YADAV

Sex / Age :- Male 32 Yrs 5 Days

Company :- MediWheel

Patient ID :-12222728 Ref. By Doctor:-BOB Lab/Hosp :-

Final Authentication: 08/10/2022 14:43:46

BOB PACKAGE BELOW 40MALE

USG WHOLE ABDOMEN

Liver is of normal size. Echo-texture is normal. No focal space occupying lesion is seen within liver parenchyma. Intra hepatic biliary channels are not dilated. Portal vein diameter is normal.

Gall bladder is of normal size. Wall is not thickened. No calculus or mass lesion is seen in gall bladder. Common bile duct is not dilated.

Pancreas is of normal size and contour. Echo-pattern is normal. No focal lesion is seen within pancreas.

Spleen is of normal size and shape. Echotexture is normal. No focal lesion is seen.

Kidneys are normally sited and are of normal size and shape. Cortico-medullary echoes are normal. No focal lesion is seen. Collecting system does not show any dilatation or calculus.

Urinary bladder is well distended and showing smooth wall with normal thickness. Urinary bladder does not show any calculus or mass lesion.

Prostate is normal in size with normal echo-texture and outline.

No enlarged nodes are visualised. No retro-peritoneal lesion is identified Great vessels appear normal.

No significant free fluid is seen in peritoneal cavity.

IMPRESSION:

Normal study

Needs clinical correlation for further evaluation

*** End of Report ***

Page No: 1 of 1

GEETASAINI



Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019 Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 08/10/2022 10:46:19
NAME :- Mr. PRADEEP YADAV

Sex / Age :- Male 32 Yrs 5 Days

Company :- MediWheel

Sample Type :- EDTA

Patient ID :-12222728

Ref. By Dr:- BOB

Lab/Hosp :-

Sample Collected Time 08/10/2022 10:54:06

Final Authentication: 08/10/2022 13:49:16

Total N	HAEMAT	OLOGY	Mai Adhientication : 08/10/2022 13:49		
Test Name	Value	Unit	Biological Ref Interval		
BOB PACKAGE BELOW 40MALE HAEMOGARAM HAEMOGLOBIN (Hb) TOTAL LEUCOCYTE COUNT DIFFERENTIAL LEUCOCYTE COUNT NEUTROPHIL LYMPHOCYTE EOSINOPHIL MONOCYTE BASOPHIL NEUT# LYMPH# EO# MONO# BASO# TOTAL RED BLOOD CELL COUNT (RBC) HEMATOCRIT (HCT) MEAN CORP VOLUME (MCV) MEAN CORP HB (MCH) MEAN CORP HB CONC (MCHC) PLATELET COUNT	13.3 6.05 37.1 L 56.4 H 2.0 4.3 0.2 2.24 3.42 0.12 0.26 0.01 4.59 38.50 L 83.7 29.0 34.4 218	g/dL /cumm % % % % 10^3/uL 10^3/uL 10^3/uL 10^3/uL x10^6/uL % fL pg g/dL x10^3/uL	13.0 - 17.0 4.00 - 10.00 40.0 - 80.0 20.0 - 40.0 1.0 - 6.0 2.0 - 10.0 0.0 - 2.0 1.50 - 7.00 1.00 - 3.70 0.00 - 0.40 0.00 - 0.70 0.00 - 0.10 4.50 - 5.50 40.00 - 50.00 83.0 - 101.0 27.0 - 32.0 31.5 - 34.5 150 - 410		
MENTZER INDEX	18.24		11.6 - 14.0		

The Mentzer index is used to differentiate iron deficiency anemia from beta thalassemia trait. If a CBC indicates microcytic anemia, these are the quotient of the mean corpuscular volume divided by the and black to the mean corpuscular volume divided by the and black to the mean corpuscular volume divided by the and black to the mean corpuscular volume divided by the and black to the mean corpuscular volume divided by the and black to the mean corpuscular volume divided by the and black to the mean corpuscular volume divided by the and black to the mean corpuscular volume divided by the and black to the mean corpuscular volume divided by the and black to the mean corpuscular volume divided by the and black to the mean corpuscular volume divided by the and black to the mean corpuscular volume divided by the and black to the mean corpuscular volume divided by the and black to the mean corpuscular volume divided by the and black to the mean corpuscular volume divided by the and black to the mean corpuscular volume divided by the and black to the mean corpuscular volume divided by the and black to the mean corpuscular volume divided by the and black to the mean corpuscular volume divided by the analysis of the mean corpuscular volume divided by the analysis of the mean corpuscular volume divided by the analysis of the mean corpuscular volume divided by the analysis of the mean corpuscular volume divided by the analysis of the mean corpuscular volume divided by the analysis of the mean corpuscular volume divided by the analysis of the mean corpuscular volume divided by the analysis of the mean corpuscular volume divided by the analysis of the mean corpuscular volume divided by the analysis of the mean corpuscular volume divided by the analysis of the mean corpuscular volume divided by the analysis of the mean corpuscular volume divided by the analysis of the mean corpuscular volume divided by the mean

If the quotient of the mean corpuscular volume divided by the red blood cell count is less than 13, thalassemia is more likely. If the result is greater than 13, then iron-deficiency anemia is more likely.

AJAYSINGH Technologist


Page No: 1 of 12



Path Lab & Imaging (

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019 Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 08/10/2022 10:46:19 NAME :- Mr. PRADEEP YADAV

Sex / Age :- Male 32 Yrs 5 Days

Company :-MediWheel

Sample Type :- EDTA

Patient ID :-12222728

mm/hr.

Ref. By Dr:- BOB

Lab/Hosp :-

Sample Collected Time 08/10/2022 10:54:06

Final Authentication: 08/10/2022 13:49:16

00 - 13

HAEMATOLOGY **Test Name**

Value Unit

Biological Ref Interval

Erythrocyte Sedimentation Rate (ESR)

(ESR) Methodology: Measurment of ESR by cells aggregation.

Instrument Name : Indepedent form Hematocrit value by Automated Analyzer (Roller-20)

11.

Interpretation : ESR test is a non-specific indicator ofinflammatory disease and abnormal protein states. The test in used to detect, follow course of a certain disease (e.g-tuberculosis, rheumatic fever, myocardial infarction

Levels are higher in pregnency due to hyperfibrinogenaemia.

The "3-figure ESR " x>100 value nearly always indicates serious disease such as a serious infection, malignant paraproteinaemia of Bohn effective disease. The structure of the control of

AJAYSINGH Technologist

Page No: 2 of 12



Jr. Goya

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019 Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date

:- 08/10/2022 10:46:19

NAME :- Mr. PRADEEP YADAV

Sex / Age :- Male

32 Yrs 5 Days

Company :-MediWheel Patient ID :-12222728

Ref. By Dr:- BOB

Lab/Hosp :- ·

Final Authentication: 08/10/2022 15:16:11

HAEMATOLOGY

Test Name

Value

Unit

Biological Ref Interval

BLOOD GROUP ABO

"O" POSITIVE

BLOOD GROUP ABO Methodology: Haemagglutination reaction Kit Name: Monoclonal agglutinating antibodies (Span clone).

FASTING BLOOD SUGAR (Plasma)

Method:- GOD PAP

89.9

mg/dl

75.0 - 115.0

Impaired glucose tolerance (IGT) 111 - 125 mg/dL Diabetes Mellitus (DM) > 126 mg/dL

Sample Type :- EDTA, KOx/Na FLUORIDE-F, KSax/NpdcFCbl@RiebeTiPRe UST 10/E2022 10:54:06

Instrument Name: Randox Rx Imola Interpretation: Elevated glucose levels (hyperglycemia) may occur with diabetes, pancreatic neoplasm, hyperthyroidism and adrenal cortical hyper-function as well as other disorders. Decreased glucose levels (hypoglycemia) may result from excessive

BLOOD SUGAR PP (Plasma)

Method:- GOD PAP

135.0

mg/dl

70.0 - 140.0

Instrument Name: Randox Rx Imola Interpretation: Elevated glucose levels (hyperglycemia) may occur with diabetes, pancreatic neoplasm. hyperthyroidism and adrenal cortical hyper-function as well as other disorders. Decreased glucose levels(hypoglycemia) may result from excessive

URINE SUGAR (FASTING)
Collected Sample Received

Nil

Nil

AJAYSINGH, KAUSHAL, MKSHARMA, POOJABOHRA Technologist DR.HANSA Page No: 3 of 12

Dr. Piyush Goyal (D.M.R.D.) Dr. Rashmi Bakshi Dr. Chandrika Gupta

Dr. Goya

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019 Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 08/10/2022 10:46:19 NAME :- Mr. PRADEEP YADAV

Sex / Age :- Male 32 Yrs 5 Days

Company :- MediWheel

Sample Type :- PLAIN/SERUM

Patient ID :-12222728

Ref. By Dr:- BOB

Lab/Hosp :-

Sample Collected Time 08/10/2022 10:54:06

Final Authentication: 08/10/2022 13:54:58

TAN	BIOCHEM	ISTRY	10.54.56
Test Name	Value	Unit	Biological Ref Interval
LIPID PROFILE	ħi		S
TOTAL CHOLESTEROL Method:- Enzymatic Endpoint Method	249.86 H	mg/dl	Desirable <200 Borderline 200-239
TRIGLYCERIDES Method:- GPO-PAP	159.85 H	mg/dl	High> 240 Normal <150 Borderline high 150-199 High 200-499
DIRECT HDL CHOLESTEROL Method:- Direct clearance Method	39.83	mg/dl	Very high >500 Low < 40
DIRECT LDL CHOLESTEROL Method:- Direct clearance Method	183.39 H	mg/dl	High > 60 Optimal <100 Near Optimal/above optimal 100-129
		κ	Borderline High 130-159 High 160-189
VLDL CHOLESTEROL Method:- Calculated	31.97 -	mg/dl	Very High > 190 0.00 - 80.00
T.CHOLESTEROL/HDL CHOLESTEROL RATIO Method:- Calculated	6.27 H		0.00 - 4.90
LDL / HDL CHOLESTEROL RATIO Method:- Calculated	4.60 H		0.00 - 3.50
TOTAL LIPID Method:- CALCULATED	744.48	mg/dl	400.00 - 1000.00

TOTAL CHOLESTEROL InstrumentName: Randox Rx Imola Interpretation: Cholesterol measurements are used in the diagnosis and treatments of lipid lipoprotein metabolism

TRIGLYCERIDES InstrumentName: Randox Rx Imola Interpretation: Triglyceride measurements are used in the diagnosis and treatment of diseases involving lipid metabolism and

DIRECT HDLCHOLESTERO InstrumentName: Randox Rx Imola Interpretation: An inverse relationship between HDL-cholesterol (HDL-C) levels in serum and the incidence/prevalence of coronary heart disease (CHD) has been demonstrated in a number of epidemiological studies. Accurate measurement of HDL-C is of vital importance when assessing patient risk from CHD. Direct measurement gives improved accuracy and reproducibility when compared to precipitation methods.

DIRECT LDL-CHOLESTEROLInstrumentName: Randox Rx Imola Interpretation: Accurate measurement of LDL-Cholesterol is of vital importance in therapies which focus on lipid reduction to prevent atherosclerosis or reduce its progress and to avoid plaque rupture.

TOTAL LIPID AND YLDL ARE CALCULATED

MKSHARMA

Page No: 5 of 12



Dr. Goyal

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019 Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



:- 08/10/2022 10:46:19

NAME :- Mr. PRADEEP YADAV

Sex / Age :- Male

32 Yrs 5 Days

Company :- MediWheel

Sample Type :- PLAIN/SERUM

Patient ID :-12222728

Ref. By Dr:- BOB

Lab/Hosp :-

Sample Collected Time 08/10/2022 10:54:06

· PAINSEROW	Sample Collected Time 08/	/10/2022 10:54:06	Final Authentication: 08/10/2022 13:54:58			
	BIOCHEM	MISTRY	100/10/2022 13:54:58			
Test Name	Value	Unit	D: L			
LIVER PROFILE WITH GGT			Biological Ref Interval			
SERUM BILIRUBIN (TOTAL) Method:- Colorimetric method	0.52	mg/dl	Up to - 1.0 Cord blood <2 mg/dL			
	*		Premature < 6 days <16mg/dL Full-term < 6 days= 12 mg/dL 1month - <12 months <2 mg/dl			
SERUM BILIRUBIN (DIRECT)			1-19 years <1.5 mg/dL Adult - Up to - 1.2 Ref-(ACCP 2020)			
Method:- Colorimetric Method	0.14	mg/dL	Adult - Up to 0.25 Newborn - < 0.6 mg/dl			
SERUM BILIRUBIN (INDIRECT) Method:- Calculated	0.38	mg/dl	>- 1 month - <0.2 mg/dL 0.30-0.70			
SGOT Method:- IFCC	23.2	U/L	Men- Up to - 37.0			
SGPT Method:- IFCC	30.2	U/L	Women - Up to - 31.0 Men- Up to - 40.0			
SERUM ALKALINE PHOSPHATASE Method:-AMP Buffer	110.00	IU/L	Women - Up to - 31.0 30.00 - 120.00			
SERUM GAMMA GT Method:- IFCC	25.90	U/L	11.00 - 50.00			
SERUM TOTAL PROTEIN - Method:- Biuret Reagent	6.69	g/dl	6.40 - 8.30			
SERUM ALBUMIN Method:- Bromocresol Green	4.62	g/dl	3.80 - 5.00			
SERUM GLOBULIN Method:- CALCULATION	2.07 L	gm/dl	2.20 - 3.50			
A/G RATIO	2.23	*	1.30 - 2.50			

Total Bilirubin Methodology: Colorimetric method InstrumentName: Randox Rx Imola Interpretation An increase in bilirubin concentration in the serum occurs in toxic or infectious diseases of the liver e.g. hepatitis B or obstruction of the bile duct and in rhesus incompatible babies. High levels of unconjugated bilirubin indicate that too much haemoglobin is being destroyed or that the liver is not actively treating

AST Aspartate Aminotransferase Methodology: IFCC InstrumentName:Randox Rx Imola Interpretation: Elevated levels of AST can signal myocardial infarction, hepatic disease, muscular dystrophy and organ damage. Although heart muscle is found to have the most activity of the enzyme, significant activity has also been seen in the brain, liver, gastric mucosa, adipose tissue and kidneys of humans.

ALT Alanine Aminotransferase Methodology: IFCCInstrumentName:Randox Rx Imola Interpretation: The enzyme ALT has been found to be in highest concentrations in the liver, with decreasing destrophy and organ damage.

dystrophy and organ usunage.

Alkaline Phosphatase Methodology: AMP Buffer InstrumentName:Randox Rx Imola Interpretation:Measurements of alkaline phosphatase are of use in the diagnosis, treatment and investigation of hepatobilary disease and in bone disease associated with increased osteoblastic activity. Alkaline phosphatase is also used in the diagnosis of parathyroid and intestinal disease.

TOTAL PROTEIN Methodology: Biuret Reagent InstrumentName: Randox Rx Imola Interpretation: Measurements obtained by this method are used in the alengais and treatment of a variety of diseases involving the liver, kidney and bone marrow as well as other metabolic or nutritional disorders.

ALBUMIN (ALB) Methodology: Bromocresol Green InstrumentName:Randox Rx Imola Interpretation: Albumin measurements are used in the diagnosis and treatment of numerous diseases involving

MKSHARMA

Page No: 6 of 12



Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019 Tele: 0141-2293346, 4049787, 9887049787

 $We b site: www.drgoyalspathlab.com \mid E\text{-}mail: drgoyalpiyush@gmail.com}$



Date :- 08/10/2022 10:46:19

NAME :- Mr. PRADEEP YADAV

Sex / Age :- Male 32 Yrs 5 Days

Company :- MediWheel
Sample Type :- PLAIN/SERUM

Patient ID :-12222728 Ref. By Dr:- BOB

Lab/Hosp :-

Sample Collected Time 08/10/2022 10:54:06

Final Authentication: 08/10/2022 13:54:58

Test Name	BIOCHE	MISTRY	00/10/2022 13:54:58
rest ivaine	Value	Unit	Biological Ref Interval
SERUM CREATININE Method:- Colorimetric Method	0.92	mg/dl	Men - 0.6-1.30
SERUM URIC ACID	5.12		Women - 0.5-1.20
Method:- Enzymatic colorimetric	5.43	mg/dl	Men - 3.4-7.0 Women - 2.4-5.7

MKSHARMA

Page No: 8 of 12



Dr. Goya

Path Lab & Imaging Centre B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019

Tele: 0141-2293346, 4049787, 9887049787 Website : www.drgoyalspathlab.com | E-mail : drgoyalpiyush@gmail.com



Date

:- 08/10/2022 10:46:19

Test Name

NAME :- Mr. PRADEEP YADAV

Sex / Age :- Male

32 Yrs 5 Days

Company :- MediWheel Sample Type :- PLAIN/SERUM Patient ID :-12222728

Ref. By Dr:- BOB

Lab/Hosp :-

Sample Collected Time 08/10/2022 10:54:06 BIOCHEMISTRY

Value

Unit

Biological Ref Interval

Final Authentication: 08/10/2022 13:54:58

BLOOD UREA NITROGEN (BUN)

14.2

mg/dl

0.0 - 23.0

MKSHARMA

Page No: 9 of 12



Jr. Gov

Path Lab & Imaging (

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019 Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



:- 08/10/2022 10:46:19

NAME :- Mr. PRADEEP YADAV

Sex / Age :- Male

Sample Type :- EDTA

32 Yrs 5 Days

Company :- MediWheel

Patient ID :-12222728

Ref. By Dr:- BOB

Lab/Hosp :-

HAEMATOLOGY

Value

Sample Collected Time 08/10/2022 10:54:06

Final Authentication: 08/10/2022 13:49:16

Biological Ref Interval

Test Name

GLYCOSYLATED HEMOGLOBIN (HbA1C)

5.6

Unit

Non-diabetic: < 5.7 Pre-diabetics: 5.7-6.4

Diabetics: = 6.5 or higher ADA Target: 7.0

Action suggested: > 6.5

Instrument name: ARKRAY's ADAMS Lite HA 8380V, JAPAN.

Test Interpretation:

HbA1C is formed by the condensation of glucose with n-terminal valine residue of each beta chain of HbA to form an unstable schiff base. It is the major fraction, constituting approximately 80% of HbA1c. Formation of glycated hemoglobin (GHb) is essentially irreversible and the concentration in the blood depends on both the lifespan of the red blood cells (RBC) (120 days) and the blood glucose concentration. The GHb concentration represents the integrated values for glucose overthe period of 6 to 8 weeks. GHb values are free of day to day glucose fluctuations and are unaffected by recent exercise or food ingestion. Concentration of plasmaglucose concentration in GHb depends on the time interval, with more recent values providing a larger contribution than earlier values. The interpretation of GHbdepends on RBC having a normal life span. Patients with hemolytic disease or other conditions with shortened RBC survival exhibit a substantial reduction of GHb.High GHb have been reported in iron deficiency anemia. GHb has been firmly established as an index of long term blood glucose concentrations and as a measureof the risk for the development of complications in patients with diabetes mellitus. The absolute risk of retinopathy and nephropathy are directly proportional to themean of HbA1C.Genetic variants (e.g. HbS trait, HbC trait), elevated HbF and chemically modified derivatives of hemoglobin can affect the accuracy of HbA1cmeasurements. The effects vary depending on the specific Hb vatiant or derivative and the specific HbA1c method.

MEAN PLASMA GLUCOSE

Method:- Calculated Parameter

mg/dL

Non Diabetic < 100 mg/dL Prediabetic 100- 125 mg/dL Diabetic 126 mg/dL or Higher

AJAYSINGH Technologist

Page No: 10 of 12



Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019 Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 08/10/2022 10:46:19

NAME:- Mr. PRADEEP YADAV
Sex / Age:- Male 32 Yrs 5 Days

Company :- MediWheel

Sample Type :- URINE

Patient ID :-12222728

Ref. By Dr:- BOB

Lab/Hosp :-

Final Authentication: 08/10/2022 12:11:37

Sample Collected Time 08/10/2022 10:54:06 CLINICAL PATHOLOGY

The same of the sa	CLINICAL PATHOLOGY	
Test Name	Value Unit	Piological P CV
Urine Routine PHYSICAL EXAMINATION COLOUR APPEARANCE CHEMICAL EXAMINATION REACTION(PH) SPECIFIC GRAVITY PROTEIN SUGAR	PALE YELLOW Clear 5.5 1.020 NIL NIL	PALE YELLOW Clear 5.0 - 7.5 1.010 - 1.030 NIL
BILIRUBIN UROBILINOGEN KETONES NITRITE MICROSCOPY EXAMINATION RBC/HPF	NEGATIVE NORMAL NEGATIVE NEGATIVE	NIL NEGATIVE NORMAL NEGATIVE NEGATIVE
WBC/HPF EPITHELIAL CELLS CRYSTALS/HPF CAST/HPF AMORPHOUS SEDIMENT BACTERIAL FLORA YEAST CELL OTHER	NIL /HPF 2-3 /HPF 2-3 /HPF ABSENT ABSENT ABSENT ABSENT ABSENT ABSENT ABSENT	NIL 2-3 2-3 ABSENT ABSENT ABSENT ABSENT ABSENT ABSENT

POOJABOHRA Technologist DR.HANSA Page No: 11 of 12



Dr. Goya

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



:- 08/10/2022 10:46:19 NAME :- Mr. PRADEEP YADAV

Sex / Age :- Male 32 Yrs 5 Days

Company :- MediWheel Sample Type :- PLAIN/SERUM Patient ID :-12222728

Ref. By Dr:- BOB

Lab/Hosp :-

Final Authentication: 08/10/2022 13:06:12

Sample Collected Time 08/10/2022 10:54:06 IMMUNOASSAV

Test N	INTIVIONO	ASSAY	
Test Name	Value	Unit	Biological Ref Interval
TOTAL THYROID PROFILE			g.m. ter interval
SERUM TOTAL:T3 Method:- Chemiluminescence(Competitive immunoassay)	1.320	ng/ml	0.600 - 1.810
SERUM TOTAL T4 Method:- Chemiluminescence(Competitive immunoassay)	9.800	ug/dl	4.500 - 10.900
SERUM TSH ULTRA Method:- Enhanced Chemiluminescence Immunoassay	1.560	μIU/mL	0.550 - 4.780

Interpretation: Triiodothyronine (T3) contributes to the maintenance of the euthyroid state. A decrease in T3 concentration of up to 50% occurs in a variety of clinical situations, including acute and chronic disease. Although T3 results alone cannot be used to diagnose hypothyroidism, T3 concentration may be more sensitive than thyroxine (T4) for hyperthyroidism. Consequently, the total T3 assay can be used in conjunction with other assays to aid in the differential diagnosis of thyroid disease. T3 concentrations may be altered in some conditions, such as pregnancy, that affect the capacity of the thyroid hormone-binding proteins. Under such conditions, Free T3 can provide the best estimate of the metabolically active hormone concentration. Alternatively, T3 uptake, or T4 uptake can be used with the total T3 result to calculate the free T3 index and

Interpretation: The measurement of Total T4 aids in the differential diagnosis of thyroid disease. While >99.9% of T4 is protein-bound, primarily to thyroxine-binding globulin (TBG), it is the free fraction that is biologically active. In most patients, the total T4 concentration is a good indicator of thyroid status. T4 concentrations may be altered in some conditions, such as pregnancy, that affect the capacity of the thyroid hormone-binding proteins. Under such conditions, free T4 can provide the best estimate of the metabolically active hormone concentration. Alternatively, T3 uptake may be used with the total T4 result to calculate the free T4 index (FT4I) and estimate the concentration of free T4. Some drugs and some nonthyroidal patient conditions are known to alter TT4 concentrations in vivo.

Interpretation :TSH stimulates the production of thyroxine (T4) and triiodothyronine (T3) by the thyroid gland. The diagnosis of overt hypothyroidism by the finding of a low total T4 or free T4 concentration is readily confirmed by a raised TSH concentration. Measurement of low or undetectable TSH concentrations may assist the diagnosis of hyperthyroidism, where concentrations of T4 and T3 are elevated and TSH secretion is suppressed. These have the advantage of discriminating between the concentrations of TSH observed in thyrotoxicosis, compared with the low, but detectable, concentrations that occur in subclinical hyperthyroidism. The performance of this assay has not been established for neonatal specimens. Some drugs and some nonthyroidal patient conditions are known to alter TSH concentrations in vivo.

INTERPRETATION

PREGNANCY	REFERENCE RANGE FOR TSH IN ulU/mL (As per American Thyroid Association)
lst Trimester	0.10-2.50
2nd Trimester	0.20-3.00
3rd Trimester	0.30-3.00

*** End of Report ***

NARENDRAKUMAR Technologist

Page No: 12 of 12

