

भारत सरकार Government of India



Issue Date: 30/12/2013

चिरंजीव दुर्गेश Chiranjeev Durgesh जन्म तिथि / DOB : 03/12/1995 पुरुष / Male



7176 5365 6619

मेरा आधार, मेरी पहचान




भारतीय विशिष्ट पहचान प्राधिकरण

Unique Identification Authority of India



पताः S/O प्रेम कुमार साह, वॉर्ड न-28, मोहल्ला-मौलगांज बौली पोखर, ,, पोस्ट-लालबाग, दरभंगा, दरभंगा, बिहार, 846004 Address: S/O Prem Kumar Sah, ward No-28, MOhalla-Maulaganj Bauli Pokhar, ,, POst-Lalbagh, Darbhanga, Darbhanga, Bihar, 846004



7176 5365 6619





help@uidai.gov.in



www.uidai.gov.in









LAB DIVISION

Patient ID	12231551	Collected On	23/09/2023 09:17:45
Patient Name	Mr. DURGESH CHIRANJEEV	Received On	23/09/2023 09:17:47
Gender / Age	Male / 27 Yrs	Released On	23/09/2023 17:47:57
Refd. By		Printed On	23/09/2023 19:10:34
Client	Apollo Health & Lifestyle Ltd		

Investigation Value Unit Biological Ref. Range

HAEMATOLOGY

Peripheral Blood Smear

RBC:-RBC are Normocytic Normochromic.

WBC:-Normal In count, Morphology.

PLATELET:- Normal Count, Slightly lying

PARASITES:- Malaria parasites are not detected.

IMPRESSION:- Normocytic Normochromic blood picture.



Dr. Dhairya Soneji M.D Path.

Note: 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.
 The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.
 These reports are not valid for medico legal purposes.





LAB DIVISION

Patient ID	12231551	Collected On	23/09/2023 09:17:45
Patient Name	Mr. DURGESH CHIRANJEEV	Received On	23/09/2023 09:17:47
Gender / Age	Male / 27 Yrs	Released On	23/09/2023 14:31:15
Refd. By		Printed On	23/09/2023 19:10:37
Client	Apollo Health & Lifestyle Ltd		

Investigation	Value	Unit	Biological Ref. Range
Glucose (Fasting)	117	mg/dL	60.00 - 110.00

Fasting Plasma Glucose (mg/dl)	2 hr plasma Glucose (mg/dl) Post Glucose load	Diagnosis
99 or below	139 or below	Normal
100 to 125	140 to 199	Pre-Diabetes (IGT)
126 or above	200 or above	Diabetes

Reference: American Diabetes Association.

Comment:

Impaired glucose tolerance (IGT) fasting, means a person has an increased risk of developing type 2 diabetes but does not have

it yet. A level of 126 mg/dL or above, confirmed by repeating the test on another day, means a person has diabetes. IGT (2 hrs Post meal), means a person has an increased risk of developing type 2 diabetes but does not have it yet. A 2-hour glucose level of 200 mg/dL or above, confirmed by repeatig the test on another day, means a person has diabetes

Plasma Glucose Goals	For people with Diabetes
Before meal	70-130 mg/dL
2 Hours after meal	Less than 180 mg/dL
HbA1c	Less than 7%



Dr. Dhairya Soneji M.D Path.

Note: 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.

The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.
 These reports are not valid for medico legal purposes.





LAB DIVISION

Patient ID	12231551	Collected On	23/09/2023 09:17:45
Patient Name	Mr. Durgesh Chiranjeev	Received On	23/09/2023 09:17:47
Gender / Age	Male / 27 Yrs	Released On	23/09/2023 17:12:09
Refd. By		Printed On	23/09/2023 19:10:39
Client	Apollo Health & Lifestyle Ltd		

Investigation	Value	Unit	Biological Ref. Range
Glucose, Post Prandial (PP)	155.0	mg/dL	70.00 - 140.00



Dr. Dhairya Soneji M.D Path.

Note: 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.

2. The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.

3. These reports are not valid for medico legal purposes.

Page No: 3 of 12







Patient ID	12231551	Collected On	23/09/2023 09:17:45
Patient Name	Mr. Durgesh Chiranjeev	Received On	23/09/2023 09:17:47
Gender / Age	Male / 27 Yrs	Released On	23/09/2023 14:31:15
Refd. By		Printed On	23/09/2023 19:10:40
Client	Apollo Health & Lifestyle Ltd		

Investigation	Value	Unit	Biological Ref. Range	
Glycosylated Hb	5.7	%		_
Average Plasma Glucose	117			

Interpretation:

HbA1c %

<=5.6	Normal
5.7-6.4	At Risk for
	Diabetes
>=6.5	Diabetes

Estimated Average Glucose (eAG) is a new way to understand how well you are managing your diabetes. Using eAG may help you get a better idea of how well you are taking care of your diabetes. And that can help you and your health care provider know what changes you may need to make to be as healthy as possible.

HbA1c %	5	5.5	6	6.5	7	7.5	IQ I	8.5	9	10	11	12
	97	111	126	140	154	169	183		212	240	269	298

The HbA1c goal for people with diabetes is less than 7 percent. A 3 to 6 monthly monitoring is recommended in diabetics. People with diabetes should get the test done more often if their blood sugar stays too high or if their healthcare provider makes any change in the treatment plan. HbA1c concentration represents the integrated values for blood glucose over the preceding 6-10 wks and is not affected by daily glucose fluctuation, exercise & recent food intake. It is a more useful tool for clinical management of Diabetes mellitus through routine monitoring & assesses compliance with therapeutic regimen.



Dr. Dhairya Soneji M.D Path.

Note: 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.

The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.
 These reports are not valid for medico legal purposes.

Page No: 4 of 12





LAB DIVISION

Patient ID	12231551	Collected On	23/09/2023 09:17:45
Patient Name	Mr. DURGESH CHIRANJEEV	Received On	23/09/2023 09:17:47
Gender / Age	Male / 27 Yrs	Released On	23/09/2023 14:31:15
Refd. By		Printed On	23/09/2023 19:10:42
Client	Apollo Health & Lifestyle Ltd		

Investigation	Value	Unit	Biological Ref. Range
Blood group Gel Technique	"B" Positive		

Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB. The test is performed by both forward as well as reverse grouping methods.

The report is of sample received. It is presumed that the sample belongs to the patient. In case of any discrepancy related to this report, contact lab.



Dr. Dhairya Soneji M.D Path.

Note: 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.
 The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.
 These reports are not valid for medico legal purposes.

Page No: 5 of 12







Patient ID	12231551	Collected On	23/09/2023 09:17:45
Patient Name	Mr. DURGESH CHIRANJEEV	Received On	23/09/2023 09:17:47
Gender / Age	Male / 27 Yrs	Released On	23/09/2023 14:31:15
Refd. By		Printed On	23/09/2023 19:10:44
Client	Apollo Health & Lifestyle Ltd		

Investigation	Value	Unit	Biological Ref. Range
COMPLETE BLOOD COUNT			
Hemoglobin Cynmeth Photometric Measurement	13.8	gm/dL	13.0 - 17.0
Erythrocyte RBC Count Electrical Impedance	5.47	millions/cu.mm	4.50 - 5.50
HCT Electrical Impedance	41.9	%	40.0 - 50.0
Mean Cell Volume (MCV) Electrical Impedance	76.5	fL	80.0 - 100.0
Mean Cell Haemoglobin (MCH) Electrical Impedance	25.2	pg	27.0 - 32.0
Mean Corpuscular Hb Concn. (MCHC) Electrical Impedance	33.0	gm/dL	32.0 - 35.0
Red Cell Distribution Width (RDW-CV) Electrical Impedance	14.2	%	11.5 - 14.5
Total Leukocyte Count (TLC) Electrical Impedance	4.4	X10^3/uL	4.0 - 11.0
Differential Leukocyte Count (DLC)			
Neutrophils vcs	57	%	40 - 80
Lymphocytes vcs	35	%	20 - 40
Eosinophils vcs	03	%	01 - 06
Monocytes vcs	05	%	02 - 08
Basophils vcs	00	%	00 - 02
Platelet Count Electrical Impedance	175	x10^3/uL	150 - 450



Dr. Dhairya Soneji M.D Path.

Note: 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.

2. The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.

3. These reports are not valid for medico legal purposes.







1			
Patient ID	12231551	Collected On	23/09/2023 09:17:45
Patient Name	Mr. DURGESH CHIRANJEEV	Received On	23/09/2023 09:17:47
Gender / Age	Male / 27 Yrs	Released On	23/09/2023 14:31:15
Refd. By		Printed On	23/09/2023 19:10:48
Client	Apollo Health & Lifestyle Ltd		

Investigation	Value	Unit	Biological Ref. Range
Erythrocyte Sedimentation Rate (ESR) Westergren's	22	mm in 1hr	00 - 15

- * Test conducted on EDTA whole blood at 37 degree Celsius.
- * ESR is an index of the presence of the active diseases of many types.
- * Increased- in most infections, anaemias, injection of foreign proteins, auto-immune disorders, conditions accompanied by hyperglobunemia and hypercholesterolaemia.
- * A rising ESR suggests a progressive disease.
- * Decreased- in polycythemia, congestive heart failure.
- * ESR is a useful but nonspecific marker of underlying inflammation. C-Reactive Protein(CRP) is the recommended test in a acute inflammatory conditions.



Dr. Dhairya Soneji M.D Path.

Note: 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.
 The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.
 These reports are not valid for medico legal purposes.

Page No: 7 of 12







Patient ID	12231551	Collected On	23/09/2023 09:17:45
Patient Name	Mr. Durgesh Chiranjeev	Received On	23/09/2023 09:17:47
Gender / Age	Male / 27 Yrs	Released On	23/09/2023 14:31:15
Refd. By		Printed On	23/09/2023 19:10:50
Client	Apollo Health & Lifestyle Ltd		

Investigation	Value	Unit	Biological Ref. Range			
<u>Liver Function Test + GGT</u>						
Billirubin – Total Diazonium Salt	0.27	mg/dL	0.20 - 1.30			
Billirubin – Direct Diazo Reaction	0.15	mg/dL	0.00 - 0.50			
Bilirubin, Indirect Calculated	0.12	mg/dL	0.00 - 0.70			
Gultamic Oxaloacetic Transaminase (SGOT, AST)	12	U/L	10.00 - 37.00			
Gultamic Pyruvic Transaminase (SGPT, ALT)	35	U/L	0.00 - 41.00			
ALP (Alkaline Phosphatase)	90	U/L	40.00 - 150.00			
Total Protien Biuret method	6.4	g/dL	6.60 - 8.70			
Albumin Bromcresol Green	3.8	g/dL	3.50 - 5.20			
Globulin Calculated	2.6	g/dL	2.30 - 3.50			
A:G (Albumin:Globulin) Ratio Calculated	1.46		1.20 - 2.00			
Gamma Glutamyle Transpeptidas	27	U/L	0.00 - 55.00			

These are group of tests that can be used to detect the presence of liver disease, distinguish among different types of liver disorders, gauge the extent of knownliver damage, and monitor the response to treatment. Most liver diseases cause only mild symptoms initially, but these diseases must be detected early. Sometests are associated with functionality (e.g., albumin), some with cellular integrity (e.g., transaminase), and some with conditions linked to the biliary tract(gammaglutamyl transferase and alkaline phosphatase).

Conditions with elevated levels of ALT and AST include hepatitis A,B,C, paracetamol toxicityetc. Several biochemical tests are useful in the evaluation and management of patients with hepatic dysfunction. Some or all of these measurements are also carried out (usually about twice a year for routine cases) on those individuals taking certain medications, such as anticonvulsants, to ensure that the medications are not adversely impacting the person's liver. Reference ranges vary between laboratories.

Note: The result obtained relate only to the sample given/received & tested. A single test result is not always indicative of a disease, it has to be correlated with clinical data for interpretation



Dr. Dhairya Soneji M.D Path.

Note: 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.

The values are to be comborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.
 These reports are not valid for medico legal purposes.







Patient ID	12231551	Collected On	23/09/2023 09:17:45
Patient Name	Mr. DURGESH CHIRANJEEV	Received On	23/09/2023 09:17:47
Gender / Age	Male / 27 Yrs	Released On	23/09/2023 14:29:27
Refd. By		Printed On	23/09/2023 19:10:54
Client	Apollo Health & Lifestyle Ltd		

Investigation	Value	Unit	Biological Ref. Range	
	Kidney Function Test			
Urea, Serum _{Urease}	19	mg/dL	13.00 - 43.00	
Creatinine Modified jaffe's	0.72	mg/dL	0.60 - 1.30	
Uric Acid, Serum	6.90	mg/dL	3.50 - 7.20	
Calcium Arsenazo III	9.20	mg/dl	8.40 - 10.20	
Phosphorus UV PHOTOMETRIC	3.62	mg/dL	2.60 - 4.50	

Kidney function tests are group of tests that can be used to evaluate how well the kidneys are functioning. Creatinine is awaste product that comes from protein in the diet and also comes from the normal wear and tear of muscles of the body. Inblood, it is a marker of GFR .in urine, it can remove the need for 24-hour collections for many analytes or be used as a quality assurance tool to assess the accuracy of a 24-hour collection Higher levels may be a sign that the kidneys are not workingproperly. As kidney disease progresses, the level of creatinine and urea in the blood increases. Certain drugs are nephrotoxichence KFT is done before and after initiation of treatment with these drugs. Low serum creatinine values are rare; they almost always reflect low muscle mass. Apart from renal failure Blood Urea can increase in dehydration and GI bleed.Reference ranges vary between laboratories.

Note: The result obtained relate only to the sample given/received & tested. A single test result is not always indicative of a disease, it has to be correlated with clinical data for interpretation.



Dr. Dhairya Soneji M.D Path.

Note: 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.

The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.
 These reports are not valid for medico legal purposes.

Page No: 9 of 12







Patient ID	12231551	Collected On	23/09/2023 09:17:45
Patient Name	Mr. DURGESH CHIRANJEEV	Received On	23/09/2023 09:17:47
Gender / Age	Male / 27 Yrs	Released On	23/09/2023 14:29:27
Refd. By		Printed On	23/09/2023 19:10:57
Client	Apollo Health & Lifestyle Ltd		

Investigation	Value	Unit	Biological Ref. Range
	<u>Lipid Profile</u>		
Cholesterol TOTAL CHOD-PAP	165	mg/dL	Desirable < 200 Borderline 200 - 239 High Risk >= 240
Triglycerides Glycerol Phosphate Oxidase	108	mg/dL	Normal <150 Borderline 150-199 High 200 -499 Very High >=500
DIRECT HDL Accelerator Selective Detergent	43	mg/dL	Major risk factor for heart disease < 40 Negative risk factor for heart disease =>60
VLDL Cholesterol Calculated	22	mg/dL	0.00 - 30.00
LDL Calculated	100	mg/dL	Recommended <130 Moderate Risk 130-159 High Risk >160
Total / HDL Cholesterol Ratio	3.8		Low Risk 3.3-4.4 Average Risk 4.4-7.1 Moderate Risk 7.1-11.0 High Risk >11.0
Non HDL Cholesterol Calculated	122.0	mg/dL	Adult Optimal <130 Above Optimal 130 -159 Borderline High 160-189 High 190 -219 Very High >=220

Lipid profile is a panel of blood tests that serves as an initial screening tool for abnormalities in lipids, such as cholesterol and triglycerides. The results of this test can identify certain genetic diseases and can determine approximate risks cardiovascular disease, certain forms of pancreatitis. Hypertriglyceridemia is indicative of insulin resistance when present with low high-density lipoprotein (HDL) and elevated low-density lipoprotein (LDL), while elevated triglyceride is a clinical risk factor for coronary artery disease (CAD), especially when low HDL is present. Very high levels of triglycerides are defined by serum levels of 500mg/dL or greater and can be concerning for development of pancreatitis. Reference range between laboratories.



Dr. Dhairya Soneji M.D Path.

Note: 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.

The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.
 These reports are not valid for medico legal purposes.

Page No: 10 of 12







1			
Patient ID	12231551	Collected On	23/09/2023 09:17:45
Patient Name	Mr. DURGESH CHIRANJEEV	Received On	23/09/2023 09:17:47
Gender / Age	Male / 27 Yrs	Released On	23/09/2023 14:29:27
Refd. By		Printed On	23/09/2023 19:11:04
Client	Apollo Health & Lifestyle Ltd		

Investigation	Value	Unit	Biological Ref. Range
	Thyroid Function Te	<u>est</u>	
Triiodothyronine (T3) Chemiluminescent Microparticle Immunoassay (CMIA)	1.54	ng/ml	0.69 - 2.15
Thyroxine (T4) Chemiluminescent Microparticle Immunoassay (CMIA)	92.46	ng/mL	52.00 - 127.00
Thyroid Stimulating Hormone (TSH) Chemiluminescent Microparticle Immunoassay (CMIA)	3.32	uIU/ml	0.45 - 5.60
			Euthyroid 0.25 - 5.00 Hyperthyroid < 0.15 Hypothyroid > 7.00

TSH	T3	T4	Suggested Interpretation for the Thyroid Function Tests Pattern
Raised	Within range	Within range	Raised Within Range Within Range .Isolated High TSHespecially in the range of 4.7 to 15 m1U/m1 is commonly associated with Physiological & Biological TSH Variability. Subclinical Autoimmune Hypothyroidism.Intermittent 14 therapy for hypothyroidism .Recovery phase after Non-Thyroidal illness"
Raised	Raised	Decreased	Chronic Autoimmune Thyroiditis Post thyroidectomy, Post radioiodine Hypothyroid phase of transient thyroiditis"
Raised or within range	Raised	Raised or within range	Interfering antibodies to thyroid hormones (anti-TPO antibodies)Intermittent 14 therapy or T4 overdose • Drug interferenceAmiodarone, Heparin,Beta blockers,steroids, anti-epileptics
Decreased	Raised or within range	Raised or within range	Isolated Low TSH -especially in the range of 0.1 to 0.4 often seen in elderly & Range Range associated with Non-Thyroidal illness .Subclinical Hyperthyroidism .Thyroxine ingestion'
Decreased	Decreased	Decreased	Central Hypothyroidism .Non-Thyroidal illness .Recent treatment for Hyperthyroidism (TSH remains suppressed)"
Decreased	Raised	Raised	Primary Hyperthyroidism (Graves' disease).Multinodular goitre, Toxic nodule •Transient thyroiditis:Postpartum, Silent (lymphocytic), Postviral (granulomatous,subacute, DeQuervain's),Gestational thyrotoxicosis with hyperemesis gravidarum"
Decreased Within Rang	Raised	Within range	T3 toxicosis • Non-Thyroidal illness
Within range	Decreased	Within range	Isolated Low T3-often seen in elderly & associated Non-Thyroidal illness In elderly the drop in 13 level can be upto 25%.



Dr. Dhairya Soneji M.D Path.

Note: 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.

2. The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.

3. These reports are not valid for medico legal purposes.

Page No: 11 of 12







Patient ID	12231551	Collected On	23/09/2023 09:17:45
Patient Name	Mr. DURGESH CHIRANJEEV	Received On	23/09/2023 09:17:47
Gender / Age	Male / 27 Yrs	Released On	23/09/2023 15:06:48
Refd. By		Printed On	23/09/2023 19:11:08
Client	Apollo Health & Lifestyle Ltd		

Investigation	Value	Unit	Biological Ref. Range
	Urine Examination (Rou	utine)	
Physical Examination			
Volume	30	mL	
Colour	PALE YELLOW		
Appearance	Clear		Clear
рН	6.0		Acidic
Specific Gravity	1.020		1.001-1.035
Chemical Examination			
Urine Protein	Nil		Nil
Urine Glucose	Nil		Nil
Ketone	Negative		Negative
Nitrite	Negative		Negative Negative
Blood	Nil		Nil
Urobilinogen	Not Increased		Not Increased
Bilirubin	Nil		Nil
Leukocyte esterase	NIL		NIL
Microscopic Examination.			
Red Blood Cells	Nil	/hpf	Nil
Pus Cells (WBC)	0-1	/hpf	NIL
Epithelial Cells	0-1	/hpf	Nil
Casts	Nil	/hpf	Nil
Crystals	Nil	•	Nil
Bacteria	Nil		Nil
Yeast Cell	Nil		Nil
Mucous	Nil		Nil
Trichomonas	Nil		Nil
Amorphous Material	Nil		Nil

*** End of Report ***



Dr. Dhairya Soneji M.D Path.

Note: 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.

2. The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.

3. These reports are not valid for medico legal purposes.



MER- MEDICAL EXAMINATION REPORT

Date of Examination	22/00/00	. 0 2	
NAME	23/09/20	123	
MANUE	DURGE	SH CHIRAN	JEEV
AGE	27	Gender	M ·
HEIGHT(cm)	170	WEIGHT (kg)	78.4
B.P.	N2W)	13217	,
ECG	NIR	13217	
X Ray	@		
Vision Checkup	Cofor Vision:	No won.	wion defeas
	Far Vision Ratio	: 66 \	2 . L. L
	Near Vision Ratio	2:618 9	Di shoot
Present Ailments	Uil		
Details of Past ailments (If Any)	/:۵		
Comments / Advice : She /He is Physically Fit	Fit	-	
Denlul 1 OK.	2. ⁰ 3.3 3		
opther; grown'			
Ert. Noveml			

Signature with Stamp of Medical Examine For

Reg. No.: G-64033



CERTIFICATE OF MEDICAL FITNESS

This is to certify that I have conducted the clinical examination

Durgesh Chinapjace on 23/9/23


Medically Fit		
Fit with restrictions/recomn	nendations	
Though following restriction not impediments to the job	is have been revealed, in	my opinion, these are
1		
2		
3		
However, the employee sho been communicated to him/	uld follow the advice/med/ her.	dication that has
Review after		
Currently Unfit.		· · · · · · · · · · · · · · · · · · ·
Review after		recommended
Infit		

This certificate is not meant for medico-legip purposes and J. Gor
M.B.B.S.

Medical Officer

The Apollo Clinic, (Location)

Reg. No.: G-64033





Patient Name : ., DURGESH CHIRANJEEV

MR No: 23092302 Modality: DX Gender: M Age: 27YY

Date: 23/09/2023

Referred By : ROHA. HEALTH CARE.

X RAY CHEST (PA)

Both the lung fields do not reveal any parenchymal abnormality.

Both CP angles are clear.

Cardiac size is within normal limits.

Both domes of the diaphragm appear normal.

Bony thoracic cage appears normal.

CONCLUSION:


NO SIGNIFICANT ABNORMALITY DETECTED.


ADV: Clinical correlation and further investigation. Thanks for ref...

Dr.KRIPALSINH JADEJA

M.B,D.M.R.E RADIOLOGIST

KRICBHUJ







SWAMINARAYAN HOSPITAL

NCD CLINIC & COUNSELLING

CENTER

Dr. Jagdish Dhanji Hala

NAME: DURGESH CHIRANJEEV DURGESH

MALE BESYD. CARDIOLOGY & DIABETOLOGY

DATE: 23.09.2023

REF BY: ROHA HEALTH CARE

2D ECHO AND COLOUR DOPPLER STUDY

FINAL IMPRESSION:

- NORMLA LV SYSTOLIC FUNCTION WITH NORMAL LV SIZE.
- LVEF: 76.00 %, NO RWMA AT REST.
- · NO PAH, NORMAL RA/RV.
- , NO MR, TRIVIAL TR.

NO MS NO AS.

- NORMAL RV FUNCTION.
 NORMAL LV COMPLIANCE.
- NO ASD, NO VSD, NO PDA. NO PE. NO E/O PTE
- · IVC: NORMAL.


NOTE:

DR. JAGDISH DHANJI HALAI CLINICAL CARDIOLOGIST

ਗਮ ਗੇधाਮ। ਮਾਟੇ Appointment : 74074 98098

Education is Foundation For Prevention, Prevention is better than cure સ્વતઃસ્કુર્ણા : સ્વાદ આઝાદીનો - Swata:Sfurna : The taste of Freedom





SWAMINARAYAN HOSPITAL

NCD CLINIC & COUNSELLING | CENTER

Dr. Jagdish Dhanji Halai

MBBS, D. CARDIOLOGY & DIABETOLOGY

NAME: DURGESH CHIRANJEEV DURGESH MALE/ 27 Y

DATE: 23.09.2023 REF BY: ROHA HEALTH CARE

2D ECHO AND COLOUR DOPPLER STUDY

MITRAL VALVE : NORMAL.

AORTIC VALVE : NORMAL.

PULMONARY VALVE : NORMAL.

TRICUSPID VALVE : NORMAL.

AORTA : ROOT: 17.00 MM AND AORTA ST JUNCTION: 23.00 MM.

NORMAL ARCH AND WHOLE AORTA FROM ORIGINE TO BIFURCATION

LA : 26 MM LV- D/LV-S : 41/26 MM.

 LVEF
 : 76 %, NO RWMA AT REST.

 IVS
 : INTACT, IVS: 9.60 MM.

 IAS
 : INTACT, PW: 9.60 MM.

AOVP : 1.54 M/SEC. PVP: 0.80 M/SEC.

RA AND RV : NORMAL, PA: NORMAL.

RVSP : TR JET + RA MEAN PRESSURE: 26 MM HG TAPSE: 19.60 MM

COLOR DOPPLER STUDY : NO MR, TRIVIAL TR, PR : NO , TRIVIAL AR.

NO AS, NO MS, NO TS, NO PS.

ALL VLVES ARE NORMAL WITH NORMAL HEMODYNAMIC.

MVIS : VE/VA > 1,

NO PERICARDIAL EFFUSION..


NO VSR, NO SCAR, NO CLOT, NO VEGETATION.


NO THROMBUS IN LV/LVA.

नाभ नोधाभा भारे Appointment : 74074 98098

Education is Foundation For Prevention, Prevention is better than cure

સ્વતઃસ્કુર્ણા : સ્વાદ આઝાદીનો - Swata:Sfurna : The taste of Freedom







RADIOLOGY & IMAGING CENTRE

(A Division of KRIC Radio Diagnostic Pvt. Ltd.)

• Email : kric2008@gmail.com • Website : www.kric.in

Dr. Kripalsinh Jadeja

M.B., D.M.R.E.

Consultant Radiologist

Dr. Bhaven Shah

Consultant Radiologist

Patient Name: DURGESH.CHIRANJEEV

MR No: D95708
Modality: US
Gender: M
Age: 27YY

Date: 23/09/2023

Referred By : ROHA HEATH CARE

USG: ABDOMEN & PELVIS

LIVER: appears normal in size and echotexture. No evidence of focal or diffuse lesion. No evidence of dilated IHBR. PV and CBD appear normal in calibre.

GALL BLADDER: appears normal. No intrinsic lesion seen.

PANCREAS: appears normal in size and echotexture. No focal mass lesion or changes of pancreatitis seen.

SPLEEN: appears normal in size and echotexture. No evidence of focal or diffuse lesion.

BOTH KIDNEYS: appear normal in size and echotexture with preservation of corticomedullary differentiation. No evidence of calculus, hydronephrosis or mass lesion involving either kidney.

RK: 10 x 4.2 cm LK: 10.9 x 3.9 cm

URINARY BLADDER: appears normal. No intrinsic lesion seen.

PROSTATE: Appears normal in size.

No e/o Ascites or paraaortic lymphadenopathy seen.

CONCLUSION:

* NORMAL SONOGRAPHY OF LIVER, GB, SPLEEN, PANCREAS, BOTH KIDNEYS, U.BLADDER & PROSTATE.

ADV: Clinical correlation and further investigation. Thanks for ref...

Dr.KRIPALSINH JADEJA

M.B,D.M.R.E RADIOLOGIST

KRICBHUJ

..

