

NAME	SACHCHIDANAND SINGH CHAUHAN	STUDY DATE	01-04-2023 09:31:38
AGE / SEX	046Yrs / M	HOSPITAL NO.	MH004950147
REFERRING DEPT	OPD	MODALITY/Procedure Description	CR /Xray chest PA (CXR)
REPORTED ON	02-04-2023 11:18:02	REFERRED BY	Dr. Health Check MHD

## X-RAY CHEST - PA VIEW

### Findings:

Visualized lung fields appear clear.

Both hilar shadows appear normal.

Cardiothoracic ratio is within normal limits.

Both hemidiaphragmatic outlines appear normal.

Both costophrenic angles are clear.

Kindly correlate clinically.



**Dr. Divya Jain** MBBS, DNB  
**DMC/R/7955**  
**Associate Consultant Radiologist**

N.B. : This is only a professional opinion and not the final diagnosis. Radiological investigations are subject to variations due to technical limitations. Hence, correlation with clinical findings and other investigations should be carried out to know true nature of illness.

NAME	<b>SACHCHIDANAND SINGH CHAUHAN</b>	STUDY DATE	<b>01-04-2023 09:31:38</b>
AGE / SEX	<b>046Yrs / M</b>	HOSPITAL NO.	<b>MH004950147</b>
REFERRING DEPT	<b>OPD</b>	MODALITY/Procedure Description	<b>CR /Xray chest PA (CXR)</b>
REPORTED ON	<b>02-04-2023 11:18:02</b>	REFERRED BY	<b>Dr. Health Check MHD</b>

N.B. : This is only a professional opinion and not the final diagnosis. Radiological investigations are subject to variations due to technical limitations. Hence, correlation with clinical findings and other investigations should be carried out to know true nature of illness.

4950147

Mr sachchidanad singh

4/1/2023 8:57:36 AM

46 Years

Male

Rate 81 . Sinus rhythm.....normal P axis, V-rate 50- 99  
 . ST elev, probable normal early repol pattern.....ST elevation, age<55  
 PR 180 . Baseline wander in lead(s) II,III,aVL,aVF,V2  
 QRSD 78  
 QT 362  
 QTc 421

--AXIS--

P 42


QRS 27

T 18

12 Lead; Standard Placement

- NORMAL ECG -

Unconfirmed Diagnosis



Device:

Speed: 25 mm/sec

Limb: 10 mm/mV

Chest: 10.0 mm/mV

F 60~ 0.15-100 Hz

100B CL

P?



**Name** : MR SACHCHIDANAND SINGH CHAUHAN **Age** : 46 Yr(s) Sex :Male  
**Registration No** : MH004950147 **Lab No** : 31230400013  
**Patient Episode** : H03000053533 **Collection Date** : 01 Apr 2023 08:51  
**Referred By** : HEALTH CHECK MHD **Reporting Date** : 01 Apr 2023 12:01  
**Receiving Date** : 01 Apr 2023 10:16

## Department of Transfusion Medicine ( Blood Bank )

BLOOD GROUPING, RH TYPING & ANTIBODY SCREEN (TYPE & SCREEN)  
Specimen-Blood

Blood Group & Rh Typing (Agglutination by gel/tube technique)

Blood Group & Rh typing A Rh(D) Positive

Antibody Screening (Microtyping in gel cards using reagent red cells)

Final Antibody Screen Result Negative

### Technical Note:

*ABO grouping and Rh typing is done by cell and serum grouping by microplate / gel technique. Antibody screening is done using a 3 cell panel of reagent red cells coated with Rh, Kell, Duffy, Kidd, Lewis, P, MNS, Lutheran and Xg antigens using gel technique.*

Page 1 of 11

-----END OF REPORT-----

Dr Himanshu Lamba



NABH Accredited Hospital  
H-2019-0640/09/06/2019-08/06/2022



NABL Accredited Hospital  
MC/3228/04/09/2019-03/09/2021



Awarded Emergency Excellence Services  
E-2019-0026/27/07/2019-26/07/2021



Awarded Nursing Excellence Services  
N-2019-0113/27/07/2019-26/07/2021



Awarded Clean & Green Hospital  
IND18.6278/05/12/2018- 04/12/2019

[www.manipalhospitals.com](http://www.manipalhospitals.com) E [info@manipalhospitals.com](mailto:info@manipalhospitals.com) P +91 11 4967 4967  
Home sample collection: +91 74 2876 9482 Pharmacy Home Delivery: +91 84 4848 6472

Managed by Manipal Hospital (Dwarka) Private Limited



**Name** : MR SACHCHIDANAND SINGH CHAUHAN **Age** : 46 Yr(s) Sex :Male  
**Registration No** : MH004950147 **Lab No** : 32230400115  
**Patient Episode** : H03000053533 **Collection Date** : 01 Apr 2023 08:51  
**Referred By** : HEALTH CHECK MHD **Reporting Date** : 01 Apr 2023 14:00  
**Receiving Date** : 01 Apr 2023 09:02

## BIOCHEMISTRY

Glycosylated Hemoglobin

Specimen: EDTA Whole blood

**HbA1c (Glycosylated Hemoglobin)**

**7.3 #**

As per American Diabetes Association (ADA)  
% **[4.0-6.5] HbA1c in %**  
Non diabetic adults  $\geq$  18years  $<$  5.7  
Prediabetes (At Risk ) 5.7-6.4  
Diagnosing Diabetes  $\geq$  6.5

Methodology (HPLC)

Estimated Average Glucose (eAG) 163 mg/dl

Comments : HbA1c provides an index of average blood glucose levels over the past 8-12 weeks and is a much better indicator of long term glycemic control.

Specimen Type : Serum

### THYROID PROFILE, Serum

T3 - Triiodothyronine (ECLIA)	1.34	ng/ml	[0.70-2.04]
T4 - Thyroxine (ECLIA)	9.39	micg/dl	[4.60-12.00]
Thyroid Stimulating Hormone (ECLIA)	0.534	$\mu$ IU/mL	[0.340-4.250]

Note : TSH levels are subject to circadian variation, reaching peak levels between 2-4.a.m.and at a minimum between 6-10 pm.Factors such as change of seasons hormonal fluctuations,Ca or Fe supplements,high fibre diet, stress and illness affect TSH results.

\* References ranges recommended by the American Thyroid Association

1) Thyroid. 2011 Oct;21(10):1081-125.PMID .21787128

2) <http://www.thyroid-info.com/articles/tsh-fluctuating.html>



**Name** : MR SACHCHIDANAND SINGH CHAUHAN **Age** : 46 Yr(s) Sex :Male  
**Registration No** : MH004950147 **Lab No** : 32230400115  
**Patient Episode** : H03000053533 **Collection Date** : 01 Apr 2023 08:51  
**Referred By** : HEALTH CHECK MHD **Reporting Date** : 01 Apr 2023 11:20  
**Receiving Date** : 01 Apr 2023 08:57

## BIOCHEMISTRY

Test Name	Result	Unit	Biological Ref. Interval
<b>Lipid Profile (Serum)</b>			
TOTAL CHOLESTEROL (CHOD/POD)	142	mg/dl	[<200] Moderate risk:200-239 High risk:>240
TRIGLYCERIDES (GPO/POD)	123	mg/dl	[<150] Borderline high:151-199 High: 200 - 499 Very high:>500
HDL - CHOLESTEROL (Direct)	40	mg/dl	[30-60]
VLDL - Cholesterol (Calculated)	25	mg/dl	[10-40]
LDL- CHOLESTEROL	77	mg/dl	[<100] Near/Above optimal-100-129 Borderline High:130-159 High Risk:160-189
T.Chol/HDL.Chol ratio	3.6		<4.0 Optimal 4.0-5.0 Borderline >6 High Risk
LDL.CHOL/HDL.CHOL Ratio	1.9		<3 Optimal 3-4 Borderline >6 High Risk

Note:  
 Reference ranges based on ATP III Classifications.  
 Recommended to do fasting Lipid Profile after a minimum of 8 hours of overnight fasting.



Name : MR SACHCHIDANAND SINGH CHAUHAN Age : 46 Yr(s) Sex :Male  
Registration No : MH004950147 Lab No : 32230400115  
Patient Episode : H03000053533 Collection Date : 01 Apr 2023 08:51  
Referred By : HEALTH CHECK MHD Reporting Date : 01 Apr 2023 11:20  
Receiving Date : 01 Apr 2023 08:57

## BIOCHEMISTRY

Test Name	Result	Unit	Biological Ref. Interval
<b>LIVER FUNCTION TEST (Serum)</b>			
BILIRUBIN-TOTAL (mod.J Groff)**	0.64	mg/dl	[0.10-1.20]
<b>BILIRUBIN - DIRECT (mod.J Groff)</b>	<b>0.24 #</b>	<b>mg/dl</b>	<b>[&lt;0.2]</b>
BILIRUBIN - INDIRECT (mod.J Groff)	0.40	mg/dl	[0.20-1.00]
SGOT/ AST (P5P,IFCC)	36.40	IU/L	[5.00-37.00]
<b>SGPT/ ALT (P5P,IFCC)</b>	<b>61.20 #</b>	<b>IU/L</b>	<b>[10.00-50.00]</b>
ALP (p-NPP,kinetic)*	72	IU/L	[45-135]
TOTAL PROTEIN (mod.Biuret)	7.8	g/dl	[6.0-8.2]
SERUM ALBUMIN (BCG-dye)	4.6	g/dl	[3.5-5.0]
SERUM GLOBULIN (Calculated)	3.2	g/dl	[1.8-3.4]
ALB/GLOB (A/G) Ratio	1.44		[1.10-1.80]

### Note:

\*\*NEW BORN:Vary according to age (days), body wt & gestation of baby  
\*New born: 4 times the adult value





**Name** : MR SACHCHIDANAND SINGH CHAUHAN **Age** : 46 Yr(s) Sex :Male  
**Registration No** : MH004950147 **Lab No** : 32230400115  
**Patient Episode** : H03000053533 **Collection Date** : 01 Apr 2023 08:51  
**Referred By** : HEALTH CHECK MHD **Reporting Date** : 01 Apr 2023 11:20  
**Receiving Date** : 01 Apr 2023 08:57

## BIOCHEMISTRY

Test Name	Result	Unit	Biological Ref. Interval
<b>KIDNEY PROFILE (Serum)</b>			
BUN (Urease/GLDH)	10.00	mg/dl	[8.00-23.00]
<b>SERUM CREATININE (mod.Jaffe)</b>	<b>0.75 #</b>	<b>mg/dl</b>	<b>[0.80-1.60]</b>
SERUM URIC ACID (mod.Uricase)	4.7	mg/dl	[3.5-7.2]
SERUM CALCIUM (NM-BAPTA)	9.2	mg/dl	[8.6-10.0]
SERUM PHOSPHORUS (Molybdate, UV)	3.0	mg/dl	[2.3-4.7]
SERUM SODIUM (ISE)	139.0	mmol/l	[134.0-145.0]
SERUM POTASSIUM (ISE)	4.82	mmol/l	[3.50-5.20]
SERUM CHLORIDE (ISE / IMT)	103.0	mmol/l	[95.0-105.0]
eGFR	110.0	ml/min/1.73sq.m	[>60.0]

### Technical Note

eGFR which is primarily based on Serum Creatinine is a derivation of CKD-EPI 2009 equation normalized to 1.73 sq.m BSA and is not applicable to individuals below 18 years. eGFR tends to be less accurate when Serum Creatinine estimation is indeterminate e.g. patients at extremes of muscle mass, on unusual diets etc. and samples with severe Hemolysis / Icterus / Lipemia.







**Name** : MR SACHCHIDANAND SINGH CHAUHAN  
**Age** : 46 Yr(s) Sex :Male  
**Registration No** : MH004950147  
**Lab No** : 32230400115  
**Patient Episode** : H03000053533  
**Collection Date** : 01 Apr 2023 08:51  
**Referred By** : HEALTH CHECK MHD  
**Reporting Date** : 01 Apr 2023 11:20  
**Receiving Date** : 01 Apr 2023 08:57

## BIOCHEMISTRY

Test Name	Result	Unit	Biological Ref. Interval
TOTAL PSA, Serum (ECLIA)	1.180	ng/mL	[<2.500]

Note : PSA is a glycoprotein that is produced by the prostate gland. Normally, very little PSA is secreted in the blood. Increases in glandular size and tissue damage caused by BPH, prostatitis, or prostate cancer may increase circulating PSA levels.

Caution : Serum markers are not specific for malignancy, and values may vary by method.

Immediate PSA testing following digital rectal examination, ejaculation, prostate massage urethral instrumentation, prostate biopsy may increase PSA levels.

Some patients who have been exposed to animal antigens, may have circulating anti-animal antibodies present. These antibodies may interfere with the assay reagents to produce unreliable results.

-----END OF REPORT-----

**Dr. Neelam Singal**  
**CONSULTANT BIOCHEMISTRY**



NABH Accredited Hospital  
H-2019-0640/09/06/2019-08/06/2022



NABL Accredited Hospital  
MC/3228/04/09/2019-03/09/2021



Awarded Emergency Excellence Services  
E-2019-0026/27/07/2019-26/07/2021



Awarded Nursing Excellence Services  
N-2019-0113/27/07/2019-26/07/2021



Awarded Clean & Green Hospital  
IND18.6278/05/12/2018- 04/12/2019



**Name** : MR SACHCHIDANAND SINGH CHAUHAN  
**Age** : 46 Yr(s) Sex :Male  
**Registration No** : MH004950147  
**Lab No** : 32230400116  
**Patient Episode** : H03000053533  
**Collection Date** : 01 Apr 2023 12:21  
**Referred By** : HEALTH CHECK MHD  
**Reporting Date** : 01 Apr 2023 13:57  
**Receiving Date** : 01 Apr 2023 13:07

## BIOCHEMISTRY

Specimen Type : Plasma

**PLASMA GLUCOSE - PP**

**Plasma GLUCOSE - PP (Hexokinase)**                      162 #                      mg/dl                      [70-140]

Note : Conditions which can lead to lower postprandial glucose levels as compared to fasting glucose are excessive insulin release, rapid gastric emptying, brisk glucose absorption , post exercise

Specimen Type : Serum/Plasma

**Plasma GLUCOSE-Fasting (Hexokinase)**                      192 #                      mg/dl                      [70-100]

Page 7 of 11

-----END OF REPORT-----

**Dr. Neelam Singal**  
**CONSULTANT BIOCHEMISTRY**



NABH Accredited Hospital  
H-2019-0640/09/06/2019-08/06/2022



NABL Accredited Hospital  
MC/3228/04/09/2019-03/09/2021



Awarded Emergency Excellence Services  
E-2019-0026/27/07/2019-26/07/2021



Awarded Nursing Excellence Services  
N-2019-0113/27/07/2019-26/07/2021



Awarded Clean & Green Hospital  
IND18.6278/05/12/2018- 04/12/2019



**Name** : MR SACHCHIDANAND SINGH CHAUHAN **Age** : 46 Yr(s) Sex :Male  
**Registration No** : MH004950147 **Lab No** : 33230400087  
**Patient Episode** : H03000053533 **Collection Date** : 01 Apr 2023 08:51  
**Referred By** : HEALTH CHECK MHD **Reporting Date** : 01 Apr 2023 12:58  
**Receiving Date** : 01 Apr 2023 09:02

## HAEMATOLOGY

### ERYTHROCYTE SEDIMENTATION RATE (Automated) Specimen-Whole Blood

ESR 5.0 /1sthour [0.0-10.0]

#### Interpretation :

Erythrocyte sedimentation rate (ESR) is a non-specific phenomena and is clinically useful in the diagnosis and monitoring of disorders associated with an increased production of acute phase reactants (e.g. pyogenic infections, inflammation and malignancies). The ESR is increased in pregnancy from about the 3rd month and returns to normal by the 4th week postpartum.

ESR is influenced by age, sex, menstrual cycle and drugs (eg. corticosteroids, contraceptives).

It is especially low (0 -1mm) in polycythemia, hypofibrinogenemia or congestive cardiac failure and when there are abnormalities of the red cells such as poikilocytosis, spherocytosis or sickle cells.

Test Name	Result	Unit	Biological Ref. Interval
<b>COMPLETE BLOOD COUNT (EDTA Blood)</b>			
WBC Count (Flow cytometry)	5910	/cu.mm	[4000-10000]
RBC Count (Impedence)	4.88	million/cu.mm	[4.50-5.50]
Haemoglobin (SLS Method)	14.8	g/dL	[13.0-17.0]
Haematocrit (PCV) (RBC Pulse Height Detector Method)	42.9	%	[40.0-50.0]
MCV (Calculated)	87.9	fL	[83.0-101.0]
MCH (Calculated)	30.3	pg	[25.0-32.0]
MCHC (Calculated)	34.5	g/dL	[31.5-34.5]
Platelet Count (Impedence)	156000	/cu.mm	[150000-410000]
RDW-CV (Calculated)	13.1	%	[11.6-14.0]
<b>DIFFERENTIAL COUNT</b>			
Neutrophils (Flowcytometry)	64.8	%	[40.0-80.0]
Lymphocytes (Flowcytometry)	26.1	%	[20.0-40.0]



**Name** : MR SACHCHIDANAND SINGH CHAUHAN  
**Age** : 46 Yr(s) Sex :Male  
**Registration No** : MH004950147  
**Lab No** : 33230400087  
**Patient Episode** : H03000053533  
**Collection Date** : 01 Apr 2023 08:51  
**Referred By** : HEALTH CHECK MHD  
**Reporting Date** : 01 Apr 2023 11:05  
**Receiving Date** : 01 Apr 2023 09:02

## HAEMATOLOGY

Monocytes (Flowcytometry)	6.3	%	[2.0-10.0]
Eosinophils (Flowcytometry)	2.5	%	[1.0-6.0]
<b>Basophils (Flowcytometry)</b>	<b>0.3 #</b>	%	<b>[1.0-2.0]</b>
IG	0.20	%	
Neutrophil Absolute(Flourescence flow cytometry)	3.8	/cu mm	[2.0-7.0]x10 <sup>3</sup>
Lymphocyte Absolute(Flourescence flow cytometry)	1.5	/cu mm	[1.0-3.0]x10 <sup>3</sup>
Monocyte Absolute(Flourescence flow cytometry)	0.4	/cu mm	[0.2-1.2]x10 <sup>3</sup>
Eosinophil Absolute(Flourescence flow cytometry)	0.2	/cu mm	[0.0-0.5]x10 <sup>3</sup>
Basophil Absolute(Flourescence flow cytometry)	0.0	/cu mm	[0.0-0.1]x10 <sup>3</sup>

Complete Blood Count is used to evaluate wide range of health disorders, including anemia, infection, and leukemia. Abnormal increase or decrease in cell counts as revealed may indicate that an underlying medical condition that calls for further evaluation.

-----END OF REPORT-----

Dr.Lakshita singh



NABH Accredited Hospital  
H-2019-0640/09/06/2019-08/06/2022



NABL Accredited Hospital  
MC/3228/04/09/2019-03/09/2021



Awarded Emergency Excellence Services  
E-2019-0026/27/07/2019-26/07/2021



Awarded Nursing Excellence Services  
N-2019-0113/27/07/2019-26/07/2021



Awarded Clean & Green Hospital  
IND18.6278/05/12/2018- 04/12/2019



**Name** : MR SACHCHIDANAND SINGH CHAUHAN **Age** : 46 Yr(s) Sex :Male  
**Registration No** : MH004950147 **Lab No** : 38230400015  
**Patient Episode** : H03000053533 **Collection Date** : 01 Apr 2023 08:51  
**Referred By** : HEALTH CHECK MHD **Reporting Date** : 01 Apr 2023 14:50  
**Receiving Date** : 01 Apr 2023 11:11

## CLINICAL PATHOLOGY

Test Name	Result	Biological Ref. Interval
<b>ROUTINE URINE ANALYSIS</b>		
<b>MACROSCOPIC DESCRIPTION</b>		
Colour (Visual)	PALE YELLOW	(Pale Yellow - Yellow)
Appearance (Visual)	CLEAR	
<b>CHEMICAL EXAMINATION</b>		
Reaction[pH] (Reflectancephotometry(Indicator Method))	6.0	(5.0-9.0)
Specific Gravity (Reflectancephotometry(Indicator Method))	1.005	(1.003-1.035)
Bilirubin	Negative	NEGATIVE
Protein/Albumin (Reflectance photometry(Indicator Method)/Manual SSA)	Negative	(NEGATIVE-TRACE)
Glucose (Reflectance photometry (GOD-POD/Benedict Method))	NOT DETECTED	(NEGATIVE)
Ketone Bodies (Reflectance photometry(Legal's Test)/Manual Rotheras)	NOT DETECTED	(NEGATIVE)
Urobilinogen Reflectance photometry/Diazonium salt reaction	NORMAL	(NORMAL)
Nitrite Reflectance photometry/Griess test	NEGATIVE	NEGATIVE
Leukocytes Reflectance photometry/Action of Esterase	NIL	NEGATIVE
BLOOD (Reflectance photometry(peroxidase))	NIL	NEGATIVE
<b>MICROSCOPIC EXAMINATION (Manual) Method: Light microscopy on centrifuged urine</b>		
WBC/Pus Cells	1-2 /hpf	(4-6)
Red Blood Cells	NIL	(1-2)
Epithelial Cells	1-2 /hpf	(2-4)
Casts	NIL	(NIL)
Crystals	NIL	(NIL)
Bacteria	NIL	
Yeast cells	NIL	

**Interpretation:**



**Name** : MR SACHCHIDANAND SINGH CHAUHAN  
**Age** : 46 Yr(s) Sex :Male  
**Registration No** : MH004950147  
**Lab No** : 38230400015  
**Patient Episode** : H03000053533  
**Collection Date** : 01 Apr 2023 08:51  
**Referred By** : HEALTH CHECK MHD  
**Reporting Date** : 01 Apr 2023 14:50  
**Receiving Date** : 01 Apr 2023 11:11

## CLINICAL PATHOLOGY

URINALYSIS--Routine urine analysis assists in screening and diagnosis of various metabolic , urological, kidney and liver disorders

**Protein:** Elevated proteins can be an early sign of kidney disease. Urinary protein excretion can also be temporarily elevated by strenuous exercise, orthostatic proteinuria, dehydration, urinary tract infections and acute illness with fever

**Glucose:** Uncontrolled diabetes mellitus can lead to presence of glucose in urine.

Other causes include pregnancy, hormonal disturbances, liver disease and certain medications.

**Ketones:** Uncontrolled diabetes mellitus can lead to presence of ketones in urine.

Ketones can also be seen in starvation, frequent vomiting, pregnancy and strenuous exercise.

**Blood:** Occult blood can occur in urine as intact erythrocytes or haemoglobin, which can occur in various urological, nephrological and bleeding disorders.

**Leukocytes:** An increase in leukocytes is an indication of inflammation in urinary tract or kidneys. Most Common cause is bacterial urinary tract infection.

**Nitrite:** Many bacteria give positive results when their number is high. Nitrite concentration during infection increases with length of time the urine specimen is retained in bladder prior to collection.

**pH:** The kidneys play an important role in maintaining acid base balance of the body. Conditions of the body producing acidosis/alkalosis or ingestion of certain type of food can affect the pH of urine.

**Specific gravity:** Specific gravity gives an indication of how concentrated the urine is. Increased Specific gravity is seen in conditions like dehydration, glycosuria and proteinuria while decreased Specific gravity is seen in excessive fluid intake, renal failure and diabetes insipidus.

**Bilirubin:** In certain liver diseases such as biliary obstruction or hepatitis, bilirubin gets excreted in urine.

**Urobilinogen:** Positive results are seen in liver diseases like hepatitis and cirrhosis and in case of hemolytic anemia.

Page 11 of 11

-----END OF REPORT-----

Soma Pradhan

Dr. Soma Pradhan



NABH Accredited Hospital  
H-2019-0640/09/06/2019-08/06/2022



NABL Accredited Hospital  
MC/3228/04/09/2019-03/09/2021



Awarded Emergency Excellence Services  
E-2019-0026/27/07/2019-26/07/2021



Awarded Nursing Excellence Services  
N-2019-0113/27/07/2019-26/07/2021



Awarded Clean & Green Hospital  
IND18.6278/05/12/2018- 04/12/2019

[www.manipalhospitals.com](http://www.manipalhospitals.com) E [info@manipalhospitals.com](mailto:info@manipalhospitals.com) P +91 11 4967 4967  
Home sample collection: +91 74 2876 9482 Pharmacy Home Delivery: +91 84 4848 6472

Managed by Manipal Hospital (Dwarka) Private Limited

NAME	SACHCHIDANAND SINGH CHAUHAN	STUDY DATE	01-04-2023 09:35:51
AGE / SEX	046Yrs / M	HOSPITAL NO.	MH004950147
REFERRING DEPT	OPD	MODALITY/Procedure Description	US /Ultrasound abdomen n pelvis
REPORTED ON	01-04-2023 12:53:43	REFERRED BY	Dr. Health Check MHD

## USG WHOLE ABDOMEN

### Findings:

Liver is normal in size and **shows grade I fatty changes**. No focal intra-hepatic lesion is detected. Intra-hepatic biliary radicals are not dilated. Portal vein is normal in calibre.

Gall bladder appears echofree with normal wall thickness. Common bile duct is normal in calibre.

Pancreas is normal in size and echopattern.

Spleen is normal in size and echopattern.

Both kidneys are normal in position, size (RK = 11.2 x 4.4 cm and LK = 10.8 x 5.0 cm) and outline. Cortico-medullary differentiation of both kidneys is maintained. Central sinus echoes are compact. No focal lesion or calculus seen. Bilateral pelvicalyceal systems are not dilated.

Urinary bladder is normal in wall thickness with clear contents. No significant intra or extraluminal mass is seen.

Prostate is normal in shape and echopattern. It measures 20.7 cc in volume.

Retro-peritoneum is normal.

No significant free fluid is detected.

### IMPRESSION:

- **Grade I fatty liver.**

*Kindly correlate clinically*



**Dr. Aarushi MD,DNB, DMC/R/03291**

N.B. : This is only a professional opinion and not the final diagnosis. Radiological investigations are subject to variations due to technical limitations. Hence, correlation with clinical findings and other investigations should be carried out to know true nature of illness.

NAME	<b>SACHCHIDANAND SINGH CHAUHAN</b>	STUDY DATE	<b>01-04-2023 09:35:51</b>
AGE / SEX	<b>046Yrs / M</b>	HOSPITAL NO.	<b>MH004950147</b>
REFERRING DEPT	<b>OPD</b>	MODALITY/Procedure Description	<b>US /Ultrasound abdomen n pelvis</b>
REPORTED ON	<b>01-04-2023 12:53:43</b>	REFERRED BY	<b>Dr. Health Check MHD</b>

**Consultant Radiologist**

N.B. : This is only a professional opinion and not the final diagnosis. Radiological investigations are subject to variations due to technical limitations. Hence, correlation with clinical findings and other investigations should be carried out to know true nature of illness.