Name	RAGHUNATH RAO N	ID	MED122181705
Age & Gender	40Year(s)/MALE	Visit Date	10/10/2023 12:00:00 AM
Ref Doctor Name	MediWheel		

# **2D ECHOCARDIOGRAPHIC STUDY**

## **M-mode measurement:**

AORTA	:	2.18	cms.
LEFT ATRIUM	:	4.49	cms.
AVS LEFT VENTRICLE	:	1.47	cms.
(DIASTOLE)	:	3.81	cms.
(SYSTOLE)	:	2.58	cms.
VENTRICULAR SEPTUM	:		
(DIASTOLE)	:	1.27	cms.
(SYSTOLE)	:	1.72	cms.
POSTERIOR WALL	:		
(DIASTOLE)	:	1.54	cms.
(SYSTOLE)	:	1.72	cms.
EDV	:	30	ml.
ESV	:	16	ml.
FRACTIONAL SHORTENING	:	38	%
EJECTION FRACTION	:	60	%
EPSS	:		cms.
RVID	:	1.80	cms.

# DOPPLER MEASUREMENTS:<br/>MITRAL VALVE:NO MR.AORTIC VALVE:E - 0.8 m/sA - 0.6 m/sNO MR.AORTIC VALVE:1.1m/sNO AR.TRICUSPID VALVE: E - 0.4 m/sA -0.3 m/sMILD TR.PASP-20mmHgPULMONARY VALVE:0.8m/sNO PR.

Name	RAGHUNATH RAO N	ID	MED122181705
Age & Gender	40Year(s)/MALE	Visit Date	10/10/2023 12:00:00 AM
Ref Doctor Name	MediWheel		

## **2D ECHOCARDIOGRAPHY FINDINGS:**

Left Ventricle	:	Concentric L V H, Normal systolic function.		
: No regional wall motion abnormalities.				
Left Atrium	:	LA DILATED.		
Right Ventricle :	Norma	ıl.		
Right Atrium	:	Normal.		
Mitral Valve	:	Normal. No mitral valve prolapsed.		
Aortic Valve	:	Normal.Trileaflet.		
Tricuspid Valve	:	Normal.		
Pulmonary Valve	:	Normal.		
IAS	:	Intact.		
IVS	:	Intact.		
Pericardium	:	No pericardial effusion.		

## **IMPRESSION:**

- LA DILATED.
- CONCENTRIC L V H

• NORMAL LV SYSTOLIC FUNCTION. EF: 60 %.

• NO REGIONAL WALL MOTION ABNORMALITIES.


• NORMAL VALVES.

• NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

## DR. YASHODA RAVI

Name	RAGHUNATH RAO N	ID	MED122181705
Age & Gender	40Year(s)/MALE	Visit Date	10/10/2023 12:00:00 AM
Ref Doctor Name	MediWheel		

# CONSULTANT CARDIOLOGIST



Name	RAGHUNATH RAO N	ID	MED122181705
Age & Gender	40Year(s)/MALE	Visit Date	10/10/2023 12:00:00 AM
Ref Doctor Name	MediWheel		

# **ABDOMINO-PELVIC ULTRASONOGRAPHY**

**LIVER** is mildly enlarged in size and shows increased echogenicity. No evidence of obvious focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER is partially distended. CBD is not dilated.

**PANCREAS** has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

**SPLEEN** shows normal shape, size and echopattern.

## **KIDNEYS**

**Right kidney:** Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

**Left kidney:** Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

-	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	11.1	1.8
Left Kidney	10.5	1.8

URINARY BLADDER shows normal shape and wall thickness. It has clear contents. No evidence of diverticula. Prevoid: 353 cc Postvoid: 82 cc

**PROSTATE** is mildly enlarged in size. It measures 4.4 x 3.4 x 3.5 cms and Vol: 28 cc.

No evidence of ascites.

## **IMPRESSION:**

- Mild hepatomegaly with grade II to III fatty infiltration Suggested LFT correlation.
- Mild prostatomegaly with postvoid residue of 82 cc.
- Suggested clinical correlation.

Name	RAGHUNATH RAO N	ID	MED122181705
Age & Gender	40Year(s)/MALE	Visit Date	10/10/2023 12:00:00 AM
Ref Doctor Name	MediWheel	-	

## **DR. HEMANANDINI V.N CONSULTANT RADIOLOGIST** Hn/Mi

Name	Mr. RAGHUNATH RAO N	Customer ID	MED122181705
Age & Gender	40Y/M	Visit Date	Oct 10 2023 9:12AM
Ref Doctor	MediWheel		

# X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: No significant abnormality detected.

/

DR KARTHIK VIJAY DATTANI. MD., PDCC CONSULTANT RADIOLOGIST

Name	: Mr. RAGHUNATH RAO N	
PID No.	: MED122181705	Register On : 10/10/2023 9:12 AM
SID No.	: 522315992	Collection On : 11/10/2023 9:03 AM
Age / Sex	: 40 Year(s) / Male	<b>Report On</b> : 11/10/2023 2:06 PM
Туре	: OP	Printed On : 11/10/2023 3:25 PM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood/Spectrophotometry)	14.8	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	42.7	%	42 - 52
RBC Count (EDTA Blood)	4.87	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood)	87.8	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	30.4	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	34.6	g/dL	32 - 36
RDW-CV	13.4	%	11.5 - 16.0
RDW-SD	41.18	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	8400	cells/cu.m m	4000 - 11000
Neutrophils (Blood)	52.9	%	40 - 75
Lymphocytes (Blood)	32.5	%	20 - 45
Eosinophils (Blood)	6.4	%	01 - 06
Monocytes (Blood)	6.3	%	01 - 10
Basophils (Blood)	1.9	%	00 - 02





The results pertain to sample tested.

Page 1 of 6

Lab Address: BANGALORE REFERENCE LABORATORY-CLUMAX DIAGNOSTIC AND RESEARCH CENTRE PVT LTD. (A UNIT OF MEDALL HEALTHCARE PVT. LTD.),Old No 66 & New No 1, 2nd Main Road, Bashyam Circle, Sankey Cross Road Malleswaram, Gayathri Devi Park Extension, Kodandarampura, Sadashiva Nagar, Bengaluru, Karnataka-560003,.

Name	: Mr. RAGHUNATH RAO N	
PID No.	: MED122181705	Register On : 10/10/2023 9:12 AM
SID No.	: 522315992	Collection On : 11/10/2023 9:03 AM
Age / Sex	: 40 Year(s) / Male	Report On : 11/10/2023 2:06 PM
Туре	: OP	Printed On : 11/10/2023 3:25 PM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
INTERPRETATION: Tests done on Automated Fi	ive Part cell counter. Al	l abnormal results are r	reviewed and confirmed microscopically.
Absolute Neutrophil count (EDTA Blood)	4.44	10^3 / µl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	2.73	10^3 / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.54	10^3 / µl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.53	10^3 / µl	< 1.0
Absolute Basophil count (EDTA Blood)	0.16	10^3 / µl	< 0.2
Platelet Count (EDTA Blood)	299	10^3 / µl	150 - 450
MPV (Blood)	7.7	fL	7.9 - 13.7
PCT (Automated Blood cell Counter)	0.23	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood)	10	mm/hr	< 15
BUN / Creatinine Ratio	10.0		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	111.82	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

**INTERPRETATION:** Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose Postprandial (PPBS)	146.73	mg/dL	70 - 140
(Plasma - PP/GOD-PAP)			



jum II Diar MBBS MD Patho Reg No:KMC \$9655 APPROVED BY

The results pertain to sample tested.

Page 2 of 6

Lab Address: BANGALORE REFERENCE LABORATORY-CLUMAX DIAGNOSTIC AND RESEARCH CENTRE PVT LTD. (A UNIT OF MEDALL HEALTHCARE PVT. LTD.),Old No 66 & New No 1, 2nd Main Road, Bashyam Circle, Sankey Cross Road Malleswaram, Gayathri Devi Park Extension, Kodandarampura, Sadashiva Nagar, Bengaluru, Karnataka-560003,.

Name	: Mr. RAGHUNATH RAO N			
PID No.	: MED122181705	Register On : 10/10/2	023 9:12 AM	
SID No.	: 522315992	Collection On : 11/10/2	2023 9:03 AM	
Age / Sex	: 40 Year(s) / Male	Report On : 11/10/2	2023 2:06 PM	
Туре	: OP	Printed On : 11/10/2	2023 3:25 PM	
Ref. Dr	: MediWheel			
Investiga	ation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Factors su Fasting bl		in Postprandial glucose, becaus	e of physiological su	d drugs can influence blood glucose level. Irge in Postprandial Insulin secretion, Insulin tion during treatment for Diabetes.
	rea Nitrogen (BUN) rease UV / derived)	7.3	mg/dL	7.0 - 21
Creatinin (Serum/ <i>Ma</i>	ne odified Jaffe)	0.73	mg/dL	0.9 - 1.3
ingestion	of cooked meat, consuming Protein/	Creatine supplements, Diabeti	c Ketoacidosis, prol	vere dehydration, Pre-eclampsia, increased onged fasting, renal dysfunction and drugs , chemotherapeutic agent such as flucytosine
Uric Aci (Serum/ <i>En</i>		8.88	mg/dL	3.5 - 7.2
<u>Liver Fu</u>	unction Test			
Bilirubir (Serum/DO	n(Total) CA with ATCS)	0.54	mg/dL	0.1 - 1.2
Bilirubin (Serum/Di	n(Direct) azotized Sulfanilic Acid)	0.20	mg/dL	0.0 - 0.3
Bilirubir (Serum/De	n(Indirect) erived)	0.34	mg/dL	0.1 - 1.0
Aminotr	AST (Aspartate ansferase) odified IFCC)	28.62	U/L	5 - 40
	LT (Alanine Aminotransferase odified IFCC)	e) <b>44.92</b>	U/L	5 - 41
GGT(Ga	umma Glutamyl Transpeptidase CC / Kinetic)	e) 34.97	U/L	< 55
	Phosphatase (SAP) odified IFCC)	87.9	U/L	53 - 128
Total Pro (Serum/Bin		6.60	gm/dl	6.0 - 8.0





The results pertain to sample tested.

Page 3 of 6

Lab Address: BANGALORE REFERENCE LABORATORY-CLUMAX DIAGNOSTIC AND RESEARCH CENTRE PVT LTD. (A UNIT OF MEDALL HEALTHCARE PVT. LTD.),Old No 66 & New No 1, 2nd Main Road, Bashyam Circle, Sankey Cross Road Malleswaram, Gayathri Devi Park Extension, Kodandarampura, Sadashiva Nagar, Bengaluru, Karnataka-560003,.

Name	: Mr. RAGHUNATH RAO N	
PID No.	: MED122181705	Register On : 10/10/2023 9:12 AM
SID No.	: 522315992	Collection On : 11/10/2023 9:03 AM
Age / Sex	: 40 Year(s) / Male	Report On : 11/10/2023 2:06 PM
Туре	: OP	Printed On : 11/10/2023 3:25 PM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Albumin (Serum/Bromocresol green)	4.70	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	1.90	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived)	2.47		1.1 - 2.2
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	250.66	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	157.99	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

**INTERPRETATION:** The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the õusualö"circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	37.12	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/Calculated)	181.9	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >=190
VLDL Cholesterol (Serum/Calculated)	31.6	mg/dL	< 30
			Dr.Arjun C.P. BEBAND Pathology Reg Norkard S9655 APPROVED BY

The results pertain to sample tested.

Page 4 of 6

Lab Address: BANGALORE REFERENCE LABORATORY-CLUMAX DIAGNOSTIC AND RESEARCH CENTRE PVT LTD. (A UNIT OF MEDALL HEALTHCARE PVT. LTD.),Old No 66 & New No 1, 2nd Main Road, Bashyam Circle, Sankey Cross Road Malleswaram, Gayathri Devi Park Extension, Kodandarampura, Sadashiva Nagar, Bengaluru, Karnataka-560003,.

Name	: Mr. RAGHUNATH RAO N	
PID No.	: MED122181705	Register On : 10/10/2023 9:12 AM
SID No.	: 522315992	Collection On : 11/10/2023 9:03 AM
Age / Sex	: 40 Year(s) / Male	Report On : 11/10/2023 2:06 PM
Туре	: OP	Printed On : 11/10/2023 3:25 PM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Non HDL Cholesterol (Serum/ <i>Calculated</i> )	213.5	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219

**INTERPRETATION:** 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	6.8		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/ <i>Calculated</i> )	4.3		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	4.9		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0
<u>Glycosylated Haemoglobin (HbA1c)</u>			
HbA1C (Whole Blood/ <i>HPLC</i> )	5.9	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5
<b>INTERPRETATION:</b> If Diabetes - Good control : 6.1 -	7.0 %, Fair cont	rol : 7.1 - 8.0 % , Po	or control $>= 8.1$ %

Estimated Average Glucose 122.63 mg/dL (Whole Blood)



MD Pat Reg No:KMC \$9

Very High: >= 220

APPROVED BY

The results pertain to sample tested.

Page 5 of 6

Lab Address: BANGALORE REFERENCE LABORATORY-CLUMAX DIAGNOSTIC AND RESEARCH CENTRE PVT LTD. (A UNIT OF MEDALL HEALTHCARE PVT. LTD.),Old No 66 & New No 1, 2nd Main Road, Bashyam Circle, Sankey Cross Road Malleswaram, Gayathri Devi Park Extension, Kodandarampura, Sadashiva Nagar, Bengaluru, Karnataka-560003,

Name	: Mr. RAGHUNATH RAO N			
PID No.	: MED122181705	Register On : 10/10/2	023 9:12 AM	
SID No.	: 522315992	Collection On : 11/10/2	2023 9:03 AM	
Age / Sex	: 40 Year(s) / Male	_	2023 2:06 PM	
Туре	: OP		2023 3:25 PM	
Ref. Dr	: MediWheel	• • • • •		
<u>Investiga</u>	ation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
HbA1c pro- control as Condition hypertrigh Condition	compared to blood and urinary glu s that prolong RBC life span like In yceridemia,hyperbilirubinemia,Dru	cose determinations. on deficiency anemia, Vitamin gs, Alcohol, Lead Poisoning, A ute or chronic blood loss, hemo	B12 & Folate deficie splenia can give fals	
<u>THYRO</u>	<u>ID PROFILE / TFT</u>			
T3 (Triic (Serum/EC	odothyronine) - Total CLIA)	0.669	ng/ml	0.7 - 2.04
Comment Total T3 v		tion like pregnancy, drugs, neph	rosis etc. In such cas	ses, Free T3 is recommended as it is
T4 (Tyrc (Serum/EC	oxine) - Total CLIA)	4.00	µg/dl	4.2 - 12.0
<b>Comment</b> Total T4 v		tion like pregnancy, drugs, neph	rosis etc. In such cas	ses, Free T4 is recommended as it is
TSH (Th (Serum/EC	yroid Stimulating Hormone)	2.93	µIU/mL	0.35 - 5.50
Reference 1 st trimes 2 nd trime 3 rd trimes (Indian Th Comment 1.TSH refe 2.TSH Let of the orde	erence range during pregnancy dep	on, reaching peak levels betwee s influence on the measured serv	n 2-4am and at a mir im TSH concentration	
				1





-- End of Report --

The results pertain to sample tested.

Page 6 of 6

Lab Address: BANGALORE REFERENCE LABORATORY-CLUMAX DIAGNOSTIC AND RESEARCH CENTRE PVT LTD. (A UNIT OF MEDALL HEALTHCARE PVT. LTD.),Old No 66 & New No 1, 2nd Main Road, Bashyam Circle, Sankey Cross Road Malleswaram, Gayathri Devi Park Extension, Kodandarampura, Sadashiva Nagar, Bengaluru, Karnataka-560003,.