Name	: Mrs. ARUNA BAI
PID No.	: MED120927961
SID No.	: 522213048
Age / Sex	: 48 Year(s) / Female
Туре	: OP
Ref. Dr	: MediWheel

Register On	:	30/03/2022 7:59 AM
Collection On	:	30/03/2022 11:17 AM
Report On	:	31/03/2022 8:36 AM
Printed On	:	31/03/2022 6:12 PM



Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
HAEMATOLOGY			
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood Spectrophotometry)	12.7	g/dL	12.5 - 16.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood/Derived from Impedance)	40.0	%	37 - 47
RBC Count (EDTA Blood/Impedance Variation)	4.49	mill/cu.mm	4.2 - 5.4
Mean Corpuscular Volume(MCV) (EDTA Blood/Derived from Impedance)	89.0	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood/Derived from Impedance)	28.2	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood/Derived from Impedance)	31.8	g/dL	32 - 36
RDW-CV (Derived from Impedance)	15.1	%	11.5 - 16.0
RDW-SD (Derived from Impedance)	47.04	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood/Impedance Variation)	5500	cells/cu.mm	4000 - 11000
Neutrophils (Blood/Impedance Variation & Flow Cytometry)	50.9	%	40 - 75
Lymphocytes (Blood/Impedance Variation & Flow Cytometry)	40.7	%	20 - 45
Eosinophils	2.1	%	01 - 06

(Blood/Impedance Variation & Flow Cytometry)



Name	: Mrs. ARUNA BAI	UNA BAI	
PID No.	: MED120927961	927961 Register On : 30/03/2022 7:59 AM	C
SID No.	: 522213048	48 Collection On : 30/03/2022 11:17 A	M
Age / Sex	: 48 Year(s) / Female	s) / Female Report On : 31/03/2022 8:36 AM	MEDALL
Туре	: OP	Printed On : 31/03/2022 6:12 PM	l
Ref. Dr	: MediWheel	eel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Monocytes (Blood/Impedance Variation & Flow Cytometry)	6.0	%	01 - 10
Basophils (Blood/Impedance Variation & Flow Cytometry)	0.3	%	00 - 02
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	2.80	10^3 / µl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	2.24	10^3 / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry)	0.12	10^3 / µl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.33	10^3 / µl	< 1.0
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.02	10^3 / µl	< 0.2
Platelet Count (EDTA Blood/Impedance Variation)	320	10^3 / µl	150 - 450
MPV (Blood/Derived from Impedance)	9.9	fL	8.0 - 13.3
PCT (Automated Blood cell Counter)	0.32	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood/ <i>Modified Westergren</i>)	3	mm/hr	< 20



Name	: Mrs. ARUNA BAI
PID No.	: MED120927961
SID No.	: 522213048
Age / Sex	: 48 Year(s) / Female
Туре	: OP
Ref. Dr	: MediWheel

Register On	:	30/03/2022 7:59 AM
Collection On	:	30/03/2022 11:17 AM
Report On	:	31/03/2022 8:36 AM
Printed On	:	31/03/2022 6:12 PM



Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BIOCHEMISTRY			
Liver Function Test			
Bilirubin(Total) (Serum/Diazotized Sulfanilic Acid)	0.3	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.1	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.2	mg/dL	0.1 - 1.0
Total Protein (Serum/Biuret)	7.8	gm/dL	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.8	gm/dL	3.5 - 5.2
Globulin (Serum/Derived)	3.0	gm/dL	2.3 - 3.6
A : G Ratio (Serum/Derived)	1.6		1.1 - 2.2
SGOT/AST (Aspartate Aminotransferase) (Serum/IFCC Kinetic)	15	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/IFCC / Kinetic)	10	U/L	5 - 41
Alkaline Phosphatase (SAP) (Serum/IFCC Kinetic)	91	U/L	42 - 98
GGT(Gamma Glutamyl Transpeptidase) (Serum/SZASZ standarised IFCC)	27	U/L	< 38





APPROVED BY

Name	: Mrs. ARUNA BAI		
PID No.	: MED120927961	Register On : 30/03/2022 7:59 AM	\mathbf{C}
SID No.	: 522213048	Collection On : 30/03/2022 11:17 AM	
Age / Sex	: 48 Year(s) / Female	Report On : 31/03/2022 8:36 AM	MEDALL
Туре	: OP	Printed On : 31/03/2022 6:12 PM	
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Lipid Profile			
Cholesterol Total (Serum/Cholesterol oxidase/Peroxidase)	248	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol phosphate oxidase / peroxidase)	223	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >=500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the "usual" circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	40	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cholesterol (Serum/ <i>Calculated</i>)	163.4	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	44.6	mg/dL	< 30
Non HDL Cholesterol (Serum/ <i>Calculated</i>)	208.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >=220



VERIFIED BY



APPROVED BY

Name	: Mrs. ARUNA BAI			
PID No.	: MED120927961	Register On	: 30/03/2022 7:59 AM	\mathbf{M}
SID No.	: 522213048	Collection On	: 30/03/2022 11:17 AM	
Age / Sex	: 48 Year(s) / Female	Report On	: 31/03/2022 8:36 AM	MEDALL
Туре	: OP	Printed On	: 31/03/2022 6:12 PM	
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
INTERPRETATION: 1.Non-HDL Cholesterol is now 2.It is the sum of all potentially atherogenic proteins in co-primary target for cholesterol lowering therapy.	1		
Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	6.2		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/ <i>Calculated</i>)	5.6		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/ <i>Calculated</i>)	4.1		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0



DR SHAMIM JAVED MD PATHOLOGY KMC 88902

APPROVED BY

Name	: Mrs. ARUNA BAI		
PID No.	: MED120927961	Register On : 30/03/2022 7:59 AM	\mathbf{C}
SID No.	: 522213048	Collection On : 30/03/2022 11:17 AM	
Age / Sex	: 48 Year(s) / Female	Report On : 31/03/2022 8:36 AM	MEDALL
Туре	: OP	Printed On : 31/03/2022 6:12 PM	
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u>	<u>Unit</u>	Biological
Glycosylated Haemoglobin (HbA1c)	<u>Value</u>		Reference Interval
HbA1C (Whole Blood/ <i>HPLC</i>)	6.6	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose	142.72	mg/dL
---------------------------	--------	-------

(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values. Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.



DR SHAMIM JAVED MD PATHOLOGY KMC 88902

APPROVED BY

VERIFIED BY

Name	: Mrs. ARUNA BAI		
PID No.	: MED120927961	Register On : 30/03/2022 7:59 AM	\mathbf{M}
SID No.	: 522213048	Collection On : 30/03/2022 11:17 AM	
Age / Sex	: 48 Year(s) / Female	Report On : 31/03/2022 8:36 AM	MEDALL
Туре	: OP	Printed On : 31/03/2022 6:12 PM	
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
IMMUNOASSAY			
<u>THYROID PROFILE / TFT</u>			
T3 (Triiodothyronine) - Total (Serum/ <i>CMIA</i>) INTERPRETATION: Comment : Total T3 variation can be seen in other condition like preg Metabolically active.	1.23 mancy, drugs, neph	ng/mL rosis etc. In such cas	0.7 - 2.04 es, Free T3 is recommended as it is
T4 (Thyroxine) - Total (Serum/ <i>CMIA</i>) INTERPRETATION: Comment : Total T4 variation can be seen in other condition like preg Metabolically active.	10.78 mancy, drugs, neph	μg/dL rosis etc. In such cas	4.2 - 12.0 es, Free T4 is recommended as it is
TSH (Thyroid Stimulating Hormone) (Serum/Chemiluminescent Microparticle Immunoassay(CMIA))	2.25	µIU/mL	0.35 - 5.50
INTERPRETATION: Reference range for cord blood - upto 20 1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0 (Indian Thyroid Society Guidelines) Comment : 1.TSH reference range during pregnancy depends on Iodia 2.TSH Levels are subject to circadian variation, reaching of the order of 50%, hence time of the day has influence of	peak levels between	n 2-4am and at a min	imum between 6-10PM. The variation can be

3. Values & amplt $0.03 \ \mu$ IU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



Name	: Mrs. ARUNA BAI			
PID No.	: MED120927961	Register On	: 30/03/2022 7:59 AM	\mathbf{C}
SID No.	: 522213048	Collection On	: 30/03/2022 11:17 AM	
Age / Sex	: 48 Year(s) / Female	Report On	: 31/03/2022 8:36 AM	MEDALL
Туре	: OP	Printed On	: 31/03/2022 6:12 PM	
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
CLINICAL PATHOLOGY			
PHYSICAL EXAMINATION			
Colour (Urine)	Pale Yellow		
Appearance (Urine)	CLear		Clear
Volume (Urine)	20	mL	
<u>CHEMICAL EXAMINATION(Automated-</u> <u>Urineanalyser)</u>			
pH (Urine/ <i>AUTOMATED URINANALYSER)</i>	6.0		4.5 - 8.0
Specific Gravity (Urine)	1.010		1.002 - 1.035
Ketones (Urine)	Negative		Negative
Urobilinogen (Urine/AUTOMATED URINANALYSER)	0.2		0.2 - 1.0
Blood (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Nitrite (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Bilirubin (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Protein (Urine)	Negative		Negative





APPROVED BY

Name	: Mrs. ARUNA BAI		
PID No.	: MED120927961	Register On : 30/03/2022 7:59 AM	\mathbf{C}
SID No.	: 522213048	Collection On : 30/03/2022 11:17 AM	
Age / Sex	: 48 Year(s) / Female	Report On : 31/03/2022 8:36 AM	MEDALL
Туре	: OP	Printed On : 31/03/2022 6:12 PM	
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Glucose (Urine)	Negative		Negative
Leukocytes (Urine)	Negative	leuco/uL	Negative
<u>MICROSCOPY(URINE DEPOSITS)</u>			
Pus Cells (Urine/Flow cytometry)	2-4	/hpf	3-5
Epithelial Cells (Urine)	3-5	/hpf	1-2
RBCs (Urine/Flow cytometry)	Nil	/hpf	NIL
Others (Urine)	Nil		Nil





APPROVED BY

Name	:	Mrs. ARUNA BAI				
PID No.	:	MED120927961	Register On	:	30/03/2022 7:59 AM	\mathbf{C}
SID No.	:	522213048	Collection On	:	30/03/2022 11:17 AM	
Age / Sex	:	48 Year(s) / Female	Report On	:	31/03/2022 8:36 AM	MEDALL
Туре	:	OP	Printed On	:	31/03/2022 6:12 PM	
Ref. Dr	:	MediWheel				

Investigation

<u>Observed</u> <u>Value</u> <u>Unit</u>

Biological Reference Interval

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING (EDTA Blood/Agglutination)

'B' 'Positive'

INTERPRETATION: Note: Slide method is screening method. Kindly confirm with Tube method for transfusion.





APPROVED BY

Name	: Mrs. ARUNA BAI			
PID No.	: MED120927961	Register On	: 30/03/2022 7:59 AM	M
SID No.	: 522213048	Collection On	: 30/03/2022 11:17 AM	
Age / Sex	: 48 Year(s) / Female	Report On	: 31/03/2022 8:36 AM	MEDALL
Туре	: OP	Printed On	: 31/03/2022 6:12 PM	
Ref. Dr	: MediWheel			

Investigation <u>BIOCHEMISTRY</u>	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
BUN / Creatinine Ratio	20		6 - 22
Glucose Fasting (FBS) (Plasma - F/GOD - POD)	107	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose Fasting - Urine (Urine - F)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD - POD)	142	mg/dL	70 - 140

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Blood Urea Nitrogen (BUN) (Serum/Urease-GLDH)	16	mg/dL	7.0 - 21
Creatinine	0.8	mg/dL	0.6 - 1.1

(Serum/Jaffe Kinetic)

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid	6.6	mg/dL	2.6 - 6.0
(Serum/Uricase/Peroxidase)			



VERIFIED BY



APPROVED BY

-- End of Report --

Name	ARUNA BAI	ID	MED120927961	
Age & Gender	48/FeMale	Visit Date	30-03-2022 00:00:00	
Ref Doctor Name	MediWheel			MEDALL

X-ray mammogram (mediolateral oblique & craniocaudal views) followed by Sonomammography.

BILATERAL MAMMOGRAPHY

Breast composition:Type C (The breasts are heterogeneously dense, which may obscure small masses).

No evidence of focal soft tissue lesion.

No evidence of cluster microcalcification.

Subcutaneous fat deposition is within normal limits.

BILATERAL SONOMAMMOGRAPHY

Both the breasts show normal echopattern.

No evidence of focal solid / cystic areas.

Retroareolar prominent ducts noted - Physiological.

Bilateral enlarged axillary lymphnodes are noted with preserved fatty hilum, largest measuring about

18 x 6 mm on right side and 19 x4 mm on left side.

IMPRESSION:

- No breast lesion.
- Bilateral benign axillary lymphnodes.

ASSESSMENT: BI-RADS CATEGORY -2

BI-RADS CLASSIFICATION

CATEGORY RESULT

2

Benign finding. Routine mammogram in 1 year recommended.

Name	ARUNA BAI	ID	MED120927961	
Age & Gender	48/FeMale	Visit Date	30-03-2022 00:00:00	
Ref Doctor Name	MediWheel			MEDALL

DR. H.K. ANAND DR. C.R RAMACHANDRA DR. LOHITH H.P DR. VARSHA KALE CONSULTANT RADIOLOGISTS

Vk/sm

Name	ARUNA BAI	ID	MED120927961	m
Age & Gender	48/FeMale	Visit Date	30-03-2022 00:00:00	
Ref Doctor Name	MediWheel			MEDALL

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in shape, size (11.8cm) and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER show normal shape and has clear contents. Wall is of normal thickness. CBD is of normal calibre.

PANCREAS is partially visualized. Part of body and tail obscured by bowel gas. Visualized pancreas shows no obvious abnormality.

SPLEEN show normal shape, size (8.4cm) and echopattern.

No demonstrable Para-aortic lymphadenopathy.

KIDNEYS

Right kidney: Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

Left kidney: Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout.

Focal cortical scar noted in the mid pole. Renal pelvis is prominent measures about 15mm in AP diameter. No evidence of calculus.

The kidney measures as follows:

	Bipolar length (cm)	Parenchymal thickness (cm)
Right Kidney	9.6	1.6
Left Kidney	9.9	1.4

URINARY BLADDER show normal shape and wall thickness. It has clear contents. No evidence of diverticula.

UTERUS - Post operative status.

OVARIES are not visualized - could be atrophic.

No adnexal mass. No evidence of ascites.

IMPRESSION:

- Focal cortical scar in left kidney.
- No other significant abnormality detected.

Suggested follow-up / clinical correlation.

Name	ARUNA BAI	ID	MED120927961	\mathbf{M}
Age & Gender	48/FeMale	Visit Date	30-03-2022 00:00:00	
Ref Doctor Name	MediWheel			MEDALL

DR. H.K. ANAND DR. C.R RAMACHANDRA DR. LOHITH H.P DR. VARSHA KALE CONSULTANT RADIOLOGISTS

Vk/ra

Name	ARUNA BAI	ID	MED120927961	
Age & Gender	48/FeMale	Visit Date	30-03-2022 00:00:00	
Ref Doctor Name	MediWheel			MEDALL

2D ECHOCARDIOGRAPHIC STUDY

M-mode measurement:

AORTA	:	2.51	cms.
LEFT ATRIUM	:	3.09	cms.
AVS LEFT VENTRICLE	:	1.48	cms.
(DIASTOLE)	:	4.13	cms.
(SYSTOLE)	:	2.43	cms.
VENTRICULAR SEPTUM	:		
(DIASTOLE)	:	0.96	cms.
(SYSTOLE)	:	1.31	cms.
POSTERIOR WALL	:		
(DIASTOLE)	:	1.00	cms.
(SYSTOLE)	:	1.35	cms.
EDV	:	75	ml.
ESV	:	20	ml.
FRACTIONAL SHORTENING	:	30	%
EJECTION FRACTION	:	60	%
EPSS	:		cms.
RVID	:	1.80	cms.

DOPPLER MEASUREMENTS:

MITRAL VALVE:	E - 0.6	m/s	A - 0.5 m/s		NO MR.
AORTIC VALVE:	1.2	m/s			NO AR.
TRICUSPID VALVE: E - 0.3	3 m/s	A - 0.	2 m/s	NO T	R.
PULMONARY VALVE:	0.8	m/s			NO PR.

Name	ARUNA BAI	ID	MED120927961	
Age & Gender	48/FeMale	Visit Date	30-03-2022 00:00:00	
Ref Doctor Name	MediWheel		•	MEDALL

2D ECHOCARDIOGRAPHY FINDINGS:

Left Ventricle:Normal size, Normal systolic function.:No regional wall motion abnormalities.

Left Atrium	:	Normal.	
Right Ventricle :	Norm	Normal.	
Right Atrium	:	Normal.	
Mitral Valve	:	Normal. No mitral valve prolapsed.	
Aortic Valve	:	Normal.Trileaflet.	
Tricuspid Valve	:	Normal.	
Pulmonary Valve	:	Normal.	
IAS	:	Intact.	
IVS	:	Intact.	
Pericardium	:	No pericardial effusion.	

IMPRESSION:

• NORMAL SIZED CARDIAC CHAMBERS.

• NORMAL LV SYSTOLIC FUNCTION. EF: 60 %.

• NO REGIONAL WALL MOTION ABNORMALITIES.

• NORMAL VALVES.

[•] NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

Name	ARUNA BAI	ID	MED120927961	M
Age & Gender	48/FeMale	Visit Date	30-03-2022 00:00:00	
Ref Doctor Name	MediWheel			MEDALL

DR. ANAND KUMAR M MD DM CONSULTANT INTERVENTIONAL CARDIOLOGIST

Name	ARUNA BAI	ID	MED120927961	
Age & Gender	48/FeMale	Visit Date	30-03-2022 00:00:00	B A
Ref Doctor Name	MediWheel			M



X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

IMPRESSION:

• No significant abnormality detected.