Name	: Mrs. UMADEVI G	
PID No.	: MED122253348	Register On : 01/11/2023 8:51 AM
SID No.	: 522317092	Collection On : 01/11/2023 10:23 AM
Age / Sex	: 37 Year(s) / Female	Report On : 01/11/2023 4:16 PM
Туре	: OP	Printed On : 02/11/2023 1:28 PM

Ref. Dr : MediWheel

<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
'O' 'Positive'		
ing method. Kindly con	firm with Tube method f	or transfusion.
13.8	g/dL	12.5 - 16.0
41.2	%	37 - 47
4.82	mill/cu.mm	4.2 - 5.4
85.6	fL	78 - 100
28.6	pg	27 - 32
33.4	g/dL	32 - 36
13.8	%	11.5 - 16.0
41.34	fL	39 - 46
5700	cells/cu.m m	4000 - 11000
60.5	%	40 - 75
32.0	%	20 - 45
1.1	%	01 - 06
	Value 'O' 'Positive' ing method. Kindly con 13.8 41.2 4.82 85.6 28.6 33.4 13.8 41.34 5700 60.5 32.0	Value Value 'O' 'Positive' ''''''''''''''''''''''''''''''''''''





The results pertain to sample tested.

Page 1 of 8

Name	: Mrs. UMADEVI G	
PID No.	: MED122253348	Register On : 01/11/2023 8:51 AM
SID No.	: 522317092	Collection On : 01/11/2023 10:23 AM
Age / Sex	: 37 Year(s) / Female	Report On : 01/11/2023 4:16 PM
Туре	: OP	Printed On : 02/11/2023 1:28 PM
Ref. Dr	: MediWheel	

Observed Unit Investigation **Biological** Value Reference Interval 6.1 01 - 10 Monocytes % (Blood) 00 - 02 **Basophils** 0.3 % (Blood) INTERPRETATION: Tests done on Automated Five Part cell counter. All abnormal results are reviewed and confirmed microscopically. Absolute Neutrophil count 3.45 10^3 / µl 1.5 - 6.6 (EDTA Blood) Absolute Lymphocyte Count 1.82 10^3 / µl 1.5 - 3.5 (EDTA Blood) Absolute Eosinophil Count (AEC) 0.06 10^3 / µl 0.04 - 0.44 (EDTA Blood) 0.35 10^3 / µl < 1.0 Absolute Monocyte Count (EDTA Blood) Absolute Basophil count 10^3 / µl < 0.2 0.02 (EDTA Blood) Platelet Count 150 10^3 / µl 150 - 450 (EDTA Blood) MPV 10.5 fL 8.0 - 13.3 (Blood) PCT 0.16 % 0.18 - 0.28 (Automated Blood cell Counter) ESR (Erythrocyte Sedimentation Rate) 10 mm/hr < 20(Citrated Blood) 6.0 - 22.0 **BUN / Creatinine Ratio** 13.7 Normal: < 100 Glucose Fasting (FBS) 89.70 mg/dL Pre Diabetic: 100 - 125 (Plasma - F/GOD-PAP) Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.





The results pertain to sample tested.

Page 2 of 8

Name	: Mrs. UMADEVI G		
PID No.	: MED122253348	Register On	: 01/11/2023 8:51 AM
SID No.	: 522317092	Collection On	: 01/11/2023 10:23 AM
Age / Sex	: 37 Year(s) / Female	Report On	: 01/11/2023 4:16 PM
Туре	: OP	Printed On	: 02/11/2023 1:28 PM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Glucose, Fasting (Urine) (Urine - F/GOD - POD)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD-PAP)	86.79	mg/dL	70 - 140

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Glucose(PP-2 hours) (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease UV/derived)	8.5	mg/dL	7.0 - 21
Creatinine (Serum/ <i>Modified Jaffe</i>)	0.62	mg/dL	0.6 - 1.1

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid (Serum/ <i>Enzymatic</i>)	4.23	mg/dL	2.6 - 6.0
Liver Function Test			
Bilirubin(Total) (Serum/DCA with ATCS)	0.30	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.12	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.18	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/Modified IFCC)	16.61	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/ <i>Modified IFCC</i>)	18.52	U/L	5 - 41





The results pertain to sample tested.

Page 3 of 8

Name	: Mrs. UMADEVI G	
PID No.	: MED122253348	Register On : 01/11/2023 8:51 AM
SID No.	: 522317092	Collection On : 01/11/2023 10:23 AM
Age / Sex	: 37 Year(s) / Female	Report On : 01/11/2023 4:16 PM
Туре	: OP	Printed On : 02/11/2023 1:28 PM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	11.53	U/L	< 38
Alkaline Phosphatase (SAP) (Serum/ <i>Modified IFCC</i>)	53.8	U/L	42 - 98
Total Protein (Serum/ <i>Biuret</i>)	6.68	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.46	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.22	gm/dL	2.3 - 3.6
A : G RATIO (Serum/ <i>Derived</i>)	2.01		1.1 - 2.2
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	171.02	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	94.65	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >=500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the õusualö"circulating level of triglycerides during most part of the day.

HDL Cholesterol	41.12	mg/dL	Optimal(Negative Risk Factor): >= 60
(Serum/Immunoinhibition)			Borderline: 50 - 59
			High Risk: < 50



Dr.Arjun C.P MBBS MD Pathology Reg No KMC \$9655

APPROVED BY

The results pertain to sample tested.

Page 4 of 8

Lab Address: BANGALORE REFERENCE LABORATORY-CLUMAX DIAGNOSTIC AND RESEARCH CENTRE PVT LTD. (A UNIT OF MEDALL HEALTHCARE PVT. LTD.),Old No 66 & New No 1, 2nd Main Road, Bashyam Circle, Sankey Cross Road Malleswaram, Gayathri Devi Park Extension, Kodandarampura, Sadashiva Nagar, Bengaluru, Karnataka-560003,.

Name	: Mrs. UMADEVI G	
PID No.	: MED122253348	Register On : 01/11/2023 8:51 AM
SID No.	: 522317092	Collection On : 01/11/2023 10:23 AM
Age / Sex	: 37 Year(s) / Female	Report On : 01/11/2023 4:16 PM
Туре	: OP	Printed On : 02/11/2023 1:28 PM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
LDL Cholesterol (Serum/Calculated)	111	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >=190
VLDL Cholesterol (Serum/Calculated)	18.9	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	129.9	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

INTERPRETATION: 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio (Serum/ <i>Calculated</i>)	4.2	Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/ <i>Calculated</i>)	2.3	Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	2.7	Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0

Glycosylated Haemoglobin (HbA1c)



ND Path Reg No:KMC \$9655 APPROVED BY

The results pertain to sample tested.

Page 5 of 8

Lab Address: BANGALORE REFERENCE LABORATORY-CLUMAX DIAGNOSTIC AND RESEARCH CENTRE PVT LTD. (A UNIT OF MEDALL HEALTHCARE PVT. LTD.),Old No 66 & New No 1, 2nd Main Road, Bashyam Circle, Sankey Cross Road Malleswaram, Gayathri Devi Park Extension, Kodandarampura, Sadashiva Nagar, Bengaluru, Karnataka-560003,.

Name	: Mrs. UMADEVI G						
PID No.	: MED122253348	Register On : 01/11	/2023 8:51 AM				
SID No.	: 522317092	Collection On : 01/11/2023 10:23 AM					
Age / Sex	: 37 Year(s) / Female	Report On : 01/1	Report On : 01/11/2023 4:16 PM				
Туре	: OP	Printed On : 02/1	1/2023 1:28 PM				
Ref. Dr	: MediWheel						
<u>Investig</u> a	ation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval			
HbA1C (Whole Bl	ood/HPLC)	6.2	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5			
INTERPI	RETATION: If Diabetes - Good cor	ntrol : 6.1 - 7.0 % , Fair cont	rol : 7.1 - 8.0 % , Poor	control >= 8.1 %			
Estimate (Whole Bl	d Average Glucose	131.24	mg/dL				
Condition hypertrigh Condition ingestion,	compared to blood and urinary gluc s that prolong RBC life span like Iro yceridemia,hyperbilirubinemia,Drug s that shorten RBC survival like acu Pregnancy, End stage Renal disease ID PROFILE / TFT	n deficiency anemia, Vitam s, Alcohol, Lead Poisoning, te or chronic blood loss, hen	Asplenia can give fals nolytic anemia, Hemog				
T3 (Triid (Serum/EC	odothyronine) - Total CLIA)	1.78	ng/ml	0.7 - 2.04			
Commen Total T3 v	RETATION: t: variation can be seen in other conditionally active.	on like pregnancy, drugs, ne	phrosis etc. In such cas	es, Free T3 is recommended as it is			
T4 (Tyro (Serum/EC	oxine) - Total CLIA)	9.23	µg/dl	4.2 - 12.0			
INTERPI Comment Total T4 v	RETATION:	on like pregnancy, drugs, ne	phrosis etc. In such cas	es, Free T4 is recommended as it is			
TSH (Th (Serum/EC	yroid Stimulating Hormone) CLIA)	1.59	µIU/mL	0.35 - 5.50			
				Dr.Arjun CP Reg Note 10 59655			

APPROVED BY

The results pertain to sample tested.

Page 6 of 8

Name	: Mrs. UMADEVI G	
PID No.	: MED122253348	Register On : 01/11/2023 8:51 AM
SID No.	: 522317092	Collection On : 01/11/2023 10:23 AM
Age / Sex	: 37 Year(s) / Female	Report On : 01/11/2023 4:16 PM
Туре	: OP	Printed On : 02/11/2023 1:28 PM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u>	<u>Unit</u>	Biological
Ũ	<u>Value</u>		Reference Interval
ΙΝΤΕΡΟΡΕΤΑΤΙΩΝ.			

INTERPRETATION:

Reference range for cord blood - upto 20 1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0 (Indian Thyroid Society Guidelines) **Comment :**

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI. 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.

3. Values&lt,0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.

URINE ROUTINE

PHYSICAL EXAMINATION (URINE COMPLETE)

Colour (Urine)	Yellow	Yellow to Amber
Appearance (Urine)	Clear	Clear
Volume(CLU) (Urine)	20	
<u>CHEMICAL EXAMINATION (URI</u> <u>COMPLETE)</u>	<u>NE</u>	
pH (Urine)	6	4.5 - 8.0
Specific Gravity (Urine)	1.012	1.002 - 1.035
Ketone (Urine)	Negative	Negative
Urobilinogen (Urine)	Normal	Normal
		APPROVED BY

The results pertain to sample tested.

Page 7 of 8

Lab Address: BANGALORE REFERENCE LABORATORY-CLUMAX DIAGNOSTIC AND RESEARCH CENTRE PVT LTD. (A UNIT OF MEDALL HEALTHCARE PVT. LTD.),Old No 66 & New No 1, 2nd Main Road, Bashyam Circle, Sankey Cross Road Malleswaram, Gayathri Devi Park Extension, Kodandarampura, Sadashiva Nagar, Bengaluru, Karnataka-560003,.

Name	: Mrs. UMADEVI G	
PID No.	: MED122253348	Register On : 01/11/2023 8:51 AM
SID No.	: 522317092	Collection On : 01/11/2023 10:23 AM
Age / Sex	: 37 Year(s) / Female	Report On : 01/11/2023 4:16 PM
Туре	: OP	Printed On : 02/11/2023 1:28 PM
Ref. Dr	: MediWheel	

Investigation **Observed** <u>Unit</u> **Biological** Reference Interval Value **Positive**(+) Negative Blood (Urine) Nitrite Negative Negative (Urine) Bilirubin Negative Negative (Urine) Protein Negative Negative (Urine) Negative Negative Glucose (Urine/GOD - POD) Leukocytes(CP) Negative (Urine) MICROSCOPIC EXAMINATION (URINE COMPLETE) Pus Cells 0-1 /hpf NIL (Urine) **Epithelial Cells** NIL 2-5 /hpf (Urine) 5-10 /HPF NIL **RBCs** (Urine) NIL Others (Urine)

INTERPRETATION: Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.

Casts (Urine)	NIL	/hpf	NIL
Crystals (Urine)	NIL	/hpf	NIL





-- End of Report --

The results pertain to sample tested.

Page 8 of 8

Lab Address: BANGALORE REFERENCE LABORATORY-CLUMAX DIAGNOSTIC AND RESEARCH CENTRE PVT LTD. (A UNIT OF MEDALL HEALTHCARE PVT. LTD.),Old No 66 & New No 1, 2nd Main Road, Bashyam Circle, Sankey Cross Road Malleswaram, Gayathri Devi Park Extension, Kodandarampura, Sadashiva Nagar, Bengaluru, Karnataka-560003,

Name	MRS.UMADEVI G	ID	MED122253348
Age & Gender	37Y/FEMALE	Visit Date	01 Nov 2023
Ref Doctor Name	MediWheel		

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in shape, size (13.4cm) and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER shows normal shape and has clear contents. Wall is of normal thickness. CBD is of normal calibre.

PANCREAS - Head and body appears normal, tail obscured by bowel gas.

SPLEEN show normal shape, size(9.9 cm) and echopattern.

KIDNEYS

Right kidney: Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

Left kidney: Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

•	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	9.9	1.6
Left Kidney	8.8	1.8

URINARY BLADDER show normal shape and wall thickness. It has clear contents. No evidence of diverticula.

UTERUS is anteverted and has normal shape and size. It has uniform myometrial echopattern. Endometrial echo is of normal thickness - 8 mm. Uterus measures LS: 5.3cms AP: 3.9cms TS: 6.0cms.

OVARIES

Right is visualized in POD measures $3.8 \times 2.3 \times 3.1 \text{ cm}$ vol- 14.8 cc. Shows dominant follicle measuring ~19mm is noted within.

Left ovary is not visualized. Left adnexa appear normal.

POD & adnexa are free. No evidence of ascites.

IMPRESSION:

• No sonological abnormality detected.

Name	MRS.UMADEVI G	ID	MED122253348
Age & Gender	37Y/FEMALE	Visit Date	01 Nov 2023
Ref Doctor Name	MediWheel		

DR. KARTHIK VIJAY DATTANI, MD, PDCC CONSULTANT RADIOLOGIST Hn/Sp

Name	MRS.UMADEVI G	ID	MED122253348
Age & Gender	37Y/FEMALE	Visit Date	01 Nov 2023
Ref Doctor Name	MediWheel		

2D ECHOCARDIOGRAPHIC STUDY

<u>M-mode measurement:</u>

AORTA	:	1.82	cms.
LEFT ATRIUM	:	2.38	cms.
AVS LEFT VENTRICLE	:	1.45	cms.
(DIASTOLE)	:	3.17	cms.
(SYSTOLE)	:	2.10	cms.
VENTRICULAR SEPTUM	:		
(DIASTOLE)	:	0.79	cms.
(SYSTOLE)	:	0.91	cms.
POSTERIOR WALL	:		
(DIASTOLE)	:	0.97	cms.
(SYSTOLE)	:	1.07	cms.
EDV	:	29	ml.
ESV	:	14	ml.
FRACTIONAL SHORTENING	:	38	%
EJECTION FRACTION	:	60	%
EPSS	:		cms.
RVID	:	1.80	cms.

DOPPLER MEASUREMENTS:

MITRAL VALVE:	E - 0.8	m/s	A - 0.6 m/s		NO MR.
AORTIC VALVE:	1.1	m/s			NO AR.
TRICUSPID VALVE: E - 0.4 m/s		A -0.3	3 m/s	NO T	R.
PULMONARY VALVE:	0.8	m/s			NO PR.

Name	MRS.UMADEVI G	ID	MED122253348
Age & Gender	37Y/FEMALE	Visit Date	01 Nov 2023
Ref Doctor Name	MediWheel		

2D ECHOCARDIOGRAPHY FINDINGS:

Left Ventricle : Normal size, Normal systolic function. : No regional wall motion abnormalities.

Left Atrium	:	Normal.	
Right Ventricle :	Norm	Normal.	
Right Atrium	:	Normal.	
Mitral Valve	:	Normal. No mitral valve prolapsed.	
Aortic Valve	:	Normal.Trileaflet.	
Tricuspid Valve	:	Normal.	
Pulmonary Valve	:	Normal.	
IAS	:	Intact.	
IVS	:	Intact.	
Pericardium	:	No pericardial effusion.	

IMPRESSION:

- NORMAL SIZED CARDIAC CHAMBERS.
- NORMAL LV SYSTOLIC FUNCTION. EF: 60 %.
- NO REGIONAL WALL MOTION ABNORMALITIES.

• NORMAL VALVES.

• NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

DR. YASHODA RAVI CONSULTANT CARDIOLOGIST

Name	MRS.UMADEVI G	ID	MED122253348
Age & Gender	37Y/FEMALE	Visit Date	01 Nov 2023
Ref Doctor Name	MediWheel		

Name	MRS. UMADEVI G	Customer ID	MED122253348
Age & Gender	37Y/F	Visit Date	Nov 1 2023 8:50AM
Ref Doctor	MediWheel		

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: No significant abnormality detected.

/

DR KARTHIK VIJAY DATTANI. MD., PDCC CONSULTANT RADIOLOGIST

