NAME	Atul kumar KARN	STUDY DATE	25-03-2023 10:01:10
AGE / SEX	048Yrs / M	HOSPITAL NO.	MH010663129
REFERRING DEPT	OPD	MODALITY/Procedure	CR /Xray chest PA (CXR)
		Description	
REPORTED ON	26-03-2023 11:56:43	REFERRED BY	Dr. Health Check MHD

# X-RAY CHEST - PA VIEW

## **Findings:**

Visualized lung fields appear clear.

Both hilar shadows appear normal.

Cardiothoracic ratio is within normal limits.

Both hemidiaphragmatic outlines appear normal.

Both costophrenic angles are clear.

### **Impression:**


No significant abnormality seen.

Kindly correlate clinically

Dr. Roly Srivastava MBBS ,DNB DMC No. 45626 Consultant Radiologist

N.B.: This is only a professional opinion and not the final diagnosis. Radiological investigations are subject to variations due to technical limitations. Hence, correlation with clinical findings and other investigations should be carried out to know true nature of illness.

NAME	Atul kumar KARN	STUDY DATE	25-03-2023 10:01:10
AGE / SEX	048Yrs / M	HOSPITAL NO.	MH010663129
REFERRING DEPT	OPD	MODALITY/Procedure	CR /Xray chest PA (CXR)
		Description	
REPORTED ON	26-03-2023 11:56:43	REFERRED BY	Dr. Health Check MHD





Registered Office: Sector-6, Dwarka, New Delhi-110075

: MR ATUL KUMAR KARN 48 Yr(s) Sex: Male Name Age

**Registration No** : MH010663129 Lab No 31230301232

25 Mar 2023 09:24 **Patient Episode** : H03000053346 **Collection Date:** 

Referred By : HEALTH CHECK MHD **Reporting Date:** 25 Mar 2023 13:25

**Receiving Date** : 25 Mar 2023 11:19

### **Department of Transfusion Medicine (Blood Bank)**

BLOOD GROUPING, RH TYPING & ANTIBODY SCREEN (TYPE & SCREEN) Specimen-Blood

Blood Group & Rh Typing (Agglutinaton by gel/tube technique)

B Rh(D) Positive Blood Group & Rh typing

Antibody Screening (Microtyping in gel cards using reagent red cells)

Cell Panel I NEGATIVE Cell Panel II NEGATIVE Cell Panel III NEGATIVE Autocontrol NEGATIVE

Final Antibody Screen Result Negative

#### Technical Note:

ABO grouping and Rh typing is done by cell and serum grouping by microplate / gel technique. Antibody screening is done using a 3 cell panel of reagent red cells coated with Rh, Kell, Duffy, Kidd, Lewis, P, MNS, Lutheran and Xg antigens using gel technique.

Page1 of 11

-----END OF REPORT-----



Dr Himanshu Lamba



NABL Accredited Hospital



Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021 N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Awarded Nursing Excellence Services



Awarded Clean & Green Hospital



Registered Office: Sector-6, Dwarka, New Delhi- 110075

: MR ATUL KUMAR KARN 48 Yr(s) Sex: Male Name Age

**Registration No** : MH010663129 32230309678 Lab No

25 Mar 2023 09:24 : H03000053346 **Collection Date: Patient Episode** 

Referred By : HEALTH CHECK MHD **Reporting Date:** 25 Mar 2023 11:59

: 25 Mar 2023 10:37 **Receiving Date** 

### **BIOCHEMISTRY**

Glycosylated Hemoglobin Specimen: EDTA Whole blood

As per American Diabetes Association (ADA)

HbA1c (Glycosylated Hemoglobin) 5.6 [4.0-6.5] HbA1c in % Non diabetic adults >= 18 years <5.7

Prediabetes (At Risk ) 5.7-6.4

Diagnosing Diabetes >= 6.5

Methodology (HPLC)

Estimated Average Glucose (eAG) 114 mg/dl

Comments: HbAlc provides an index of average blood glucose levels over the past 8-12 weeks and is a much better indicator of long term glycemic control.

Specimen Type : Serum

### THYROID PROFILE, Serum

T3 - Triiodothyronine (ECLIA) 1.38 ng/ml [0.70 - 2.04]T4 - Thyroxine (ECLIA) 7.16 micq/dl [4.60-12.00]Thyroid Stimulating Hormone (ECLIA) 7.580 # μIU/mL [0.340 - 4.250]

Note: TSH levels are subject to circadian variation, reaching peak levels between 2-4.a.m.and at a minimum between 6-10 pm. Factors such as change of seasons hormonal fluctuations, Ca or Fe supplements, high fibre diet, stress and illness affect TSH results.

- \* References ranges recommended by the American Thyroid Association
- 1) Thyroid. 2011 Oct; 21(10):1081-125.PMID .21787128
- 2) http://www.thyroid-info.com/articles/tsh-fluctuating.html





NABL Accredited Hospital



Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021 N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Awarded Nursing Excellence Services

Page 2 of 11



Awarded Clean & Green Hospital



Registered Office: Sector-6, Dwarka, New Delhi- 110075

Name MR ATUL KUMAR KARN 48 Yr(s) Sex: Male Age **Registration No** MH010663129 Lab No 32230309678

**Patient Episode** H03000053346 **Collection Date:** 25 Mar 2023 09:24

HEALTH CHECK MHD 25 Mar 2023 13:01 **Referred By Reporting Date:** 

**Receiving Date** 25 Mar 2023 10:25

### **BIOCHEMISTRY**

Test Name	Result	Unit	Biological Ref. Interval
Lipid Profile (Serum)			
TOTAL CHOLESTEROL (CHOD/POD)	193	mg/dl	[<200] Moderate risk:200-239
			High risk:>240
TRIGLYCERIDES (GPO/POD)	175 #	mg/dl	[<150]
			Borderline high:151-199
			High: 200 - 499
			Very high:>500
HDL - CHOLESTEROL (Direct)	39	mg/dl	[30-60]
VLDL - Cholesterol (Calculated)	35	mg/dl	[10-40]
LDL- CHOLESTEROL	119 #	mg/dl	[<100]
			Near/Above optimal-100-129
			Borderline High: 130-159
			High Risk:160-189
T.Chol/HDL.Chol ratio	4.9		<4.0 Optimal
			4.0-5.0 Borderline
			>6 High Risk
LDL.CHOL/HDL.CHOL Ratio	3.1		<3 Optimal
			3-4 Borderline
			>6 High Risk

#### Note:

Reference ranges based on ATP III Classifications. Recommended to do fasting Lipid Profile after a minimum of 8 hours of overnight fasting.

Page 3 of 11











Awarded Nursing Excellence Services E-2019-0026/27/07/2019-26/07/2021 N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Registered Office: Sector-6, Dwarka, New Delhi- 110075

Name : MR ATUL KUMAR KARN Age : 48 Yr(s) Sex :Male

Patient Episode: H03000053346Collection Date : 25 Mar 2023 09:24Referred By: HEALTH CHECK MHDReporting Date : 25 Mar 2023 13:02

**Receiving Date** : 25 Mar 2023 10:25

### **BIOCHEMISTRY**

Test Name	Result	Unit	Biological Ref. Interval
LIVER FUNCTION TEST (Serum)			
BILIRUBIN-TOTAL (mod.J Groff) **	0.74	mg/dl	[0.10-1.20]
BILIRUBIN - DIRECT (mod.J Groff)	0.27 #	mg/dl	[<0.2]
BILIRUBIN - INDIRECT (mod.J Groff)	0.47	mg/dl	[0.20-1.00]
SGOT/ AST (P5P, IFCC)	21.40	IU/L	[5.00-37.00]
SGPT/ ALT (P5P, IFCC)	28.50	IU/L	[10.00-50.00]
ALP (p-NPP, kinetic) *	122	IU/L	[45-135]
TOTAL PROTEIN (mod.Biuret)	7.7	g/dl	[6.0-8.2]
SERUM ALBUMIN (BCG-dye)	4.6	g/dl	[3.5-5.0]
SERUM GLOBULIN (Calculated)	3.1	g/dl	[1.8-3.4]
ALB/GLOB (A/G) Ratio	1.48	_	[1.10-1.80]

#### Note:

Page 4 of 11











E-2019-0026/27/07/2019-26/07/2021 N-2019-0113/27/07/2019-26/07/2021 N-2019-0113/27/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-26/07/2019-2

<sup>\*\*</sup>NEW BORN: Vary according to age (days), body wt & gestation of baby

<sup>\*</sup>New born: 4 times the adult value



Registered Office: Sector-6, Dwarka, New Delhi- 110075

Name : MR ATUL KUMAR KARN 48 Yr(s) Sex: Male Age

**Registration No** MH010663129 Lab No 32230309678

**Patient Episode** H03000053346 **Collection Date:** 25 Mar 2023 09:24

HEALTH CHECK MHD Referred By **Reporting Date:** 25 Mar 2023 13:01

**Receiving Date** : 25 Mar 2023 10:25

### **BIOCHEMISTRY**

Test Name	Result	Unit Bi	ological Ref. Interval
KIDNEY PROFILE (Serum)			
BUN (Urease/GLDH)	9.00	mg/dl	[8.00-23.00]
SERUM CREATININE (mod.Jaffe)	1.28	mg/dl	[0.80-1.60]
SERUM URIC ACID (mod.Uricase)	5.9	mg/dl	[3.5-7.2]
SERUM CALCIUM (NM-BAPTA)	9.8	mg/dl	[8.6-10.0]
SERUM PHOSPHORUS (Molybdate, UV)	3.2	mg/dl	[2.3-4.7]
SERUM SODIUM (ISE)	139.0	mmol/l	[134.0-145.0]
SERUM POTASSIUM (ISE)	4.49	mmol/l	[3.50-5.20]
SERUM CHLORIDE (ISE / IMT)	101.5	mmol/l	[95.0-105.0]
eGFR	65.7	ml/min/1.73sq.	m [>60.0]

Technical Note

eGFR which is primarily based on Serum Creatinine is a derivation of CKD-EPI 2009 equation normalized to 1.73 sq.m BSA and is not applicable to individuals below 18 years. eGFR tends to be less accurate when Serum Creatinine estimation is indeterminate e.g. patients at extremes of muscle mass, on unusual diets etc. and samples with severe Hemolysis / Icterus / Lipemia.

Page 5 of 11







E-2019-0026/27/07/2019-26/07/2021





Awarded Clean & Green Hospital N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Registered Office: Sector-6, Dwarka, New Delhi-110075

: MR ATUL KUMAR KARN 48 Yr(s) Sex: Male Name Age

**Registration No** : MH010663129 Lab No 32230309678

25 Mar 2023 09:24 **Patient Episode** : H03000053346 **Collection Date:** 

Referred By : HEALTH CHECK MHD **Reporting Date:** 25 Mar 2023 13:17

**Receiving Date** : 25 Mar 2023 10:25

### **BIOCHEMISTRY**

Test Name Unit Biological Ref. Interval Result TOTAL PSA, Serum (ECLIA) 1.130 ng/mL [<2.500]

Note: PSA is a glycoprotein that is produced by the prostate gland. Normally, very little PSA is secreted in the blood. Increases in glandular size and tissue damage caused by BPH, prostatitis, or prostate cancer may increase circulating PSA levels.

Caution: Serum markers are not specific for malignancy, and values may vary by method.

Immediate PSA testing following digital rectal examination, ejaculation, prostate massage urethral instrumentation, prostate biopsy may increase PSA levels.

Some patients who have been exposed to animal antigens, may have circulating anti-animal antibodies present. These antibodies may interfere with the assay reagents to produce unreliable results.

Page 6 of 11

-----END OF REPORT-----

Dr. Neelam Singal CONSULTANT BIOCHEMISTRY











Awarded Emergency Excellence Services

Awarded Nursing Excellence Services E-2019-0026/27/07/2019-26/07/2021 N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Registered Office: Sector-6, Dwarka, New Delhi-110075

: MR ATUL KUMAR KARN 48 Yr(s) Sex: Male Name Age

**Registration No** : MH010663129 Lab No 32230309679

**Patient Episode** : H03000053346 **Collection Date:** 25 Mar 2023 11:51

Referred By : HEALTH CHECK MHD **Reporting Date:** 25 Mar 2023 14:15

**Receiving Date** : 25 Mar 2023 12:11

### **BIOCHEMISTRY**

Specimen Type : Plasma PLASMA GLUCOSE - PP

Plasma GLUCOSE - PP (Hexokinase) 149 # mg/dl [70-140]

Note : Conditions which can lead to lower postprandial glucose levels as compared to fasting glucose are excessive insulin release, rapid gastric emptying,

brisk glucose absorption , post exercise

Specimen Type : Serum/Plasma

Plasma GLUCOSE-Fasting (Hexokinase) 112 # mg/dl [70-100]

Page 7 of 11

-----END OF REPORT-----

Dr. Neelam Singal

CONSULTANT BIOCHEMISTRY











E-2019-0026/27/07/2019-26/07/2021 N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Registered Office: Sector-6, Dwarka, New Delhi-110075

: MR ATUL KUMAR KARN 48 Yr(s) Sex: Male Name Age

**Registration No** : MH010663129 Lab No 33230305757

25 Mar 2023 09:24 **Patient Episode** : H03000053346 **Collection Date:** 

Referred By : HEALTH CHECK MHD **Reporting Date:** 25 Mar 2023 13:13

**Receiving Date** : 25 Mar 2023 10:36

#### HAEMATOLOGY

#### ERYTHROCYTE SEDIMENTATION RATE (Automated) Specimen-Whole Blood

ESR 6.0 /1sthour [0.0-10.0]

#### Interpretation :

Erythrocyte sedimentation rate (ESR) is a non-specific phenomena and is clinically useful in the diagnosis and monitoring of disorders associated with an increased production of acute phase reactants (e.g. pyogenic infections, inflammation and malignancies). The ESR is increased in pregnancy from about the 3rd month and returns to normal by the 4th week postpartum.

ESR is influenced by age, sex, menstrual cycle and drugs (eg. corticosteroids, contraceptives).

It is especially low (0 - 1mm) in polycythemia, hypofibrinogenemia or congestive cardiac failure and when there are abnormalities of the red cells such as poikilocytosis, spherocytosis or sickle cells.

Test Name COMPLETE BLOOD COUNT (EDTA Blood)	Result	Unit Bio	ological Ref. Interval
WBC Count (Flow cytometry)	6360	/cu.mm	[4000-10000]
RBC Count (Impedence)	5.74 #	million/cu.mm	[4.50-5.50]
Haemoglobin (SLS Method)	16.6	g/dL	[13.0-17.0]
Haematocrit (PCV)	49.2	용	[40.0-50.0]
(RBC Pulse Height Detector Method)			
MCV (Calculated)	85.7	fL	[83.0-101.0]
MCH (Calculated)	28.9	bà	[25.0-32.0]
MCHC (Calculated)	33.7	g/dL	[31.5-34.5]
Platelet Count (Impedence)	245000	/cu.mm	[150000-410000]
RDW-CV (Calculated)	13.8	용	[11.6-14.0]
DIFFERENTIAL COUNT			
Neutrophils (Flowcytometry)	60.2	%	[40.0-80.0]
Lymphocytes (Flowcytometry)	23.6	용	[20.0-40.0]





NABL Accredited Hospital



Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021 N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Awarded Nursing Excellence Services



Awarded Clean & Green Hospital



Registered Office: Sector-6, Dwarka, New Delhi- 110075

Name : MR ATUL KUMAR KARN 48 Yr(s) Sex: Male Age

**Registration No** MH010663129 Lab No 33230305757

**Patient Episode** H03000053346 **Collection Date:** 25 Mar 2023 09:24

: HEALTH CHECK MHD **Referred By Reporting Date:** 25 Mar 2023 13:14

**Receiving Date** : 25 Mar 2023 10:36

### **HAEMATOLOGY**

Monocytes (Flowcytometry)	8.8		8	[2.0-10.0]
Eosinophils (Flowcytometry)	6.9 #		%	[1.0-6.0]
Basophils (Flowcytometry)	0.5 #		%	[1.0-2.0]
IG	0.20		ଚ	
Neutrophil Absolute (Flouroscence fl	ow cytometry)	3.8	/cu mm	$[2.0-7.0] \times 10^{3}$
Lymphocyte Absolute (Flouroscence fl	ow cytometry)	1.5	/cu mm	$[1.0-3.0] \times 10^{3}$
Monocyte Absolute (Flouroscence flow	cytometry)	0.6	/cu mm	$[0.2-1.2] \times 10^{3}$
Eosinophil Absolute (Flouroscence fl	ow cytometry)	0.4	/cu mm	$[0.0-0.5] \times 10^{3}$
Basophil Absolute (Flouroscence flow	cytometry)	0.0	/cu mm	$[0.0-0.1] \times 10^{3}$

Complete Blood Count is used to evaluate wide range of health disorders, including anemia, infection, and leukemia. Abnormal increase or decrease in cell counts as revealed may indicate that an underlying medical condition that calls for further evaluation.

Page 9 of 11

-----END OF REPORT-----

Soma Pradhan

Dr. Soma Pradhan











Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021 Awarded Nursing Excellence Services

Awarded Clean & Green Hospital N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Registered Office: Sector-6, Dwarka, New Delhi- 110075

Name MR ATUL KUMAR KARN 48 Yr(s) Sex: Male Age **Registration No** MH010663129 Lab No 38230301956 **Patient Episode** H03000053346 **Collection Date:** 25 Mar 2023 09:25

HEALTH CHECK MHD 25 Mar 2023 13:00 **Referred By Reporting Date:** 

**Receiving Date** 25 Mar 2023 09:55

### **CLINICAL PATHOLOGY**

Test Name	Result	Biological Ref. Interval
ROUTINE URINE ANALYSIS		
MACROSCOPIC DESCRIPTION		
Colour (Visual)	YELLOW	(Pale Yellow - Yellow)
Appearance (Visual)	CLEAR	
CHEMICAL EXAMINATION		
Reaction[pH]	7.0	(5.0-9.0)
(Reflectancephotometry(Indicator Metho	od))	
Specific Gravity	1.010	(1.003-1.035)
(Reflectancephotometry(Indicator Metho	od))	
Bilirubin	Negative	NEGATIVE
Protein/Albumin	Negative	(NEGATIVE-TRACE)
(Reflectance photometry(Indicator Meth	nod)/Manual SSA)	
Glucose	NOT DETECTED	(NEGATIVE)
(Reflectance photometry (GOD-POD/Bened	lict Method))	
Ketone Bodies	NOT DETECTED	(NEGATIVE)
(Reflectance photometry(Legal's Test)/	'Manual Rotheras)	
Urobilinogen	NORMAL	(NORMAL)
Reflactance photometry/Diazonium salt	reaction	
Nitrite	NEGATIVE	NEGATIVE
Reflactance photometry/Griess test		
Leukocytes	NIL	NEGATIVE
Reflactance photometry/Action of Ester	case	
BLOOD	NIL	NEGATIVE
(Reflectance photometry(peroxidase))		
MICROSCOPIC EXAMINATION (Manual) Me	thod: Light microscopy on	centrifuged urine
WBC/Pus Cells	0-1 /hpf	(4-6)
Red Blood Cells	NIL	(1-2)
Epithelial Cells	1-2 /hpf	(2-4)
Casts	NIL	(NIL)
Crystals	NIL	(NIL)
Bacteria	NIL	
Yeast cells	NIL	

Interpretation:





Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021



Awarded Nursing Excellence Services N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Awarded Clean & Green Hospital



Registered Office: Sector-6, Dwarka, New Delhi- 110075

: MR ATUL KUMAR KARN Name 48 Yr(s) Sex: Male Age

38230301956 **Registration No** : MH010663129 Lab No

: H03000053346 **Collection Date: Patient Episode** 25 Mar 2023 09:25

Referred By : HEALTH CHECK MHD **Reporting Date:** 25 Mar 2023 13:00

: 25 Mar 2023 09:55 **Receiving Date** 

### **CLINICAL PATHOLOGY**

URINALYSIS-Routine urine analysis assists in screening and diagnosis of various metabolic , urological, kidney and liver disorders

Protein: Elevated proteins can be an early sign of kidney disease. Urinary protein excretion can also be temporarily elevated by strenuous exercise, orthostatic proteinuria, dehydration, urina tract infections and acute illness with fever

Glucose: Uncontrolled diabetes mellitus can lead to presence of glucose in urine.

Other causes include pregnancy, hormonal disturbances, liver disease and certain medications.

Ketones: Uncontrolled diabetes mellitus can lead to presence of ketones in urine.

Ketones can also be seen in starvation, frequent vomiting, pregnancy and strenuous exercise.

Blood: Occult blood can occur in urine as intact erythrocytes or haemoglobin, which can occur in various urological, nephrological and bleeding disorders.

Leukocytes: An increase in leukocytes is an indication of inflammation in urinary tract or kidneys Most Common cause is bacterial urinary tract infection.

Nitrite: Many bacteria give positive results when their number is high. Nitrite concentration duri infection increases with length of time the urine specimen is retained in bladder prior to collection.

pH: The kidneys play an important role in maintaining acid base balance of the body. Conditions of the body producing acidosis/alkalosis or ingestion of certain type of food can affect the pH of urine.

Specific gravity: Specific gravity gives an indication of how concentrated the urine is. Increased Specific gravity is seen in conditions like dehydration, glycosuria and proteinuria while decrease Specific gravity is seen in excessive fluid intake, renal failure and diabetes insipidus.

Bilirubin: In certain liver diseases such as biliary obstruction or hepatitis, bilirubin gets excreted in urine.

Urobilinogen: Positive results are seen in liver diseases like hepatitis and cirrhosis and in case of hemolytic anemia.

Page 11 of 11

-----END OF REPORT-----



Dr. Soma Pradhan













Awarded Emergency Excellence Services

Awarded Nursing Excellence Services

E-2019-0026/27/07/2019-26/07/2021 N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019