Diagnostics & Speciality Centre

NAME : Mr. MURUGESH P		MR NO.	22031099
AGE/SEX : 52 Yrs / Male		VISIT NO.	151951
REFERRED BY :		DATE OF COLLECTION	19-03-2022 at 09:21 AM
		DATE OF REPORT	19-03-2022 at 12:34 PM
REF CENTER : MEDIWHEEL			
TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
	<u>HAEMATOLO</u>	<u>GY</u>	
COMPLETE BLOOD COUNT (CBC) WITH I	ESR		
HAEMOGLOBIN Colorimetric Method	15.8 gm/dL	13 - 18 gm/dL	
HEMATOCRIT (PCV) Calculated	46.5 %	40 - 54 %	
RED BLOOD CELL (RBC) COUNT	5.28 million/cu.mm	4.5 - 5.9 million/cu.mm	
PLATELET COUNT Electrical Impedance	2.23 Lakhs/cumm	1.5 - 4.5 Lakhs/cumm	
MEAN CELL VOLUME (MCV) Calculated	88.0 fl	80 - 100 fl	
Note : All normal and abnormal platelet counts a			
MEAN CORPUSCULAR HEMOGLOBIN (MCH) Calculated	30.0 pg	26 - 34 pg	
MEAN CORPUSCULAR HEMOGLOBIN	34.1 %	31 - 35 %	
CONCENTRATION (MCHC) Calculated			
TOTAL WBC COUNT (TC) Electrical Impedance	5630 cells/cumm	4000 - 11000 cells/cumm	
NEUTROPHILS VCS Technology/Microscopic	56 %	40 - 75 %	
LYMPHOCYTES VCS Technology/Microscopic	30 %	25 - 40 %	
DIFFERENTIAL COUNT			
EOSINOPHILS VCS Technology/Microscopic	07 %	0 - 7 %	
MONOCYTES VCS Technology/Microscopic	07 %	1 - 8 %	
BASOPHILS Electrical Impedance	00 %		
ESR Westergren Method	16 mm/hr	0 - 15 mm/hr	
	"B" Positive		

Tube Agglutination (Forward and Reverse)

allern. u.

Dr. KRISHNA MURTHY

Lab Seal

Dr. VAMSEEDHAR.A D.C.P, M.D

MD BIOCHEMIST

CONSULTANT PATHOLOGIST The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 1 of 9

Diagnostics & Speciality Centre
MR NO. 22031099

NAME : Mr. MURUGESH P AGE/SEX : 52 Yrs / Male REFERRED BY :		VISIT NO. : DATE OF COLLECTION : DATE OF REPORT :	22031099 151951 19-03-2022 at 09:21 AM 19-03-2022 at 12:34 PM
REF CENTER : MEDIWHEEL			
TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
GLYCATED HAEMOGLOBIN (HbA1C)	5.0 %	American Diabetic Association (ADA) recommendations:	
		Non diabetic adults : <5.7	%
		At risk (Pre diabetic): 5.7 - 6.4%	-
		Diabetic : >/= 6.5%	
		Therapeutic goal for glycemic control :	
		Goal for therapy: < 7.0%	
		Action suggested: > 8.0%	

ESTIMATED AVERAGE GLUCOSE (eAG)

96.80 mg/dL

Comments:

This assay is useful for diagnosing Diabetes and evaluating long term control of blood glucose concentrations in diabetic patients. It reflects the mean glucose concentration over the previous period of 8 to 12 weeks and is a better indicator of long term glycemic control as compared with blood and urine glucose measurements. This provides a additional criterion for assessing glucose control because glycated hemoglobin values are free of day-to-day glucose fluctuation and are unaffected by exercise or food ingestion.

After a sudden alteration in blood glucose concentration, the rate of change of HbA1c is rapid during initial 2 months, followed by more gradual change approaching steady state 3 months later.

alleen.u.

Dr. KRISHNA MURTHY

MD BIOCHEMIST



Dr. VAMSEEDHAR.A

D.C.P, M.D CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 2 of 9

Jiclu



MR NO.

TM

			. 22031033
AGE/SEX : 52 Yrs / Male		VISIT NO.	: 151951
REFERRED BY :		DATE OF COLLECTION	: 19-03-2022 at 09
		DATE OF REPORT	: 19-03-2022 at 12
REF CENTER : MEDIWHEEL			
TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
	CLINICAL BIOC	HEMISTRY	
BLOOD UREA UREASE-GLUTAMATE DEHYDROGENASE (GLDH)	29.7 mg/dL	15 - 50 mg/dL	
CREATININE Jaffe Kinetic	0.85 mg/dL	0.4 - 1.4 mg/dL	
URIC ACID Uricase-Peroxidase	6.0 mg/dL	3 - 7.2 mg/dL	
SERUM ELECTROLYTES			
SODIUM Ion Selective Electrode (ISE)	138 mmol/L	136 - 145 mmol/L	
POTASSIUM Ion Selective Electrode (ISE)	4.2 mmol/L	3.5 - 5.2 mmol/L	
CHLORIDE Ion Selective Electrode (ISE)	101 mmol/L	97 - 111 mmol/L	
LIVER FUNCTION TEST (LFT)			
TOTAL BILIRUBIN Colorimetric Diazo Method	0.62 mg/dL	0.2 - 1.2 mg/dL	
DIRECT BILIRUBIN Colorimetric Diazo Method	0.23 mg/dL	0 - 0.4 mg/dL	
INDIRECT BILIRUBIN Calculation	0.39 mg/dl		
S G O T (AST) IFCC Without Pyridoxal Phosphates	12.1 U/L	up to 35 U/L	
S G P T (ALT) IFCC Without Pyridoxal Phosphates	13.1 U/L	up to 50 U/L	

56.3 U/L

7.0 g/dl

3.96 g/dl

3 g/dl

1.3

Bleen.u.

ALKALINE PHOSPHATASE

p-Nitrophenyl Phosphate

TOTAL PROTEIN

GCNA-IFCC

Calculation

Biuret Colorimetric

S.ALBUMIN Bromocresol Green (BCG)

S.GLOBULIN Calculation A/G RATIO

NAME

Mr. MURUGESH P

Dr. KRISHNA MURTHY

MD BIOCHEMIST



Dr. VAMSEEDHAR.A D.C.P, M.D

SERUM GAMMA GLUTAMYLTRANSFERASE (GGT) 12.1 U/L

CONSULTANT PATHOLOGIST The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

36 - 113 U/L

15 - 85 U/L

6.2 - 8 g/dl

3.5 - 5.2 g/dl

2.5 - 3.8 g/dl

1 - 1.5

Page 3 of 9

No. 79, Kendra Upadyayara Sangha Layout, Nagarbhavi Circle, Nagarbhavi, Bengaluru - 560 072. Enquiry: +91 99867 33 333, Appointments : +91 98863 55 135, Reports: +91 74063 11 116



09:21 AM 12:34 PM

: 22031099

Diagnostics & Speciality Centre

NAME Mr. MURUGESH P MR NO. : 22031099 AGE/SEX VISIT NO. 52 Yrs / Male 151951 : 1 REFERRED BY : DATE OF COLLECTION : 19-03-2022 at 09:21 AM DATE OF REPORT 19-03-2022 at 12:34 PM **REF CENTER** : MEDIWHEEL **TEST PARAMETER** RESULT **REFERENCE RANGE** SPECIMEN LIPID PROFILE TEST TOTAL CHOLESTEROL 248 mg/dL up to 200 mg/dL Cholesterol Oxidase-Peroxidase (CHOD-POD) Border Line: 200 - 240 mg/dL High: > 240 mg/dL TRIGLYCERIDES 116.3 mg/dL up to 150 mg/dL Glycerol Peroxidase-Peroxidase (GPO-POD) Desirable: <150 mg/dL Border Line: 150 - 200 mg/dL High: >200 - 500 mg/dL Very High: > 500 mg/dL HDL CHOLESTEROL - DIRECT 34.2 mg/dl 40 - 60 mg/dl PEG-Cholesterol Esterase >/= 60mg/dL - Excellent (protects against heart disease) 40-59 mg/dL - Higher the better <40 mg/dL - Lower than desired (major risk for heart disease) 190.5 mg/dL LDL CHOLESTEROL - DIRECT up to 100 mg/dL Cholesterol Esterase-Cholesterol Oxidase 100-129 mg/dL- Near optimal/above optimal 130-159 mg/dL- Borderline High 160-189 mg/dL- High 190->190 mg/dL - Very High VLDL CHOLESTEROL 23.3 mg/dL 2 - 30 mg/dL Calculation TOTAL CHOLESTROL/HDL RATIO 7.3 up to 3.5 Calculation 3.5-5.0 - Moderate >5.0 - High

LDL/HDL RATIO Calculation

5.6

Bleen.u.

Dr. KRISHNA MURTHY



up to 2.5

2.5-3.3 - Moderate >3.3 - High

Dr. VAMSEEDHAR.A

MD BIOCHEMIST

D.C.P, M.D CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 4 of 9

oliclu

TM



NAME : Mr. MURUGESH P		MR NO.	22031099
AGE/SEX : 52 Yrs / Male		VISIT NO.	151951
REFERRED BY :		DATE OF COLLECTION :	19-03-2022 at 09:21 AM
		DATE OF REPORT	19-03-2022 at 12:34 PM
REF CENTER : MEDIWHEEL		I	
	RESULT	REFERENCE RANGE	SPECIMEN
FASTING BLOOD SUGAR Hexokinase	94.2 mg/dl	70 - 110 mg/dl	
POST PRANDIAL BLOOD SUGAR Hexokinase	102.7 mg/dl	80 - 150 mg/dl	
CREATININE Jaffe Method	1.04 mg/dL	0.8 - 1.4 mg/dL	
	CLINICAL PATHO	DLOGY	
URINE ROUTINE & MICROSCOPIC			
PHYSICAL EXAMINATION			
Colour Visual Method	Pale Yellow	Pale yellow- yellow	
Appearance	Clear	Clear/Transparent	
Specific Gravity Strips Method	1.010	1.005-1.035	
pH	6.0	4.6-8.5	
CHEMICAL EXAMINATION (DIPSTICK)			
Protein Strips Method	Nil	Nil -Trace	
Glucose Strips Method	Nil	Nil	
Blood Strips Method	Negative	Negative	
Ketone Bodies Strips Method	Absent	Negative	
Urobilinogen Strips Method	Normal	Normal	
Bile Salt Strips Method	Negative	Negative	
Bilirubin Strips Method	Negative	Negative	
Bile Pigments	Negative	NIL	
MICROSCOPY			

allern. u.

Dr. KRISHNA MURTHY

MD BIOCHEMIST



Dr. VAMSEEDHAR.A

D.C.P, M.D CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 5 of 9

>diclu™

TM



Diagnostics & Speciality Centre

NAME : Mr. MURUGESH P		MR NO.	22031099
AGE/SEX : 52 Yrs / Male		VISIT NO.	: 151951
REFERRED BY :		DATE OF COLLECTION	: 19-03-2022 at 09:21 AM
		DATE OF REPORT	: 19-03-2022 at 12:34 PM
REF CENTER : MEDIWHEEL			
TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
Pus Cells (WBC) Light Microscopic	2 - 3 /hpf	0-5/hpf	
Epithelial Cells Light Microscopic	1 - 2 /hpf	0-4/hpf	
RBC Light Microscopic	Not Seen /hpf	0-2/hpf	
Cast Light Microscopic	NIL	NIL	
Crystal Light Microscopic	NIL	Nil	
FASTING URINE SUGAR (FUS)	NIL	NIL	
POSTPRANDIAL URINE SUGAR	NIL	NIL	
STOOL ROUTINE EXAMINATION			
MACROSCOPIC EXAMINATION			
COLOUR Manual	Brownish	Light to Dark brown	
CONSISTENCY Manual	Semi Solid	Well formed-semi solid	
MUCUS Manual	Absent	Absent	
BLOOD Manual	Absent	Absent	
CHEMICAL EXAMINATION			
PUS CELLS Light Microscopy	1 - 2	Absent	
EPITHELIAL CELLS Light Microscopy	Not Seen	Few	
BACTERIA Light Microscopy	Present (+)		
REACTION (pH) Manual pH paper	Acidic	Acidic	
REDUCING SUBSTANCES Manual, Benedict's Qualitative	Absent	Absent	
MICROSCOPIC EXAMINATION			

MICROSCOPIC EXAMINATION

allern. u.

Dr. KRISHNA MURTHY

Dr. VAMSEEDHAR.A

D.C.P, M.D CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 6 of 9

No. 79, Kendra Upadyayara Sangha Layout, Nagarbhavi Circle, Nagarbhavi, Bengaluru - 560 072. Enquiry: +91 99867 33 333, Appointments : +91 98863 55 135, Reports: +91 74063 11 116

Lab Seal

MD BIOCHEMIST

<u>>diclu</u>™



NAME : Mr. MURUGESH P		MR NO. : 2	2031099
AGE/SEX : 52 Yrs / Male		VISIT NO. : 1	51951
REFERRED BY :		DATE OF COLLECTION : 1	9-03-2022 at 09:21 AM
		DATE OF REPORT : 1	9-03-2022 at 12:34 PM
REF CENTER : MEDIWHEEL		II	
TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
CYST Light Microscopy	Not Seen	Absent	
OVA Light Microscopy	Not Seen	Absent	
PARASITES (ADULT WORMS) Manual	Absent	Absent	
RED BLOOD CELLS Light Microscopy	Absent	Absent	
MACROPHAGES Light Microscopy	Occasional	Occasional	
FAT GLOBULES Light Microscopy	Absent	Absent	
STARCH GRANULES Light Microscopy, Lugol's Iodine	Absent	Absent	
YEAST CELLS Light Microscopy	Absent	Absent	
VEGETABLE FIBERS Light Microscopy	Present	Present	
VEGETATIVE FORMS Light Microscopy	Absent	Absent	

allern. u.

Dr. KRISHNA MURTHY

MD BIOCHEMIST



Dr. VAMSEEDHAR.A

D.C.P, M.D CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 7 of 9



(A Unit of Vijayalakshmi Diagnostics Pvt. Ltd. Diagnostics & Speciality Centre

NAME : Mr. MURUGESH P		MR NO.	22031099
AGE/SEX : 52 Yrs / Male		VISIT NO.	151951
REFERRED BY :		DATE OF COLLECTION :	19-03-2022 at 09:21 AM
		DATE OF REPORT	19-03-2022 at 12:34 PM
REF CENTER : MEDIWHEEL			
TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
IMMUNOASSAY			
THYROID PROFILE			
TOTAL TRIIODOTHYRONINE (T3)	1. ng/mL	0.87 - 1.78 ng/mL	
TOTAL THYROXINE (T4)	10.23 µg/dL	6.09 - 12.23 μg/dL	
THYROID STIMULATING HORMONE (TSH)	0.26 μIU/mL	0.38 - 5.33 µIU/mL	
CMIA		1st Trimester: 0.05 - 3.70	
		2nd Trimester: 0.31 – 4.35	
		3rd Trimester: 0.41 – 5.18	

Note:

- TSH levels are subject to circadian variation, reaching peak levels between 2 4.a.m. and at a minimum between 6-10 pm. The variation is of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- Recommended test for T3 and T4 is unbound fraction or free levels as it is metabolically active.
- Physiological rise in Total T3 / T4 levels is seen in pregnancy and in patients on steroid therapy.

Clinical Use:

- Primary Hypothyroidism
- Hyperthyroidism
- Hypothalamic Pituitary hypothyroidism
- Inappropriate TSH secretion
- Nonthyroidal illness
- Autoimmune thyroid disease
- Pregnancy associated thyroid disorders
- Thyroid dysfunction in infancy and early childhood



Dr. KRISHNA MURTHY

MD BIOCHEMIST



Dr. VAMSEEDHAR.A

D.C.P, M.D CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 8 of 9

Jiclu (A Unit of Vijayalakshmi Diagnostics Pvt. Ltd.) **Diagnostics & Speciality Centre** NAME Mr. MURUGESH P MR NO. : 22031099 AGE/SEX VISIT NO. : 52 Yrs / Male : 151951 REFERRED BY : DATE OF COLLECTION 19-03-2022 at 09:21 AM DATE OF REPORT : 19-03-2022 at 12:34 PM **REF CENTER** : MEDIWHEEL **TEST PARAMETER** RESULT **REFERENCE RANGE** SPECIMEN **PROSTATIC SPECIFIC ANTIGEN (PSA)** Up to 4ng/mL: Normal PROSTATIC SPECIFIC ANTIGEN (PSA) 0.26 ng/mL 4-10 ng/mL Hypertrophy & CMIA benign genito urinary conditions. >10 ng/mL Suspicious of malignancy.

PSA is used for monitoring patients with a history of prostate cancer and as an early indicator of recurrence and response to treatment. The test is commonly used for Prostate cancer screening.

Dispatched by: Sumalatha

**** End of Report ****

Printed by: Sumalatha on 19-03-2022 at 12:34 PM

Dr. KRISHNA MURTHY

Bleen. u.

MD BIOCHEMIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 9 of 9

No. 79, Kendra Upadyayara Sangha Layout, Nagarbhavi Circle, Nagarbhavi, Bengaluru - 560 072. Enquiry: +91 99867 33 333, Appointments : +91 98863 55 135, Reports: +91 74063 11 116



Dr. VAMSEEDHAR.A

D.C.P, M.D CONSULTANT PATHOLOGIST

