Name	SURAJ L	ID	IND270400
Age & Gender	43Year(s)/MALE	Visit Date	6/25/2022 12:00:00 AM
Ref Doctor Name	MediWheel	-	

2 D ECHOCARDIOGRAPHIC STUDY

M mode measurement:

AORTA : 2.5cms

LEFT ATRIUM : 3.7cms

AVS :----

LEFT VENTRICLE (DIASTOLE) : 4.3cms

(SYSTOLE) : 2.9cms

VENTRICULAR SEPTUM (DIASTOLE) : 1.0cms

(SYSTOLE) : 1.3cms

POSTERIOR WALL (DIASTOLE) : 1.0cms

(SYSTOLE) : 1.3cms

EDV : 84ml ESV : 33ml

FRACTIONAL SHORTENING : 32%

EJECTION FRACTION : 61%

EPSS :---

RVID : 1.7cms

DOPPLER MEASUREMENTS:

MITRAL VALVE : E' 0.86 m/s A' 0.61 m/s NO MR

AORTIC VALVE : 1.18 m/s NO AR

TRICUSPID VALVE : E' 1.82 m/s A' - m/s NO TR

PULMONARY VALVE : 1.05 m/s NO PR

Name	SURAJ L	ID	IND270400
Age & Gender	43Year(s)/MALE	Visit Date	6/25/2022 12:00:00 AM
Ref Doctor Name	MediWheel	-	

2D ECHOCARDIOGRAPHY FINDINGS:

Left ventricle : Normal size, Normal systolic function.

No regional wall motion abnormalities.

Left Atrium : Normal.

Right Ventricle : Normal.

Right Atrium : Normal.

Mitral valve : Normal, No mitral valve prolapsed.

Aortic valve : Normal, Trileaflet.

Tricuspid valve : Normal.

Pulmonary valve : Normal.

IAS : Intact.

IVS : Intact.

Pericardium : No pericardial effusion.

IMPRESSION:

- > NORMAL SIZED CARDIAC CHAMBERS.
- > NORMAL LV SYSTOLIC FUNCTION. EF: 61 %.
- > NO REGIONAL WALL MOTION ABNORMALITIES.
- > NORMAL VALVES.
- > NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

DR. K.S. SUBRAMANI. MBBS, MD, DM (CARDIOLOGY) FESC SENIOR CONSULTANT INTERVENTIONAL CARDIOLOGIST

Name	SURAJ L	ID	IND270400
Age & Gender	43Year(s)/MALE	Visit Date	6/25/2022 12:00:00 AM
Ref Doctor Name	MediWheel		

 $[\]frac{Note:}{* \ Report \ to \ be \ interpreted \ by \ qualified \ medical \ professional.}}{* \ To \ be \ correlated \ with \ other \ clinical \ findings.}$

^{*} Parameters may be subjected to inter and intra observer variations.

Mahesh Mob:8618385220 9901569756



SRI PARVATHI OPTICS

Multi Branded Opticals Store

Computerized Eye Testing & Spectacles Clinic

333.8th Main 5th Cross Near Cambridge & Miranda School HAL 3rd Stage Behind Vishveshvariah Park New Thippasandra, Bangalore - 560075, Email: parvathiopticals@gmail.com

SPECTACLE PRESCRIPTION

Ref. No. RIGHT EYE SPH CYL AXIS VISION SPH CYL AXIS VISION DISTANCE NEAR Add +110 B.6' PD 62 PPH '									
Ref. No. RIGHT EYE SPH CYL AXIS VISION SPH CYL AXIS VISION DISTANCE NEAR Add +110 B.6 Advice to use glasses for:	Name:	\leq_{i}	era].	L.					
RIGHT EYE SPH CYL AXIS VISION SPH CYL AXIS VISION DISTANCE NEAR Add +110 B.6 Additional to the second s	Mobil	No:	973	1300	1051		Date:	25/6	7202
SPH CYL AXIS VISION SPH CYL AXIS VISION DISTANCE NEAR Add +110 B.6' Advice to use glasses for:	Age /	Gende	435	MI	,		Ref. No). 	
DISTANCE NEAR AND AXIS VISION SPH CTD AXIS VISION SPH CTD AXIS VISION SPH CTD AXIS AXIS VISION SPH CTD AXIS AXIS VISION SPH CTD AXIS AXIS AXIS VISION SPH CTD AXIS AXI			RIGHT	EYE			LEI	T EYE	
NEAR Add +110 B.6' PD 62 HH' Advice to use glasses for:		SPH	CYL	AXIS	VISION	SPH	CYL	AXIS	VIŜION
NEAR Add +110 B.6' PD 62 HH' Advice to use glasses for:	DISTANCE		25:0	170	6/6.		25:0	728	8/8
Advice to use glasses for:	NEAR	Aldb	+110	B, 6	V				
	PD E	SEHA	e •						
_ pistance /2				R & NEAR	REA	DING	сомі	PUTER PU	RFOSE
		SIANCE							
We Care Your Eyes SRI PARVATHI OPTIC NEW THIPPASANDRA	We Ca	are You	r Eyes				1000		

CLUMAX DIAGNOSTICS

--- A MEDALL COMPANY ---

Date 25-Jun-2022 9:24 AM

Customer Name : MR.SURAJ L

Ref Dr Name : MediWheel

Customer Id :IND270400

Email Id

Corp Name : MediWheel

Address

Package Name : Mediwheel Full Body Health Checkup Male Above 40

Complement Breakfest

DOB :17 May 1979

Age :43Y/MALE


Wisit ID :422051285

Phone No :9731309051

HI - 167 W - 74:4 BP - 145/93 Plust - 1

S.No	Modality	Study	Accession No	Time	Seq	Signature
1	LAB	BLOOD UREA NITROGEN (BUN)			•	
2	LAB	CREATININE				
3	LAB	GLUCOSE - FASTING				
4	LAB	GLUCOSE - POSTPRANDIAL (2 HRS)				
5	LAB	GLYCOSYLATED HAEMOGLOBIN (HbA1c)				
6	LAB	URIC ACID				
7	LAB	LIPID PROFILE				
8	LAB	LIVER FUNCTION TEST (LFT)				
9	LAB	TOTAL PROSTATE SPECIFIC ANTIGEN - PSA				
10	LAB	THYROID PROFILE/ TFT(T3, T4, TSH)				
11	LAB	URINE GLUCOSE - FASTING				
12	LAB	URINE GLUCOSE - POSTPRANDIAL (2 Hrs)		**************************************		
13	LAB	COMPLETE BLOOD COUNT WITH ESR				
14	LAB	STOOL ANALYSIS - ROUTINE				
15	_AB	URINE ROUTINE	9		9	
16 l	_AB	BUN/CREATININE RATIO				
17 L	_AB	BLOOD GROUP & RH TYPE				

zrd logr



PID No. : IND270400 **Register On** : 25/06/2022 9:25 AM : 422051285 Collection On : 25/06/2022 9:37 AM SID No. Age / Sex : 43 Year(s) / Male Report On : 25/06/2022 4:01 PM Type : OP **Printed On** : 04/07/2022 4:52 PM

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
HAEMATOLOGY			
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood/Spectrophotometry)	14.7	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	44.7	%	42 - 52
RBC Count (EDTA Blood)	5.15	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood)	86.8	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	28.4	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	32.8	g/dL	32 - 36
RDW-CV (EDTA Blood)	13.5	%	11.5 - 16.0
RDW-SD (EDTA Blood)	41.6	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	6500	cells/cu.mm	4000 - 11000
Neutrophils (EDTA Blood)	54.5	%	40 - 75
Lymphocytes (EDTA Blood)	33.4	%	20 - 45
Eosinophils (EDTA Blood)	3.9	%	01 - 06



 PID No.
 : IND270400
 Register On
 : 25/06/2022 9:25 AM

 SID No.
 : 422051285
 Collection On
 : 25/06/2022 9:37 AM

 Age / Sex
 : 43 Year(s) / Male
 Report On
 : 25/06/2022 4:01 PM

 Type
 : OP
 Printed On
 : 04/07/2022 4:52 PM

Ref. Dr : MediWheel

Investigation	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Monocytes (EDTA Blood)	7.7	%	01 - 10
Basophils (Blood)	0.5	%	00 - 02
INTERPRETATION: Tests done on Automated Five P	art cell counter. All a	abnormal results are	reviewed and confirmed microscopically.
Absolute Neutrophil count (EDTA Blood)	3.5	10^3 / μl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	2.2	10^3 / μl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.3	10^3 / μl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.5	10^3 / μl	< 1.0
Absolute Basophil count (EDTA Blood)	0.0	10^3 / μl	< 0.2
Platelet Count (EDTA Blood)	163	10^3 / μl	150 - 450
MPV (EDTA Blood)	12.0	fL	7.9 - 13.7
PCT (EDTA Blood/Automated Blood cell Counter)	0.196	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood)	2	mm/hr	< 15



 PID No.
 : IND270400
 Register On
 : 25/06/2022 9:25 AM

 SID No.
 : 422051285
 Collection On
 : 25/06/2022 9:37 AM

 Age / Sex
 : 43 Year(s) / Male
 Report On
 : 25/06/2022 4:01 PM

 Type
 : OP
 Printed On
 : 04/07/2022 4:52 PM

Ref. Dr : MediWheel

Investigation BIOCHEMISTRY	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Liver Function Test			
Bilirubin(Total) (Serum/DCA with ATCS)	0.45	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.18	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.27	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/Modified IFCC)	25.20	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/Modified IFCC)	36.68	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	19.83	U/L	< 55
Alkaline Phosphatase (SAP) (Serum/Modified IFCC)	125.5	U/L	53 - 128
Total Protein (Serum/Biuret)	7.11	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.53	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.58	gm/dL	2.3 - 3.6
A: G RATIO (Serum/Derived)	1.76		1.1 - 2.2



VERIFIED BY



 PID No.
 : IND270400
 Register On
 : 25/06/2022 9:25 AM

 SID No.
 : 422051285
 Collection On
 : 25/06/2022 9:37 AM

 Age / Sex
 : 43 Year(s) / Male
 Report On
 : 25/06/2022 4:01 PM

 Type
 : OP
 Printed On
 : 04/07/2022 4:52 PM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	164.87	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	142.40	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the õusualö"circulating level of triglycerides during most part of the day.

r			
HDL Cholesterol (Serum/Immunoinhibition)	42.07	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/Calculated)	94.3	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	28.5	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	122.8	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220



VERIFIED BY



 PID No.
 : IND270400
 Register On
 : 25/06/2022 9:25 AM

 SID No.
 : 422051285
 Collection On
 : 25/06/2022 9:37 AM

 Age / Sex
 : 43 Year(s) / Male
 Report On
 : 25/06/2022 4:01 PM

 Type
 : OP
 Printed On
 : 04/07/2022 4:52 PM

Ref. Dr : MediWheel

<u>Investigation</u> <u>Observed</u> <u>Unit</u> <u>Biological</u> <u>Value</u> <u>Reference Interval</u>

INTERPRETATION: 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2. It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio

(Serum/Calculated)

3.9

Optimal: < 3.3

Low Risk: 3.4 - 4.4

Average Risk: 4.5 - 7.1

Moderate Risk: 7.2 - 11.0

Moderate Risk: 7.2 - 11.0 High Risk: > 11.0

Triglyceride/HDL Cholesterol Ratio

(TG/HDL)

(Serum/Calculated)

3.4

Optimal: < 2.5

Mild to moderate risk: 2.5 - 5.0

High Risk: > 5.0

(Serum/Calculated) High Risk: > 5.0

LDL/HDL Cholesterol Ratio 2.2 Optimal: 0.5 - 3.0 (Serum/Calculated) Borderline: 3.1 - 6.0 High Risk: > 6.0



VERIFIED BY



 PID No.
 : IND270400
 Register On
 : 25/06/2022 9:25 AM

 SID No.
 : 422051285
 Collection On
 : 25/06/2022 9:37 AM

 Age / Sex
 : 43 Year(s) / Male
 Report On
 : 25/06/2022 4:01 PM

 Type
 : OP
 Printed On
 : 04/07/2022 4:52 PM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Glycosylated Haemoglobin (HbA1c)			
HbA1C (Whole Blood/ <i>HPLC</i>)	5.7	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose 116.89 mg/dL

(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbAlC values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbAlc.



VERIFIED BY



 PID No.
 : IND270400
 Register On
 : 25/06/2022 9:25 AM

 SID No.
 : 422051285
 Collection On
 : 25/06/2022 9:37 AM

 Age / Sex
 : 43 Year(s) / Male
 Report On
 : 25/06/2022 4:01 PM

 Type
 : OP
 Printed On
 : 04/07/2022 4:52 PM

Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed</u>	<u>Unit</u>	<u>Biological</u>
	Value		Reference Interval

IMMUNOASSAY

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total 1.30 ng/ml 0.7 - 2.04

(Serum/ECLIA)

INTERPRETATION:

Comment:

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Tyroxine) - Total 5.83 $\mu g/dl$ 4.2 - 12.0

(Serum/ECLIA)

INTERPRETATION:

Comment:

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) 3.34 µIU/mL 0.35 - 5.50

(Serum/ECLIA)

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester: 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment:

- 1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.
- 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- 3. Values & amplt 0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



VERIFIED BY



 PID No.
 : IND270400
 Register On
 : 25/06/2022 9:25 AM

 SID No.
 : 422051285
 Collection On
 : 25/06/2022 9:37 AM

 Age / Sex
 : 43 Year(s) / Male
 Report On
 : 25/06/2022 4:01 PM

 Type
 : OP
 Printed On
 : 04/07/2022 4:52 PM

Ref. Dr : MediWheel

InvestigationObservedUnitBiologicalValueReference Interval

CLINICAL PATHOLOGY

PHYSICAL EXAMINATION (URINE COMPLETE)

Colour Yellow Yellow Yellow to Amber

(Urine)

Appearance Clear Clear

(Urine)

Volume(CLU) 15

(Urine)

CHEMICAL EXAMINATION (URINE

COMPLETE)

pH 5.5 4.5 - 8.0

(Urine)

Specific Gravity 1.020 1.002 - 1.035

(Urine)

Ketone Negative Negative

(Urine)

Urobilinogen Normal Normal

(Urine)

Blood Negative Negative

(Urine)

Nitrite Negative Negative

(Urine)

Bilirubin Negative Negative

(Urine)

Protein Negative Negative

(Urine)



VERIFIED BY



 PID No.
 : IND270400
 Register On
 : 25/06/2022 9:25 AM

 SID No.
 : 422051285
 Collection On
 : 25/06/2022 9:37 AM

 Age / Sex
 : 43 Year(s) / Male
 Report On
 : 25/06/2022 4:01 PM

 Type
 : OP
 Printed On
 : 04/07/2022 4:52 PM

Ref. Dr : MediWheel

<u>Investigation</u> <u>Observed</u> <u>Unit</u> <u>Biological</u>
<u>Value</u> <u>Reference Interval</u>

Glucose Negative Negative

(Urine/GOD - POD)

Leukocytes(CP) Negative

(Urine)

MICROSCOPIC EXAMINATION (URINE COMPLETE)

Pus Cells 1-2 /hpf NIL

(Urine)

Epithelial Cells (Urine) 1-2 /hpf NIL

RBCs Nil /hpf NIL

(Urine)
Others
Nil

Others Nil (Urine)

INTERPRETATION: Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.

Casts Nil /hpf NIL

(Urine)

Crystals Calcium Oxalate /hpf NIL

(Urine) Crystals seen



VERIFIED BY



 PID No.
 : IND270400
 Register On
 : 25/06/2022 9:25 AM

 SID No.
 : 422051285
 Collection On
 : 25/06/2022 9:37 AM

 Age / Sex
 : 43 Year(s) / Male
 Report On
 : 25/06/2022 4:01 PM

 Type
 : OP
 Printed On
 : 04/07/2022 4:52 PM

Ref. Dr : MediWheel

InvestigationObservedUnitBiologicalValueReference Interval

PHYSICAL EXAMINATION(STOOL COMPLETE)

Mucus Absent Absent

(Stool)

Consistency Semi Solid Semi Solid to Solid

(Stool)

Colour Brownish Brown

(Stool)

Blood Absent Absent

(Stool)

<u>MICROSCOPIC EXAMINATION(STOOL</u> <u>COMPLETE)</u>

Ova NIL NIL

(Stool)

Cysts NIL NIL

(Stool)

Trophozoites NIL NIL

(Stool)

RBCs NIL /hpf Nil

(Stool)

Pus Cells 1-2 /hpf NIL

(Stool)

Others

(Stool)

<u>CHEMICAL EXAMINATION(STOOL</u> <u>ROUTINE)</u>



VERIFIED BY



 PID No.
 : IND270400
 Register On
 : 25/06/2022 9:25 AM

 SID No.
 : 422051285
 Collection On
 : 25/06/2022 9:37 AM

 Age / Sex
 : 43 Year(s) / Male
 Report On
 : 25/06/2022 4:01 PM

 Type
 : OP
 Printed On
 : 04/07/2022 4:52 PM

Ref. Dr : MediWheel

<u>Investigation</u> <u>Observed</u> <u>Unit</u> <u>Biological</u> <u>Value</u> <u>Reference Interval</u>

Reaction Alkaline Alkaline

(Stool)

Reducing Substances Negative Negative

(Stool/Benedict's)



VERIFIED BY



 PID No.
 : IND270400
 Register On
 : 25/06/2022 9:25 AM

 SID No.
 : 422051285
 Collection On
 : 25/06/2022 9:37 AM

 Age / Sex
 : 43 Year(s) / Male
 Report On
 : 25/06/2022 4:01 PM

 Type
 : OP
 Printed On
 : 04/07/2022 4:52 PM

Ref. Dr : MediWheel

InvestigationObservedUnitBiologicalValueReference Interval

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING 'O' 'Positive'

(EDTA Blood/Agglutination)



VERIFIED BY



 PID No.
 : IND270400
 Register On
 : 25/06/2022 9:25 AM

 SID No.
 : 422051285
 Collection On
 : 25/06/2022 9:37 AM

 Age / Sex
 : 43 Year(s) / Male
 Report On
 : 25/06/2022 4:01 PM

 Type
 : OP
 Printed On
 : 04/07/2022 4:52 PM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BIOCHEMISTRY			
BUN / Creatinine Ratio	14.9		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	88.01	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine) (Urine - F/GOD - POD)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD-PAP)	81.63	mg/dL	70 - 140

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Glucose(PP-2 hours) (Urine - PP)	Negative	Negative
Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	11.8 mg/dI	7.0 - 21
Creatinine (Serum/Modified Jaffe)	0.79 mg/dI	0.9 - 1.3

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid 6.03 mg/dL 3.5 - 7.2

(Serum/Enzymatic)



VERIFIED BY



 PID No.
 : IND270400
 Register On
 : 25/06/2022 9:25 AM

 SID No.
 : 422051285
 Collection On
 : 25/06/2022 9:37 AM

 Age / Sex
 : 43 Year(s) / Male
 Report On
 : 25/06/2022 4:01 PM

 Type
 : OP
 Printed On
 : 04/07/2022 4:52 PM

Ref. Dr : MediWheel

<u>Investigation</u>	Observed Unit	<u>Biological</u>
	Value	Reference Interval

IMMUNOASSAY

Prostate specific antigen - Total(PSA) 0.619 ng/ml Normal: 0.0 - 4.0 (Serum/Manometric method) Inflammatory & Non Malignant

conditions of Prostate & genitourinary system: 4.01 - 10.0 Suspicious of Malignant disease of

Prostate: > 10.0

INTERPRETATION: Analytical sensitivity: 0.008 - 100 ng/mL

PSA is a tumor marker for screening of prostate cancer. Increased levels of PSA are associated with prostate cancer and benign conditions like bacterial infection, inflammation of prostate gland and benign hypertrophy of prostate/ benign prostatic hyperplasia (BPH).

Transient elevation of PSA levels are seen following digital rectal examination, rigorous physical activity like bicycle riding, ejaculation within 24 hours.

PSA levels tend to increase in all men as they age.

Clinical Utility of PSA:

ÉIn the early detection of Prostate cancer.

ÉAs an aid in discriminating between Prostate cancer and Benign Prostatic disease.

ÉTo detect cancer recurrence or disease progression.



VERIFIED BY



APPROVED BY

-- End of Report --