



CLIENT CODE : C000138364

**CLIENT'S NAME AND ADDRESS :**  
ACROFEMI HEALTHCARE LTD ( MEDIWHEEL )  
F-703, LADO SARAI, MEHRAULI  
SOUTH WEST DELHI  
NEW DELHI 110030  
DELHI INDIA  
8800465156

SRL LTD  
GRAND MALL, OPPOSITE SBI ZONAL OFFICE, SM ROAD, AMBAWADI,  
AHMEDABAD, 380015  
GUJRAT, INDIA  
Tel : 079-48912999, 079-48913999, 079-48914999  
Email : customercare.ahmedabad@srl.in

PATIENT NAME : SALONI AGARWAL

PATIENT ID : SALOF250889321

ACCESSION NO : 0321VC002529 AGE : 32 Years SEX : Female

DRAWN :

RECEIVED : 26-03-2022 10:03

REPORTED : 29-03-2022 16:01

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

**MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE****BLOOD COUNTS, EDTA WHOLE BLOOD**

HEMOGLOBIN	<b>11.8</b>	<b>Low</b>	12.0 - 15.0	g/dL
RED BLOOD CELL COUNT	<b>5.69</b>	<b>High</b>	3.8 - 4.8	mil/ $\mu$ L
WHITE BLOOD CELL COUNT	7.35		4.0 - 10.0	thou/ $\mu$ L
PLATELET COUNT	260		150 - 410	thou/ $\mu$ L

**RBC AND PLATELET INDICES**

HEMATOCRIT	<b>35.7</b>	<b>Low</b>	36.0 - 46.0	%
MEAN CORPUSCULAR VOL	<b>62.8</b>	<b>Low</b>	83.0 - 101.0	fL
MEAN CORPUSCULAR HGB.	<b>20.7</b>	<b>Low</b>	27.0 - 32.0	pg
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION	32.9		31.5 - 34.5	g/dL
MENTZER INDEX	11.0			
RED CELL DISTRIBUTION WIDTH	<b>20.7</b>	<b>High</b>	11.6 - 14.0	%
MEAN PLATELET VOLUME	10.4		6.8 - 10.9	fL

**WBC DIFFERENTIAL COUNT - NLR**

SEGMENTED NEUTROPHILS	64		40 - 80	%
LYMPHOCYTES	29		20 - 40	%
EOSINOPHILS	04		1.0 - 6.0	%
MONOCYTES	03		2.0 - 10.0	%
BASOPHILS	00		0 - 1	%

DIFFERENTIAL COUNT PERFORMED ON: EDTA SMEAR

**MORPHOLOGY**

RBC	NORMOCYTIC NORMOCHROMIC
WBC	NORMAL MORPHOLOGY
PLATELETS	ADEQUATE
REMARKS	NO PREMATURE CELLS ARE SEEN. MALARIAL PARASITE NOT DETECTED.

**ERYTHRO SEDIMENTATION RATE, BLOOD**

SEDIMENTATION RATE (ESR)	19	0 - 20	mm at 1 hr
--------------------------	----	--------	------------

**GLUCOSE, FASTING, PLASMA**

GLUCOSE, FASTING, PLASMA	94	74 - 99	mg/dL
--------------------------	----	---------	-------

**GLYCOSYLATED HEMOGLOBIN, EDTA WHOLE BLOOD**

Scan to View Details



Scan to View Report



CLIENT CODE : C000138364

## CLIENT'S NAME AND ADDRESS :

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL )  
F-703, LADO SARAI, MEHRAULI  
SOUTH WEST DELHI  
NEW DELHI 110030  
DELHI INDIA  
8800465156

SRL LTD  
GRAND MALL, OPPOSITE SBI ZONAL OFFICE, SM ROAD, AMBAWADI,  
AHMEDABAD, 380015  
GUJRAT, INDIA  
Tel : 079-48912999, 079-48913999, 079-48914999  
Email : customercare.ahmedabad@srl.in

PATIENT NAME : SALONI AGARWAL

PATIENT ID : SALOF250889321

ACCESSION NO : 0321VC002529 AGE : 32 Years SEX : Female

DRAWN :

RECEIVED : 26-03-2022 10:03

REPORTED : 29-03-2022 16:01

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Test Report Status	Final	Results	Biological Reference Interval	Units
GLYCOSYLATED HEMOGLOBIN (HBA1C)		5.5	Non-diabetic: < 5.7 Pre-diabetics: 5.7 - 6.4 Diabetics: > or = 6.5 ADA Target: 7.0 Action suggested: > 8.0	%
MEAN PLASMA GLUCOSE		111.2	< 116.0	mg/dL
<b>GLUCOSE, POST-PRANDIAL, PLASMA</b>				
GLUCOSE, POST-PRANDIAL, PLASMA		108	70 - 140	mg/dL
<b>CORONARY RISK PROFILE (LIPID PROFILE), SERUM.</b>				
CHOLESTEROL		150	Desirable: < 200 BorderlineHigh: 200 - 239 High: > or = 240	mg/dL
TRIGLYCERIDES		81	Desirable: < 150 BorderlineHigh: 150 - 199 High: 200 - 499 Very High: > or = 500	mg/dL
HDL CHOLESTEROL		53	< 40 Low > or = 60 High	mg/dL
DIRECT LDL CHOLESTEROL		87	Optimal: < 100 NearOptimal/AboveOptimal: 100 - 129 BorderlineHigh: 130 - 159 High: 160 - 189 VeryHigh: = 190	mg/dL
NON HDL CHOLESTEROL		97	Desirable: Less than 130 Above Desirable: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very high: > or = 220	mg/dL
CHOL/HDL RATIO		<b>2.8</b>	<b>Low</b> 3.30 - 4.40	
LDL/HDL RATIO		1.6	0.5 - 3.0	
VERY LOW DENSITY LIPOPROTEIN		16.2	< or = 30.0	mg/dL
<b>LIVER FUNCTION PROFILE, SERUM</b>				
BILIRUBIN, TOTAL		0.57	Upto 1.2	mg/dL
BILIRUBIN, DIRECT		<b>0.24</b>	<b>High</b> Upto 0.2	mg/dL
BILIRUBIN, INDIRECT		0.33	0.00 - 1.00	mg/dL
TOTAL PROTEIN		7.2	6.4 - 8.3	g/dL
ALBUMIN		4.9	3.5 - 5.2	g/dL
GLOBULIN		2.3	2.0 - 4.1	g/dL
ALBUMIN/GLOBULIN RATIO		<b>2.1</b>	<b>High</b> 1.0 - 2.0	RATIO
ASPARTATE AMINOTRANSFERASE (AST/SGOT)		13	0 - 32	U/L





CLIENT CODE : C000138364

## CLIENT'S NAME AND ADDRESS :

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL )  
F-703, LADO SARAI, MEHRAULI  
SOUTH WEST DELHI  
NEW DELHI 110030  
DELHI INDIA  
8800465156

SRL LTD  
GRAND MALL, OPPOSITE SBI ZONAL OFFICE, SM ROAD, AMBAWADI,  
AHMEDABAD, 380015  
GUJRAT, INDIA  
Tel : 079-48912999, 079-48913999, 079-48914999  
Email : customercare.ahmedabad@srl.in

PATIENT NAME : SALONI AGARWAL

PATIENT ID : SALOF250889321

ACCESSION NO : 0321VC002529 AGE : 32 Years SEX : Female

DRAWN :

RECEIVED : 26-03-2022 10:03

REPORTED : 29-03-2022 16:01

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Test Report Status	Final	Results	Biological Reference Interval	Units
ALANINE AMINOTRANSFERASE (ALT/SGPT)		14	0 - 33	U/L
ALKALINE PHOSPHATASE		47	35 - 104	U/L
GAMMA GLUTAMYL TRANSFERASE (GGT)		10	5 - 36	U/L
LACTATE DEHYDROGENASE		<b>132</b>	<b>Low</b> 135 - 214	U/L
<b>SERUM BLOOD UREA NITROGEN</b>				
BLOOD UREA NITROGEN		10	6 - 20	mg/dL
<b>CREATININE, SERUM</b>				
CREATININE		<b>0.54</b>	<b>Low</b> 0.60 - 1.10	mg/dL
<b>BUN/CREAT RATIO</b>				
BUN/CREAT RATIO		<b>18.52</b>	<b>High</b> 5.0 - 15.0	
<b>URIC ACID, SERUM</b>				
URIC ACID		4.9	2.4 - 5.7	mg/dL
<b>ELECTROLYTES (NA/K/CL), SERUM</b>				
SODIUM		142.6	136- 145	mmol/L
POTASSIUM		4.24	3.50- 5.10	mmol/L
CHLORIDE		103.3	98 - 107	mmol/L
<b>URINALYSIS</b>				
COLOR		Yellow		
APPEARANCE		Clear		
PH		7.0	4.7 - 7.5	
SPECIFIC GRAVITY		1.020	1.003 - 1.035	
GLUCOSE		NOT DETECTED	NOT DETECTED	
PROTEIN		NOT DETECTED	NOT DETECTED	
KETONES		NOT DETECTED	NOT DETECTED	
BLOOD		NOT DETECTED	NOT DETECTED	
BILIRUBIN		NOT DETECTED	NOT DETECTED	
UROBILINOGEN		NORMAL	NORMAL	
NITRITE		NOT DETECTED	NOT DETECTED	
PUS CELL (WBC'S)		<b>8-10</b>	0-5	/HPF
EPITHELIAL CELLS		<b>10-15</b>	0-5	/HPF
ERYTHROCYTES (RBC'S)		NOT DETECTED	NOT DETECTED	/HPF
CASTS		NOT DETECTED		
CRYSTALS		NOT DETECTED		
BACTERIA		NOT DETECTED	NOT DETECTED	





CLIENT CODE : C000138364

## CLIENT'S NAME AND ADDRESS :

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL )  
F-703, LADO SARAI, MEHRAULI  
SOUTH WEST DELHI  
NEW DELHI 110030  
DELHI INDIA  
8800465156

SRL LTD  
GRAND MALL, OPPOSITE SBI ZONAL OFFICE, SM ROAD, AMBAWADI,  
AHMEDABAD, 380015  
GUJRAT, INDIA  
Tel : 079-48912999, 079-48913999, 079-48914999  
Email : customercare.ahmedabad@srl.in

PATIENT NAME : SALONI AGARWAL

PATIENT ID : SALOF250889321

ACCESSION NO : 0321VC002529 AGE : 32 Years SEX : Female

DRAWN : RECEIVED : 26-03-2022 10:03 REPORTED : 29-03-2022 16:01

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

## REMARKS

MICROSCOPIC EXAMINATION OF URINE IS CARRIED OUT ON  
CENTRIFUGED URINARY SEDIMENT.

## THYROID PANEL, SERUM

T3	119.2	80.00 - 200.00	ng/dL
T4	7.97	5.10 - 14.10	µg/dL
TSH 3RD GENERATION	2.490	0.270 - 4.200	µIU/mL

## ABO GROUP &amp; RH TYPE, EDTA WHOLE BLOOD

ABO GROUP TYPE B  
RH TYPE POSITIVE

## XRAY-CHEST

IMPRESSION NO ABNORMALITY DETECTED

## TMT OR ECHO

TMT OR ECHO NORMAL

## ECG

ECG NORMAL SINUS RHYTHM

## MEDICAL HISTORY

RELEVANT PRESENT HISTORY NOT SIGNIFICANT  
RELEVANT PAST HISTORY NOT SIGNIFICANT  
RELEVANT PERSONAL HISTORY NOT SIGNIFICANT  
MENSTRUAL HISTORY (FOR FEMALES) REGULAR  
LMP (FOR FEMALES) 19/03/2022  
OBSTETRIC HISTORY (FOR FEMALES) G1,P1,A0,L1  
LCB (FOR FEMALES) 16/11/2018  
RELEVANT FAMILY HISTORY NOT SIGNIFICANT  
OCCUPATIONAL HISTORY NOT SIGNIFICANT  
HISTORY OF MEDICATIONS NOT SIGNIFICANT

## ANTHROPOMETRIC DATA &amp; BMI

HEIGHT IN METERS	1.43	mts
WEIGHT IN KGS.	53.1	Kgs
BMI	26	

BMI & Weight Status as follows: kg/sqmts  
Below 18.5: Underweight  
18.5 - 24.9: Normal  
25.0 - 29.9: Overweight  
30.0 and Above: Obese

## GENERAL EXAMINATION



Scan to View Details



Scan to View Report



**CLIENT CODE :** C000138364

**CLIENT'S NAME AND ADDRESS :**  
 ACROFEMI HEALTHCARE LTD ( MEDIWHEEL )  
 F-703, LADO SARAI, MEHRAULI  
 SOUTH WEST DELHI  
 NEW DELHI 110030  
 DELHI INDIA  
 8800465156

SRL LTD  
 GRAND MALL, OPPOSITE SBI ZONAL OFFICE, SM ROAD, AMBAWADI,  
 AHMEDABAD, 380015  
 GUJRAT, INDIA  
 Tel : 079-48912999, 079-48913999, 079-48914999  
 Email : customercare.ahmedabad@srl.in

**PATIENT NAME :** SALONI AGARWAL

**PATIENT ID :** SALOF250889321

**ACCESSION NO :** 0321VC002529 **AGE :** 32 Years **SEX :** Female

**DRAWN :** **RECEIVED :** 26-03-2022 10:03 **REPORTED :** 29-03-2022 16:01

**REFERRING DOCTOR :** SELF

**CLIENT PATIENT ID :**

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

MENTAL / EMOTIONAL STATE		NORMAL		
PHYSICAL ATTITUDE		NORMAL		
GENERAL APPEARANCE / NUTRITIONAL STATUS		OVERWEIGHT		
BUILT / SKELETAL FRAMEWORK		AVERAGE		
FACIAL APPEARANCE		NORMAL		
SKIN		NORMAL		
UPPER LIMB		NORMAL		
LOWER LIMB		NORMAL		
NECK		NORMAL		
NECK LYMPHATICS / SALIVARY GLANDS		NOT ENLARGED OR TENDER		
THYROID GLAND		NOT ENLARGED		
TEMPERATURE		NORMAL		
PULSE		72/MIN		
RESPIRATORY RATE		NORMAL		
<b>CARDIOVASCULAR SYSTEM</b>				
BP		120/70 MM HG (SITTING)		mm/Hg
PERICARDIUM		NORMAL		
APEX BEAT		NORMAL		
HEART SOUNDS		S1, S2 HEARD NORMALLY		
MURMURS		ABSENT		
<b>RESPIRATORY SYSTEM</b>				
SIZE AND SHAPE OF CHEST		NORMAL		
MOVEMENTS OF CHEST		SYMMETRICAL		
BREATH SOUNDS INTENSITY		NORMAL		
BREATH SOUNDS QUALITY		VESICULAR (NORMAL)		
ADDED SOUNDS		ABSENT		
<b>PER ABDOMEN</b>				
APPEARANCE		NORMAL		
LIVER		NOT PALPABLE		
SPLEEN		NOT PALPABLE		
<b>CENTRAL NERVOUS SYSTEM</b>				
HIGHER FUNCTIONS		NORMAL		
CRANIAL NERVES		NORMAL		



Scan to View Details



Scan to View Report



CLIENT CODE : C000138364

## CLIENT'S NAME AND ADDRESS :

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL )  
F-703, LADO SARAI, MEHRAULI  
SOUTH WEST DELHI  
NEW DELHI 110030  
DELHI INDIA  
8800465156

SRL LTD  
GRAND MALL, OPPOSITE SBI ZONAL OFFICE, SM ROAD, AMBAWADI,  
AHMEDABAD, 380015  
GUJRAT, INDIA  
Tel : 079-48912999, 079-48913999, 079-48914999  
Email : customercare.ahmedabad@srl.in

PATIENT NAME : SALONI AGARWAL

PATIENT ID : SALOF250889321

ACCESSION NO : 0321VC002529 AGE : 32 Years SEX : Female

DRAWN :

RECEIVED : 26-03-2022 10:03

REPORTED : 29-03-2022 16:01

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

CEREBELLAR FUNCTIONS	NORMAL
SENSORY SYSTEM	NORMAL
MOTOR SYSTEM	NORMAL
REFLEXES	NORMAL

## MUSCULOSKELETAL SYSTEM

SPINE	NORMAL
JOINTS	NORMAL

## BASIC EYE EXAMINATION

DISTANT VISION RIGHT EYE WITH GLASSES	WITH GLASSES NORMAL
DISTANT VISION LEFT EYE WITH GLASSES	WITH GLASSES NORMAL
NEAR VISION RIGHT EYE WITHOUT GLASSES	WITHIN NORMAL LIMIT
NEAR VISION LEFT EYE WITHOUT GLASSES	WITHIN NORMAL LIMIT
COLOUR VISION	NORMAL

## SUMMARY

RELEVANT HISTORY	NOT SIGNIFICANT
RELEVANT GP EXAMINATION FINDINGS	NOT SIGNIFICANT
RELEVANT LAB INVESTIGATIONS	HB:- LOW, MCV:- LOW, MCH:- LOW

RELEVANT NON PATHOLOGY DIAGNOSTICS	URINE:- WBC - HIGH, EPITHELIAL CELLS - HIGH
------------------------------------	---

REMARKS / RECOMMENDATIONS	NO ABNORMALITIES DETECTED
---------------------------	---------------------------

1) HB:- LOW, MCV:- LOW, MCH:- LOW

ADV:- TAKE MORE DIETARY IRON

2) URINE:- WBC - HIGH, EPITHELIAL CELLS - HIGH

ADV:- DRINK PLENTY OF WATER, REPEAT URINE ANALYSIS AFTER 10 DAYS AND PHYSICIAN OPINION SOS

## Comments

OUR PANEL DOCTORS FOR NON-PATHOLOGY TESTS:-

GENERAL PHYSICIAN:- DR. PRIYANK KAPADIYA (M.B.B.S DNB MEDICINE)

RADIOLOGIST:- DR. KALPANA MODI (M.D.RADIOLOGY) // DR. SAHIL N SHAH (M.D.RADIOLOGY)

## Interpretation(s)



Scan to View Details



Scan to View Report



CLIENT CODE : C000138364

## CLIENT'S NAME AND ADDRESS :

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL )  
F-703, LADO SARAI, MEHRAULI  
SOUTH WEST DELHI  
NEW DELHI 110030  
DELHI INDIA  
8800465156

SRL LTD  
GRAND MALL, OPPOSITE SBI ZONAL OFFICE, SM ROAD, AMBAWADI,  
AHMEDABAD, 380015  
GUJRAT, INDIA  
Tel : 079-48912999, 079-48913999, 079-48914999  
Email : customercare.ahmedabad@srl.in

PATIENT NAME : SALONI AGARWAL

PATIENT ID : SALOF250889321

ACCESSION NO : 0321VC002529 AGE : 32 Years SEX : Female

DRAWN : RECEIVED : 26-03-2022 10:03 REPORTED : 29-03-2022 16:01

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

## BLOOD COUNTS, EDTA WHOLE BLOOD-

The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology.

## RBC AND PLATELET INDICES-

Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia (>13) from Beta thalassaemia trait (<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.

## WBC DIFFERENTIAL COUNT - NLR-

The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease.

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients ; A.-P. Yang, et al.; International Immunopharmacology 84 (2020) 106504

This ratio element is a calculated parameter and out of NABL scope.

## ERYTHRO SEDIMENTATION RATE, BLOOD-

Erythrocyte sedimentation rate (ESR) is a non-specific phenomena and is clinically useful in the diagnosis and monitoring of disorders associated with an increased production of acute phase reactants. The ESR is increased in pregnancy from about the 3rd month and returns to normal by the 4th week post partum. ESR is influenced by age, sex, menstrual cycle and drugs (eg. corticosteroids, contraceptives). It is especially low (0 -1mm) in polycythaemia, hypofibrinogenemia or congestive cardiac failure and when there are abnormalities of the red cells such as poikilocytosis, spherocytosis or sickle cells.

## Reference :

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition
2. Paediatric reference intervals. AACCPress, 7th edition. Edited by S. Soldin
3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis, 10th Edition"

## GLUCOSE, FASTING, PLASMA-

ADA 2021 guidelines for adults, after 8 hrs fasting is as follows:

Pre-diabetics: 100 - 125 mg/dL

Diabetic: > or = 126 mg/dL

## GLYCOSYLATED HEMOGLOBIN, EDTA WHOLE BLOOD-

Glycosylated hemoglobin (GHb) has been firmly established as an index of long-term blood glucose concentrations and as a measure of the risk for the development of complications in patients with diabetes mellitus. Formation of GHb is essentially irreversible, and the concentration in the blood depends on both the life span of the red blood cell (average 120 days) and the blood glucose concentration. Because the rate of formation of GHb is directly proportional to the concentration of glucose in the blood, the GHb concentration represents the integrated values for glucose over the preceding 6-8 weeks.

Any condition that alters the life span of the red blood cells has the potential to alter the GHb level. Samples from patients with hemolytic anemias will exhibit decreased glyated hemoglobin values due to the shortened life span of the red cells. This effect will depend upon the severity of the anemia. Samples from patients with polycythemia or post-splenectomy may exhibit increased glyated hemoglobin values due to a somewhat longer life span of the red cells.

Glycosylated hemoglobins results from patients with HbSS, HbCC, and HbSC and HbD must be interpreted with caution, given the pathological processes, including anemia, increased red cell turnover, transfusion requirements, that adversely impact HbA1c as a marker of long-term glycemic control. In these conditions, alternative forms of testing such as glyated serum protein (fructosamine) should be considered.

"Targets should be individualized; More or less stringent glycemic goals may be appropriate for individual patients. Goals should be individualized based on duration of diabetes, age/life expectancy, comorbid conditions, known CVD or advanced microvascular complications, hypoglycemia unawareness, and individual patient considerations."

## References

1. Tietz Textbook of Clinical Chemistry and Molecular Diagnostics, edited by Carl A Burtis, Edward R. Ashwood, David E Bruns, 4th Edition, Elsevier publication, 2006, 879-884.
2. Forsham PH. Diabetes Mellitus: A rational plan for management. Postgrad Med 1982, 71, 139-154.
3. Mayer TK, Freedman ZR: Protein glycosylation in Diabetes Mellitus: A review of laboratory measurements and their clinical utility. Clin Chim Acta 1983, 127, 147-184.

## GLUCOSE, POST-PRANDIAL, PLASMA-ADA Guidelines for 2hr post prandial glucose levels is only after ingestion of 75grams of glucose in 300 ml water, over a period of 5 minutes.

## CORONARY RISK PROFILE (LIPID PROFILE), SERUM.-

Serum cholesterol is a blood test that can provide valuable information for the risk of coronary artery disease. This test can help determine your risk of the build up of plaques in your arteries that can lead to narrowed or blocked arteries throughout your body (atherosclerosis). High cholesterol levels usually don't cause any signs or symptoms, so a cholesterol test is an important tool. High cholesterol levels often are a significant risk factor for heart disease and important for diagnosis of hyperlipoproteinemia, atherosclerosis, hepatic and thyroid diseases.

Serum Triglyceride are a type of fat in the blood. When you eat, your body converts any calories it doesn't need into triglycerides, which are stored in fat cells. High triglyceride levels are associated with several factors, including being overweight, eating too many sweets or drinking too much alcohol, smoking, being sedentary, or having diabetes with elevated blood sugar levels. Analysis has proven useful in the diagnosis and treatment of patients with diabetes mellitus, nephrosis, liver obstruction, other diseases involving lipid metabolism, and various endocrine disorders. In conjunction with high density lipoprotein and total serum cholesterol, a triglyceride determination provides valuable information for the assessment of coronary heart disease risk. It is done in fasting state.

High-density lipoprotein (HDL) cholesterol. This is sometimes called the "good" cholesterol because it helps carry away LDL cholesterol, thus keeping arteries open and blood flowing more freely. HDL cholesterol is inversely related to the risk for cardiovascular disease. It increases following regular exercise, moderate alcohol consumption and with oral estrogen therapy. Decreased levels are associated with obesity, stress, cigarette smoking and diabetes mellitus.

SERUM LDL The small dense LDL test can be used to determine cardiovascular risk in individuals with metabolic syndrome or established/progressing coronary artery



Scan to View Details



Scan to View Report



Patient Ref. No. 777000001890474

CLIENT CODE : C000138364

## CLIENT'S NAME AND ADDRESS :

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL )  
F-703, LADO SARAI, MEHRAULI  
SOUTH WEST DELHI  
NEW DELHI 110030  
DELHI INDIA  
8800465156

SRL LTD  
GRAND MALL, OPPOSITE SBI ZONAL OFFICE, SM ROAD, AMBAWADI,  
AHMEDABAD, 380015  
GUJRAT, INDIA  
Tel : 079-48912999, 079-48913999, 079-48914999  
Email : customercare.ahmedabad@srl.in

PATIENT NAME : SALONI AGARWAL

PATIENT ID : SALOF250889321

ACCESSION NO : 0321VC002529 AGE : 32 Years SEX : Female

DRAWN : RECEIVED : 26-03-2022 10:03 REPORTED : 29-03-2022 16:01

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

disease, individuals with triglyceride levels between 70 and 140 mg/dL, as well as individuals with a diet high in trans-fat or carbohydrates. Elevated sdLDL levels are associated with metabolic syndrome and an 'atherogenic lipoprotein profile', and are a strong, independent predictor of cardiovascular disease. Elevated levels of LDL arise from multiple sources. A major factor is sedentary lifestyle with a diet high in saturated fat. Insulin-resistance and pre-diabetes have also been implicated, as has genetic predisposition. Measurement of sdLDL allows the clinician to get a more comprehensive picture of lipid risk factors and tailor treatment accordingly. Reducing LDL levels will reduce the risk of CVD and MI.

Non HDL Cholesterol - Adult treatment panel ATP III suggested the addition of Non-HDL Cholesterol as an indicator of all atherogenic lipoproteins (mainly LDL and VLDL). NICE guidelines recommend Non-HDL Cholesterol measurement before initiating lipid lowering therapy. It has also been shown to be a better marker of risk in both primary and secondary prevention studies.

## Recommendations:

Results of Lipids should always be interpreted in conjunction with the patient's medical history, clinical presentation and other findings.

NON FASTING LIPID PROFILE includes Total Cholesterol, HDL Cholesterol and calculated non-HDL Cholesterol. It does not include triglycerides and may be best used in patients for whom fasting is difficult.

## LIVER FUNCTION PROFILE, SERUM-LIVER FUNCTION PROFILE

Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. Elevated levels results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors & Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood. ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health. AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Paget's disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilson's disease. GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc. Serum total protein, also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom's disease. Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc. Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc

## SERUM BLOOD UREA NITROGEN-

Causes of Increased levels

Pre renal

- High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal
- Renal Failure

Post Renal

- Malignancy, Nephrolithiasis, Prostatism

Causes of decreased levels

- Liver disease
- SIADH.

## CREATININE, SERUM-

Higher than normal level may be due to:

- Blockage in the urinary tract
- Kidney problems, such as kidney damage or failure, infection, or reduced blood flow
- Loss of body fluid (dehydration)
- Muscle problems, such as breakdown of muscle fibers
- Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia)

Lower than normal level may be due to:

- Myasthenia Gravis
- Muscular dystrophy

## URIC ACID, SERUM-

Causes of Increased levels



Scan to View Details



Scan to View Report





**CLIENT CODE :** C000138364

**CLIENT'S NAME AND ADDRESS :**  
 ACROFEMI HEALTHCARE LTD ( MEDIWHEEL )  
 F-703, LADO SARAI, MEHRAULI  
 SOUTH WEST DELHI  
 NEW DELHI 110030  
 DELHI INDIA  
 8800465156

SRL LTD  
 GRAND MALL, OPPOSITE SBI ZONAL OFFICE, SM ROAD, AMBAWADI,  
 AHMEDABAD, 380015  
 GUJRAT, INDIA  
 Tel : 079-48912999, 079-48913999, 079-48914999  
 Email : customercare.ahmedabad@srl.in

**PATIENT NAME :** SALONI AGARWAL

**PATIENT ID :** SALOF250889321

**ACCESSION NO :** 0321VC002529 **AGE :** 32 Years **SEX :** Female

**DRAWN :** **RECEIVED :** 26-03-2022 10:03 **REPORTED :** 29-03-2022 16:01

**REFERRING DOCTOR :** SELF

**CLIENT PATIENT ID :**

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

**Dietary**

- High Protein Intake.
  - Prolonged Fasting,
  - Rapid weight loss.
- Gout  
 Lesch nyhan syndrome.  
 Type 2 DM.  
 Metabolic syndrome.

**Causes of decreased levels**

- Low Zinc Intake
- OCP's
- Multiple Sclerosis

**Nutritional tips to manage increased Uric acid levels**

- Drink plenty of fluids
- Limit animal proteins
- High Fibre foods
- Vit C Intake
- Antioxidant rich foods

**ELECTROLYTES (NA/K/CL), SERUM-**

Sodium levels are Increased in dehydration, cushing's syndrome, aldosteronism & decreased in Addison's disease, hypopituitarism, liver disease. Hypokalemia (low K) is common in vomiting, diarrhea, alcoholism, folic acid deficiency and primary aldosteronism. Hyperkalemia may be seen in end-stage renal failure, hemolysis, trauma, Addison's disease, metabolic acidosis, acute starvation, dehydration, and with rapid K infusion. Chloride is increased in dehydration, renal tubular acidosis (hyperchloremia metabolic acidosis), acute renal failure, metabolic acidosis associated with prolonged diarrhea and loss of sodium bicarbonate, diabetes insipidus, adrenocortical hyperfunction, salicylate intoxication and with excessive infusion of isotonic saline or extremely high dietary intake of salt. Chloride is decreased in overhydration, chronic respiratory acidosis, salt-losing nephritis, metabolic alkalosis, congestive heart failure, Addisonian crisis, certain types of metabolic acidosis, persistent gastric secretion and prolonged vomiting.

**URINALYSIS-Routine urine analysis assists in screening and diagnosis of various metabolic, urological, kidney and liver disorders**

**Protein:** Elevated proteins can be an early sign of kidney disease. Urinary protein excretion can also be temporarily elevated by strenuous exercise, orthostatic proteinuria, dehydration, urinary tract infections and acute illness with fever

**Glucose:** Uncontrolled diabetes mellitus can lead to presence of glucose in urine. Other causes include pregnancy, hormonal disturbances, liver disease and certain medications.

**Ketones:** Uncontrolled diabetes mellitus can lead to presence of ketones in urine. Ketones can also be seen in starvation, frequent vomiting, pregnancy and strenuous exercise.

**Blood:** Occult blood can occur in urine as intact erythrocytes or haemoglobin, which can occur in various urological, nephrological and bleeding disorders.

**Leukocytes:** An increase in leukocytes is an indication of inflammation in urinary tract or kidneys. Most common cause is bacterial urinary tract infection.

**Nitrite:** Many bacteria give positive results when their number is high. Nitrite concentration during infection increases with length of time the urine specimen is retained in bladder prior to collection.

**pH:** The kidneys play an important role in maintaining acid base balance of the body. Conditions of the body producing acidosis/ alkalosis or ingestion of certain type of food can affect the pH of urine.

**Specific gravity:** Specific gravity gives an indication of how concentrated the urine is. Increased specific gravity is seen in conditions like dehydration, glycosuria and proteinuria while decreased specific gravity is seen in excessive fluid intake, renal failure and diabetes insipidus.

**Bilirubin:** In certain liver diseases such as biliary obstruction or hepatitis, bilirubin gets excreted in urine.

**Urobilinogen:** Positive results are seen in liver diseases like hepatitis and cirrhosis and in cases of hemolytic anemia

**THYROID PANEL, SERUM-**

**Triiodothyronine T3**, is a thyroid hormone. It affects almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate. Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

**Thyroxine T4**, Thyroxine's principal function is to stimulate the metabolism of all cells and tissues in the body. Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism. Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.

Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3

Levels in	TOTAL T4 (µg/dL)	TSH3G (µIU/mL)	TOTAL T3 (ng/dL)
Pregnancy	6.6 - 12.4	0.1 - 2.5	81 - 190
1st Trimester	6.6 - 15.5	0.2 - 3.0	100 - 260
2nd Trimester	6.6 - 15.5	0.3 - 3.0	100 - 260
3rd Trimester	6.6 - 15.5	0.3 - 3.0	100 - 260

Below mentioned are the guidelines for age related reference ranges for T3 and T4.

	T3 (ng/dL)	T4 (µg/dL)
New Born:	75 - 260	1-3 day: 8.2 - 19.9
.	.	1 Week: 6.0 - 15.9

**NOTE:** TSH concentrations in apparently normal euthyroid subjects are known to be highly skewed, with a strong tailed distribution towards higher TSH values. This is well



**DIAGNOSTIC REPORT****Patient Ref. No. 777000001890474****CLIENT CODE :** C000138364**CLIENT'S NAME AND ADDRESS :**ACROFEMI HEALTHCARE LTD ( MEDIWHEEL )  
F-703, LADO SARAI, MEHRAULI  
SOUTH WEST DELHI  
NEW DELHI 110030  
DELHI INDIA  
8800465156SRL LTD  
GRAND MALL, OPPOSITE SBI ZONAL OFFICE, SM ROAD, AMBAWADI,  
AHMEDABAD, 380015  
GUJRAT, INDIA  
Tel : 079-48912999, 079-48913999, 079-48914999  
Email : customercare.ahmedabad@srl.in**PATIENT NAME :** SALONI AGARWAL**PATIENT ID :** SALOF250889321**ACCESSION NO :** 0321VC002529 **AGE :** 32 Years **SEX :** Female**DRAWN :** **RECEIVED :** 26-03-2022 10:03 **REPORTED :** 29-03-2022 16:01**REFERRING DOCTOR :** SELF**CLIENT PATIENT ID :**

Test Report Status	Results	Biological Reference Interval	Units
<b>Final</b>			

documented in the pediatric population including the infant age group.  
Kindly note: Method specific reference ranges are appearing on the report under biological reference range.

**Reference:**

1. Burtis C.A., Ashwood E. R. Bruns D.E. Teitz textbook of Clinical Chemistry and Molecular Diagnostics, 4th Edition.
2. Gowenlock A.H. Varley's Practical Clinical Biochemistry, 6th Edition.
3. Behrman R.E. Kliegman R.M., Jenson H. B. Nelson Text Book of Pediatrics, 17th Edition

**ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-**

Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same."

The test is performed by both forward as well as reverse grouping methods.

**MEDICAL**

HISTORY-\*\*\*\*\*  
THIS REPORT CARRIES THE SIGNATURE OF OUR LABORATORY DIRECTOR. THIS IS AN INVIOABLE FEATURE OF OUR LAB MANAGEMENT SOFTWARE. HOWEVER, ALL EXAMINATIONS AND INVESTIGATIONS HAVE BEEN CONDUCTED BY OUR PANEL OF DOCTORS.  
\*\*\*\*\*



Scan to View Details



Scan to View Report



Patient Ref. No. 777000001890474

CLIENT CODE : C000138364

## CLIENT'S NAME AND ADDRESS :

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL )  
F-703, LADO SARAI, MEHRAULI  
SOUTH WEST DELHI  
NEW DELHI 110030  
DELHI INDIA  
8800465156

SRL LTD  
GRAND MALL, OPPOSITE SBI ZONAL OFFICE, SM ROAD, AMBAWADI,  
AHMEDABAD, 380015  
GUJRAT, INDIA  
Tel : 079-48912999, 079-48913999, 079-48914999  
Email : customercare.ahmedabad@srl.in

PATIENT NAME : SALONI AGARWAL

PATIENT ID : SALOF250889321

ACCESSION NO : 0321VC002529 AGE : 32 Years SEX : Female

DRAWN :

RECEIVED : 26-03-2022 10:03

REPORTED : 29-03-2022 16:01

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

**MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE****ULTRASOUND ABDOMEN****ULTRASOUND ABDOMEN**

NO ABNORMALITIES DETECTED

**\*\*End Of Report\*\***Please visit [www.srlworld.com](http://www.srlworld.com) for related Test Information for this accession

Dr. Priyank Kapadia  
Physician

Dr. Kalpana Modi  
Radiologist

Dr. Sahil .N. Shah  
Consultant Radiologist

Dr. Swati M. Shah  
Consultant Pathologist

**CONDITIONS OF LABORATORY TESTING & REPORTING**

1. It is presumed that the test sample belongs to the patient named or identified in the test requisition form.
2. All Tests are performed and reported as per the turnaround time stated in the SRL Directory of services (DOS).
3. SRL confirms that all tests have been performed or assayed with highest quality standards, clinical safety & technical integrity.
4. A requested test might not be performed if:
  - a. Specimen received is insufficient or inappropriate specimen quality is unsatisfactory
  - b. Incorrect specimen type
  - c. Request for testing is withdrawn by the ordering doctor or patient
  - d. There is a discrepancy between the label on the specimen container and the name on the test requisition form
5. The results of a laboratory test are dependent on the quality of the sample as well as the assay technology.
6. Result delays could be because of uncontrolled circumstances. e.g. assay run failure.
7. Tests parameters marked by asterisks are excluded from the "scope" of NABL accredited tests. (If laboratory is accredited).
8. Laboratory results should be correlated with clinical information to determine Final diagnosis.
9. Test results are not valid for Medico- legal purposes.
10. In case of queries or unexpected test results please call at SRL customer care (Toll free: 1800-222-000). Post proper investigation repeat analysis may be carried out.

**SRL Limited**

Fortis Hospital, Sector 62, Phase VIII,  
Mohali 160062



Scan to View Details



Scan to View Report