

Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85196UP1992PLC014075



Patient Name : Mr.RAKESH KUMAR PANDEY Registered On : 26/Nov/2023 08:51:10 Age/Gender Collected : 26/Nov/2023 09:08:28 : 54 Y 10 M 25 D /M UHID/MR NO : CDCA.0000071167 Received : 26/Nov/2023 10:37:06 Visit ID : IDCD0427742324 Reported : 26/Nov/2023 14:11:50

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) * , Blo	ood			
Blood Group	0			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE	- Control of		ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) * , Whole	e Blood			
Haemoglobin	13.50	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl	
			3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl	
			2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl	
			12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	
TLC (WBC) <u>DLC</u>	5,000.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
Polymorphs (Neutrophils)	60.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	30.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	5.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	5.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils ESR	0.00	%	<1	ELECTRONIC IMPEDANCE
Observed	12.00	Mm for 1st hr.		
Corrected	6.00	Mm for 1st hr.	< 9	
PCV (HCT) Platelet count	40.00	%	40-54	
Platelet Count	2.60	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.60	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	44.50	%	35-60	ELECTRONIC IMPEDANCE







 $\label{lem:add:eq:add:eq:add:eq:add:eq} Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644$

CIN: U85196UP1992PLC014075



Patient Name : Mr.RAKESH KUMAR PANDEY Registered On : 26/Nov/2023 08:51:10 Age/Gender : 54 Y 10 M 25 D /M Collected : 26/Nov/2023 09:08:28 UHID/MR NO : CDCA.0000071167 Received : 26/Nov/2023 10:37:06 Visit ID : IDCD0427742324 Reported : 26/Nov/2023 14:11:50

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.31	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	12.60	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	3.91	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	104.50	fl	80-100	CALCULATED PARAMETER
MCH	34.50	pg	28-35	CALCULATED PARAMETER
MCHC	33.00	%	30-38	CALCULATED PARAMETER
RDW-CV	15.20	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	60.10	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	3,000.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	250.00	/cu mm	40-440	

Dr. Shoaib Irfan (MBBS, MD, PDCC)







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85196UP1992PLC014075



Patient Name : Mr.RAKESH KUMAR PANDEY : 26/Nov/2023 08:51:10 Registered On Age/Gender : 54 Y 10 M 25 D /M Collected : 26/Nov/2023 13:31:18 UHID/MR NO : CDCA.0000071167 Received : 26/Nov/2023 14:40:21 Visit ID : IDCD0427742324 Reported : 26/Nov/2023 15:23:35

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
GLUCOSE FASTING , Plasma				
Glucose Fasting	94.20	mg/dl	< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

Glucose PP	126.40	mg/dl	<140 Normal	GOD POD
Sample:Plasma After Meal			140-199 Pre-diabetes	
			>200 Diabetes	

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

Dr. Shoaib Irfan (MBBS, MD, PDCC)







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar

Ph: 7706041643,7706041644 CIN: U85196UP1992PLC014075



Patient Name : Mr.RAKESH KUMAR PANDEY : 26/Nov/2023 08:51:11 Registered On Collected Age/Gender : 54 Y 10 M 25 D /M : 26/Nov/2023 09:08:28 UHID/MR NO : CDCA.0000071167 Received : 26/Nov/2023 14:03:01 Visit ID : IDCD0427742324 Reported : 26/Nov/2023 16:16:20

Ref Doctor : Dr. Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

rest name	Result	Unit Bio.	Ref. Interval	ivietnoa
GLYCOSYLATED HAEMOGLOBIN (HBA1C)	** , EDTA BLOOD			
Glycosylated Haemoglobin (HbA1c)	4.70	% NGSP		HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	28.00	mmol/mol/IFCC		
Estimated Average Glucose (eAG)	88	mg/dl		

Interpretation:

Toot Name

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy





^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.



Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85196UP1992PLC014075



Patient Name : Mr.RAKESH KUMAR PANDEY

Registered On

: 26/Nov/2023 08:51:11

Age/Gender

: 54 Y 10 M 25 D /M

Collected

: 26/Nov/2023 09:08:28 : 26/Nov/2023 14:03:01

UHID/MR NO Visit ID : CDCA.0000071167 : IDCD0427742324 Received Reported

: 26/Nov/2023 16:16:20

Ref Doctor

: Dr.Mediwheel - Arcofemi Health Care Ltd.

Status

: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

c. Alcohol toxicity d. Lead toxicity



Dr. Anupam Singh (MBBS MD Pathology)



Home Sample Collection 1800-419-0002

^{*}Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

^{*}Pregnancy d. chronic renal failure. Interfering Factors:

^{*}Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.



Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85196UP1992PLC014075



Patient Name : Mr.RAKESH KUMAR PANDEY Registered On : 26/Nov/2023 08:51:11 Age/Gender Collected : 26/Nov/2023 09:08:28 : 54 Y 10 M 25 D /M UHID/MR NO : CDCA.0000071167 Received : 26/Nov/2023 10:57:52 Visit ID Reported : 26/Nov/2023 12:43:30 : IDCD0427742324

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
BUN (Blood Urea Nitrogen) Sample:Serum	8.36	mg/dL	7.0-23.0	CALCULATED
Creatinine Sample:Serum	0.80	mg/dl	0.6-1.30	MODIFIED JAFFES
Uric Acid Sample:Serum	5.52	mg/dl	3.4-7.0	URICASE
LFT (WITH GAMMA GT) * , Serum				
SGOT / Aspartate Aminotransferase (AST) SGPT / Alanine Aminotransferase (ALT) Gamma GT (GGT) Protein Albumin Globulin A:G Ratio Alkaline Phosphatase (Total) Bilirubin (Total) Bilirubin (Direct)	20.70 13.00 24.40 7.33 4.37 2.96 1.48 79.00 1.16 0.38	U/L U/L IU/L gm/dl gm/dl gm/dl U/L mg/dl mg/dl	< 35 < 40 11-50 6.2-8.0 3.4-5.4 1.8-3.6 1.1-2.0 42.0-165.0 0.3-1.2 < 0.30	IFCC WITHOUT P5P IFCC WITHOUT P5P OPTIMIZED SZAZING BIURET B.C.G. CALCULATED CALCULATED IFCC METHOD JENDRASSIK & GROF JENDRASSIK & GROF
Bilirubin (Indirect)	0.78	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI), Serum				
Cholesterol (Total)	191.00	mg/dl	<200 Desirable 200-239 Borderline Hi > 240 High	CHOD-PAP igh
HDL Cholesterol (Good Cholesterol) LDL Cholesterol (Bad Cholesterol)	52.10 108	mg/dl mg/dl	30-70 < 100 Optimal 100-129 Nr. Optimal/Above Optir 130-159 Borderline Hi 160-189 High > 190 Very High	
VLDL Triglycerides	31.06 155.30	mg/dl mg/dl	10-33 < 150 Normal 150-199 Border 200-499 High	paib Irfan (MBBS, MD, PDCC)







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85196UP1992PLC014075



Patient Name : Mr.RAKESH KUMAR PANDEY Registered On : 26/Nov/2023 08:51:11 Age/Gender Collected : 26/Nov/2023 13:38:51 : 54 Y 10 M 25 D /M UHID/MR NO : CDCA.0000071167 Received : 26/Nov/2023 13:45:42 Visit ID Reported : 26/Nov/2023 14:50:34 : IDCD0427742324

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE	* , Urine			
Color	PALE YELLOW			
Specific Gravity	1.015			
Reaction PH	Acidic (6.5)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
Sugar	ADCENIT	amc0/	> 500 (++++)	DIDCTICK
Sugar	ABSENT	gms%	< 0.5 (+) 0.5-1.0 (++)	DIPSTICK
			1-2 (+++)	
			> 2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	ABSENT			MICROSCOPIC
				EXAMINATION
Pus cells	0-1/h.p.f			
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
011	ADCENT			EXAMINATION
Others	ABSENT			
STOOL, ROUTINE EXAMINATION	* , Stool			
Color	BROWNISH			
Consistency	SEMI SOLID			
Reaction (PH)	Acidic (6.5)			







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85196UP1992PLC014075



Patient Name : Mr.RAKESH KUMAR PANDEY Registered On : 26/Nov/2023 08:51:11 Age/Gender : 54 Y 10 M 25 D /M Collected : 26/Nov/2023 13:38:51 UHID/MR NO : CDCA.0000071167 Received : 26/Nov/2023 13:45:42 Visit ID Reported : 26/Nov/2023 14:50:34 : IDCD0427742324

Dr. Mediwheel - Arcofemi Health Care Ltd. Status Ref Doctor : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Mucus	ABSENT			
Blood	ABSENT			
Worm	ABSENT			
Pus cells	ABSENT			
RBCs	ABSENT			
Ova	ABSENT			
Cysts	ABSENT	,		
Others	ABSENT			
SUGAR, FASTING STAGE * ,	Urine			

Sugar, Fasting stage **ABSENT** gms%

Interpretation:

< 0.5 (+)

(++)0.5 - 1.0

(+++) 1-2

(++++) > 2

SUGAR, PP STAGE * , Urine

Sugar, PP Stage **ABSENT**

Interpretation:

< 0.5 gms% (+)

(++)0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%

Dr. Shoaib Irfan (MBBS, MD, PDCC)







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85196UP1992PLC014075



Patient Name : Mr.RAKESH KUMAR PANDEY : 26/Nov/2023 08:51:11 Registered On Age/Gender : 54 Y 10 M 25 D /M Collected : 26/Nov/2023 09:08:28 UHID/MR NO : CDCA.0000071167 Received : 26/Nov/2023 13:39:21 Visit ID : IDCD0427742324 Reported : 26/Nov/2023 14:58:08

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PSA (Prostate Specific Antigen), Total ** Sample:Serum	0.670	ng/mL	< 3.0	CLIA

Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone.
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

THYROID PROFILE - TOTAL **, Serum

T3, Total (tri-iodothyronine)	135.62	ng/dl	84.61-201.7	CLIA
T4, Total (Thyroxine)	8.60	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	1.680	μIU/mL	0.27 - 5.5	CLIA

Interpretation:

0.3-4.5	$\mu IU/mL$	First Trimest	er	
0.5-4.6	$\mu IU/mL$	Second Trim	ester	
0.8 - 5.2	$\mu IU/mL$	Third Trimester		
0.5 - 8.9	$\mu IU/mL$	Adults	55-87 Years	
0.7 - 27	$\mu IU/mL$	Premature	28-36 Week	
2.3-13.2	μIU/mL	Cord Blood	> 37Week	
0.7-64	μIU/mL	Child(21 wk	- 20 Yrs.)	
1-39	$\mu IU/mL$	Child	0-4 Days	
1.7-9.1	$\mu IU/mL$	Child	2-20 Week	

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85196UP1992PLC014075



 Patient Name
 : Mr.RAKESH KUMAR PANDEY
 Registered On
 : 26/Nov/2023 08:51:11

 Age/Gender
 : 54 Y 10 M 25 D /M
 Collected
 : 26/Nov/2023 09:08:28

 UHID/MR NO
 : CDCA.0000071167
 Received
 : 26/Nov/2023 13:39:21

Visit ID : IDCD0427742324 Reported : 26/Nov/2023 14:58:08

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6**) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- 8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Bring

Dr. Anupam Singh (MBBS MD Pathology)



Home Sample Collection 1800-419-0002



 $\label{lem:add:eq:add:eq:add:eq:add:eq} Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644$

CIN: U85196UP1992PLC014075



Patient Name : Mr.RAKESH KUMAR PANDEY Registered On : 26/Nov/2023 08:51:12

 Age/Gender
 : 54 Y 10 M 25 D /M
 Collected
 : N/A

 UHID/MR NO
 : CDCA.0000071167
 Received
 : N/A

Visit ID : IDCD0427742324 Reported : 26/Nov/2023 15:07:36

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF X-RAY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA *

X-RAY REPORT
(300 mA COMPUTERISED UNIT SPOT FILM DEVICE)
CHEST P-A VIEW

- Soft tissue shadow appears normal.
- Bony cage is normal.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Both hilar shadows and broncho-vascular markings are prominent.
- Pulmonary parenchyma did not reveal any significant lesion.

IMPRESSION:

BRONCHITIS.

Dr. Anoop Agarwal MBBS,MD(Radiology)







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85196UP1992PLC014075



Patient Name : Mr.RAKESH KUMAR PANDEY Registered On : 26/Nov/2023 08:51:12

 Age/Gender
 : 54 Y 10 M 25 D /M
 Collected
 : N/A

 UHID/MR NO
 : CDCA.0000071167
 Received
 : N/A

Visit ID : IDCD0427742324 Reported : 26/Nov/2023 11:47:39

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

LIVER

• Moderate hepatomegaly present, measures 167.8 mm in cranio caudal extent, shows diffuse bright echoes with increased distal attenuation. No focal lesion is seen.

PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- Portal vein is normal at the porta.
- Porta hepatis is normal.

BILIARY SYSTEM

- The intra-hepatic biliary radicles are normal.
- Common duct are normal at the porta.
- The gall bladder is normal in size and has regular walls. Wall thickness is normal. Lumen of the gall bladder is anechoic.

PANCREAS

• The pancreas is normal in size and shape and has a normal homogenous echotexture.

RIGHT KIDNEY

- Right kidney is normal in size and shape and cortical echotexture.
- The collecting system is not dilated.
- The upper part of right ureter is normal.
- The vesicoureteric junction is normal.
- Corticomedullary demarcation is clear.
- Renal respiratory excursions are normal.

LEFT KIDNEY

- Left kidney is normal in size and shape and cortical echotexture.
- The collecting system is not dilated.
- The upper part of left ureter is normal.
- The vesicoureteric junction is normal.
- Corticomedullary demarcation is clear.
- Renal respiratory excursions are normal.







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85196UP1992PLC014075



Patient Name : Mr.RAKESH KUMAR PANDEY : 26/Nov/2023 08:51:12 Registered On

Age/Gender : 54 Y 10 M 25 D /M Collected UHID/MR NO : CDCA.0000071167 Received : N/A

Visit ID : IDCD0427742324 Reported : 26/Nov/2023 11:47:39

Dr. Mediwheel - Arcofemi Health Care Ltd. Ref Doctor Status : Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

SPLEEN

• Moderate splenomegaly present measures 130.9 x 50.5 mms and has a homogenous echotexture. No focal lesion is seen.

ILIAC FOSSA

Scan over the iliac fossae does not reveal any fluid collection or mass.

URINARY BLADDER

- The urinary bladder is normal. Bladder wall is normal in thickness and regular.
- Pre void urine volume is 210 ml.
- Post void residual urine volume is 45 ml.

PROSTATE

• Prostate gland is enlarged in size & echotexture is mildly hypoechoic & measures ~ 40.9 x 39.2 x 31.2 mms, weight is 26.20 grams.

IMPRESSION

- Moderate hepatomegaly with grade-II fatty changes.
- Moderate splenomegaly
- Grade-I prostatomegaly

Typed by-shanaya

*** End Of Report ***

(**) Test Performed at Chandan Speciality Lab.

Result/s to Follow:

ECG / EKG, Tread Mill Test (TMT)



Dr. Anoop Agarwal MBBS,MD(Radiology)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing * *Facilities Available at Select Location 365 Days Open





