

Name : Mrs. LAKSHMI J

PID No. : MED111204381

SID No. : 223012832

Age / Sex : 52 Year(s) / Female

Type : OP

Ref. Dr : MediWheel

Register On : 09/08/2023 9:21 AM

Collection On : 09/08/2023 10:43 AM

Report On : 10/08/2023 6:34 PM

Printed On : 10/10/2023 2:47 PM



Investigation Observed Value Unit Biological Reference Interval

BLOOD GROUPING AND Rh TYPING

(EDTA Blood/Agglutination)

INTERPRETATION: Reconfirm the Blood group and Typing before blood transfusion

Complete Blood Count With - ESR

Haemoglobin 12.5 g/dL 12.5 - 16.0
(EDTA Blood/Spectrophotometry)

Packed Cell Volume(PCV)/Haematocrit 37.3 % 37 - 47
(EDTA Blood/Derived from Impedance)

RBC Count 4.22 mill/cu.mm 4.2 - 5.4
(EDTA Blood/Impedance Variation)

Mean Corpuscular Volume(MCV) 88.3 fL 78 - 100
(EDTA Blood/Derived from Impedance)

Mean Corpuscular Haemoglobin(MCH) 29.7 pg 27 - 32
(EDTA Blood/Derived from Impedance)

Mean Corpuscular Haemoglobin concentration(MCHC) 33.6 g/dL 32 - 36
(EDTA Blood/Derived from Impedance)

RDW-CV 13.8 % 11.5 - 16.0
(EDTA Blood/Derived from Impedance)

RDW-SD 42.65 fL 39 - 46
(EDTA Blood/Derived from Impedance)

Total Leukocyte Count (TC) 6100 cells/cu.m 4000 - 11000
(EDTA Blood/Impedance Variation)

Neutrophils 65.0 % 40 - 75
(EDTA Blood/Impedance Variation & Flow Cytometry)

Lymphocytes 25.7 % 20 - 45
(EDTA Blood/Impedance Variation & Flow Cytometry)



VERIFIED BY



APPROVED BY

The results pertain to sample tested.

Page 1 of 8

Lab Address: MEDALL HEALTHCARE PRIVATE LIMITED, #17,RACE VIEW COLONY, 2ND STREET, RACE COURSE ROAD, GUINDY, CHENNAI, TAMIL NADU, INDIA,.

Name : Mrs. LAKSHMI J
 PID No. : MED111204381
 SID No. : 223012832
 Age / Sex : 52 Year(s) / Female
 Type : OP
 Ref. Dr : MediWheel


Register On : 09/08/2023 9:21 AM
 Collection On : 09/08/2023 10:43 AM
 Report On : 10/08/2023 6:34 PM
 Printed On : 10/10/2023 2:47 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Eosinophils (EDTA Blood/Impedance Variation & Flow Cytometry)	0.7	%	01 - 06
Monocytes (EDTA Blood/Impedance Variation & Flow Cytometry)	8.0	%	01 - 10
Basophils (EDTA Blood/Impedance Variation & Flow Cytometry)	0.6	%	00 - 02
INTERPRETATION: Tests done on Automated Five Part cell counter. All abnormal results are reviewed and confirmed microscopically.			
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	3.96	10 ³ / μ l	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	1.57	10 ³ / μ l	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry)	0.04	10 ³ / μ l	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.49	10 ³ / μ l	< 1.0
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.04	10 ³ / μ l	< 0.2
Platelet Count (EDTA Blood/Impedance Variation)	205	10 ³ / μ l	150 - 450
MPV (EDTA Blood/Derived from Impedance)	9.2	fL	8.0 - 13.3
PCT (EDTA Blood/Automated Blood cell Counter)	0.19	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Blood/Automated - Westergren method)	32	mm/hr	< 30



VERIFIED BY



APPROVED BY

The results pertain to sample tested.

Page 2 of 8

Lab Address: MEDALL HEALTHCARE PRIVATE LIMITED, #17,RACE VIEW COLONY, 2ND STREET, RACE COURSE ROAD, GUINDY, CHENNAI, TAMIL NADU, INDIA,.

Name : Mrs. LAKSHMI J
PID No. : MED111204381
SID No. : 223012832
Age / Sex : 52 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 09/08/2023 9:21 AM
Collection On : 09/08/2023 10:43 AM
Report On : 10/08/2023 6:34 PM
Printed On : 10/10/2023 2:47 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
BUN / Creatinine Ratio	13.3		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	89.9	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine) (Urine - F/GOD - POD)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD-PAP)	92.0	mg/dL	70 - 140

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti-diabetic medication during treatment for Diabetes.

Urine Glucose(PP-2 hours) (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	8.8	mg/dL	7.0 - 21
Creatinine (Serum/Modified Jaffe)	0.66	mg/dL	0.6 - 1.1

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin, cefazolin, ACE inhibitors, angiotensin II receptor antagonists, N-acetylcysteine, chemotherapeutic agent such as flucytosine etc.


Uric Acid (Serum/Enzymatic)	3.8	mg/dL	2.6 - 6.0
--------------------------------	-----	-------	-----------

Liver Function Test

Bilirubin(Total) (Serum/DCA with ATCS)	0.50	mg/dL	0.1 - 1.2
---	------	-------	-----------



VERIFIED BY



APPROVED BY

The results pertain to sample tested.

Page 3 of 8

Lab Address: MEDALL HEALTHCARE PRIVATE LIMITED, #17,RACE VIEW COLONY, 2ND STREET, RACE COURSE ROAD, GUINDY, CHENNAI, TAMIL NADU, INDIA,.

Name : Mrs. LAKSHMI J
PID No. : MED111204381
SID No. : 223012832
Age / Sex : 52 Year(s) / Female
Type : OP
Ref. Dr : MediWheel


Register On : 09/08/2023 9:21 AM
Collection On : 09/08/2023 10:43 AM
Report On : 10/08/2023 6:34 PM
Printed On : 10/10/2023 2:47 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.10	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.40	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/Modified IFCC)	19.4	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/Modified IFCC)	12.3	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	15.1	U/L	< 38
Alkaline Phosphatase (SAP) (Serum/Modified IFCC)	103.9	U/L	53 - 141
Total Protein (Serum/Biuret)	7.33	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	3.91	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	3.42	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived)	1.14		1.1 - 2.2
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	214.8	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	131.7	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500



VERIFIED BY



APPROVED BY

The results pertain to sample tested.

Page 4 of 8

Lab Address: MEDALL HEALTHCARE PRIVATE LIMITED, #17,RACE VIEW COLONY, 2ND STREET, RACE COURSE ROAD, GUINDY, CHENNAI, TAMIL NADU, INDIA,.

Name : Mrs. LAKSHMI J
 PID No. : MED111204381
 SID No. : 223012832
 Age / Sex : 52 Year(s) / Female
 Type : OP
 Ref. Dr : MediWheel

Register On : 09/08/2023 9:21 AM
 Collection On : 09/08/2023 10:43 AM
 Report On : 10/08/2023 6:34 PM
 Printed On : 10/10/2023 2:47 PM



Investigation	Observed Value	Unit	Biological Reference Interval
---------------	----------------	------	-------------------------------

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the `usual_ circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	33.0	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
---	------	-------	--

LDL Cholesterol (Serum/Calculated)	155.5	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
---------------------------------------	-------	-------	---

VLDL Cholesterol (Serum/Calculated)	26.3	mg/dL	< 30
--	------	-------	------


Non HDL Cholesterol (Serum/Calculated)	181.8	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220
---	-------	-------	--

INTERPRETATION: 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol.
 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	6.5		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
---	-----	--	--



VERIFIED BY



APPROVED BY

The results pertain to sample tested.

Page 5 of 8

Lab Address: MEDALL HEALTHCARE PRIVATE LIMITED, #17,RACE VIEW COLONY, 2ND STREET, RACE COURSE ROAD, GUINDY, CHENNAI, TAMIL NADU, INDIA,.

Name : Mrs. LAKSHMI J
PID No. : MED111204381
SID No. : 223012832
Age / Sex : 52 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 09/08/2023 9:21 AM
Collection On : 09/08/2023 10:43 AM
Report On : 10/08/2023 6:34 PM
Printed On : 10/10/2023 2:47 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	4		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	4.7		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0

Glycosylated Haemoglobin (HbA1c)

HbA1C (Whole Blood/HPLC)	5.8	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5
-----------------------------	------------	---	---

INTERPRETATION: If Diabetes - Good control : 6.1 - 7.0 % , Fair control : 7.1 - 8.0 % , Poor control >= 8.1 %

Estimated Average Glucose (Whole Blood)	119.76	mg/dL
--	--------	-------

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycaemic control as compared to blood and urinary glucose determinations. Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency, hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values. Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total (Serum/Chemiluminescent Immunometric Assay (CLIA))	0.95	ng/ml	0.4 - 1.81
---	------	-------	------------


INTERPRETATION:

Comment :

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.



VERIFIED BY



APPROVED BY

Name : Mrs. LAKSHMI J
PID No. : MED111204381
SID No. : 223012832
Age / Sex : 52 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 09/08/2023 9:21 AM
Collection On : 09/08/2023 10:43 AM
Report On : 10/08/2023 6:34 PM
Printed On : 10/10/2023 2:47 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
T4 (Tyroxine) - Total (Serum/Chemiluminescent Immunometric Assay (CLIA))	6.35	µg/dl	4.2 - 12.0

INTERPRETATION:

Comment :

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) (Serum/Chemiluminescent Immunometric Assay (CLIA))	0.71	µIU/mL	0.35 - 5.50
---	------	--------	-------------

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5

2 nd trimester 0.2-3.0

3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment :

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.

2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM.The variation can be of the order of 50%,hence time of the day has influence on the measured serum TSH concentrations.


3.Values&lt;0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.

Urine Analysis - Routine

COLOUR (Urine)	Pale yellow	Yellow to Amber
APPEARANCE (Urine)	Slightly turbid	Clear
Protein (Urine/Protein error of indicator)	Negative	Negative
Glucose (Urine/GOD - POD)	Negative	Negative
Pus Cells (Urine/Automated ~ Flow cytometry)	2 - 4	/hpf
		NIL



VERIFIED BY



APPROVED BY

Name : Mrs. LAKSHMI J
PID No. : MED111204381
SID No. : 223012832
Age / Sex : 52 Year(s) / Female
Type : OP
Ref. Dr : MediWheel

Register On : 09/08/2023 9:21 AM
Collection On : 09/08/2023 10:43 AM
Report On : 10/08/2023 6:34 PM
Printed On : 10/10/2023 2:47 PM



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Epithelial Cells (Urine/Automated ~ Flow cytometry)	1 - 3	/hpf	NIL
RBCs (Urine/Automated ~ Flow cytometry)	NIL	/hpf	NIL
Casts (Urine/Automated ~ Flow cytometry)	NIL	/hpf	NIL
Crystals (Urine/Automated ~ Flow cytometry)	Uric acid crystal present.	/hpf	NIL
Others (Urine)	NIL		

INTERPRETATION: Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.



VERIFIED BY



APPROVED BY

-- End of Report --

Name : Mrs. LAKSHMI J

Register On : 09/08/2023 9:21 AM

PID No. : MED111204381

Collection On : 09/08/2023 10:43 AM

SID No. : 223012832

Report On : 10/08/2023 6:34 PM

Age / Sex : 52 Year(s) / Female

Printed On : 10/10/2023 2:47 PM

Ref. Dr : MediWheel

OP / IP : OP



PAP Smear by LBC(Liquid based Cytology)

SPECIMEN NO : Cy 2223/2023

MICROSCOPIC FINDINGS:

ADEQUACY : Satisfactory.

PREDOMINANT CELLS : Intermediate cells and superficial cells.

BACKGROUND : Clean.

ORGANISMS : No specific organisms.

IMPRESSION :

Negative for intraepithelial lesion/ malignancy.



R. Vidhyalakshmi R.
Dr Vidhyalakshmi R
MD Pathology
Reg No: 107562

APPROVED BY

-- End of Report --

Name	LAKSHMI J	ID	MED111204381
Age & Gender	52-Female	Visit Date	8/10/2023 6:34:54 PM
Ref Doctor Name	MediWheel		



SONOGRAM REPORT

WHOLE ABDOMEN

The liver is normal in size and shows diffuse fatty changes. No focal lesion is seen.

The gall bladder is contracted.

There is no intra or extra hepatic biliary ductal dilatation.

The pancreas shows a normal configuration and echotexture. The pancreatic duct is normal.

The portal vein and the IVC are normal.

The spleen is normal.

There is no free or loculated peritoneal fluid.

No para aortic lymphadenopathy is seen.

No abnormality is seen in the region of the adrenal glands.

The right kidney measures 9.7 x 4.4 cm.

The left kidney measures 10.6 x 5.3 cm.

Both kidneys are normal in size, shape and position. Cortical echoes are normal bilaterally.

There is no calculus or calyceal dilatation.

The ureters are not dilated.

The bladder is smooth walled and uniformly transonic. There is no intravesical mass or calculus.

The uterus is anteverted, and measures 10.4 x 5.9 x 3.7 cm.

Myometrial echoes are homogeneous. The endometrial thickness is 5.9 mm.

The right ovary measures 2.4 x 1.7 cm.

REPORT DISCLAIMER

- 1.This is only a radiological impression. Like other investigations, radiological investigation also have limitation. Therefore radiological reports should be interpreted in correlation with clinical and pathological findings.
- 2.The results reported here in are subject to interpretation by qualified medical professionals only.
- 3.Customer identities are accepted provided by the customer or their representative.
- 4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.
- 5.If any specimen/sample is received from any others laboratory/hospital, it is presumed that the sample belongs to the patient identified or named.
- 6.Test results should be interpreted in context of clinical and other findings if any. In case of any clarification /doubt, the referring doctor/patient can contact the respective section head of the laboratory.
- 7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,
- 8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.
- 9.Liability is limited to the extend of amount billed.
- 10.Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.
- 11.Disputes,if any, with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.

Name	LAKSHMI J	ID	MED111204381
Age & Gender	52-Female	Visit Date	8/10/2023 6:34:54 PM
Ref Doctor Name	MediWheel		



The left ovary measures 3.0 x 2.3 cm.

No significant mass or cyst is seen in the ovaries.

Parametria are free.

Iliac fossae are normal.

IMPRESSION:

- Fatty liver.
- Normal study of other organs.

DR. UMALAKSHMI
SONOLOGIST

REPORT DISCLAIMER

- 1.This is only a radiological impression. Like other investigations, radiological investigation also have limitation. Therefore radiological reports should be interpreted in correlation with clinical and pathological findings.
- 2.The results reported here in are subject to interpretation by qualified medical professionals only.
- 3.Customer identities are accepted provided by the customer or their representative.
- 4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.
- 5.If any specimen/sample is received from any others laboratory/hospital, its is presumed that the sample belongs to the patient identified or named.
- 6.Test results should be interpreted in context of clinical and other findings if any. In case of any clarification /doubt , the referring doctor/patient can contact the respective section head of the laboratory.
- 7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,
- 8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.
- 9.Liability is limited to the extend of amount billed.
- 10.Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.
- 11.Disputes,if any , with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.

Name	LAKSHMI J	ID	MED111204381
Age & Gender	52-52-Female	Visit Date	8/10/2023 6:34:54 PM
Ref Doctor Name	MediWheel		



ECHOCARDIOGRAPHY

M-MODE MEASUREMENTS:-

<u>VALUES</u>	
AO	3.2 cm
LA	3.5 cm
LVID(D)	4.8 cm
LVID (S)	2.5 cm
IVS (D)	1.0 cm
IVS (S)	1.0 cm
LVPW (D)	1.0 cm
LVPW (S)	1.0 cm
EF	66 %
FS	36 %
TAPSE	19 mm

DOPPLER AND COLOUR FLOW PARAMETERS :-

Aortic Valve Gradient : **V max - 1.42 m/sec**
Pulmonary Valve Gradient : **V max - 0.79 m/sec**
Mitral Valve Gradient : **E: 1.07 m/sec** **A:0.85 m/sec**
Tricuspid Valve Gradient : **V max - 0.51 m/sec**

VALVE MORPHOLOGY :-

Aortic valve - **Normal**
Mitral valve - **Normal**
Tricuspid valve - **Normal**
Pulmonary valve - **Normal**

CHAMBERS

REPORT DISCLAIMER

- 1.This is only a radiological impression.Like other investigations, radiological investigation also have limitation. Therefore radiological reports should be interpreted in correlation with clinical and pathological findings.
- 2.The results reported here in are subject to interpretation by qualified medical professionals only.
- 3.Customer identities are accepted provided by the customer or their representative.
- 4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.
- 5.If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.
- 6.Test results should be interpreted in context of clinical and other findings if any.In case of any clarification /doubt , the referring doctor/patient can contact the respective section head of the laboratory.
- 7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,
- 8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.
- 9.Liability is limited to the extend of amount billed.
- 10.Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.
- 11.Disputes,if any , with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.

Name	LAKSHMI J	ID	MED111204381
Age & Gender	52-52-Female	Visit Date	8/10/2023 6:34:54 PM
Ref Doctor Name	MediWheel		



LEFT ATRIUM	NORMAL
LEFT VENTRICLE	NORMAL
RIGHT ATRIUM	NORMAL
RIGHT VENTRICLE	NORMAL
INTER ATRIAL SEPTUM	INTACT
INTERVENTRICULAR SEPTUM	INTACT

ECHO FINDINGS:

*No Regional Wall Motion Abnormality (RWMA)
Normal Left Ventricular systolic function, EF 66 %.
No Mitral Stenosis / Trivial Mitral Regurgitation.
No Aortic Stenosis / Aortic Regurgitation.
Normal RV Function / Trivial Tricuspid Regurgitation (2.3 m/s).
No Pulmonary Artery Hypertension.
No LA/LV Clot.
No Vegetation / Pericardial Effusion.
No ASD/VSD/ PDA/ CoA.*

IMPRESSION:

- * **STRUCTURALLY NORMAL HEART.**
- * **NORMAL LEFT VENTRICULAR SYSTOLIC FUNCTION, EF 66%**

**MOHANRAJ
ECHO TECHNOLOGIST**

REPORT DISCLAIMER

- 1.This is only a radiological impression.Like other investigations, radiological investigation also have limitation. Therefore radiological reports should be interpreted in correlation with clinical and pathological findings.
- 2.The results reported here in are subject to interpretation by qualified medical professionals only.
- 3.Customer identities are accepted provided by the customer or their representative.
- 4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.
- 5.If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.
- 6.Test results should be interpreted in context of clinical and other findings if any.In case of any clarification /doubt , the referring doctor/patient can contact the respective section head of the laboratory.
- 7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,
- 8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.
- 9.Liability is limited to the extend of amount billed.
- 10.Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.
- 11.Disputes,if any , with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.

Name	LAKSHMI J	ID	MED111204381
Age & Gender	52-52-52-Female	Visit Date	8/10/2023 6:34:54 PM
Ref Doctor Name	MediWheel		



MAMMOGRAPHY

REPORT

Cranio-caudal and Medio-lateral oblique views of both breasts were studied.

Both breasts are fatty (ACR Type A parenchyma).

A small, round, well circumscribed, high-density lesion measuring 8.1x 7.6 mm is noted in the lower inner quadrant of the right breast. No perilesional spiculation noted.

No breast asymmetry noted.

No intramammary ductal dilatation identified.

No obvious spiculation or architectural distortion noted.

There is no evidence of microcalcification in both breasts.

Both nipples are not retracted.

There is no evidence of focal or diffuse thickening of skin or subcutaneous tissue of both breasts.

The retro-mammary spaces appear normal.

Bilateral axillae show small lymph nodes, measuring 11.6 mm in the right axilla.

IMPRESSION :

- ACR Type A parenchyma.
- Right Breast Lesion as described above- BIRADS -III.
- Right Axillary Lymphadenopathy.
 - Suggested USG/ FNAC Correlation.
 - Suggested Annual Review Scans- ACR guidelines.

Dr Sharanya.S MD, DNB

REPORT DISCLAIMER

1.This is only a radiological impression. Like other investigations, radiological investigation also have limitation. Therefore radiological reports should be interpreted in correlation with clinical and pathological findings.

2.The results reported here in are subject to interpretation by qualified medical professionals only.

3.Customer identities are accepted provided by the customer or their representative.

4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.

5.If any specimen/sample is received from any others laboratory/hospital, its is presumed that the sample belongs to the patient identified or named.

6.Test results should be interpreted in context of clinical and other findings if any. In case of any clarification /doubt , the referring doctor/patient can contact the respective section head of the laboratory.

7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,

8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.

9.Liability is limited to the extend of amount billed.

10.Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.

11.Disputes,if any , with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.

Name	LAKSHMI J	ID	MED111204381
Age & Gender	52-52-52-Female	Visit Date	8/10/2023 6:34:54 PM
Ref Doctor Name	MediWheel		



Radiologist
Category - (BIRADS classification)

Category 0: Assessment incomplete. Category 1: Negative (normal).

Category 2: Benign. Category 3: Probably benign finding.

Category 4: Suspicious abnormality. Category 4a: Low suspicion 4b - Intermediate suspicion.

Category 4c: Moderate suspicion. Category 5: High suggestive of malignancy.

Category 6: Known biopsy proven malignancy.

NOTE: Please bring your old mammogram film for the next visit.

REPORT DISCLAIMER

- 1.This is only a radiological impression.Like other investigations, radiological investigation also have limitation. Therefore radiological reports should be interpreted in correlation with clinical and pathological findings.
- 2.The results reported here in are subject to interpretation by qualified medical professionals only.
- 3.Customer identities are accepted provided by the customer or their representative.
- 4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.
- 5.If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.
- 6.Test results should be interpreted in context of clinical and other findings if any.In case of any clarification /doubt , the referring doctor/patient can contact the respective section head of the laboratory.
- 7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,
- 8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.
- 9.Liability is limited to the extend of amount billed.
- 10.Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.
- 11.Disputes,if any , with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.

Name	Mrs. LAKSHMI J	ID	MED111204381
Age & Gender	52Y/F	Visit Date	Aug 9 2023 9:20AM
Ref Doctor	MediWheel		

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: No significant abnormality detected.



Dr. Anitha Adarsh
Consultant Radiologist

Name	LAKSHMI J	ID	MED111204381
Age & Gender	52-52-52-52-Female	Visit Date	8/10/2023 6:34:54 PM
Ref Doctor Name	MediWheel		



Personal Health Report

General Examination:

Height : 156.5 cms
Weight : 79.8 kg
BMI : 32.5 kg/m²

BP: 140/80 mmhg
Pulse: 84 / min, regular

Systemic Examination:

CVS: S1 S2 heard;
RS : NVBS +.
Abd : Soft.
CNS : NAD

Blood report:

ESR- 32 mm/hr- Slightly elevated.

Total cholesterol -214.8 mg/dl - Elevated , HDL cholesterol - 33.0 mg/dl - Low.

Urine analysis - Within normal limits.

X-Ray Chest - Normal study.

ECG - Normal ECG.

ECHO - Normal Study

USG - Fatty liver.

DENTAL - Normal Study.

MAMMOGRAM - Abnormal Study.

Eye Test - Abnormal study.

Vision	Right eye	Left eye
Distant Vision	6/9	6/9
Near Vision	N6	N6
Colour Vision	Normal	Normal

Impression & Advice:

ESR- 32 mm/hr- Slightly elevated. To consult general physician for further evaluation and

REPORT DISCLAIMER

- 1.This is only a radiological impression.Like other investigations, radiological investigation also have limitation. Therefore radiological reports should be interpreted in correlation with clinical and pathological findings.
- 2.The results reported here in are subject to interpretation by qualified medical professionals only.
- 3.Customer identities are accepted provided by the customer or their representative.
- 4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.
- 5.If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.
- 6.Test results should be interpreted in context of clinical and other findings if any.In case of any clarification /doubt , the referring doctor/patient can contact the respective section head of the laboratory.
- 7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,
- 8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.
- 9.Liability is limited to the extend of amount billed.
- 10.Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.
- 11.Disputes,if any , with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.

Name	LAKSHMI J	ID	MED111204381
Age & Gender	52-52-52-52-Female	Visit Date	8/10/2023 6:34:54 PM
Ref Doctor Name	MediWheel		



management.

Total cholesterol -214.8 mg/dl - Elevated. To be brought down to the desirable level of 200mg/dl by having low cholesterol, high fiber diet recommended by the dietician.

HDL cholesterol - 33.0 mg/dl - Low. To be increased to the desirable level of 80mg/dl by adding almond, walnut, flax seeds 2 teaspoonful and olive oil in your daily diet.

USG whole abdomen - Fatty liver. To take low fat diet, and high fiber diets. Regular brisk walking for 45 minutes daily, 5 days a week is essential.

Mammogram - Abnormal Study - To consult Gynaecologist.

Eye Test - Distant vision defect. To consult an ophthalmologist for further evaluation and management.

All health parameters are well within normal limits.

DR. NOOR MOHAMMED RIZWAN A. M.B.B.S, FDM
MHC Physician Consultant

REPORT DISCLAIMER

- 1.This is only a radiological impression. Like other investigations, radiological investigation also have limitation. Therefore radiological reports should be interpreted in correlation with clinical and pathological findings.
- 2.The results reported here in are subject to interpretation by qualified medical professionals only.
- 3.Customer identities are accepted provided by the customer or their representative.
- 4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.
- 5.If any specimen/sample is received from any others laboratory/hospital, its is presumed that the sample belongs to the patient identified or named.
- 6.Test results should be interpreted in context of clinical and other findings if any. In case of any clarification /doubt , the referring doctor/patient can contact the respective section head of the laboratory.
- 7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,
- 8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.
- 9.Liability is limited to the extend of amount billed.
- 10.Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.
- 11.Disputes,if any , with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.