



Diagnostics & Speciality Centre

NAME Mr. DIVISHA B MR/VISIT NO 22060979 / 157329 • • AGE/SEX : 32 Yrs / Male **BILLED TIME** : 25-06-2022 at 08:36 AM REFERRED BY : **BILL NO** : 188214 REF CENTER : MEDIWHEEL DATE OF REPORT : 25-06-2022 at 12:55 PM

MEDIWHEEL HEALTH CHECKUP FEMALE

RADIOLOGY

X-RAY CHEST PA VIEW

OBSERVATIONS:

The lung fields are clear bilaterally.

CP angles are clear.

Both the hila appear normal.

Cardiac diameter is within normal limits.

Tracheal is mid line.

Visible bony thoracic cage is normal.

Adjacent soft tissues appear normal.

IMPRESSION:

• No significant abnormality in the visualized lung fields.

Dispatched by: Bindu

**** End of Report ****

Printed by: Bindu on 25-06-2022 at 12:56 PM



Dr. Shruthi P DMRD,FFM,DNB Consultant Radiologist

Page 1 of 1

No. 79, Kendra Upadyayara Sangha Layout, Nagarbhavi Circle, Nagarbhavi, Bengaluru - 560 072.





Diagnostics & Speciality Centre

NAME:Mr. DIVISHA BAGE/SEX:32 Yrs / MaleREFERRED BY::REF CENTER:MEDIWHEEL

 MR/VISIT NO
 :
 22060979 / 157329

 BILLED TIME
 :
 25-06-2022 at 08:36 AM

 BILL NO
 :
 188214

 DATE OF REPORT
 :
 25-06-2022 at 12:57 PM

MEDIWHEEL HEALTH CHECKUP FEMALE

RADIOLOGY

USG REPORT - ABDOMEN AND PELVIS

OBSERVATION:

LIVER:

Liver is normal in size (14.6 cm) and normal homogenous echotexture. No focal lesion is seen. Intrahepatic biliary radicles not dilated. Hepatic and portal veins are normal. CBD is normal.

GALL BLADDER:

Normal in distension. Lumen echo free. Wall thickness is normal.

PANCREAS:

Head and body visualized appears normal. No focal lesion is seen. Pancreatic duct not dilated. Tail not visualized.

SPLEEN:

Normal in size (11.5 cm) with normal homogenous echotexture. No focal lesion is seen.

RIGHT KIDNEY:

Right kidney measures 11.2×5.0 cm with normal echo pattern and cortical thickness.

The shape, size and contour of the right kidney appear normal.

Cortical medullary differentiation is maintained.

No evidence of pelvicalyceal dilatation.

No sonologically detectable calculi seen.

LEFT KIDNEY:

Left kidney measures 10.5 x 5.4 cm with normal echo pattern and cortical thickness.

The shape, size and contour of the left kidney appear normal.

Cortical medullary differentiation is maintained.

Dr. Shruthi P DMRD,FFM,DNB Consultant Radiologist

Page 1 of 2





Diagnostics & Speciality Centre

| NAME | : | Mr. DIVISHA B | MR/VISIT NO | : | 22060979 / 157329 |
|-------------|---|---------------|----------------|---|------------------------|
| AGE/SEX | : | 32 Yrs / Male | BILLED TIME | : | 25-06-2022 at 08:36 AM |
| REFERRED BY | : | | BILL NO | : | 188214 |
| REF CENTER | : | MEDIWHEEL | DATE OF REPORT | : | 25-06-2022 at 12:57 PM |

No evidence of pelvicalyceal dilatation.

No sonologically detectable calculi seen.

URINARY BLADDER:

Is normal in contour. No intraluminal echoes are seen. No calculus or diverticulum is seen. Wall thickness appears normal.

PROSTATE:

Is normal in size and measures $3.6 \times 3.4 \times 2.7 \text{ cm}$ (Vol-18.4 cc) with normal echo pattern. No focal lesion seen.

No evidence of free fluid in the pelvic or abdominal cavity.

IMPRESSION:

• No significant sonographic abnormality detected.

Dispatched by: Bindu

**** End of Report ****

Printed by: Bindu on 25-06-2022 at 12:57 PM



Dr. Shruthi P DMRD,FFM,DNB Consultant Radiologist

Page 2 of 2

No. 79, Kendra Upadyayara Sangha Layout, Nagarbhavi Circle, Nagarbhavi, Bengaluru - 560 072.

Mediclu™



(A Unit of Vijayalakshmi Diagnostics Pvt. Ltd.) Diagnostics & Speciality Centre

| NAME : Mr. DIVISHA B | | MR NO. | 22060979 |
|--|-------------------|-------------------------|------------------------|
| AGE/SEX : 32 Yrs / Male | | VISIT NO. | 157329 |
| REFERRED BY : | | DATE OF COLLECTION | 25-06-2022 at 08:49 AM |
| | | DATE OF REPORT | 25-06-2022 at 02:32 PM |
| REF CENTER : MEDIWHEEL | | | |
| TEST PARAMETER | RESULT | REFERENCE RANGE | SPECIMEN |
| MEDI | WHEEL HEALTH CH | ECKUP FEMALE | |
| | HAEMATOLO | <u>IGY</u> | |
| COMPLETE BLOOD COUNT (CBC) WITH | <u>ESR</u> | | |
| HAEMOGLOBIN Colorimetric Method | 17.4 gm/dL | 13 - 18 gm/dL | |
| HEMATOCRIT (PCV) Calculated | 51.0 % | 40 - 54 % | |
| RED BLOOD CELL (RBC) COUNT Electrical Impedance | 5.6 million/cu.mm | 4.5 - 5.9 million/cu.mm | |
| PLATELET COUNT Electrical Impedance | 3.0 Lakhs/cumm | 1.5 - 4.5 Lakhs/cumm | |
| MEAN CELL VOLUME (MCV) Calculated | 91.8 fl | 80 - 100 fl | |
| MEAN CORPUSCULAR HEMOGLOBIN (MCH) | 31.3 pg | 26 - 34 pg | |
| MEAN CORPUSCULAR HEMOGLOBIN | 34.1 % | 31 - 35 % | |
| CONCENTRATION (MCHC) Calculated | | | |
| TOTAL WBC COUNT (TC) Electrical Impedance | 5180 cells/cumm | 4000 - 11000 cells/cumm | |
| NEUTROPHILS VCS Technology/Microscopic | 59 % | 40 - 75 % | |
| LYMPHOCYTES VCS Technology/Microscopic | 35 % | 25 - 40 % | |
| DIFFERENTIAL COUNT | | | |
| EOSINOPHILS VCS Technology/Microscopic | 02 % | 0 - 7 % | |
| MONOCYTES VCS Technology/Microscopic | 04 % | 1 - 8 % | |
| BASOPHILS Electrical Impedance | 00 % | | |
| ESR Westergren Method | 12 mm/hr | 0 - 15 mm/hr | |
| BLOOD GROUP & Rh TYPING | "O" Positive | | |

Tube Agglutination (Forward and Reverse)

allern. u.

Dr. KRISHNA MURTHY

MD BIOCHEMIST



Dr. VAMSEEDHAR.A

D.C.P, M.D CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 1 of 7

Diagnostics & Speciality Centre

| NAME : Mr. DIVISHA B | | MR NO. : 22060979 |
|------------------------------|--------|--|
| AGE/SEX : 32 Yrs / Male | | VISIT NO. : 157329 |
| REFERRED BY : | | DATE OF COLLECTION : 25-06-2022 at 08:49 AM |
| | | DATE OF REPORT : 25-06-2022 at 02:32 PM |
| REF CENTER : MEDIWHEEL | | |
| TEST PARAMETER | RESULT | REFERENCE RANGE SPECIMEN |
| GLYCATED HAEMOGLOBIN (HbA1C) | 4.9 % | American Diabetic Association (ADA) recommendations: |
| | | Non diabetic adults : <5.7 % |
| | | At risk (Pre diabetic): 5.7 – 6.4% |
| | | Diabetic : >/= 6.5% |
| | | Therapeutic goal for glycemic control : |
| | | Goal for therapy: < 7.0% |
| | | Action suggested: > 8.0% |
| | | |

ESTIMATED AVERAGE GLUCOSE (eAG)

93.93 mg/dL

Comments:

This assay is useful for diagnosing Diabetes and evaluating long term control of blood glucose concentrations in diabetic patients. It reflects the mean glucose concentration over the previous period of 8 to 12 weeks and is a better indicator of long term glycemic control as compared with blood and urine glucose measurements. This provides a additional criterion for assessing glucose control because glycated hemoglobin values are free of day-to-day glucose fluctuation and are unaffected by exercise or food ingestion.

After a sudden alteration in blood glucose concentration, the rate of change of HbA1c is rapid during initial 2 months, followed by more gradual change approaching steady state 3 months later.

CLINICAL BIOCHEMISTRY

POST PRANDIAL BLOOD SUGAR Hexokinase

119.0 mg/dl

80 - 150 mg/dl

alleen.u.

Dr. KRISHNA MURTHY

MD BIOCHEMIST



Dr. VAMSEEDHAR.A

D.C.P, M.D CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Lab Seal

Page 2 of 7

Diagnostics & Speciality Centre

| 5 | | |
|--|--|---|
| NAME : Mr. DIVISHA B | | MR NO. : 22060979 |
| AGE/SEX : 32 Yrs / Male | | VISIT NO. : 157329 |
| REFERRED BY : | | DATE OF COLLECTION : 25-06-2022 at 08:49 AM |
| | | DATE OF REPORT : 25-06-2022 at 02:32 PM |
| REF CENTER : MEDIWHEEL | | |
| TEST PARAMETER | RESULT | REFERENCE RANGE SPECIMEN |
| LIPID PROFILE TEST | | |
| TOTAL CHOLESTEROL Cholesterol Oxidase-Peroxidase (CHOD-POD) | 157 mg/dL | up to 200 mg/dL Border Line: 200 – 240 mg/dL High: > 240 mg/dL |
| TRIGLYCERIDES Glycerol Peroxidase-Peroxidase (GPO-POD) | 145.5 mg/dL | up to 150 mg/dL Desirable: <150 mg/dL Border Line: 150 – 200 mg/dL High: >200 – 500 mg/dL Very High: > 500 mg/dL |
| HDL CHOLESTEROL - DIRECT PEG-Cholesterol Esterase | 50.5 mg/dl | 40 - 60 mg/dl >/= 60mg/dL - Excellent (protects against heart disease) 40-59 mg/dL - Higher the better <40 mg/dL - Lower than desired (major risk for heart disease) |
| LDL CHOLESTEROL - DIRECT Cholesterol Esterase-Cholesterol Oxidase | 77.4 mg/dL | up to 100 mg/dL 100-129 mg/dL- Near optimal/above optimal 130-159 mg/dL- Borderline High 160-189 mg/dL- High 190->190 mg/dL - Very High |
| VLDL CHOLESTEROL | 29.1 mg/dL | 2 - 30 mg/dL |
| TOTAL CHOLESTROL/HDL RATIO | 3.1 | up to 3.5 |
| Calculation | | 3.5-5.0 - Moderate >5.0 - High |
| LDL/HDL RATIO Calculation | 1.5 | up to 2.5 2.5-3.3 - Moderate >3.3 - High |
| Collecter. u. | and a state of a state | A. Hurredhay |
| | Lab Seal | Dr. VAMSEEDHAR.A |

MD BIOCHEMIST D.C.P, M.D

CONSULTANT PATHOLOGIST The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 3 of 7

<u>ediclu</u>™

Diagnostics & Speciality Centre

| NAME : Mr. DIVISHA B | | MR NO. | 22060979 |
|---|--------------------|----------------------|------------------------|
| AGE/SEX : 32 Yrs / Male | | VISIT NO. | 157329 |
| REFERRED BY : | | DATE OF COLLECTION : | 25-06-2022 at 08:49 AM |
| | | DATE OF REPORT | 25-06-2022 at 02:32 PM |
| REF CENTER : MEDIWHEEL | | | |
| TEST PARAMETER | RESULT | REFERENCE RANGE | SPECIMEN |
| BLOOD UREA UREASE-GLUTAMATE DEHYDROGENASE (GLDH) | 19.4 mg/dL | 15 - 50 mg/dL | |
| CREATININE Jaffe Kinetic | 1.25 mg/dL | 0.4 - 1.4 mg/dL | |
| URIC ACID Uricase-Peroxidase | 8.7 mg/dL | 3 - 7.2 mg/dL | |
| SERUM ELECTROLYTES | | | |
| SODIUM Ion Selective Electrode (ISE) | 138 mmol/L | 136 - 145 mmol/L | |
| POTASSIUM Ion Selective Electrode (ISE) | 3.6 mmol/L | 3.5 - 5.2 mmol/L | |
| CHLORIDE Ion Selective Electrode (ISE) | 102 mmol/L | 97 - 111 mmol/L | |
| LIVER FUNCTION TEST (LFT) | | | |
| TOTAL BILIRUBIN Colorimetric Diazo Method | 1.11 mg/dL | 0.2 - 1.2 mg/dL | |
| DIRECT BILIRUBIN Colorimetric Diazo Method | 0.49 mg/dL | 0 - 0.4 mg/dL | |
| INDIRECT BILIRUBIN Calculation | 0.62 mg/dl | 0.2 - 0.8 mg/dl | |
| S G O T (AST) IFCC Without Pyridoxal Phosphates | 34.1 U/L | up to 35 U/L | |
| S G P T (ALT) IFCC Without Pyridoxal Phosphates | 49.5 U/L | up to 50 U/L | |
| ALKALINE PHOSPHATASE | 133 U/L | 36 - 113 U/L | |
| SERUM GAMMA GLUTAMYLTRANSFERASE (GGT GCNA-IFCC | Γ) 95.7 U/L | 15 - 85 U/L | |
| TOTAL PROTEIN Biuret Colorimetric | 7.89 g/dl | 6.2 - 8 g/dl | |
| S.ALBUMIN Bromocresol Green (BCG) | 4.38 g/dl | 3.5 - 5.2 g/dl | |
| S.GLOBULIN Calculation | 3.5 g/dl | 2.5 - 3.8 g/dl | |
| A/G RATIO Calculation | 1.3 | 1 - 1.5 | |
| FASTING BLOOD SUGAR Hexokinase | 125.0 mg/dl | 70 - 110 mg/dl | |
| | | | |

allern. u.

Dr. KRISHNA MURTHY

MD BIOCHEMIST



Dr. VAMSEEDHAR.A

D.C.P, M.D CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Lab Seal

Page 4 of 7

Diagnostics & Speciality Centre

JICIU

NAME Mr. DIVISHA B MR NO. 22060979 AGE/SEX VISIT NO. 32 Yrs / Male 157329 : : REFERRED BY : DATE OF COLLECTION : 25-06-2022 at 08:49 AM DATE OF REPORT 25-06-2022 at 02:32 PM **REF CENTER** : MEDIWHEEL **TEST PARAMETER** RESULT **REFERENCE RANGE** SPECIMEN **CLINICAL PATHOLOGY URINE ROUTINE & MICROSCOPIC** PHYSICAL EXAMINATION Colour Pale Yellow Pale yellow- yellow Visual Method Clear Clear/Transparent Appearance Visual Method Specific Gravity 1.015 1.005-1.035 Strips Method 6.5 4.6-8.5 pН **CHEMICAL EXAMINATION (DIPSTICK)** Protein Nil Nil -Trace Strips Method Nil Nil Glucose Strips Method Blood Negative Negative Strips Method Ketone Bodies Absent Negative Strips Method Urobilinogen Normal Normal Strips Method Bile Salt Negative Negative Strips Method Bilirubin Negative Negative Strips Method **Bile Pigments** NIL Negative MICROSCOPY 3 - 4 /hpf Pus Cells (WBC) 0-5/hpf Light Microscopic 1 - 2 /hpf 0-4/hpf **Epithelial Cells** Light Microscopic RBC Not Seen /hpf 0-2/hpf Light Microscopic

Kolleen. u.

Cast

Light Microscopic

Dr. KRISHNA MURTHY

MD BIOCHEMIST



NIL

NIL

Dr. VAMSEEDHAR.A

D.C.P, M.D CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 5 of 7

Mediclu™



(A Unit of Vijayalakshmi Diagnostics Pvt. Ltd.)

Diagnostics & Speciality Centre

| NAME : | Mr. DIVISHA B | | MR NO. | 22060979 |
|------------------------------|---------------|--------|----------------------|------------------------|
| AGE/SEX : | 32 Yrs / Male | | VISIT NO. | 157329 |
| REFERRED BY : | | | DATE OF COLLECTION : | 25-06-2022 at 08:49 AM |
| | | | DATE OF REPORT | 25-06-2022 at 02:32 PM |
| REF CENTER : | MEDIWHEEL | | | |
| TEST PARAMETER | | RESULT | REFERENCE RANGE | SPECIMEN |
| Crystal Light Microscopic | | NIL | Nil | |
| FASTING URINE SUGAR (FUS) | | NIL | NIL | |
| POSTPRANDIAL U | | NIL | NIL | |

allern. u.

Dr. KRISHNA MURTHY

MD BIOCHEMIST



Dr. VAMSEEDHAR.A

D.C.P, M.D CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 6 of 7

Diagnostics & Speciality Centre

| NAME:Mr. DIVISHA BAGE/SEX:32 Yrs / MaleREFERRED BY:REF CENTER:MEDIWHEEL | | VISIT NO. : DATE OF COLLECTION : DATE OF REPORT : | 22060979 157329 25-06-2022 at 08:49 AM 25-06-2022 at 02:32 PM | | |
|---|-------------------|--|--|--|--|
| TEST PARAMETER | RESULT | REFERENCE RANGE | SPECIMEN | | |
| IMMUNOASSAY THYROID PROFILE | | | | | |
| TOTAL TRIIODOTHYRONINE (T3) | 0.92 ng/mL | 0.87 - 1.78 ng/mL | | | |
| TOTAL THYROXINE (T4) | 7.11 µg/dL | 6.09 - 12.23 μg/dL | | | |
| THYROID STIMULATING HORMONE (TSH) | 1.998 µIU/mL | 0.38 - 5.33 µIU/mL 1st Trimester: 0.05 - 3.70 2nd Trimester: 0.31 – 4.35 3rd Trimester: 0.41 – 5.18 | | | |

Note:

- TSH levels are subject to circadian variation, reaching peak levels between 2 4.a.m. and at a minimum between 6-10 pm. The variation is of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- Recommended test for T3 and T4 is unbound fraction or free levels as it is metabolically active.
- Physiological rise in Total T3 / T4 levels is seen in pregnancy and in patients on steroid therapy.

Clinical Use:

- Primary Hypothyroidism
- Hyperthyroidism
- Hypothalamic Pituitary hypothyroidism
- Inappropriate TSH secretion
- Nonthyroidal illness
- Autoimmune thyroid disease
- Pregnancy associated thyroid disorders
- Thyroid dysfunction in infancy and early childhood

Dispatched by: Sumalatha

**** End of Report ****

Printed by: Sumalatha on 25-06-2022 at 02:32 PM



aller. u.

Dr. KRISHNA MURTHY

MD BIOCHEMIST Lab Seal



Dr. VAMSEEDHAR.A

D.C.P, M.D CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 7 of 7