



# **Diagnostics & Speciality Centre**

NAME:Mrs. A KAVITHAAGE/SEX:41 Yrs / Female			022046 0568
REFERRED BY :		-	-02-2022 at 09:07 AM
			-02-2022 at 12:45 PM
REF CENTER : MEDIWHEEL		W. II	
TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
MEDI	WHEEL HEALTH CH	ECKUP FEMALE	
	HAEMATOLC	DGY	
COMPLETE BLOOD COUNT (CBC) WITH	<u>ESR</u>		
HAEMOGLOBIN Colorimetric Method	13.3 gm/dL	12 - 16 gm/dL	
HEMATOCRIT (PCV) Calculated	43.2 %	36 - 47 %	
RED BLOOD CELL (RBC) COUNT	5.0 million/cu.mm	4 - 5.2 million/cu.mm	
PLATELET COUNT Electrical Impedance	2.2 Lakhs/cumm	1.5 - 4.5 Lakhs/cumm	
MEAN CELL VOLUME (MCV)	86.3 fl	80 - 100 fl	
MEAN CORPUSCULAR HEMOGLOBIN (MCH)	28.6 pg	26 - 34 pg	
MEAN CORPUSCULAR HEMOGLOBIN	33.1 %	31 - 35 %	
CONCENTRATION (MCHC) Calculated			
TOTAL WBC COUNT (TC) Electrical Impedance	7420 cells/cumm	4000 - 11000 cells/cumm	
NEUTROPHILS VCS Technology/Microscopic	59 %	40 - 75 %	
LYMPHOCYTES VCS Technology/Microscopic	33 %	25 - 40 %	
DIFFERENTIAL COUNT			
EOSINOPHILS VCS Technology/Microscopic	05 %	0 - 7 %	
MONOCYTES VCS Technology/Microscopic	03 %	1 - 8 %	
BASOPHILS Electrical Impedance	00 %		
Kellesen, u.	Antiposition of the states of	)	A. Hunsedhay
Dr. KRISHNA MURTHY	Lab Seal		Dr. VAMSEEDHAR.A

Dr. VAMSEEDHAR.A D.C.P, M.D

CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

MD

BIOCHEMIST

Page 1 of 9





# **Diagnostics & Speciality Centre**

NAME       :       Mrs. A KAVITHA         AGE/SEX       :       41 Yrs / Female         REFERRED BY       :		VISIT NO. DATE OF COLLECTION	<ul> <li>22022046</li> <li>150568</li> <li>26-02-2022 at 09:07 AM</li> <li>26-02-2022 at 12:45 PM</li> </ul>
TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
ESR Westergren Method	15 mm/hr	0 - 20 mm/hr	

**BLOOD GROUP & Rh TYPING** Tube Agglutination (Forward and Reverse)

"B" Positive

aller. u.

**Dr. KRISHNA MURTHY** 

MD BIOCHEMIST





Dr. VAMSEEDHAR.A D.C.P, M.D

CONSULTANT PATHOLOGIST The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 2 of 9





#### **Diagnostics & Speciality Centre**

NAME:Mrs. A KAVITHAAGE/SEX:41 Yrs / FemaleREFERRED BY::REF CENTER:MEDIWHEEL		MR NO.       :       22022046         VISIT NO.       :       150568         DATE OF COLLECTION       :       26-02-2022 at 09:07 AM         DATE OF REPORT       :       26-02-2022 at 12:45 PM
TEST PARAMETER	RESULT	REFERENCE RANGE SPECIMEN
GLYCATED HAEMOGLOBIN (HbA1C)	5.4 %	American Diabetic Association (ADA) recommendations:
		Non diabetic adults : <5.7 %
		At risk (Pre diabetic): 5.7 – 6.4%
		Diabetic : >/= 6.5%
		Therapeutic goal for glycemic control :
		Goal for therapy: < 7.0%
		Action suggested: > 8.0%

#### ESTIMATED AVERAGE GLUCOSE (eAG) Calculation Comments:

This assay is useful for diagnosing Diabetes and evaluating long term control of blood glucose concentrations in diabetic patients. It reflects the mean glucose concentration over the previous period of 8 to 12 weeks and is a better indicator of long term glycemic control as compared with blood and urine glucose measurements. This provides a additional criterion for assessing glucose control because glycated hemoglobin values are free of day-to-day glucose fluctuation and are unaffected by exercise or food ingestion.

108.28 mg/dL

After a sudden alteration in blood glucose concentration, the rate of change of HbA1c is rapid during initial 2 months, followed by more gradual change approaching steady state 3 months later.

alleen. u.

**Dr. KRISHNA MURTHY** 

MD BIOCHEMIST



Lab Seal

Dr. VAMSEEDHAR.A D.C.P, M.D CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 3 of 9





## **Diagnostics & Speciality Centre**

NAME:Mrs. A KAVITHAAGE/SEX:41 Yrs / FemaleREFERRED BY:		VISIT NO. : DATE OF COLLECTION :	22022046 150568 26-02-2022 at 09:07 AM 26-02-2022 at 12:45 PM
REF CENTER : MEDIWHEEL			
TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
	CLINICAL BIOCH	<u>HEMISTRY</u>	
BLOOD UREA UREASE-GLUTAMATE DEHYDROGENASE (GLDH)	19.9 mg/dL	15 - 50 mg/dL	
	0.65 mg/dL	0.4 - 1.4 mg/dL	
URIC ACID Uricase-Peroxidase	4.8 mg/dL	2.5 - 6 mg/dL	
SERUM ELECTROLYTES			
SODIUM Ion Selective Electrode (ISE)	<b>137</b> mmol/L	136 - 145 mmol/L	
POTASSIUM Ion Selective Electrode (ISE)	<b>3.7</b> mmol/L	3.5 - 5.2 mmol/L	
CHLORIDE Ion Selective Electrode (ISE)	<b>103</b> mmol/L	97 - 111 mmol/L	

aller. u.

**Dr. KRISHNA MURTHY** 

MD BIOCHEMIST



Lab Seal

Dr. VAMSEEDHAR.A D.C.P, M.D CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 4 of 9





## **Diagnostics & Speciality Centre**

NAME:Mrs. A KAVITHAAGE/SEX:41 Yrs / FemaleREFERRED BY:REF CENTER:MEDIWHEEL		MR NO. : VISIT NO. : DATE OF COLLECTION : DATE OF REPORT :	26-02-2022 at 12:45 PM
REF CENTER : MEDIWHEEL			
TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
LIVER FUNCTION TEST (LFT)			
TOTAL BILIRUBIN Colorimetric Diazo Method	<b>1.21</b> mg/dL	0.2 - 1.2 mg/dL	
DIRECT BILIRUBIN Colorimetric Diazo Method	<b>0.41</b> mg/dL	0 - 0.4 mg/dL	
	0.80 mg/dl		
S G O T (AST) IFCC Without Pyridoxal Phosphates	13.3 U/L	up to 31 U/L	
S G P T (ALT) IFCC Without Pyridoxal Phosphates	11.2 U/L	up to 46 U/L	
ALKALINE PHOSPHATASE	71.2 U/L	36 - 113 U/L	
SERUM GAMMA GLUTAMYLTRANSFERASE (GG	T) 14.3 U/L	5 - 55 U/L	
TOTAL PROTEIN Biuret Colorimetric	6.91 g/dl	6.2 - 8 g/dl	
S.ALBUMIN Bromocresol Green (BCG)	3.86 g/dl	3.5 - 5.2 g/dl	
S.GLOBULIN Calculation	<b>3.1</b> g/dl	2.5 - 3.8 g/dl	
A/G RATIO Calculation	1.2	1 - 1.5	
POST PRANDIAL BLOOD SUGAR	131.1 mg/dl	80 - 150 mg/dl	

aller. u.



**Dr. KRISHNA MURTHY** 

MD BIOCHEMIST Dr. VAMSEEDHAR.A D.C.P, M.D

CONSULTANT PATHOLOGIST The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 5 of 9





## **Diagnostics & Speciality Centre**

NAME:Mrs. A KAVITHAAGE/SEX:41 Yrs / FemaleREFERRED BY:		MR NO.       : 22022046         VISIT NO.       : 150568         DATE OF COLLECTION       : 26-02-2022 at 09:07 AM         DATE OF REPORT       : 26-02-2022 at 12:45 PM
REF CENTER : MEDIWHEEL		
TEST PARAMETER	RESULT	REFERENCE RANGE SPECIMEN
LIPID PROFILE TEST		
TOTAL CHOLESTEROL Cholesterol Oxidase-Peroxidase (CHOD-POD)	150 mg/dL	up to 200 mg/dL Border Line: 200 – 240 mg/dL High: > 240 mg/dL
TRIGLYCERIDES Glycerol Peroxidase-Peroxidase (GPO-POD)	88.9 mg/dL	up to 150 mg/dL Desirable: <150 mg/dL Border Line: 150 – 200 mg/dL High: >200 – 500 mg/dL Very High: > 500 mg/dL
HDL CHOLESTEROL - DIRECT PEG-Cholesterol Esterase	<b>38.8</b> mg/dl	40 - 60 mg/dl >/= 60mg/dL - Excellent (protects against heart disease) 40-59 mg/dL - Higher the better <40 mg/dL - Lower than desired (major risk for heart disease)
LDL CHOLESTEROL - DIRECT Cholesterol Esterase-Cholesterol Oxidase	93.4 mg/dL	up to 100 mg/dL 100-129 mg/dL- Near optimal/above optimal 130-159 mg/dL- Borderline High 160-189 mg/dL- High 190->190 mg/dL - Very High
VLDL CHOLESTEROL Calculation	17.8 mg/dL	2 - 30 mg/dL
Collecter. u.	Statistics Distance	A. Hurredhay
Dr. KRISHNA MURTHY	Lab Seal	Dr. VAMSEEDHAR.A
	• •	D.C.P, M.D CONSULTANT PATHOLOGIST nical characteristics. The values in reference range is for an average normal age, sex and other characteristics.
	Page 6 of 9	9
No. 79, Kendra Upadyayara San		havi Circle, Nagarbhavi, Bengaluru - 560 072.

Enquiry: +91 99867 33 333, Appointments : +91 98863 55 135, Reports: +91 74063 11 116 For Home Sample Collections Contact : +91 99867 333 33

E-mail : medicludiagnostics@gmail.com website : www.mediclu.com





## **Diagnostics & Speciality Centre**

NAME : Mrs. A KAVITHA		MR NO.	22022046
AGE/SEX : 41 Yrs / Female		VISIT NO.	150568
REFERRED BY :		DATE OF COLLECTION	
		DATE OF REPORT	26-02-2022 at 12:45 PM
REF CENTER : MEDIWHEEL			
TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
TOTAL CHOLESTROL/HDL RATIO	3.9	up to 3	
Calculation		3.0-4.4 - Moderate >4.4 - High	
LDL/HDL RATIO	2.4	up to 2.5	
		2.5-3.3 - Moderate >3.3 - High	
FASTING BLOOD SUGAR Hexokinase	96.1 mg/dl	70 - 110 mg/dl	
	<u>CLINICAL PATI</u>		
	CLINICAL FAIT	102001	
URINE ROUTINE & MICROSCOPIC			
PHYSICAL EXAMINATION			
Colour Visual Method	Pale Yellow	Pale yellow- yellow	
Appearance	Clear	Clear/Transparent	
Specific Gravity Strips Method	1.015	1.005-1.035	
рН	7.0	4.6-8.5	
CHEMICAL EXAMINATION (DIPSTICK)			
Protein Strips Method	Nil	Nil -Trace	
Glucose Strips Method	Nil	Nil	
Collecty. u.	Bengalurican Distance		A. Hurredbay
Dr. KRISHNA MURTHY	Lab Seal		Dr. VAMSEEDHAR.A
MD BIOCHEMIST The laboratory values And Normal values need to be interpre	ted based on patients of	inical characteristics. The values in	D.C.P, M.D CONSULTANT PATHOLOGIST reference range is for an average normal
individual which may vary depending upon age, sex and other characteristics.			

Page 7 of 9





## **Diagnostics & Speciality Centre**

NAME:Mrs. A KAVITHAAGE/SEX:41 Yrs / FemaleREFERRED BY:REF CENTER:MEDIWHEEL		MR NO.       :       22022046         VISIT NO.       :       150568         DATE OF COLLECTION       :       26-02-2022 at 09:07 AM         DATE OF REPORT       :       26-02-2022 at 12:45 PM
TEST PARAMETER	RESULT	REFERENCE RANGE SPECIMEN
Blood Strips Method	Negative	Negative
Ketone Bodies Strips Method	Absent	Negative
Urobilinogen Strips Method	Normal	Normal
Bile Salt	Negative	Negative
Bilirubin Strips Method	Negative	Negative
Bile Pigments	Negative	NIL
MICROSCOPY		
Pus Cells (WBC) Light Microscopic	2 - 3 /hpf	0-5/hpf
Epithelial Cells Light Microscopic	1 - 2 /hpf	0-4/hpf
RBC Light Microscopic	Not Seen /hpf	0-2/hpf
Cast Light Microscopic	NIL	NIL
Crystal Light Microscopic	NIL	Nil
FASTING URINE SUGAR (FUS)	NIL	NIL
		·
POSTPRANDIAL URINE SUGAR	NIL	NIL

aller. u.



Dr. KRISHNA MURTHY

MD BIOCHEMIST Dr. VAMSEEDHAR.A D.C.P, M.D

CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 8 of 9





#### **Diagnostics & Speciality Centre**

NAME:Mrs. A KAVITHAAGE/SEX:41 Yrs / FemaleREFERRED BY:REF CENTER:MEDIWHEELTEST PARAMETER	RESULT	VISIT NO. : 1 DATE OF COLLECTION : 2 DATE OF REPORT : 2	2022046 50568 6-02-2022 at 09:07 AM 6-02-2022 at 12:45 PM
	<u>IMMUNOAS</u>	SAY	
THYROID PROFILE			
TOTAL TRIIODOTHYRONINE (T3)	1.32 ng/mL	0.87 - 1.78 ng/mL	
	10.71 µg/dL	6.09 - 12.23 µg/dL	
THYROID STIMULATING HORMONE (TSH)	0.929 µIU/mL	0.38 - 5.33 µIU/mL 1st Trimester: 0.05 - 3.70 2nd Trimester: 0.31 – 4.35 3rd Trimester: 0.41 – 5.18	

#### Note:

TSH levels are subject to circadian variation, reaching peak levels between 2 - 4.a.m. and at a minimum between 6-10 pm. The variation is of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.

- Recommended test for T3 and T4 is unbound fraction or free levels as it is metabolically active.
- Physiological rise in Total T3 / T4 levels is seen in pregnancy and in patients on steroid therapy.

#### Clinical Use:

- Primary Hypothyroidism
- Hyperthyroidism
- Hypothalamic Pituitary hypothyroidism
- Inappropriate TSH secretion
- Nonthyroidal illness
- Autoimmune thyroid disease
- Pregnancy associated thyroid disorders
- Thyroid dysfunction in infancy and early childhood

allet. u.

#### **Dr. KRISHNA MURTHY**

MD BIOCHEMIST



Lab Seal



#### Dr. VAMSEEDHAR.A D.C.P, M.D CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Page 9 of 9

Dispatched by: Sumalatha

\*\*\*\* End of Report \*\*\*\*



Printed by: Sumalatha on 26-02-2022 at 12:46 PM