





Diagnostics & Speciality Centre

NAME : Mrs. ANUPAMA MR/VISIT NO : 22100733 / 164335

KUMARI

AGE/SEX : 38 Yrs / Female BILLED TIME : 21-10-2022 at 09:38 AM

REFERRED BY: BILL NO: 195959

REF CENTER : MEDIWHEEL DATE OF REPORT : 21-10-2022 at 01:00 PM

MEDIWHEEL HEALTH CHECKUP FEMALE

RADIOLOGY

USG REPORT - ABDOMEN AND PELVIS

OBSERVATION:

LIVER:

Liver is normal in size (15.1 cm) and shows homogenous echotexture. No obvious focal lesion is seen. Intrahepatic biliary radicles not dilated. Hepatic & portal veins are normal. CBD is normal.

GALL BLADDER:

Normal in distension. Lumen echo free. Wall thickness is normal.

PANCREAS:

Head and body visualized and appears normal. No obvious focal lesion is seen. Pancreatic duct not dilated. Tail not visualized.

SPLEEN:

Enlarged in size (13.8 x 4.5 cm) with normal echotexture. No focal lesion is seen.

RIGHT KIDNEY:

Right kidney measures $11.1 \times 1.1 \text{ cm}$ (length x parenchymal thickness) with normal echo pattern and cortical thickness.

The shape, size and contour of the right kidney appear normal.

Cortical medullary differentiation is maintained.

No evidence of pelvicalyceal dilatation. No sonologically detectable calculi seen.

LEFT KIDNEY:

Left kidney measures $12.6 \times 1.4 \text{ cm}$ (length x parenchymal thickness) with normal echo pattern and cortical thickness.

The shape, size and contour of the left kidney appear normal.

Dr. MOHAN S

MDRD

CONSULTANT RADIOLOGIST







NAME : Mrs. ANUPAMA MR/VISIT NO : 22100733 / 164335

KUMARI

: 38 Yrs / Female : 21-10-2022 at 09:38 AM BILLED TIME AGE/SEX

: 195959 REFERRED BY: BILL NO

REF CENTER : MEDIWHEEL DATE OF REPORT: 21-10-2022 at 01:00 PM

Cortical medullary differentiation is maintained.

No evidence of pelvicalyceal dilatation. No sonologically detectable calculi seen.

URINARY BLADDER:

Is normal in contour. No intraluminal echoes are seen. No calculus or diverticulum is seen.

UTERUS:

Retroflexed with maximum length measuring 8.1 cm with normal echotexture upto Visualized extent.

No focal lesion seen within the myometrium.

Endometrial thickness measures 8 mm.

OVARIES:

Both ovaries are normal in size with normal echo pattern.

Right ovary measures $2.9 \times 1.3 \times 2.7 \text{ cm}$ (Vol- 5.7 cc).

Left ovary measures 2.8 x 2.0 x 2.2 cm (Vol-7.2 cc). Dominant follicle seen measuring 14 x 14 mm

No adnexal mass lesion seen.

No evidence of free fluid in the abdomen or pelvis.

IMPRESSION:

- Splenomegaly.
- Retroflexed uterus.

Dr. MOHAN S MDRD CONSULTANT RADIOLOGIST







Diagnostics & Speciality Centre

NAME : Mrs. ANUPAMA MR/VISIT NO : 22100733 / 164335

KUMARI

AGE/SEX : 38 Yrs / Female BILLED TIME : 21-10-2022 at 09:38 AM

REFERRED BY: BILL NO: 195959

REF CENTER : MEDIWHEEL DATE OF REPORT : 21-10-2022 at 01:00 PM

Dispatched by: Bindu

**** End of Report ****

Printed by: Bindu on 21-10-2022 at 01:00 PM









Diagnostics & Speciality Centre

NAME : Mrs. ANUPAMA MR/VISIT NO : 22100733 / 164335

KUMARI

AGE/SEX : 38 Yrs / Female BILLED TIME : 21-10-2022 at 09:38 AM

REFERRED BY: BILL NO: 195959

REF CENTER : MEDIWHEEL DATE OF REPORT : 21-10-2022 at 07:28 PM

MEDIWHEEL HEALTH CHECKUP FEMALE

RADIOLOGY

SONO MAMMOGRAPHY OF BILATERAL BREASTS

RIGHT BREAST:

Breast shows normal fibro glandular pattern.

Adjacent skin & retro mammary areas are normal.

Subareolaer region is normal.

Nipple is normal.

Retro mammary space and subcutaneous planes are normal.

Few subcentimetric lymph nodes noted, largest measuring 8mm in short axis.

LEFT BREAST:

Breast shows normal fibro glandular pattern.

Adjacent skin & retro mammary areas are normal.

Subareolaer region is normal.

Nipple is normal.

Retro mammary space and subcutaneous planes are normal.

Few subcentimetric lymph nodes noted, largest measuring 4mm in short axis.







Diagnostics & Speciality Centre

NAME : Mrs. ANUPAMA MR/VISIT NO : 22100733 / 164335

KUMARI

AGE/SEX : 38 Yrs / Female BILLED TIME : 21-10-2022 at 09:38 AM

REFERRED BY: BILL NO: 195959

REF CENTER : MEDIWHEEL DATE OF REPORT : 21-10-2022 at 07:28 PM

IMPRESSION:

Dispatched by: Bindu

NORMAL SONOMAMMOGRAPHY-BIRADS I

NOTE: BI - RADS SCORING KEY

O – Needs additional evaluation; I – Negative II – Benign findings; III – Probably benign

IV – Suspicious abnormality – Biopsy to be considered V – Highly suggestive of malignancy,

VI - Known biopsy proven malignancy

**** End of Report ****

Printed by: Bindu on 21-10-2022 at 07:29 PM









NAME : **Mrs. ANUPAMA KUMARI** MR NO. : 22100733 AGE/SEX : 38 Yrs / Female VISIT NO. : 164335

REFERRED BY: DATE OF COLLECTION: 21-10-2022 at 09:49 AM

DATE OF REPORT : 21-10-2022 at 06:45 PM

REF CENTER : MEDIWHEEL

TEST PARAMETER RESULT REFERENCE RANGE SPECIMEN

MEDIWHEEL HEALTH CHECKUP FEMALE

HAEMATOLOGY

COMPLETE BLOOD COUNT (CBC) WITH ESR

HAEMOGLOBIN 10.9 gm/dL 12 - 16 gm/dL Colorimetric Method

HEMATOCRIT (PCV) **22** % 36 - 47 %

Calculated

RED BLOOD CELL (RBC) COUNT 4.2 million/cu.mm 4 - 5.2 million/cu.mm

Electrical Impedance

PLATELET COUNT 2.7 Lakhs/cumm 1.5 - 4.5 Lakhs/cumm

Electrical Impedance

MEAN CELL VOLUME (MCV) 82 fl 80 - 100 fl

Calculated

Note: All normal and abnormal platelet counts are cross checked on peripheral smear.

MEAN CORPUSCULAR HEMOGLOBIN (MCH) **25** pg 26

Calculated

MEAN CORPUSCULAR HEMOGLOBIN 31 % 31 - 35 %

CONCENTRATION (MCHC)

Calculated

TOTAL WBC COUNT (TC) 6800 cells/cumm 4000 - 11000 cells/cumm

Electrical Impedance

NEUTROPHILS 66 % 40 - 75 % VCS Technology/Microscopic

LYMPHOCYTES 26 % 25 - 40 % VCS Technology/Microscopic

DIFFERENTIAL COUNT

EOSINOPHILS 06 % 0 - 7 % VCS Technology/Microscopic

MONOCYTES 02 % 1 - 8 %

VCS Technology/Microscopic

BASOPHILS
Electrical Impedance

00 %

ESR 05 mm/hr 0 - 20 mm/hr

Westergren Method

BLOOD GROUP & Rh TYPING "O" Positive

Tube Agglutination (Forward and Reverse)

Collegy. u.



A. Juneday

Dr. KRISHNA MURTHY

BIOCHEMIST

Lab Seal







Diagnostics & Speciality Centre

NAME : Mrs. ANUPAMA KUMARI MR NO. : 22100733

AGE/SEX : 38 Yrs / Female VISIT NO. : 164335

REFERRED BY: DATE OF COLLECTION: 21-10-2022 at 09:49 AM

DATE OF REPORT : 21-10-2022 at 06:45 PM

REF CENTER : MEDIWHEEL

TEST PARAMETER RESULT REFERENCE RANGE SPECIMEN

GLYCATED HAEMOGLOBIN (HbA1C) 4.9 % American Diabetic Association (ADA)

recommendations:

Non diabetic adults : <5.7 % At risk (Pre diabetic): 5.7 –

6.4%

Diabetic: >/= 6.5%

Therapeutic goal for glycemic control:

Goal for therapy: < 7.0% Action suggested: > 8.0%

ESTIMATED AVERAGE GLUCOSE (eAG) 93.93 mg/dL

Calculation

Comments:

This assay is useful for diagnosing Diabetes and evaluating long term control of blood glucose concentrations in diabetic patients. It reflects the mean glucose concentration over the previous period of 8 to 12 weeks and is a better indicator of long term glycemic control as compared with blood and urine glucose measurements. This provides a additional criterion for assessing glucose control because glycated hemoglobin values are free of day-to-day glucose fluctuation and are unaffected by exercise or food ingestion.

After a sudden alteration in blood glucose concentration, the rate of change of HbA1c is rapid during initial 2 months, followed by more gradual change approaching steady state 3 months later.

CLINICAL BIOCHEMISTRY

BLOOD UREA
UREASE-GLUTAMATE DEHYDROGENASE (GLDH)

14.7 mg/dL
15 - 50 mg/dL

CREATININE 0.56 mg/dL 0.4 - 1.4 mg/dL

Jaffe Kinetic

URIC ACID 4.4 mg/dL 2.5 - 6 mg/dL

SERUM ELECTROLYTES

SODIUM 136.2 mmol/L 136 - 145 mmol/L lon Selective Electrode (ISE)

POTASSIUM 3.92 mmol/L 3.5 - 5.2 mmol/L

Ion Selective Electrode (ISE)

CHLORIDE

Ion Selective Electrode (ISE)

98 mmol/L

97 - 111 mmol/L

Collegn. u.



A. Hurudhay

Dr. KRISHNA MURTHY

BIOCHEMIST

Lab Seal

Dr. VAMSEEDHAR.A

D.C.P, M.D CONSULTANT PATHOLOGIST







NAME : **Mrs. ANUPAMA KUMARI** MR NO. : 22100733 AGE/SEX : 38 Yrs / Female VISIT NO. : 164335

REFERRED BY: DATE OF COLLECTION: 21-10-2022 at 09:49 AM

DATE OF REPORT : 21-10-2022 at 06:45 PM

REF CENTER : MEDIWHEEL

TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
LIVER FUNCTION TEST (LFT)			
TOTAL BILIRUBIN Colorimetric Diazo Method	0.65 mg/dL	0.2 - 1.2 mg/dL	
DIRECT BILIRUBIN Colorimetric Diazo Method	0.32 mg/dL	0 - 0.4 mg/dL	
INDIRECT BILIRUBIN Calculation	0.33 mg/dl	0.2 - 0.8 mg/dl	
S G O T (AST) IFCC Without Pyridoxal Phosphates	27 U/L	up to 31 U/L	
S G P T (ALT) IFCC Without Pyridoxal Phosphates	18.4 U/L	up to 46 U/L	
ALKALINE PHOSPHATASE p-Nitrophenyl Phosphate	102 U/L	36 - 113 U/L	
SERUM GAMMA GLUTAMYLTRANSFERASE	11.6 U/L	5 - 55 U/L	
(GGT) GCNA-IFCC			
TOTAL PROTEIN Biuret Colorimetric	6.7 g/dl	6.2 - 8 g/dl	
S.ALBUMIN Bromocresol Green (BCG)	4.03 g/dl	3.5 - 5.2 g/dl	
S.GLOBULIN Calculation	2.7 g/dl	2.5 - 3.8 g/dl	
A/G RATIO Calculation	1.5	1 - 1.5	
FASTING BLOOD SUGAR Hexokinase	90.5 mg/dl	70 - 110 mg/dl	

Collegy. u.











NAME Mrs. ANUPAMA KUMARI MR NO. 22100733 AGE/SEX : 38 Yrs / Female VISIT NO. 164335

DATE OF COLLECTION: REFERRED BY · 21-10-2022 at 09:49 AM

> DATE OF REPORT 21-10-2022 at 06:45 PM

REF CENTER : MEDIWHEEL

TEST PARAMETER RESULT SPECIMEN REFERENCE RANGE

LIPID PROFILE TEST

TOTAL CHOLESTEROL 154 mg/dL up to 200 mg/dL

Cholesterol Oxidase-Peroxidase (CHOD-POD) Border Line: 200 - 240 mg/dL

High: > 240 mg/dL

TRIGLYCERIDES 135.8 mg/dL up to 150 mg/dL

Glycerol Peroxidase-Peroxidase (GPO-POD) Desirable: <150 mg/dL Border Line: 150 - 200 mg/dL

High: >200 - 500 mg/dL Very High: > 500 mg/dL

HDL CHOLESTEROL - DIRECT 43.6 mg/dl 40 - 60 mg/dl

PEG-Cholesterol Esterase >/= 60mg/dL - Excellent (protects

against heart disease) 40-59 mg/dL - Higher the better <40 mg/dL - Lower than desired (major risk for heart disease)

LDL CHOLESTEROL - DIRECT 83.2 mg/dL up to 100 mg/dL

Cholesterol Esterase-Cholesterol Oxidase 100-129 mg/dL- Near optimal/above

optimal

130-159 mg/dL- Borderline High 160-189 mg/dL- High 190->190 mg/dL - Very High

VLDL CHOLESTEROL 27.2 mg/dL 2 - 30 mg/dL

Calculation

TOTAL CHOLESTROL/HDL RATIO 3.5 up to 3

Calculation 3.0-4.4 - Moderate

>4.4 - High

LDL/HDL RATIO 1.9 up to 2.5

2.5-3.3 - Moderate >3.3 - High

POST PRANDIAL BLOOD SUGAR 97.9 mg/dl 80 - 150 mg/dl

Hexokinase

Dr. KRISHNA MURTHY

BIOCHEMIST

Mladu. u.

Lab Seal







Diagnostics & Speciality Centre

NAME : **Mrs. ANUPAMA KUMARI** MR NO. : 22100733 AGE/SEX : 38 Yrs / Female VISIT NO. : 164335

REFERRED BY: DATE OF COLLECTION: 21-10-2022 at 09:49 AM

DATE OF REPORT : 21-10-2022 at 06:45 PM

REF CENTER : MEDIWHEEL

TEST PARAMETER RESULT REFERENCE RANGE SPECIMEN

CLINICAL PATHOLOGY

URINE ROUTINE & MICROSCOPIC PHYSICAL EXAMINATION

Colour Visual Method	Pale Yellow	Pale yellow- yellow
Appearance Visual Method	Clear	Clear/Transparent
Specific Gravity Strips Method	1.005	1.005-1.035
pH	6.0	4.6-8.5

CHEMICAL EXAMINATION (DIPSTICK)

Protein	Nil	Nil -Trace
Strips Method		

Nil	Nil
	Nil

Strips Method	INII	INII
Blood Strips Method	Negative	Negative
Ketone Bodies Strips Method	Absent	Negative
Urobilinogen Strips Method	Normal	Normal
Bile Salt Strips Method	Negative	Negative
Bilirubin Strips Method	Negative	Negative

Bile Pigments Negative NIL

MICROSCOPY

Pus Cells (WBC) Light Microscopic	3 - 4 /hpf	0-5/hpf
Epithelial Cells Light Microscopic	2 - 3 /hpf	0-4/hpf
RBC Light Microscopic	Not Seen /hpf	0-2/hpf
Cast Light Microscopic	NIL	NIL
Crystal Light Microscopic	NIL	Nil

FASTING URINE SUGAR (FUS) NIL NIL

Collegy. u.



A. Hurudhay

Dr. KRISHNA MURTHY

BIOCHEMIST

Lab Seal







NAME : **Mrs. ANUPAMA KUMARI** MR NO. : 22100733 AGE/SEX : 38 Yrs / Female VISIT NO. : 164335

REFERRED BY: DATE OF COLLECTION: 21-10-2022 at 09:49 AM

DATE OF REPORT : 21-10-2022 at 06:45 PM

REF CENTER : MEDIWHEEL

TEST PARAMETER RESULT REFERENCE RANGE SPECIMEN

POSTPRANDIAL URINE SUGAR NIL NIL

IMMUNOASSAY

THYROID PROFILE

TOTAL TRIIODOTHYRONINE (T3) 0.70 ng/mL 0.87 - 1.78 ng/mL

TOTAL THYROXINE (T4) 5.9 μg/dL 6.09 - 12.23 μg/dL

THYROID STIMULATING HORMONE (TSH) 1.59 μIU/mL 0.38 - 5.33 μIU/mL

1st Trimester: 0.05 - 3.70 2nd Trimester: 0.31 – 4.35

3rd Trimester: 0.41 – 5.18

Note:

- TSH levels are subject to circadian variation, reaching peak levels between 2 4.a.m. and at a minimum between 6-10 pm. The variation is of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- Recommended test for T3 and T4 is unbound fraction or free levels as it is metabolically active.
- Physiological rise in Total T3 / T4 levels is seen in pregnancy and in patients on steroid therapy.

Clinical Use:

- Primary Hypothyroidism
- Hyperthyroidism
- Hypothalamic Pituitary hypothyroidism
- Inappropriate TSH secretion
- Nonthyroidal illness
- Autoimmune thyroid disease
- Pregnancy associated thyroid disorders
- Thyroid dysfunction in infancy and early childhood

Dispatched by: KIRAN

**** End of Report ****

Printed by: Kiran kumar H P on 21-10-2022 at 06:46





A. June

Dr. KRISHNA MURTHY

BIOCHEMIST

Lab Seal







Diagnostics & Speciality Centre

NAME : Mrs. ANUPAMA MR/VISIT NO : 22100733 / 164335

KUMARI

AGE/SEX : 38 Yrs / Female BILLED TIME : 21-10-2022 at 09:38 AM

REFERRED BY: BILL NO: 195959

REF CENTER : MEDIWHEEL DATE OF REPORT : 21-10-2022 at 12:59 PM

MEDIWHEEL HEALTH CHECKUP FEMALE

RADIOLOGY

X-RAY REPORT- CHEST (PA VIEW)

FINDINGS:

Straightening of left heart border- *Suggested 2D ECHO correlation.*

Cardiac diameter is within normal limits.

The lung fields are clear bilaterally.

CP angles are clear.

Both the hila appear normal.

Trachea is midline.

Dispatched by: Bindu

Visible bony thoracic cage is normal.

Prominent bilateral breast shadow.

**** End of Report ****

Printed by: Bindu on 21-10-2022 at 12:59 PM

