



LABORATORY REPORT

Name : Mr. Yash Harshadkumar Dave
Sex/Age : Male/32 Years
Ref. By :
Client Name : Mediwheel

Reg. No : 208101454
Reg. Date : 27-Aug-2022 09:16 AM
Collected On : 27-Aug-2022 09:16 AM
Report Date : 27-Aug-2022 02:55 PM

Medical Summary

GENERAL EXAMINATION

Height (cms) :170

Weight (kgs) :75

Blood Pressure :120/80 mmHg

Pulse : 86/Min

No Clubbing/Cynosis/Pallor/PedelOedem

Systemic Examination:


Cardio vascular System - S1,S2 Normal, No Murmur

Respiratory system - AEBE

Central Nervous System - No FND

Abdomen - Soft, Non Tender, No Organomegaly

Epilepsy – N/A



This is an electronically authenticated report

Dr. Jay Soni
M.D, GENERAL MEDICINE

भारत सरकार
 Government of India
 डॉ. यश हरशदकुमार
 Dave Yash Harshadkumar
 डॉ. यश हरशदकुमार / 008.0706/1900
 YHR / Harsh



3994 5208 6493


भारी आधार, भारी ओलाख




बैंक ऑफ बड़ोदा
 Bank of Baroda

नाम यश हरशदकुमार दवे
 Name YASH HARSHADKUMAR DAVE

कर्मचारी कोड नं. 177313
 Employee Code No.



जारीकर्ता प्राधिकारी
 Issuing Authority



डॉ. यश हरशदकुमार
 Signature of Holder

YHR

7600500738

32

Dr. Jay Soni
 M.D. (General Medicine)
 Reg. No.: G-23899




TEST REPORT

Reg. No : 208101454	Ref Id :	Collected On : 27-Aug-2022 09:16 AM
Name : Mr. Yash Harshadkumar Dave		Reg. Date : 27-Aug-2022 09:16 AM
Age/Sex : 32 Years / Male	Pass. No. :	Tele No. : 7600900738
Ref. By :		Dispatch At :
Location : CHPL		Sample Type : EDTA Whole Blood

Parameter	Results	Unit	Biological Ref. Interval
-----------	---------	------	--------------------------

COMPLETE BLOOD COUNT (CBC)
Specimen: EDTA blood

Hemoglobin (Spectrophotometric Measurement)	14.7	g/dL	13.0 - 18.0
Hematocrit (Calculated)	L 44.50	%	47 - 52
RBC Count (Volumetric Impedance)	5.19	million/cmm	4.7 - 6.0
MCV (Calculated)	85.8	fL	78 - 110
MCH (Calculated)	28.2	Pg	27 - 31
MCHC (Calculated)	32.9	%	31 - 35
RDW (Calculated)	11.7	%	11.5 - 14.0
WBC Count (Volumetric Impedance)	6680	/cmm	4000 - 10500
MPV (Calculated)	8.7	fL	7.4 - 10.4

<u>DIFFERENTIAL WBC COUNT</u>	[%]		<u>EXPECTED VALUES</u>	[Abs]	<u>EXPECTED VALUES</u>
Neutrophils (%)	56.60	%	42.0 - 75.2	3781 /cmm	2000 - 7000
Lymphocytes (%)	34.10	%	20 - 45	2278 /cmm	1000 - 3000
Eosinophils (%)	3.10	%	0 - 6	401 /cmm	200 - 1000
Monocytes (%)	6.00	%	2 - 10	207 /cmm	20 - 500
Basophils (%)	0.20	%	0 - 1	13 /cmm	0 - 100

PERIPHERAL SMEAR STUDY


RBC Morphology : Normocytic and Normochromic.
 WBC Morphology : Normal

PLATELET COUNTS

Platelet Count (Volumetric Impedance) : 250000 /cmm 150000 - 450000
 Platelets : Platelets are adequate with normal morphology.
 Parasites : Malarial parasite is not detected.
 Comment : -

This is an electronically authenticated report.

* This test has been out sourced.


Approved By : Dr. Keyur V Patel
 MB,DCP

Generated On : 29-Aug-2022 10:21 AM

Approved On : 27-Aug-2022 02:00 PM


TEST REPORT

Reg. No : 208101454	Ref Id :	Collected On : 27-Aug-2022 09:16 AM
Name : Mr. Yash Harshadkumar Dave		Reg. Date : 27-Aug-2022 09:16 AM
Age/Sex : 32 Years / Male	Pass. No. :	Tele No. : 7600900738
Ref. By :		Dispatch At :
Location : CHPL		Sample Type : EDTA Whole Blood

Parameter	Result	Unit	Biological Ref. Interval
-----------	--------	------	--------------------------

HEMATOLOGY
BLOOD GROUP & RH

Specimen: EDTA and Serum; Method: Forward Reverse Tube Agglutination

ABO	"O"
Rh (D)	Positive
Note	-

ERYTHROCYTE SEDIMENTATION RATE [ESR]

ESR (After 1 hour) <i>Infra red measurement</i>	43	mm/hr	ESR AT 1 hour : 1-7 ESR AT 2 hour : 8-15
---	----	-------	---


ERYTHRO SEDIMENTATION RATE, BLOOD -

Erythrocyte sedimentation rate (ESR) is a non-specific phenomena and is clinically useful in the diagnosis and monitoring of disorders associated with an increased production of acute phase reactants. The ESR is increased in pregnancy from about the 3rd month and returns to normal by the 4th week post partum. ESR is influenced by age, sex, menstrual cycle and drugs (eg. corticosteroids, contraceptives). It is especially low (<1mm) in polycythaemia, hypofibrinogenemia or congestive cardiac failure and when there are abnormalities of the red cells such as poikilocytosis, spherocytosis or sickle cells.

For tests performed on specimens received or collected from non-CHPL locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender. CHPL will be responsible only for the analytical part of the test carried out. All other responsibility will be of referring laboratory.

This is an electronically authenticated report.

* This test has been outsourced.


Approved By : Dr. Keyur V Patel
 MB, DCP

Generated On : 29-Aug-2022 10:21 AM

Approved On : 27-Aug-2022 02:39 PM

Page 2 of 13


TEST REPORT

Reg. No : 208101454	Ref Id :	Collected On : 27-Aug-2022 09:16 AM
Name : Mr. Yash Harshadkumar Dave		Reg. Date : 27-Aug-2022 09:16 AM
Age/Sex : 32 Years / Male	Pass. No. :	Tele No. : 7600900738
Ref. By :		Dispatch At :
Location : CHPL		Sample Type : Flouride F

Parameter	Result	Unit	Biological Ref. Interval
-----------	--------	------	--------------------------

FASTING PLASMA GLUCOSE
 Specimen: Flouride plasma

Fasting Blood Sugar (FBS)	107.0	mg/dL	70 - 110
---------------------------	-------	-------	----------

GOD-POD for glucose.

Criteria for the diagnosis of diabetes


1. HbA1c \geq 6.5 *
- Or
2. Fasting plasma glucose $>$ 126 gm/dL. Fasting is defined as no caloric intake at least for 8 hrs.
- Or
3. Two hour plasma glucose \geq 200mg/dL during an oral glucose tolerance test by using a glucose load containing equivalent of 75 gm anhydrous glucose dissolved in water.
- Or
4. In a patient with classic symptoms of hyperglycemia or hyperglycemic crisis, a random plasma glucose \geq 200 mg/dL.

*In the absence of unequivocal hyperglycemia, criteria 1-3 should be confirmed by repeat testing.
 American diabetes association. Standards of medical care in diabetes 2011. Diabetes care 2011;34;S11.

For tests performed on specimens received or collected from non-CHPL locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender. CHPL will be responsible only for the analytical part of the test carried out. All other responsibility will be of referring laboratory.

This is an electronically authenticated report.

* This test has been out sourced.

Approved By : 
Dr. Keyur V Patel
 MB,DCP

Generated On : 29-Aug-2022 10:21 AM

Approved On : 27-Aug-2022 06:24 PM
 Page 3 of 13


TEST REPORT

Reg. No : 208101454	Ref Id :	Collected On : 27-Aug-2022 09:16 AM
Name : Mr. Yash Harshadkumar Dave		Reg. Date : 27-Aug-2022 09:16 AM
Age/Sex : 32 Years / Male	Pass. No. :	Tele No. : 7600900738
Ref. By :		Dispatch At :
Location : CHPL		Sample Type : Serum

Parameter	Result	Unit	Biological Ref. Interval
-----------	--------	------	--------------------------

Lipid Profile

Cholesterol	220	mg/dL	Desirable: < 200 Boderline High: 200 - 239 High: > 240
-------------	-----	-------	--

Enzymatic, colorimetric method

Triglyceride	133.8	mg/dL	Normal: < 150 Boderline High: 150 - 199 High: 200 - 499 Very High: > 500
--------------	-------	-------	---

Enzymatic, colorimetric method

HDL Cholesterol	49.6	mg/dL	High Risk : < 40 Low Risk : = 60
-----------------	------	-------	-------------------------------------

Accelerator selective detergent method

LDL	143.64	mg/dL	Optimal : < 100.0 Near / above optimal : 100-129 Borderline High : 130-159 High : 160-189 Very High : >190.0
-----	--------	-------	--

Calculated

VLDL	26.76	mg/dL	15 - 35
------	-------	-------	---------

Calculated

LDL / HDL RATIO	2.90		0 - 3.5
-----------------	------	--	---------

Calculated


Cholesterol /HDL Ratio	4.44		0 - 5.0
------------------------	------	--	---------

Calculated

For tests performed on specimens received or collected from non-CHPL locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender. CHPL will be responsible only for the analytical part of the test carried out. All other responsibility will be of referring laboratory.

This is an electronically authenticated report.

* This test has been out sourced.

Approved By : 
 Dr. Keyur Patel
 M.B.DCP

Generated On : 29-Aug-2022 10:21 AM

Approved On : 27-Aug-2022 07:18 PM

Page 4 of 13


TEST REPORT

Reg. No : 208101454	Ref Id :	Collected On : 27-Aug-2022 09:16 AM
Name : Mr. Yash Harshadkumar Dave		Reg. Date : 27-Aug-2022 09:16 AM
Age/Sex : 32 Years / Male	Pass. No. :	Tele No. : 7600900738
Ref. By :		Dispatch At :
Location : CHPL		Sample Type : Serum


Parameter	Result	Unit	Biological Ref. Interval
-----------	--------	------	--------------------------

BIO - CHEMISTRY
LFT WITH GGT

Total Protein <i>Biuret Reaction</i>	6.87	gm/dL	6.3 - 8.2
Albumin <i>By Bromocresol Green</i>	4.19	g/dL	0 - 4 days: 2.8 - 4.4 4 days - 14 yrs: 3.8 - 5.4 14 - 19 yrs: 3.2 - 4.5 20 - 60 yrs: 3.5 - 5.2 60 - 90 yrs: 3.2 - 4.6 > 90 yrs: 2.9 - 4.5
Globulin <i>Calculated</i>	2.68	g/dL	2.3 - 3.5
A/G Ratio <i>Calculated</i>	1.56		0.8 - 2.0
SGOT <i>UV without P5P</i>	41.7	U/L	0 - 40
SGPT <i>UV without P5P</i>	49.7	U/L	0 - 40
Alakaline Phosphatase <i>p - Nitrophenylphosphate (PNPP)</i>	188.5	U/L	25 - 270
Total Bilirubin <i>Vanadate Oxidation</i>	0.67	mg/dL	0 - 1.2
Conjugated Bilirubin	0.18	mg/dL	0.0 - 0.4
Unconjugated Bilirubin <i>Sulph acid dpl/caff-benz</i>	0.49	mg/dL	0.0 - 1.1
GGT <i>SZASZ Method</i>	22.2	mg/dL	15 - 73

This is an electronically authenticated report.

* This test has been out sourced.

Approved By : 
 Dr. Keyur Patel
 M.B.DCP

Generated On : 29-Aug-2022 10:21 AM

Approved On : 27-Aug-2022 07:18 PM

Page 5 of 13



TEST REPORT

Reg. No	: 208101454	Ref Id	:	Collected On	: 27-Aug-2022 09:16 AM
Name	: Mr. Yash Harshadkumar Dave	Reg. Date	:	Reg. Date	: 27-Aug-2022 09:16 AM
Age/Sex	: 32 Years / Male	Pass. No.	:	Tele No.	: 7600900738
Ref. By	:	Dispatch At	:	Dispatch At	:
Location	: CHPL	Sample Type	:	Sample Type	: Serum

For tests performed on specimens received or collected from non-CHPL locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender. CHPL will be responsible only for the analytical part of the test carried out. All other responsibility will be of referring laboratory.

This is an electronically authenticated report.

* This test has been out sourced.

Approved By : **Dr. Keyur Patel**
M.B.DCP

Generated On : 29-Aug-2022 10:21 AM

Approved On : 27-Aug-2022 07:18 PM
Page 6 of 13


TEST REPORT

Reg. No : 208101454	Ref Id :	Collected On : 27-Aug-2022 09:16 AM
Name : Mr. Yash Harshadkumar Dave		Reg. Date : 27-Aug-2022 09:16 AM
Age/Sex : 32 Years / Male	Pass. No. :	Tele No. : 7600900738
Ref. By :		Dispatch At :
Location : CHPL		Sample Type : Serum

Parameter	Result	Unit	Biological Ref. Interval
-----------	--------	------	--------------------------


BIO - CHEMISTRY

Uric Acid <i>Enzymatic, colorimetric method</i>	8.17	mg/dL	Adult : 3.5 - 8.5 Child : 2.5 - 5.5
Creatinine <i>Enzymatic Method</i>	0.66	mg/dL	Adult : 0.72 - 1.18 Child : 0.5 - 1.0
BUN <i>UV Method</i>	5.4	mg/dL	Adult : 7.0 - 20.0 Child : 5.0 - 18.0

For tests performed on specimens received or collected from non-CHPL locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender. CHPL will be responsible only for the analytical part of the test carried out. All other responsibility will be of referring laboratory.

This is an electronically authenticated report.

* This test has been out sourced.

Approved By : 
 Dr. Keyur Patel
 M.B.DCP

Generated On : 29-Aug-2022 10:21 AM

Approved On : 27-Aug-2022 06:17 PM
 Page 7 of 13


TEST REPORT

Reg. No : 208101454	Ref Id :	Collected On : 27-Aug-2022 09:16 AM
Name : Mr. Yash Harshadkumar Dave		Reg. Date : 27-Aug-2022 09:16 AM
Age/Sex : 32 Years / Male	Pass. No. :	Tele No. : 7600900738
Ref. By :		Dispatch At :
Location : CHPL		Sample Type : EDTA Whole Blood

Parameter	Result	Unit	Biological Ref. Interval
-----------	--------	------	--------------------------

HEMOGLOBIN A1 C ESTIMATION
Specimen: Blood EDTA

*Hb A1C	5.0	% of Total Hb	Normal : < 5.7 % Pre-Diabetes : 5.7 % - 6.4 % Diabetes : 6.5 % or higher
---------	-----	---------------	--

Boronate Affinity with Fluorescent Quenching

Mean Blood Glucose	96.80	mg/dL
--------------------	-------	-------

Calculated

Degree of Glucose Control Normal Range:

Poor Control >7.0% *

Good Control 6.0 - 7.0 %**Non-diabetic level < 6.0 %

* High risk of developing long term complication such as retinopathy, nephropathy, neuropathy, cardiopathy, etc.

* Some danger of hypoglycemic reaction in Type I diabetics.

* Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1c levels in this area.

EXPLANATION :-

*Total haemoglobin A1 c is continuously synthesised in the red blood cell through its 120 days life span. The concentration of HBA1c in the cell reflects the average blood glucose concentration it encounters.

*The level of HBA1c increases proportionately in patients with uncontrolled diabetes. It reflects the average blood glucose concentration over an extended time period and remains unaffected by short-term fluctuations in blood glucose levels.

*The measurement of HbA1c can serve as a convenient test for evaluating the adequacy of diabetic control and in preventing various diabetic complications. Because the average half life of a red blood cell is sixty days, HbA1c has been accepted as a measurement which reflects the mean daily blood glucose concentration, better than fasting blood glucose determination, and the degree of carbohydrate imbalance over the preceding two months.

*It may also provide a better index of control of the diabetic patient without resorting to glucose loading procedures.


HbA1c assay Interferences:

*Erroneous values might be obtained from samples with abnormally elevated quantities of other Haemoglobins as a result of either their simultaneous elution with HbA1c(HbF) or differences in their glycation from that of HbA(HbS)

For tests performed on specimens received or collected from non-CHPL locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender. CHPL will be responsible only for the analytical part of the test carried out. All other responsibility will be of referring laboratory.

This is an electronically authenticated report.

* This test has been out sourced.

Approved By : 
 Dr. Keyur V Patel
 MB,DCP

Generated On : 29-Aug-2022 10:21 AM

Approved On : 27-Aug-2022 06:24 PM

Page 8 of 13


TEST REPORT

Reg. No : 208101454	Ref Id :	Collected On : 27-Aug-2022 09:16 AM
Name : Mr. Yash Harshadkumar Dave		Reg. Date : 27-Aug-2022 09:16 AM
Age/Sex : 32 Years / Male	Pass. No. :	Tele No. : 7600900738
Ref. By :		Dispatch At :
Location : CHPL		Sample Type : Urine Spot

Test	Result	Unit	Biological Ref. Interval
------	--------	------	--------------------------

URINE ROUTINE EXAMINATION
PHYSICAL EXAMINATION

Quantity	15 cc
Colour	Pale Yellow
Clarity	Clear

CHEMICAL EXAMINATION (BY REFLECTANCE PHOTOMETRIC)

pH	6	4.6 - 8.0
Sp. Gravity	1.000	1.001 - 1.035
Protein	Nil	
Glucose	Nil	
Ketone Bodies	Nil	
Urobilinogen	Nil	
Bilirubin	Nil	
Nitrite	Nil	
Blood	Nil	

MICROSCOPIC EXAMINATION (MANUAL BY MICROSCOPY)

Leucocytes (Pus Cells)	1 - 2/hpf	
Erythrocytes (Red Cells)	Nil	
Epithelial Cells	1 - 2/hpf	/hpf
Crystals	Absent	
Casts	Absent	
Amorphous Material	Absent	
Bacteria	Absent	

This is an electronically authenticated report.

* This test has been out sourced.

Approved By : Dr. Keyur V Patel
 MB,DCP

Generated On : 29-Aug-2022 10:21 AM

Approved On : 27-Aug-2022 02:33 PM
 Page 9 of 13



TEST REPORT


Reg. No	: 208101454	Ref Id	:	Collected On	: 27-Aug-2022 09:16 AM
Name	: Mr. Yash Harshadkumar Dave	Reg. Date	:	Reg. Date	: 27-Aug-2022 09:16 AM
Age/Sex	: 32 Years / Male	Pass. No.	:	Tele No.	: 7600900738
Ref. By	:	Dispatch At	:	Dispatch At	:
Location	: CHPL	Sample Type	:	Sample Type	: Urine Spot

Remarks : -

For tests performed on specimens received or collected from non-CHPL locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender. CHPL will be responsible only for the analytical part of the test carried out. All other responsibility will be of referring laboratory.

This is an electronically authenticated report.

* This test has been out sourced.

Approved By : 
Dr. Keyur V Patel
MB,DCP

Generated On : 29-Aug-2022 10:21 AM

Approved On : 27-Aug-2022 02:33 PM

Page 10 of 1

CUROVIS HEALTHCARE PVT. LTD.

'B' Block, Mondeal Business Park, Near Gurudwara, Bodakdev, S.G. Highway, Ahmedabad - 380 054, Gujarat


TEST REPORT

Reg. No : 208101454	Ref Id :	Collected On : 27-Aug-2022 09:16 AM
Name : Mr. Yash Harshadkumar Dave		Reg. Date : 27-Aug-2022 09:16 AM
Age/Sex : 32 Years / Male	Pass. No. :	Tele No. : 7600900738
Ref. By :		Dispatch At :
Location : CHPL		Sample Type : Serum

Parameter	Result	Unit	Biological Ref. Interval
-----------	--------	------	--------------------------

IMMUNOLOGY
THYROID FUNCTION TEST

*T3 (Triiodothyronine)	1.20	ng/mL	0.6 - 1.81
-------------------------------	------	-------	------------

CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY

Triiodothyronine (T3) is a hormone synthesized and secreted by the thyroid gland in response to the pituitary hormone TSH (thyroid stimulating hormone) and is regulated by a negative feedback mechanism involving the thyroid gland, pituitary gland and hypothalamus.

In the circulation, 99.7% of T3 is reversibly bond to transport proteins, primarily thyroxine-binding globulin (TBG) and to a lesser extent albumin and prealbumin. The remaining unbound T3 is free in the circulation and is metabolically active.

In hypothyroidism and hyperthyroidism, F T3 (free T3) levels parallel changes in total T3 levels. Measuring F T3 is useful in certain conditions such as normal pregnancy and steroid therapy, when altered levels of total T3 occur due to changes in T3 binding proteins, especially TBG.

*T4 (Thyroxine)	8.01	ng/mL	3.2 - 12.6
------------------------	------	-------	------------

CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY

Thyroxin (T4) is a hormone synthesized and secreted by the thyroid gland in response to the pituitary hormone TSH (thyroid stimulating hormone) and is regulated by a negative feedback mechanism involving the thyroid gland, pituitary gland and hypothalamus. In the circulation, 99.95% of T4 is reversibly bond to transport proteins, primarily thyroxine-binding globulin (TBG) and to a lesser extent albumin and thyroxine-binding prealbumin. The remaining unbound T4 is free in the circulation and is both metabolically active and a precursor to triiodothyronine (T3).

In hypothyroidism and hyperthyroidism, F T4 (free T4) levels parallel changes in total T4 levels. Measuring FT4 is useful in certain conditions such as normal pregnancy and steroid therapy, when altered levels of total T4 occur due to changes in T4 binding proteins, especially TBG.

Limitations:

- 1.The anticonvulsant drug phenytoin may interfere with total and F T4 levels due to competition for TBG binding sites.
- 2.F T4 values may be decreased in patients taking carbamazepine.
- 3.Thyroid autoantibodies in human serum may interfere and cause falsely elevated F T4 results.

This is an electronically authenticated report.

* This test has been out sourced.

Approved By : **Dr. Keyur V Patel**
MB,DCP

Generated On : 29-Aug-2022 10:21 AM

Approved On : 27-Aug-2022 06:19 PM

Page 11 of 1



TEST REPORT

Reg. No : 208101454 **Ref Id** : **Collected On** : 27-Aug-2022 09:16 AM
Name : Mr. Yash Harshadkumar Dave **Reg. Date** : 27-Aug-2022 09:16 AM
Age/Sex : 32 Years / Male **Pass. No.** : **Tele No.** : 7600900738
Ref. By : **Dispatch At** :
Location : CHPL **Sample Type** : Serum

***TSH** 1.977 μ U/ml 0.55 - 4.78
CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY

Thyroid stimulating hormone (TSH) is synthesized and secreted by the anterior pituitary in response to a negative feedback mechanism involving concentrations of FT3 (free T3) and FT4 (free T4). Additionally, the hypothalamic tripeptide, thyrotropin-releasing hormone (TRH), directly stimulates TSH production. TSH stimulates thyroid cell production and hypertrophy, also stimulate the thyroid gland to synthesize and secrete T3 and T4. Quantification of TSH is significant to differentiate primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.

TSH levels During Pregnancy :

First Trimester : 0.1 to 2.5 μ U/mL

Second Trimester : 0.2 to 3.0 μ U/mL


Third trimester : 0.3 to 3.0 μ U/mL

Reference : Carl A.Burtis,Edward R.Ashwood,David E.Bruns. Tietz Textbook of Clinical Chemistry and Molecular Diagnostics. 5th Eddition. Philadelphia: WB Saunders,2012:2170

For tests performed on specimens received or collected from non-CHPL locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender. CHPL will be responsible only for the analytical part of the test carried out. All other responsibility will be of referring laboratory.

This is an electronically authenticated report.

* This test has been out sourced.


Approved By : **Dr. Keyur V Patel**
MB,DCP

Generated On : 29-Aug-2022 10:21 AM

Approved On : 27-Aug-2022 06:19 PM


TEST REPORT

Reg. No : 208101454	Ref Id :	Collected On : 27-Aug-2022 09:16 AM
Name : Mr. Yash Harshadkumar Dave		Reg. Date : 27-Aug-2022 09:16 AM
Age/Sex : 32 Years / Male	Pass. No. :	Tele No. : 7600900738
Ref. By :		Dispatch At :
Location : CHPL		Sample Type : Serum

Parameter	Result	Unit	Biological Ref. Interval
-----------	--------	------	--------------------------

IMMUNOLOGY

*TOTAL PROSTATE SPECIFIC ANTIGEN (PSA)	1.45	ng/mL	0 - 4
---	------	-------	-------

CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY

Measurement of total PSA alone may not clearly distinguish between benign prostatic hyperplasia (BPH) from cancer, this is especially true for the total PSA values between 4-8 ng/mL.

Percentage of free PSA = free PSA/total PSA X 100


Percentage of free PSA: Patients with prostate cancer generally have a lower percentage of Free PSA than patients with benign prostatic hyperplasia. Percentage Free PSA of less than 25% is a high likelihood of prostatic cancer.

----- End Of Report -----

For tests performed on specimens received or collected from non-CHPL locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender. CHPL will be responsible only for the analytical part of the test carried out. All other responsibility will be of referring laboratory.

This is an electronically authenticated report.

* This test has been out sourced.

Approved By : 
Dr. Keyur V Patel
 MB,DCP

Generated On : 29-Aug-2022 10:21 AM

Approved On : 27-Aug-2022 06:19 PM



LABORATORY REPORT

Name : Mr. Yash Harshadkumar Dave
Sex/Age : Male/32 Years
Ref. By :
Client Name : Mediwheel


Reg. No : 208101454
Reg. Date : 27-Aug-2022 09:16 AM
Collected On : 27-Aug-2022 09:16 AM
Report Date : 27-Aug-2022 02:55 PM

Electrocardiogram


Findings

LAD.

Rest Within Normal Limit.



This is an electronically authenticated report



Dr. Jay Soni
M.D, GENERAL MEDICINE



LABORATORY REPORT

Name : Mr. Yash Harshadkumar Dave
Sex/Age : Male/32 Years
Ref. By :
Client Name : Mediwheel

Reg. No : 208101454
Reg. Date : 27-Aug-2022 09:16 AM
Collected On : 27-Aug-2022 09:16 AM
Report Date : 27-Aug-2022 02:55 PM

2D Echo Colour Doppler

OBSERVATION:


2 D Echo and color flow studies were done in long and short axis, apical and Sub costal views.

1. Normal LV size. No RWMA at rest.
2. Normal RV and RA. No Concentric LVH.
3. All Four valves are structurally normal.
4. Good LV systolic function. LVEF = 60%.
5. Normal LV Compliance.
6. Trivial TR. Mild MR. No AR.
7. No PAH.
8. Intact IAS and IVS.
9. No Clot, No Vegetation.
10. No pericardial effusion.


CONCLUSION

1. Normal LV size with Good LV systolic function.
2. No Concentric LVH . Normal LV Compliance
3. Trivial TR with No PAH. Mild MR. No AR
4. No RWMA at rest.

This echo doesn't rule out any kind of congenital cardiac anomalies.



This is an electronically authenticated report



Dr. Jay Soni
M.D, GENERAL MEDICINE



LABORATORY REPORT

Name :	Mr. Yash Harshadkumar Dave	Reg. No :	208101454
Sex/Age :	Male/32 Years	Reg. Date :	27-Aug-2022 09:16 AM
Ref. By :		Collected On :	
Client Name :	Mediwheel	Report Date :	27-Aug-2022 03:44 PM

X RAY CHEST PA

Both lung fields appear clear.

No evidence of any active infiltrations or consolidation.

Cardiac size appears within normal limits.


Both costo-phrenic angles appear free of fluid.

Both domes of diaphragm appear normal.


COMMENT: No significant abnormality is detected.

----- End Of Report -----

This is an electronically authenticated report



DR DHAVAL PATEL
Consultant Radiologist
MB,DMRE
Reg No:0494





LABORATORY REPORT

Name :	Mr. Yash Harshadkumar Dave	Reg. No :	208101454
Sex/Age :	Male/32 Years	Reg. Date :	27-Aug-2022 09:16 AM
Ref. By :		Collected On :	
Client Name :	Mediwheel	Report Date :	27-Aug-2022 03:43 PM

USG ABDOMEN

Liver appears normal in size, show homogenous parenchymal echo. No evidence of focal solid or cystic lesion seen.

No evidence of dilatation of intra-hepatic biliary or portal radicals. PV is normal in caliber.

Gall bladder is normally distended. No evidence of calculus or mass seen. Gall bladder wall thickness appears normal.

Pancreas appears normal in size and echopattern. No evidence of focal lesions.

Spleen appears normal in size & normal in echopattern. No evidence of focal lesions.

Both kidneys are normal in size, shape and position. C.M. differentiation on both sides is maintained. No evidence of hydronephrosis, calculus or solid mass on either side.

Urinary bladder contour is normal, No evidence of calculus or mass.

Prostate is normal in size, show homogenous echo, outline is smooth.


No paraaortic lymphadenopathy seen.

No evidence of dilated small bowel loops.


COMMENTS :

Normal study.

This is an electronically authenticated report



DR DHAVAL PATEL
Consultant Radiologist
MB, DMRE
Reg No:0494




LABORATORY REPORT

Name : Mr. Yash Harshadkumar Dave
Sex/Age : Male/32 Years
Ref. By :
Client Name : Mediwheel

Reg. No : 208101454
Reg. Date : 27-Aug-2022 09:16 AM
Collected On : 27-Aug-2022 09:16 AM
Report Date : 27-Aug-2022 03:07 PM

Eye Check - Up

No Eye Complaints

RIGHT EYE

SP:-2.75

CY: -1.25

AX: 08

LEFT E-3.25YE

SP : -3.25

CY : -0.50

AX :02

	Without Glasses	With Glasses
Right Eye	6/12	6/5
Left Eye	6/18	6/5

Near Vision: Right Eye - N/6, Left Eye - N/6

Fundus Examination - Within Normal Limits.

ColorVision : Normal

Comments: Normal

----- End Of Report -----

This is an electronically authenticated report



Dr Kejal Patel
 MB,DO(Ophth)




CLIENT NAME :- YASH DAVE.

AGE:- 32Y / M

DATE: 27/08/2022.

AUDIOGRAM



EAR	MODE	Air Conduction		Bone Conduction		Colour Code	Threshold in dB	RIGHT	LEFT
		Masked	UnMasked	Masked	UnMasked				
LEFT		□	×	□	>	Blue	AIR CONDUCTION	10.5	11
RIGHT		△	○	□	<	Red	BONE CONDUCTION		
NO RESPONSE : Add ↓, below the respective symbols							SPEECH		

Comments:- Bilateral Hearing Sensitivity Within Normal Limits.

