

PHYSICAL EXAMINATION REPORT

R

E

Patient Name	ima	Niulbal	Ray S	ex/Age	H	50	
Date	20	12/02	L	ocation		trave	,

History and Complaints

CO-HTN

EXAMINATION	N FINDINGS:
Height (cms):	Temp (0c):
Weight (kg):	Skin:
Blood Pressure	150 00 Nails:
Pulse	76 WY Lymph Node:
Systems:	THE PROPERTY OF SHEETING BY SHEETING
Cardiovascular:	1 NAD
Respiratory:	2 (212 2
Genitourinary:	- Tenderness inthe Breast (957
GI System:	
CNS:	I. NA
Impression:	20 EHO- Muild LVH.
b, .	- Mannagraphy - Calciffications in b/L
	- Mannography - Calciffications public - Lymph Nodes in Both Brenst. Axillae! USG-Muildly. Bulky Oterus.

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2nd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053.



Advice: - Low Fat, Low sugar Diet R.
Gynarc Consultation

1)	Hypertension:	les	siyce 2007
2)	IHD		
3)	Arrhythmia		
4)	Diabetes Mellitus		
5)	Tuberculosis		
6)	Asthama	11/	
7)	Pulmonary Disease		
8)	Thyroid/ Endocrine disorders	Line and House	
9)	Nervous disorders		
10)	GI system		
11)	Genital urinary disorder		
12)	Rheumatic joint diseases or symptoms		
13)	Blood disease or disorder		
14)	Cancer/lump growth/cyst	λ	
15)	Congenital disease	12	
16)	Surgeries		
17)	Musculoskeletal System		

PERSONAL HISTORY:

1)	Alcohol
2)	Smoking
3)	Diet
4)	Medication
	1 0

Agurreduc Re Renostration (5.05) Murxed Tab. Metacard/List Tab. Efonta Tab. Olmisar 40



E R

R

REGN NO: -

GYNECOLOGICAL EXAMINATION REPORT

OBSERVED VALUE

TEST DONE

CHIEF COMPLANTS:-

rregular. Menses

MARITAL STATUS :-

MENSTRUAL HISTORY:-

MENARCHE:-

PAST MENSTRUAL HISTORY :- Keg U

OBSTERIC HISTORY: -

PAST HISTORY:-

PREVIOUS SURGERIES :-

ALLERGIES :-

FAMILY HOSTORY:-



E P O R

R

For HTM, Aguareduce

· DRUG HISTORY :-

BOWEL HABITS:-

BLADDER HABITS :-

PERSONAL HISTORY:-

TEMPRATURE :-

RS:-

CVS:-

PULSE / MIN :-

BP (mm of hg):-

BREAST EXAMINATION:-

PER ABDOMEN:-

PRE VAGINAL:-

RECOMMENDATION:

26 luis

50 00

Tenderness

)

vamography.

Dr. Manasee Kulkarni M.B.B.S. 2005/09/3439



: 2307900413

Name

: MRS. NILIMA NIMBALKAR

Age / Gender

: 52 Years / Female

Consulting Dr.

. .

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported : 20-Mar-2023 / 08:28 : 20-Mar-2023 / 12:18 R

E

0

T

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/TMT

	CBC (Complet	e Blood Count), Blood	
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
RBC PARAMETERS			
Haemoglobin	11.4	12.0-15.0 g/dL	Spectrophotometri
RBC	3.80	3.8-4.8 mil/cmm	Elect. Impedance
PCV	32.5	36-46 %	Measured
MCV	85.4	80-100 fl	Calculated
MCH	30.1	27-32 pg	Calculated
MCHC	35.3	31.5-34.5 g/dL	Calculated
RDW	13.2	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	6660	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND	ABSOLUTE COUNTS		
Lymphocytes	30.3	20-40 %	
Absolute Lymphocytes	2018.0	1000-3000 /cmm	Calculated
Monocytes	7.5	2-10 %	
Absolute Monocytes	499.5	200-1000 /cmm	Calculated
Neutrophils	58.1	40-80 %	
Absolute Neutrophils	3869.5	2000-7000 /cmm	Calculated
Eosinophils	4.0	1-6 %	
Absolute Eosinophils	266.4	20-500 /cmm	Calculated
Basophils	0.1	0.1-2 %	
Absolute Basophils	6.7	20-100 /cmm	Calculated
Immature Leukocytes	-		
WBC Differential Count by Abs	sorbance & Impedance meth	od/Microscopy.	
PLATELET PARAMETERS		and the state of the last	Flort Impedance
Platelet Count	315000	150000-400000 /cmm	Elect. Impedance
MPV	7.6	6-11 fl	Calculated
PDW	8.5	11-18 %	Calculated
RBC MORPHOLOGY			



: 2307900413

Name

: MRS.NILIMA NIMBALKAR

Age / Gender

: 52 Years / Female

Consulting Dr.

. .

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported : 20-Mar-2023 / 08:28 : 20-Mar-2023 / 12:38 R

E

P

0

R

T

Hypochromia

Microcytosis

Macrocytosis

Anisocytosis

Poikilocytosis

Polychromasia

Target Cells

rarget Cells

Basophilic Stippling

Normoblasts

Others

Normocytic, Normochromic

WBC MORPHOLOGY

PLATELET MORPHOLOGY

COMMENT

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR

49

2-30 mm at 1 hr.


Sedimentation

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West









Dr.AMIT TAORI M.D (Path) Pathologist

Page 2 of 12



: 2307900413

Name

: MRS. NILIMA NIMBALKAR

Age / Gender

: 52 Years / Female

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported :20-Mar-2023 / 08:28 :20-Mar-2023 / 11:55

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/TMT

PARAMETER

RESULTS

METHOD BIOLOGICAL REF RANGE

GLUCOSE (SUGAR) FASTING,

102.6

Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose:

Hexokinase

R

E

0

Fluoride Plasma

100-125 mg/dl Diabetic: >/= 126 mg/dl

Hexokinase

GLUCOSE (SUGAR) PP, Fluoride 133.6

Plasma PP/R

Non-Diabetic: < 140 mg/dl

Impaired Glucose Tolerance:

140-199 mg/dl

Diabetic: >/= 200 mg/dl

Urine Sugar (Fasting) Urine Ketones (Fasting) Absent

Absent

Absent


Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***









Dr.AMIT TAORI M.D (Path) Pathologist

Page 3 of 12



: 2307900413

Name

: MRS.NILIMA NIMBALKAR

Age / Gender

: 52 Years / Female

Consulting Dr.

. .

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported : 20-Mar-2023 / 08:28

R

E

:20-Mar-2023 / 12:18

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/TMT KIDNEY FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
BLOOD UREA, Serum	25.2	12.8-42.8 mg/dl	Urease & GLDH
BUN, Serum	11.8	6-20 mg/dl	Calculated
CREATININE, Serum	0.75	0.51-0.95 mg/dl	Enzymatic
eGFR Serum	86	>60 ml/min/1.73sqm	Calculated

Note: eGFR estimation is calculated using MDRD (Modification of diet in renal disease study group) equation


ed daing mone (means		Biuret
6.5	6.4-8.3 g/dL	blurec
4.3	3.5-5.2 g/dL	BCG
2.2	2.3-3.5 g/dL	Calculated
2.0	1 - 2	Calculated
6.5	2.4-5.7 mg/dl	Uricase
4.3	2.7-4.5 mg/dl	Ammonium molybdate
9.1	8.6-10.0 mg/dl	N-BAPTA
140	135-148 mmol/l	ISE
5.0	3.5-5.3 mmol/l	ISE
104	98-107 mmol/l	ISE
	6.5 4.3 2.2 2.0 6.5 4.3 9.1 140 5.0	4.3 2.2 2.3-3.5 g/dL 2.0 1 - 2 6.5 2.4-5.7 mg/dl 2.7-4.5 mg/dl 9.1 8.6-10.0 mg/dl 140 135-148 mmol/l 5.0 3.5-5.3 mmol/l

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West









Dr.AMIT TAORI M.D (Path) Pathologist

Page 4 of 12



: 2307900413

Name

: MRS. NILIMA NIMBALKAR

Age / Gender

: 52 Years / Female

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 20-Mar-2023 / 08:28 :20-Mar-2023 / 12:35

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/TMT

GLYCOSYLATED HEMOGLOBIN (HbA1c)

PARAMETER

RESULTS

BIOLOGICAL REF RANGE

METHOD

R

Е

Glycosylated Hemoglobin (HbA1c), EDTA WB - CC

5.7

116.9

Non-Diabetic Level: <5.7 % Prediabetic Level: 5.7-6.4 % **HPLC**

Diabetic Level: >/= 6.5 %

mg/dl

Calculated

Estimated Average Glucose (eAG), EDTA WB - CC

Intended use:

In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year

In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly

For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.

The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.

HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.

To monitor compliance and long term blood glucose level control in patients with diabetes.

Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***



Amit Taan Dr.AMIT TAORI

M.D (Path) **Pathologist**

Page 5 of 12



: 2307900413

Name

: MRS.NILIMA NIMBALKAR

Age / Gender

: 52 Years / Female

Consulting Dr. Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 20-Mar-2023 / 08:28 :20-Mar-2023 / 12:35

R

E

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/TMT URINE EXAMINATION REPORT

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	- Chemical Indicator
Reaction (pH)	Acidic (6.0)	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.015	1.010-1.030	Chemical indicator
Transparency	Clear	Clear	•
Volume (ml)	50		•
CHEMICAL EXAMINATION	,		
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION			
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	2-3		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	4-5	Less than 20/hpf	
Others	Yeast cells : Occasional	O PARRAGIO	5.11

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein:(1+ -25 mg/dl, 2+ -75 mg/dl, 3+ 150 mg/dl, 4+ 500 mg/dl)
- Glucose: (1+ 50 mg/dl, 2+ -100 mg/dl, 3+ -300 mg/dl, 4+ -1000 mg/dl)
- Ketone: (1+ -5 mg/dl, 2+ -15 mg/dl, 3+ 50 mg/dl, 4+ 150 mg/dl)

Reference: Pack insert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West







Donit Jaan

Dr.AMIT TAORI M.D (Path) Pathologist

Page 6 of 12



: 2307900413

Name

: MRS.NILIMA NIMBALKAR

Age / Gender

: 52 Years / Female

Consulting Dr.

Reg. Location : G B Road, Thane West (Main Centre)

Collected

Reported

Authenticity Check

R

E

0

R

T

Use a QR Code Scanner Application To Scan the Code

:

*** End Of Report ***



: 2307900413

Name

: MRS.NILIMA NIMBALKAR

Age / Gender

: 52 Years / Female

Consulting Dr.

. .

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported : 20-Mar-2023 / 08:28 : 20-Mar-2023 / 13:05 R

E

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/TMT BLOOD GROUPING & Rh TYPING

PARAMETER

RESULTS

ABO GROUP

A

Rh TYPING

Positive

NOTE: Test performed by Semi- automated column agglutination technology (CAT)

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West





Dr.AMIT TAORI

M.D (Path)
Pathologist

Page 8 of 12



: 2307900413

Name

: MRS. NILIMA NIMBALKAR

Age / Gender

: 52 Years / Female

Consulting Dr.

: -

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported : 20-Mar-2023 / 08:28 : 20-Mar-2023 / 13:31 R

E

0

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/TMT LIPID PROFILE

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
CHOLESTEROL, Serum	199.6	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	207.9	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	37.8	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	161.8	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated I
LDL CHOLESTEROL, Serum	125.3	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	36.5	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	5.3	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	3.3	0-3.5 Ratio	Calculated

Kindly correlate clinically.


Note: LDL test is performed by direct measurement.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***









Dr.AMIT TAORI M.D (Path) Pathologist

Page 9 of 12



: 2307900413

Name

: MRS.NILIMA NIMBALKAR

Age / Gender

: 52 Years / Female

Consulting Dr.

. .

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check



Use a QR Code Scanner Application To Scan the Code

Collected

: 20-Mar-2023 / 08:28

R

E

0

R

T

Reported :20-Mar-2023 / 11:48

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/TMT
THYROID FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
Free T3, Serum	3.5	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	13.8	11.5-22.7 pmol/L First Trimester:9.0-24.7 Second Trimester:6.4-20.59 Third Trimester:6.4-20.59	ECLIA
sensitiveTSH, Serum	4.14	0.35-5.5 microIU/ml First Trimester:0.1-2.5 Second Trimester:0.2-3.0	ECLIA



: 2307900413

Name

: MRS. NILIMA NIMBALKAR

Age / Gender

: 52 Years / Female

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

:20-Mar-2023 / 08:28

Reported

:20-Mar-2023 / 11:48

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

1)TSH Values between high abnormal upto 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological

can give falsely high TSH.

2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns,

TSH	FT4/T4	FT3/T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti- epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin


Limitations:

- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
- 2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013) 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)
- *Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***







Page 11 of 12

E



A Lot I

Authenticity Check

P

R

R

CID

: 2307900413

Name

MRC NILIMA NIMBALKAR

Age / Gender

: 52 Years / Female

Consulting Dr.

: -

Reg. Location

: G B Road, Thane West (Main Centre)

'allected :

Use a QR Code Scanner
Application To Scan the Code

• 20-Mar-2023 / 0.

Collected Reported : 20-Mar-2023 / 08:28 : 20-Mar-2023 / 12:18


MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/TMT LIVER FUNCTION TESTS

PARAMETER	RESULTS *	BIOLOGICAL REF RANGE	METHOD
BILIRUBIN (TOTAL), Serum	0.29	0.1-1.2 mg/dl	Diazo
BILIRUBIN (DIRECT), Serum	0.01	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.28	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	6.5	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.3	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.2	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	2.0	1 - 2	Calculated
SGOT (AST), Serum	14.5	5-32 U/L	IFCC without pyridoxal phosphate activation
SGPT (ALT), Serum	13.0	5-33 U/L	IFCC without pyridoxal phosphate activation
GAMMA GT, Serum	20.6	3-40 U/L	IFCC
ALKALINE PHOSPHATASE, Serum	87.5	35-105 U/L	PNPP

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***







Dr.AMIT TAORI M.D (Path) Pathologist

Page 12 of 12



R E 0 R

Date: 20/3/23

CID:

Name: Viliana AlaballagSex/Age: F1 53.

EYE CHECK UP

Chief complaints:

Rel

Systemic Diseases:

Past history:

Unaided Vision:

32 6/6 NUBL X/36

Aided Vision:

Refraction:

(Right Eye)

(Left Eye)

	Sph	СуІ	Axis	Vn	Sph	Cyl	Axis	Vn
Distance		Helens	F13%-11	Albert				
Near				Marian Leve				

Colour Vision: Normal / Abnormal

Remark: USC own Specks

NR. PRAKASH KUDVA

PRECISE TESTING . HEALTHIER LIVING DIAGNOSTICS


Patient ID: Patient Name:

SUBURBAN DIAGNOSTICS - G B ROAD, THANE WEST

NIMBALKAR NILIMA M 2307900413

Date and Time: 20th Mar 23 8:54 AM

26 days



Dischance: I) Analysis in this report is based on ECG alone and should be used as an adjun-physician, 2) Patient vitals are as unicred by the clinician and not decreaed from the ECG.

ECG Within Normal Limits: Sinus Bradycardia. Please correlate clinically.

REPORTED BY

DR SHAILAJA PILLAJ MBBS, MD Physican MD Physican 49972



REG NO.: 2307900413	SEX : FEMALE		
NAME : MRS.NILIMA NIMBALKAR	AGE: 52 YRS		
REF BY:	DATE: 20.03.2023		

2D ECHOCARDIOGRAPHY

M - MODE FINDINGS:

LVIDD	50	mm
LVIDS	29	mm
LVEF	60	0/0
IVS	12	mm
PW	7	mm
AO	13	mm
LA	23	mm

2D ECHO:

- · All cardiac chambers are normal in size
- · Left ventricular contractility: Normal
- · Regional wall motion abnormality: Absent.
- Systolic thickening: Normal. LVEF = 60%
- Mitral, tricuspid, aortic, pulmonary valves are: Normal.
- Great arteries: Aorta and pulmonary artery are: Normal.
- Inter artrial and inter ventricular septum are intact.
- Pulmonary veins, IVC, hepatic veins are normal.
- · No pericardial effusion . No intracardiac clots or vegetation.



PATIENT NAME: MRS.NILIMA NIMBALKAR

POR

R

E

COLOR DOPPLER:

- Mitral valve doppler E- m/s, A- m/s.
- Mild TR.Mild PAH RVSP = 40mmHg.
- No aortic / mitral regurgition. Aortic velocity 1.7 m/s, PG 12.6 mmHg
- · No significant gradient across aortic valve.
- · No diastolic dysfunction.

IMPRESSION:

- MILD CONCENTRIC HYPERTROPHY OF LV
- NO REGIONAL WALL MOTION ABNORMALITY AT REST.
- NORMAL LV SYSTOLIC FUNCTION.

-----End of the Report-----

DRYOGESH KHARCHE

DNB(MEDICINE) DNB (CARDIOLOGY)

CONSULTANAT INTERVENTIONAL CARDIOLOGIST.

0022-6170-0000



Reg. No.: 2307900413	Sex : FEMALE		
NAME : MRS. NILIMA NIMBALKAR	Age: 52 YRS		
Ref. By :	Date: 20.03.2023		

MAMMOGRAPHY

Bilateral mammograms have been obtained using a low radiation dose film screen technique in the cranio-caudal and oblique projections. Film markers are in the axillary / lateral portions of the breasts.

Predominantly fatty with few scattered heterogenous fibroglandular densities is noted in the both breasts.

Calcifications are noted in both breast.

No evidence of any abnormal density mass lesion / nipple retraction is seen. No architectural distortion is seen.

Both nipple shadows and subcutaneous soft tissue shadows appear normal .No abnormal skin thickening is seen. Few lymph nodes noted in right axilla with preserved fatty hilum.

On Sonomammography of both breasts mixed fibroglandular tissues are seen .

Few lymphnodes are noted in both axillae with preserved fatty hilum largest in right axilla measuring 2.2 x 1.1 cm and largest in left axilla measuring 1.1 x 0.6 cm.

No focal soild or cystic mass lesion is seen in both breasts. No duct ectasia is seen. Both retromammary regions appear normal.

IMPRESSION:

CALCIFICATIONS ARE NOTED IN BOTH BREAST.
FEW LYMPHNODES ARE NOTED IN BOTH AXILLAE WITH PRESERVED FATTY HILUM.

ACR BIRADS CATEGORY II BOTH BREASTS.

Suggest ciinical correlation and follow up.

Note:Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations.

DR.GAURI VARMA
MBBS,DMRE
(CONSULTANT RADIOLOGIST)

R



: 2307900413

Name

: Ms NIMBALKAR NILIMA M

Age / Sex

Reg. Location

: 38 Years/Female

Ref. Dr

: G B Road, Thane West Main Centre

Reg. Date

Reported

Authenticity Check



Use a QR Code Scanner Application To Scan the Code R

E

P

0

R

: 20-Mar-2023

: 20-Mar-2023 / 10:36

USG WHOLE ABDOMEN

LIVER: Liver appears normal in size and echotexture. There is no intra-hepatic biliary radical dilatation. No evidence of any focal lesion.

GALL BLADDER: Gall bladder is distended and appears normal. Wall thickness is within normal limits. There is no evidence of any calculus.

PORTAL VEIN: Portal vein is normal. CBD: CBD is normal.

PANCREAS: Pancreas appears normal in echotexture. There is no evidence of any focal lesion or calcification. Pancreatic duct is not dilated.

KIDNEYS: Right kidney measures 9.2 x 4.2 cm. Left kidney measures 9.1 x 4.2 cm. Both kidneys are normal in size, shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus.

SPLEEN: Spleen is normal in size, shape and echotexture. No focal lesion is seen.

URINARY BLADDER: Urinary bladder is distended and normal. Wall thickness is within normal limits.

 $\underline{\text{UTERUS:}}$ Uterus is mildly bulky anteverted and measures 6.5 x 4.5 x 5.4 cm. Uterine myometrium shows homogenous echotexture. Endometrial echo is in midline and measures 10 mm. Cervix appears normal.

Bilateral adnexa are clear.

No free fluid or significant lymphadenopathy is seen.

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023032008270876



Authenticity Check



Use a QR Code Scanner Application To Scan the Code R

R

: 20-Mar-2023

: 20-Mar-2023 / 10:36

CID

: 2307900413

Name

: Ms NIMBALKAR NILIMA M

Age / Sex

: 38 Years/Female

Ref. Dr

:

Reg. Location

: G B Road, Thane West Main Centre

Reg. Date

Reported

IMPRESSION:

MILDLY BULKY UTERUS.

Advice: Clinical co-relation sos further evaluation and follow up.

Note:Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further/follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis.

----End of Report-----

GRods

Dr Gauri Varma Consultant Radiologist MBBS / DMRE MMC- 2007/12/4113

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023032008270876



CID : 2307900413

Name : Ms NIMBALKAR NILIMA M

Age / Sex : 38 Years/Female

Ref. Dr

Reg. Location : G B Road, Thane West Main Centre

Reg. Date

Reported

Use a QR Code Scanner Application To Scan the Code R

E

0

: 20-Mar-2023

Authenticity Check

: 20-Mar-2023 / 11:46

X-RAY CHEST PA VIEW

--End of Report----

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

Proces

Dr Gauri Varma Consultant Radiologist MBBS / DMRE MMC- 2007/12/4113

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023032008270898

Page no 1 of 1