

Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.BARUN KUMAR SINGH Registered On : 12/Mar/2022 10:31:49 Age/Gender Collected : 12/Mar/2022 10:42:13 : 44 Y O M 11 D /M UHID/MR NO : IRAE.0000013373 Received : 12/Mar/2022 10:55:34 Visit ID Reported : 12/Mar/2022 16:06:50 : CDCA0310662122

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
-----------	--------	------	--------------------	--------	--

Blood Group	(ABO & Rh typing)	* , Blood
--------------------	-------------------	-----------

Blood Group O
Rh (Anti-D) POSITIVE

Complete Blood Count (CBC) *, Blood

Haemoglobin	15.60	g/dl	1 Day- 14.5-22.5 g/ 1 Wk- 13.5-19.5 g/ 1 Mo- 10.0-18.0 g/ 3-6 Mo- 9.5-13.5 g. 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/ 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/d Female- 12.0-15.5 g	dl dl /dl /dl g/dl
TLC (WBC)	8,300.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
DLC				
Polymorphs (Neutrophils)	76.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	16.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	5.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	3.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils	0.00	%	< 1	ELECTRONIC IMPEDANCE
ESR				
Observed	6.00	Mm for 1st hr.		
Corrected	NR	Mm for 1st hr.	. < 9	
PCV (HCT)	47.00	cc %	40-54	
Platelet count				
Platelet Count	1.2	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.60	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	NR	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.18	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	15.90	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				

Mill./cu mm 4.2-5.5



RBC Count



ELECTRONIC IMPEDANCE

5.00



Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.BARUN KUMAR SINGH Registered On : 12/Mar/2022 10:31:49 Age/Gender : 44 Y O M 11 D /M Collected : 12/Mar/2022 10:42:13 UHID/MR NO : IRAE.0000013373 Received : 12/Mar/2022 10:55:34 Visit ID : CDCA0310662122 Reported : 12/Mar/2022 16:06:50

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Indices (MCV, MCH, MCHC)				
MCV	93.20	fl	80-100	CALCULATED PARAMETER
MCH	31.40	pg	28-35	CALCULATED PARAMETER
MCHC	33.76	%	30-38	CALCULATED PARAMETER
RDW-CV	12.60	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	43.90	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	6,308.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	249.00	/cu mm	40-440	









Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.BARUN KUMAR SINGH : 12/Mar/2022 10:31:49 Registered On Age/Gender : 44 Y O M 11 D /M Collected : 12/Mar/2022 16:21:54 UHID/MR NO : IRAE.0000013373 Received : 12/Mar/2022 17:08:09 Visit ID : CDCA0310662122 Reported : 12/Mar/2022 17:34:15 : Final Report Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
GLUCOSE FASTING * , Plasma					
Glucose Fasting	145.87	mg/dl	< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD	

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

Glucose PP *	159.93	mg/dl	<140 Normal	GOD POD
Sample:Plasma After Meal		Service of the servic	140-199 Pre-diabetes	
			>200 Diabetes	

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.









Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.BARUN KUMAR SINGH : 12/Mar/2022 10:31:50 Registered On Age/Gender : 44 Y O M 11 D /M Collected : 12/Mar/2022 10:42:13 UHID/MR NO : IRAE.0000013373 Received : 12/Mar/2022 18:02:31 Visit ID : CDCA0310662122 Reported : 12/Mar/2022 18:38:41

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit B	io. Ref. Interval	Method	
GLYCOSYLATED HAEMOGLOBIN (HBA1C)	** , EDTA BLOOD				
Glycosylated Haemoglobin (HbA1c)	7.30	% NGSP		HPLC (NGSP)	
Glycosylated Haemoglobin (Hb-A1c)	56.00	mmol/mol/IFCC			

mg/dl

Interpretation:

NOTE:-

Estimated Average Glucose (eAG)

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.

163

 eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated G8 90 SL TOSOH HPLC Analyser.





^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.



Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.BARUN KUMAR SINGH : 12/Mar/2022 10:31:50 Registered On Age/Gender : 44 Y O M 11 D /M Collected : 12/Mar/2022 10:42:13 UHID/MR NO : IRAE.0000013373 Received : 12/Mar/2022 18:02:31 Visit ID : CDCA0310662122 Reported : 12/Mar/2022 18:38:41

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- *Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- *Pregnancy d. chronic renal failure. Interfering Factors:
- *Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.











Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.BARUN KUMAR SINGH Registered On : 12/Mar/2022 10:31:50 Age/Gender Collected : 12/Mar/2022 10:42:13 : 44 Y O M 11 D /M UHID/MR NO : IRAE.0000013373 Received : 12/Mar/2022 15:11:57 Visit ID : CDCA0310662122 Reported : 12/Mar/2022 16:21:47 Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
BUN (Blood Urea Nitrogen) * Sample:Serum	7.74	mg/dL	7.0-23.0	CALCULATED
Creatinine * Sample:Serum	1.14	mg/dl	0.7-1.3	MODIFIED JAFFES
e-GFR (Estimated Glomerular Filtration Rate) * Sample:Serum	69.00	ml/min/1.73m2	2 - 90-120 Normal - 60-89 Near Normal	CALCULATED
Uric Acid *	5.90	mg/dl	3.4-7.0	URICASE
Sample:Serum				
LFT (WITH GAMMA GT) * , Serum				
SGOT / Aspartate Aminotransferase (AST)	46.40	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	89.80	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	23.50	IU/L	11-50	OPTIMIZED SZAZING
Protein	7.03	gm/dl	6.2-8.0	BIRUET
Albumin	4.51	gm/dl	3.8-5.4	B.C.G.
Globulin	2.52	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.79		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	56.67	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.87	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.18	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.69	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) *, Serum				
Cholesterol (Total)	212.00	mg/dl	<200 Desirable 200-239 Borderline High > 240 High	CHOD-PAP
HDL Cholesterol (Good Cholesterol)	46.70	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	127	mg/dl	< 100 Optimal 100-129 Nr.	CALCULATED
			Optimal/Above Optimal 130-159 Borderline High 160-189 High > 190 Very High	1
VLDL	37.96	mg/dl	10-33	CALCULATED
Triglycerides	189.80	mg/dl	< 150 Normal 150-199 Borderline High	GPO-PAP





Page 6 of 16



Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.BARUN KUMAR SINGH

: 44 Y O M 11 D /M

Registered On Collected

: 12/Mar/2022 10:31:50

Age/Gender

Received

: 12/Mar/2022 10:42:13 : 12/Mar/2022 15:11:57

UHID/MR NO Visit ID

: IRAE.0000013373 : CDCA0310662122

Reported

: 12/Mar/2022 16:21:47

Ref Doctor

: Dr.Mediwheel - Arcofemi Health Care Ltd. Status

: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

> 200-499 High >500 Very High











Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.BARUN KUMAR SINGH Registered On : 12/Mar/2022 10:31:50 Age/Gender Collected : 12/Mar/2022 16:21:54 : 44 Y O M 11 D /M UHID/MR NO : IRAE.0000013373 Received : 12/Mar/2022 17:56:14 Visit ID : CDCA0310662122 Reported : 12/Mar/2022 18:08:06

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

est Name	Result	Unit	Bio. Ref. Interval	Method
CSI IVALLIC	Nesult	Ullit	DIO. INCL. IIIICI VAI	IVICTIOU

URINE EXAMINATION, ROL	JTINE *	. Urine
------------------------	---------	---------

URINE EXAMINATION, ROUTINE * ,	Urine			
Color Specific Gravity Reaction PH Protein	PALE YELLOW 1.010 Acidic (5.0) ABSENT	mg %	< 10 Absent 10-40 (+)	DIPSTICK DIPSTICK
Sugar	ABSENT	gms%	40-200 (++) 200-500 (+++) > 500 (++++) < 0.5 (+) 0.5-1.0 (++)	DIPSTICK
Ketone	ABSENT	mg/dl	1-2 (+++) > 2 (++++) 0.2-2.81	BIOCHEMISTRY
Bile Salts Bile Pigments	ABSENT ABSENT	mg/ui	0.2-2.01	BIOCHEWISTKI
Urobilinogen(1:20 dilution) Microscopic Examination:	ABSENT		a service of the service of	MICDOCCODIC
Epithelial cells Pus cells	ABSENT ABSENT			MICROSCOPIC EXAMINATION MICROSCOPIC
RBCs	ABSENT			EXAMINATION MICROSCOPIC EXAMINATION
Cast Crystals	ABSENT ABSENT			MICROSCOPIC EXAMINATION
Others	ABSENT			EXAIVIINATION
SUGAR, FASTING STAGE * , Urine Sugar, Fasting stage	ABSENT	gms%		

Interpretation:

< 0.5 (+)

(++)0.5 - 1.0

(+++) 1-2

(++++) > 2







Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.BARUN KUMAR SINGH Registered On : 12/Mar/2022 10:31:50 Age/Gender Collected : 12/Mar/2022 16:21:54 : 44 Y O M 11 D /M UHID/MR NO : IRAE.0000013373 Received : 12/Mar/2022 17:56:14 Visit ID Reported : 12/Mar/2022 18:08:06 : CDCA0310662122

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

SUGAR, PP STAGE * , Urine

Sugar, PP Stage

ABSENT

Interpretation:

(+) < 0.5 gms%

(++) 0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%











Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.BARUN KUMAR SINGH : 12/Mar/2022 10:31:50 Registered On Age/Gender : 44 Y O M 11 D /M Collected : 12/Mar/2022 10:42:13 UHID/MR NO : IRAE.0000013373 Received : 12/Mar/2022 17:12:52 Visit ID : CDCA0310662122 Reported : 12/Mar/2022 19:48:50

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PSA (Prostate Specific Antigen), Total ** Sample:Serum	0.650	ng/mL	< 2.0	CLIA

Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone.
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

THYROID PROFILE - TOTAL **, Serum

T3, Total (tri-iodothyronine)	124.52	ng/dl	84.61-201.7	CLIA
T4, Total (Thyroxine)	9.36	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	3.39	μIU/mL	0.27 - 5.5	CLIA

Interpretation:

0.3-4.5	$\mu IU/mL$	First Trimest	er
0.5-4.6	$\mu IU/mL$	Second Trim	ester
0.8 - 5.2	$\mu IU/mL$	Third Trimes	ter
0.5-8.9	$\mu IU/mL$	Adults	55-87 Years
0.7 - 27	$\mu IU/mL$	Premature	28-36 Week
2.3-13.2	μIU/mL	Cord Blood	> 37Week
0.7-64	μIU/mL	Child(21 wk	- 20 Yrs.)
1-39	$\mu IU/mL$	Child	0-4 Days
1.7-9.1	μIU/mL	Child	2-20 Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.







Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.BARUN KUMAR SINGH : 12/Mar/2022 10:31:50 Registered On Age/Gender : 44 Y O M 11 D /M Collected : 12/Mar/2022 10:42:13 UHID/MR NO : IRAE.0000013373 Received : 12/Mar/2022 17:12:52 Visit ID : CDCA0310662122 Reported : 12/Mar/2022 19:48:50

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report


DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- **3**) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6**) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- 8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.









Page 11 of 16



Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.BARUN KUMAR SINGH Registered On : 12/Mar/2022 10:31:50

 Age/Gender
 : 44 Y 0 M 11 D /M
 Collected
 : N/A

 UHID/MR NO
 : IRAE.0000013373
 Received
 : N/A

Visit ID : CDCA0310662122 Reported : 12/Mar/2022 14:41:08

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA *

(500 mA COMPUTERISED UNIT SPOT FILM DEVICE)

CHEST P-A VIEW

- Soft tissue shadow appears normal.
- Bony cage is normal.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Pulmonary parenchyma did not reveal any significant lesion.

IMPRESSION

• NO SIGNIFICANT RADIOLOGICAL ABNORMALITY SEEN ON PRESENT STUDY.













Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.BARUN KUMAR SINGH Registered On : 12/Mar/2022 10:31:50

 Age/Gender
 : 44 Y 0 M 11 D /M
 Collected
 : N/A

 UHID/MR NO
 : IRAE.0000013373
 Received
 : N/A

Visit ID : CDCA0310662122 Reported : 12/Mar/2022 13:02:01

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

LIVER

• Liver is normal in size measuring 13.0 cm in longitudinal span & shows moderate diffuse increase in parenchymal echogenicity.

PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- Portal vein is normal at the porta.
- Porta hepatis is normal.

BILIARY SYSTEM

- The intra-hepatic biliary radicles are normal.
- Common duct are normal at the porta.
- Gall bladder is contracted with few echogenic foci measuring 2 to 4 mm. Wall is diffusely thickened measuring upto 3.5 mm. Pericholecystic area is clear.

PANCREAS

The pancreas is normal in size and shape and has a normal homogenous echotexture.

RIGHT KIDNEY (10.5 x 4.9 cm)

- Right kidney is normal in size and shape and cortical echotexture.
- The collecting system is not dilated.
- The upper part of right ureter is normal.
- The vesicoureteric junction is normal.
- Corticomedullary demarcation is clear.
- Renal respiratory excursions are normal.

LEFT KIDNEY (8.5 x 4.0 cm)

- Left kidney is normal in size and shape and cortical echotexture.
- The collecting system is not dilated.
- The upper part of left ureter is normal.
- The vesicoureteric junction is normal.
- Corticomedullary demarcation is clear.
- Renal respiratory excursions are normal.







Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.BARUN KUMAR SINGH Registered On : 12/Mar/2022 10:31:50

 Age/Gender
 : 44 Y 0 M 11 D /M
 Collected
 : N/A

 UHID/MR NO
 : IRAE.0000013373
 Received
 : N/A

Visit ID : CDCA0310662122 Reported : 12/Mar/2022 13:02:01

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

SPLEEN

• The spleen is normal in size (9.2 cm) and has a homogenous echotexture.

ILIAC FOSSA

• Scan over the iliac fossae does not reveal any fluid collection or mass.

URINARY BLADDER

- The urinary bladder is normal. Bladder wall is normal in thickness and regular.
- Pre void urine volume 517 cc.
- Post void residual urine volume 185 cc.

PROSTATE

• The prostate gland is mildly enlarged measuring 4.4 x 4.2 x 3.7 cm (vol-36.6 cc).

IMPRESSION

- Grade-II fatty infiltration of liver.
- Contracted gall bladder with few echogenic foci ? chronic calculus cholecystitis/ cholesterolosis.
- Grade-I prostatomegaly with significant post void residue.

Recommended: clinicopathological correlation.











Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road

Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.BARUN KUMAR SINGH Registered On : 12/Mar/2022 10:31:50

 Age/Gender
 : 44 Y 0 M 11 D /M
 Collected
 : N/A

 UHID/MR NO
 : IRAE.0000013373
 Received
 : N/A

Visit ID : CDCA0310662122 Reported : 12/Mar/2022 16:49:54

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF TMT

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Tread Mill Test (TMT) *

2D ECHO & M-MODE EXAMINATION VALUES MITRAL VALVE STUDY

DE Excursion : E F Slope : EPSS : VALVE AREA (MVOA) PERIMETRY	2.04 0.15 1.41 3.78	cm/sec m/s cm cm ²
PHT:	3.71	Cm ²

AORTIC VALVES STUDY

Aortic Diam :	3.06	cm
LA Diam.	2.96	cm
AV Cusp.	1.26	cm

LEFT VENTRICLE

IVSD	1.07	Cm
IVSS	1.12	Cm
LVIDD	4.56	Cm
LVIDS	3.16	Cm
LV PWD	1.02	Cm
LV PWS	1.07	Cm
EDV	95	MI
ESV	39	MI

EJECTION FRACTION : SV (Teich) 58% ($60 \pm 7\%$)

55 ml

SHÖRTENING FRACTION: 30% $(30 \pm 5\%)$

RIGHT VENTRICLE

RVID: 2.58 cm.







Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road

Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : 12/Mar/2022 10:31:50 : Mr.BARUN KUMAR SINGH Registered On

Age/Gender : 44 Y O M 11 D /M Collected : N/A UHID/MR NO : IRAE.0000013373 Received : N/A

Visit ID : CDCA0310662122 Reported : 12/Mar/2022 16:49:54

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF TMT

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

DIMENSIONAL IMAGING

MITRAL VALVE: Normal AORTIC VALVE : PULMONARY VALVE : Normal Normal TRICUSPID VALVE: Normal **INTER VENTRICULAR SEPTA:** Normal **INTERATRIAL SEPTUM:** Normal INTRACARDIAC CLOT / VEGETATION / MYXOMA: Absent **LEFT ATRIUM:** Normal **LEFT VENTRICLE:** Normal **RIGHT VENTRICLE:** Normal **RIGHT ATRIUM:** Normal **PERICARDIUM:** Normal OTHER: Normal

COLOUR FLOW MAPPING DOPPLER STUDY

DOLLERGIODI			
	VELOCITY cm/s	PRESSURE GRADIENT	
MITRAL FLOW	E : 104 cm/s		REGURGITATION
IVIII RAL FLOW	A: 81 cm/s	Normal	
AORTIC FLOW	90 cm/s	Normal	
TRICUSPID FLOW	28 cm/s	Normal	
PULMONARY FLOW	78 cm/s	Normal	

SUMMARY OF FINDINGS AND ECHOCARDIOGRAPHY DIAGNOSIS

- IVFF 58 %
- RWMA not seen.
- No Diastolic dysfunction.
- No MS/TS/AS/PS.
- No MR/TR/PR/AR.
- No pericardial effusion.
- No vegetation.

*** End Of Report ***

(**) Test Performed at Chandan Speciality Lab.

Result/s to Follow:

STOOL, ROUTINE EXAMINATION, ECG / EKG



DR SUDHANSHU VERMA

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *

*Facilities Available at Select Location





