Name	: Mrs. JYOTSHNA TOLETY			
PID No.	: MED111492104	Register On	: 11/02/2023 9:06 AM	
SID No.	: 80067257	Collection On	: 11/02/2023 10:00 AM	\mathbf{O}
Age / Sex	: 36 Year(s) / Female	Report On	: 11/02/2023 2:10 PM	medall
Туре	: OP	Printed On	: 21/02/2023 1:14 PM	DIAGNOSTICS

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
BLOOD GROUPING AND Rh TYPING	'B' 'Positive'		
(Blood/Agglutination)			
Complete Blood Count With - ESR			
Haemoglobin (Blood/Spectrophotometry)	10.6	g/dL	12.5 - 16.0
Packed Cell Volume(PCV)/Haematocrit (Blood/Numeric Integration of MCV)	32.3	%	37 - 47
RBC Count (Blood/Electrical Impedance)	3.92	mill/cu.mm	4.2 - 5.4
Mean Corpuscular Volume(MCV) (Blood/ <i>Calculated</i>)	82.4	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (Blood/ <i>Calculated</i>)	27.0	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (Blood/ <i>Calculated</i>)	32.8	g/dL	32 - 36
RDW-CV (Calculated)	17.2	%	11.5 - 16.0
RDW-SD (Calculated)	49.60	fL	39 - 46
Total Leukocyte Count (TC) (Blood/ <i>Electrical Impedance</i>)	9860	cells/cu.mm	4000 - 11000
Neutrophils (Blood/Impedance and absorbance)	52.73	%	40 - 75
Lymphocytes (Blood/Impedance and absorbance)	37.37	%	20 - 45
Eosinophils (Blood/Impedance and absorbance)	3.06	%	01 - 06
Monocytes (Plood/Immedance and absorbance)	6.31	%	01 - 10

(Blood/Impedance and absorbance)

Ref. Dr

: MediWheel







APPROVED BY

The results pertain to sample tested.

Page 1 of 7

Name : Mrs. JYOTSHNA TO	DLETY		
PID No. : MED111492104	Register On : 1	1/02/2023 9:06 AM	
SID No. : 80067257	Collection On :	1/02/2023 10:00 AM	
Age / Sex : 36 Year(s) / Female	Report On :	11/02/2023 2:10 PM	medall
Type : OP		21/02/2023 1:14 PM	DIAGNOSTICS
Ref. Dr : MediWheel			
Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
Basophils	0.53	%	00 - 02
(Blood/Impedance and absorbance)			
			are reviewed and confirmed microscopically.
Absolute Neutrophil count (Blood/Impedance and absorbance)	5.20	10^3 / µl	1.5 - 6.6
Absolute Lymphocyte Count (Blood/Impedance)	3.68	10^3 / µl	1.5 - 3.5
Absolute Eosinophil Count (AE (Blood/Impedance)	C) 0.30	10^3 / µl	0.04 - 0.44
Absolute Monocyte Count (Blood/Impedance)	0.62	10^3 / µl	< 1.0
Absolute Basophil count (Blood/ <i>Impedance</i>)	0.05	10^3 / µl	< 0.2
Platelet Count (Blood/ <i>Impedance</i>)	3.20	lakh/cu.mm	1.4 - 4.5
INTERPRETATION: Platelet count	t less than 1.5 lakhs will be confi	rmed microscopically.	
MPV	7.77	fL	8.0 - 13.3
(Blood/Derived from Impedance)		12	0.0 10.0
PCT (Calculated)	0.25	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation (Blood/Automated ESR analyser)	n Rate) 08	mm/hr	< 20
BUN / Creatinine Ratio	7.7		
Glucose Fasting (FBS) (Plasma - F/ <i>Glucose oxidase/Peroxidas</i>	94 e)	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine) (Urine - F)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD - POD)	106	mg/dL	70 - 140
P.Y. Pradcep Lab Manager Verified By			APPROVED BY

The results pertain to sample tested.

Page 2 of 7

Name	: Mrs. JYOTSHNA TOLETY			
PID No.	: MED111492104	Register On	: 11/02/2023 9:06 AM	
SID No.	: 80067257	Collection On	: 11/02/2023 10:00 AM	\mathbf{O}
Age / Sex	: 36 Year(s) / Female	Report On	: 11/02/2023 2:10 PM	medall
Туре	: OP	Printed On	: 21/02/2023 1:14 PM	DIAGNOSTICS
Ref. Dr	: MediWheel			

<u>Biological</u> <u>Reference Interval</u>

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Glucose(PP-2 hours) (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Calculated)	7.0	mg/dL	7.0 - 21
Creatinine (Serum/ <i>Jaffe ⁻ Alkaline Picrate</i>)	0.9	mg/dL	0.6 - 1.1
Uric Acid (Serum/Uricase/Peroxidase)	4	mg/dL	2.6 - 6.0
Liver Function Test			
Bilirubin(Total) (Serum/Diazotized Sulphanilic acid)	0.4	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulphanilic acid)	0.1	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Calculated)	0.30	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/IFCC without P-5-P)	18	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/IFCC without P-5-P)	16	U/L	5 - 41
Alkaline Phosphatase (SAP) (Serum/ <i>IFCC AMP Buffer</i>)	70	U/L	42 - 98
Total Protein (Serum/Biuret)	7.6	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.1	gm/dl	3.5 - 5.2
Globulin (Serum/Calculated)	3.50	gm/dL	2.3 - 3.6







APPROVED BY

The results pertain to sample tested.

Page 3 of 7

Name	: Mrs. JYOTSHNA TOLETY		
PID No.	: MED111492104	Register On : 11/02/2023 9:06 AM	~
SID No.	: 80067257	Collection On : 11/02/2023 10:00 AM	\mathbf{O}
Age / Sex	: 36 Year(s) / Female	Report On : 11/02/2023 2:10 PM	nedall
Туре	: OP	-	IAGNOSTICS
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
A : G RATIO	1.17		1.1 - 2.2
(Serum/Calculated)			
INTERPRETATION: Enclosure : Graph			
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	45	U/L	< 38
<u>Lipid Profile</u>			
Cholesterol Total (Serum/Cholesterol oxidase/Peroxidase)	228	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol-phosphate oxidase/Peroxidase)	122	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the `usual_circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/ <i>Immunoinhibition</i>)	51	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cholesterol (Serum/Calculated)	152.6	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >=190
VLDL Cholesterol (Serum/Calculated)	24.4	mg/dL	< 30
P.V. Pradcep P.Venkata Pradcep Lab Manager Verified By			K.Nuchoutide Dr.K. NEEHARIKA MD PATHOLOGY Reg No : 96545
			APPROVED BY

The results pertain to sample tested.

Page 4 of 7

Name	: Mrs. JYOTSHNA TOLETY				
PID No.	: MED111492104	Register On	: 11/02/2023 9:06 A	AM	
SID No.	: 80067257	Collection On	: 11/02/2023 10:00	0 АМ	
Age / Sex	: 36 Year(s) / Female	Report On	: 11/02/2023 2:10	PM medall	
Туре	: OP	Printed On	: 21/02/2023 1:14		
Ref. Dr	: MediWheel				
Investiga	ation	<u>Observe</u> <u>Value</u>	<u>d Unit</u>	<u>Biologic</u> Reference li	

INTERPRETATION: 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio (Serum/ <i>Calculated</i>)	4.5		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/ <i>Calculated</i>)	2.4		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/ <i>Calculated</i>)	3		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0
<u>Glycosylated Haemoglobin (HbA1c)</u>			
HbA1C (Whole Blood/ <i>HPLC-Ion exchange</i>)	6.2	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control : 6.1 - 7.0 %, Fair control : 7.1 - 8.0 %, Poor control >= 8.1 %

131.24

Mean Blood Glucose (Whole Blood)





mg/dl



Very High: >=220

APPROVED BY

The results pertain to sample tested.

Page 5 of 7

Name	: Mrs. JYOTSHNA TOLETY				
PID No.	: MED111492104	Register On : 1	1/02/2023 9:06 AM	~	
SID No.	: 80067257	Collection On :	11/02/2023 10:00 AM		
Age / Sex	: 36 Year(s) / Female	Report On :	11/02/2023 2:10 PM	medall	
Туре	: OP	Printed On : 2	21/02/2023 1:14 PM	DIAGNOSTICS	
Ref. Dr	: MediWheel				
Investiga	ation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval	
INTERPRETATION: Comments HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations. Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency, hypertriglyceridemia,hyperbilirubinemia,Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values. Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly,Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.					
<u>THYRO</u>	<u>ID PROFILE / TFT</u>				
	odothyronine) - Total nemiluminescent Immunometric Assay	1.03	ng/ml	0.7 - 2.04	
INTERPRETATION: Comment : Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.					
•	roxine) - Total aemiluminescent Immunometric Assay	8.47	µg/dl	4.2 - 12.0	
Commen Total T4 v	INTERPRETATION: Comment : Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.				
	nyroid Stimulating Hormone) memiluminescence)	15.95	µIU/mL	0.35 - 5.50	
INTERPRETATION: Reference range for cord blood - upto 20 1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0 (Indian Thyroid Society Guidelines) Comment : 1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI. 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM.The variation can be of the order of 50%,hence time of the day has influence on the measured serum TSH concentrations. 3.Values&lt0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.					

Urine Analysis - Routine







APPROVED BY

The results pertain to sample tested.

Page 6 of 7

Name PID No. SID No. Age / Sex Type	: Mrs. JYOTSHNA TOLETY : MED1111492104 : 80067257 : 36 Year(s) / Female : OP	Collection On : Report On :	1/02/2023 9:06 AM 11/02/2023 10:00 AM 11/02/2023 2:10 PM 21/02/2023 1:14 PM	
Ref. Dr	: MediWheel	Finited On	21/02/2023 1.14 FM	
<u>Investiga</u>	ation	<u>Observed</u> <u>Value</u>	Unit	<u>Biological</u> Reference Interval
	roscopy) RETATION: Note: Done with Auto Examination(Urine Routine)	-	& microscopy	
Colour	sical examination)	PALE YELLO	W	Yellow to Amber
Appeara		Clear		Clear
-	l Examination(Urine Routing	<u>e)</u>		
	stick-Error of indicator/ cylic acid method)	Negative		Negative
	Stick Method / Glucose Oxidase - e / Benedict š semi quantitative	Negative		Negative
<u>Microsco</u> <u>Routine</u>)	opic Examination(Urine_			
Pus Cells (Urine/Mic	S roscopy exam of urine sediment)	2-3	/hpf	0 - 5
Epithelia (Urine/Mic	l Cells roscopy exam of urine sediment)	4-5	/hpf	0 -5
RBCs (Urine/Mic	roscopy exam of urine sediment)	NIL	/hpf	0 - 5
L	P.V. Pradecy enkata Pradecp ab Manager		5.07 D 2.26 M 4.4 L 5.5 M 4.4 L 5.5 M 5.4	K.Nukotika Dr K. NEEHARIKA MD PATHOLOGY Reg No : 96545

VERIFIED BY

-- End of Report --



APPROVED BY

The results pertain to sample tested.

Page 7 of 7



Name	JYOTSHNA TOLETY	ID	MED111492104
Age & Gender	36Y/F	Visit Date	Feb 11 2023 9:06AM
Ref Doctor	MediWheel		

ULTRASOUND WHOLE ABDOMEN

Liver :	Normal in size (13.7 cm) with regular outlines and normal echopattern. There is no evidence of IHBR / EHBR dilatation seen. No focal space occupying lesions seen. CBD is normal. PV normal.
Gall Bladder :	Normal in volume and wall thickness. No e/o intraluminal calculi seen.
Pancreas :	Head, body and tail are identified with normal echopattern and smooth outlines.
Spleen :	Measured 8.4 cm, in size with normal echotexture.
Right kidney :	Measured 10.0 x 4.4 cm in size.
Left kidney :	Measured 10.2 x 5.0 cm in size. Both kidneys are normal in size, position, with well preserved cortico medullary differentiation and normal pelvicalyceal anatomy. No e/o calculi / space occupying lesion seen. No e/o suprarenal / retroperitoneal masses noted.
Urinary bladder	Normal in volume and wall thickness. No e/o intraluminal calculi / masses seen.
Uterus :	Measured 6.1 x 3.5 x 4.0 cm in size with normal myometrial and endometrial echotexture. Endometrial echo measured 6.7 mm.
Right ovary : Left ovary :	Measured 2.7 x 2.2 cm in size. Measured 3.2 x 2.3 cm in size. Both ovaries are normal in size and appearance.
	No e/o ascites / pleural effusion seen. No e/o detectable bowel pathology seen.



Name	JYOTSHNA TOLETY	ID	MED111492104
Age & Gender	36Y/F	Visit Date	Feb 11 2023 9:06AM
Ref Doctor	MediWheel		

IMPRESSION :

- Essentially normal study.
- For clinical correlation.

2 .

Dr.Jahn avi Barla, MD (RD)

Consultant Radiologist