## PATHOLOGY LABORATORY



Patient ID

: 021

**Patient Name** 

: MR. SAURABH BATRA

Age / Sex

: 30 Years / Male

Referred By

: SADGURU HOSPITAL

UHID No.

: 1310422-BOB

Regn/Sample Date

:17-Apr-2022 03.34 PM

Report Date

: 17-Apr-2022 03.56 PM

Sample Type

: Whole Blood

Barcode

\* 0 2 1 \*

### COMPLETE BLOOD COUNT

Investigation	Result	Unit	Bio. Ref. Range
Haemoglobin (HB)	16.5	gm/dl	13-18
RBC	4.97	10^6/uL	4.7-6.0
PCV	50.0	%	42-52
MCV	100.6	fl	70-100
MCH	33.2	pg	27-31
MCHC	33.0	g/dl	32-36
RDW-CV	. 13.1	%	11.5-14.5
Platelet count	311000	/cumm	150000-450000
Total Leucocytes Count	7800	/ cumm	4000-11000
DIFFERENTIAL LEUCOCYTES	COUNT		
Neutrophils	55.2	%	44-76
Lymphocytes	38.5	%	20-40
Monocytes	06	%	2-10
	END OF RE	EPORT	***************************************



sadguru\_Admin

Checked By Page 1 of 6





Patient ID

: 021

**Patient Name** 

: MR. SAURABH BATRA

Age / Sex

: 30 Years / Male

Referred By

: SADGURU HOSPITAL

UHID No.

: 1310422-BOB

Regn/Sample Date

:17-Apr-2022 03.34 PM

Report Date

: 17-Apr-2022 03.56 PM

Sample Type

: Whole Blood

Barcode

#### HAEMATOLOGY.

### Investigation

### Result

### **BLOOD GROUP ABO & RH TYPING**

(EDTA Whole Blood)

Blood group (ABO Typing)

В

RhD Factor (Rh typing)

POSITIVE

Method

Manual Slide Hemagglutination

Note

Kindly recheck Blood Group before blood transfusion

ESR (Wintrobe)

(EDTA Whole Blood)

mm/1hr.

0-9

END OF REPORT ----

Reg. No. 1682 AASHIK.\*

sadguru\_Admin Checked By

Page 2 of 6

### PATHOLOGY LABORATORY



Patient ID

: 021

**Patient Name** 

: MR. SAURABH BATRA

Age / Sex

: 30 Years / Male .

Referred By

: SADGURU HOSPITAL

UHID No.

: 1310422-BOB

Regn/Sample Date

: 17-Apr-2022 03.34 PM

Report Date

: 17-Apr-2022 03.56 PM

Sample Type

: SERUM

Barcode

### LIVER FUNCTION TEST

Investigation	Result	Unit	Bio. Ref. Range
LIVER FUNCTION TEST			
SGOT (AST)	46.6	U/L	Upto 40
Serum,IFCC)			
SGPT (ALT)	35.3	U/L	Upto 40
Serum,IFCC)		10	
Bilirubin-Total	1.10	mg/dL	0.1-1.2
Serum,Diazo)			
Bilirubin-Direct	0.50	mg/dL	0.0-0.5
Serum,Diazo)			
Bilirubin- Indirect	0.60	mg/dL	0.1-1.0
Alkaline Phosphatase	189.6	U/L	54-306
Serum, ALP-AMP)			
otal Protein	6.70	g/dl	6.0-8.5
Serum, Modified Bluret)			
Albumin	3.50	g/dl	3.0-5.4
Serum,Bromocresol green)			
Globulin	3.20	g/dl	1.8-3.6
A/G Ratio	1.09		1.1-2.2
(Calculated)			
	END OF I	REPORT	

Checked By Page 3 of 6



### PATHOLOGY LABORATORY



Patient ID

: 021

**Patient Name** 

: MR. SAURABH BATRA

Age / Sex

: 30 Years / Male

Referred By

: SADGURU HOSPITAL

UHID No.

: 1310422-BOB

Regn/Sample Date

: 17-Apr-2022 03.34 PM

Report Date

: 17-Apr-2022 03.56 PM

Sample Type

: SERUM

Barcode

\* 0 2 1 \*

### BIOCHEMISTRY

Investigation	Result	Unit	Bio. Ref. Range	
Fasting Blood Glucose	74.1	mg/dL	60-110	
(Plasma-F,GOD-POD)				
Sr. Creatinine	0.80	mg/dL	0.5-1.3	
(Serum, Picrate Alcalin)				
BLOOD UREA NITROGEN (BI	JN)			
Sr. Blood Urea	22.2	mg/dL	10-50	
(Serum, Urease)				
BUN-Blood Urea Nitrogen	10	mg/dL	8-23	
Remark : In blood, Urea is usually reporte to urea mass units by multiplying by 2.14.		mg/dl. BUN mass unit	s can be converted	
Sr. Uric Acid	4.3	mg/dL	3.5-7.2	
(Serum, Uricase Peroxidase)				
Gamma GT (GGTP)	18.0	U/L	9-36	
(Serum, Enzymatic)				

END OF REPORT

sadguru\_Admin Checked By

Page 4 of 6



# **SADGURU** PATHOLOGY LABORATORY



Patient ID

: 021

**Patient Name** 

: MR. SAURABH BATRA

Age / Sex

: 30 Years / Male

Referred By

: SADGURU HOSPITAL

UHID No.

Regn/Sample Date

: 1310422-BOB :17-Apr-2022 03.34 PM

Report Date

: 17-Apr-2022 03.56 PM

Sample Type

: SERUM

Barcode



### LIPID PROFILE

Investigation	Result	Unit	Bio. Ref. Range
Nature Of Sample	Fasting		
(Serum, Enzymatic)	(16)		
Serum Cholesterol -Total	195.4	mg/dL	Desirable - Upto 200 Borderline High - 200-239
			High - Above 240
Serum Triglycerides	122.3	mg/dL	Normal: Below 150
			Borderline High :150-199
			High: 200-499
			Very High: >= 500
HDL Cholesterol	43.9	mg/dL	Major risk factor for heart
			disease: < 40
			Negative risk factor for heart
			disease: >=60
LDL Cholesterol	127	mg/dL	Optimal: < 100
			Near Optimal/Above
			Optimal: 100-129
			Borderline High: 130-159
			High: 160-189 Very High: >= 190
VLDL Cholesterol	24	mg/dL	6-38
CHOL/HDL Ratio	4.45	Ratio	0-4.5
LDL / HDL Ratio	2.9	Ratio	1.5-3.5
Note: Reference Interval as per National C Report.	holesterol Education Program		ment Panel III

VLDL,CHOL/HDL Ratio, LDL/HDL Ratio, LDL Cholesterol,serum, are calculated parameter

Reg. No

Dr. Pravin Bagul (MD Path

Consulting Pathologist)

Checked By Page 5 of 6

# SADGURU PATHOLOGY LABORATORY



Patient ID

: 021

**Patient Name** 

: MR. SAURABH BATRA

Age / Sex

; 30 Years / Male

Referred By

: SADGURU HOSPITAL

UHID No.

: 1310422-BOB

Regn/Sample Date

:17-Apr-2022 03.34 PM

Report Date

: 17-Apr-2022 03.56 PM

Sample Type

: URINE

Barcode

### REPORT ON URINE ROUTINE

Investigation	Result	
Specimen Name	Urine	
PHYSICAL EXAMINATION		
Nature of specimen	Random	
Colour	Pale Yellow	
Transparency (Appearance)	, Clear	
Reaction (pH)	Acidic	
Quantity	20 ml	
Deposits	Absent	
Specific Gravity	1.020	
CHEMICAL EXAMINATION		9.0
Urine Protein (Albumin)	Absent	
Urine Glucose (Sugar)	Absent	
Urine Ketones (Acetone)	Absent	
Bile pigments	Absent	
Bile Salt	Absent	
MICROSCOPIC EXAMINATION	4	
Red blood cells	Not Seen	
Pus Cells (WBCs)	1-2/hpf	
Epithelial cells	0-1/hpf	
Crystals	Not seen	
Cast	Not seen	
Bacteria	Absent	
	END OF REPORT	
	·	

sadguru\_Admin

Checked By Page 6 of 6

# SADGURU PATHOLOGY LABORATORY



Patient ID

: 021

**Patient Name** 

: MR. SAURABH BATRA

Age / Sex

: 30 Years / Male

Referred By

: SADGURU HOSPITAL

UHID No.

: 1310422-BOB

Regn/Sample Date

:17-Apr-2022 03.34 PM

Report Date

: 17-Apr-2022 04.11 PM

Sample Type

: Whole Blood

Barcode

### BIOCHEMISTRY.

Investigation	Result	Unit	Bio. Ref. Range
HbA1C	5.2	%	Non-diabetic: <= 5.8
			Pre-diabetic: 5.9-6.4
			Diabetic: >= 6.5
Mean Blood Glucose level	103	mg/dL	

Method

Nephelometry

#### INTERPRETATION:

1] HbA1c is used for monitoring diabetic control. If reflects the estimated average glucose (eAG).

2] HbA1c has been endorsed by clinical groups & ADA(American Diabetes Association) guidelines 2012, for diagnosis of diabetes using a cut- off point of 6.5%. ADA defined biological reference range for HbA1c is 4%-6%. Patient with HbA1c value between 6.0% to 6.5% are considered at risk for developing diabetes in the future.

3] Trends in HbA1c are a better indicator of diabetes control than a solitary test .

4] In known diabetic patients, following values can be considered as a tool for monitoring the glycemic control. Excellent Control - 6 to 7 %, Fair to Good Control - 7 to 8 %, Unsatisfactory Control - 8 to 10 % and Poor Control - More than 10 %.

END OF REPORT ----

sadguru\_Admin Checked By Page 1 of 1





Patient Name

: Mr. Surabh Batra

Age/Sex

: 30 Years / Male

Reference By

Collection Center

: Self

. Sell

: Sadguru Hos./lab (panchavati)

Regn. No.

: 226135

Regn. Date

: 18/04/2022 11:00

Report Date

: 18/04/2022 12:56

### IMMUNO ASSAY

Test Name		Result	Units	Biological Reference Interval
Total Triiodothyronine (T3)	:	123.5	ng/dl	[80 - 200 ng/dl] For Pregnancy: First Trimester: 81-190 Second Trimester: 100-260 Third Trimester: 100-260
Total Thyroxine (T4)	:	7.48	μg/dl	[4.5 - 14.1 ug/dl]
Thyroid Stimulating Hormone (ultra TSH)	:	1.74	μIU/ml	[0.270 - 4.2] For Pregnancy:
				First Trimester: 0.1-2.5 Second Trimester: 0.2-3.0

Method: Fully Automated ElectroChemiluminescence System

Test Done On Fully Automated Cobas e411\_Japan

\*Result relates only to the sample as received. Kindly correlate with clinical conditions.

#### NOTE:

- Decreased T3 (normal T4 & TSH) have minimal clinical significance and are not recommended for diagnosis of hypothyroidism
- 2. Total T3 may be decreased by < 25% in healthy older individuals.
- 3. Total T3 & T4 values may also be altered under other conditions like pregnancy, drugs (androgens, estrogens, O C phenytoin) nephrosis etc. In such cases free T3 and Free T4 are preferred tests.
- Clinically correlate the result or repeat the tests with fresh sample if TSH values are between 5 15 mIU/L as physiological factors may give falsely high TSH.

--- END OF REPORT -----



Dr. Mrs. Reshma Mankar MD, DPB (Pathology) Consulting Pathologist



Dr. Harshal Badgujar M.B.B.S.

M.D. Radiodiagnosis (Mumbai)

Patient Name	:	Mr. Saurabh Batra	Age/Se	( :	33 Years/ Male
Ref. By	:	Sadguru Hospital	Date	:	17-Apr-22

### ULTRASOUND EXAMINATION OF ABDOMEN AND PELVIS

The Liver is normal in size, shape and has smooth margins.

It is uniformly isoechoic, has normally distributed and normal sized biliary and portal radicles and is without solid or cystic mass lesion. Portal vein appears normal.

Gall bladder is distended with normal wall thickness with no calculi within.

Common bile duct is of normal caliber.

Pancreas: Visualized head and body of pancreas appear normal in size and echotexture.

Spleen is normal in size measuring 11.5 cm in long axis. Normal in echotexture.

**Right kidney** is normal in size, position and reflectivity. It measures 10 x 4.8 cm. No renal calculi or hydronephrosis.

**Left kidney** is normal in size, position and reflectivity. It measures 10.8 x 5.4 cm. No renal calculi or hydronephrosis.

Urinary bladder is partially distended. No calculi.

Prostate is normal in size and has smooth outlines.

Visualised bowel loops appear within their normal limits.

No significant lymphadenopathy is seen.

No evidence of ascites in abdomen and pelvis.



### IMPRESSION:

The sonography of abdomen and pelvis is within normal limits.

Dr. Harshal Badgujar M.D. Radiodiagnosis Consultant Radiologist

### Synapse scan centre Pvt. Ltd.


Patient Name: Mr. Saurabh Batra







- MULTI SPECIALITY
- CRITICAL CARE
- TRAUMA CARE CENTER



Patient Name	: MR SAURABH BATRA	Patient ID	: 0
Age	: 30	Sex	: Male
Referring Physician	: Dr. SADGURU HOSPITAL	Date	: April 17, 2022

### X-RAY CHEST PA

MR SAURABH BATRA's plain P.A. Radiograph of chest shows :-

Both lung fields show normal and equal radiolucency.

There is no pulmonary parenchymal abnormal density.

The broncho vascular markings show normal size and distribution.

The hilar shadows are normal in size, position and density.

Both Cardiophrenic and Costophrenic angles are clear.

The Cardiac silhoutte is within normal limits.

Aortic shadow is normal.

Rest of the visualized mediastinum shadows are normal.

Both domes of diaphragms are normal.

The visualised bony thorax is normal.

CONCLUSION: NO SIGNIFICANT ABNORMALITY NOTED IN THE CHEST P.A. VIEW RADIOGRAPH.

Janghah

DR. Raju Shah MD (Radio-Diagnosis) Reg -51908



