# Dr. Goyal's Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



### **General Physical Examination**

Date of Examination: 30-10-2022
Name: DEVK) NANDAN MEENA. Age: 35 Sex: Male.
DOB: 09-02-1987.
Referred By:
Photo ID: Sadhay ID#: attached
Ht: $168 \cdot \text{(cm)}$ Wt: $16 \cdot \text{(Kg)}$
Chest (Expiration): 9 (cm) Abdomen Circumference: 97. (cm)
Blood Pressure: 12/75 mm Hg PR: 90/min RR: 16/min Tempe Afebry
BMI
Eye Examination: MSian Nogmal with Speed. News dis.
Eye Examination: VESION Nogamal with speed. Near dis.
Other: Not sighificanto
On examination he/she appears physically and mentally fit: Yes / No
Signature Of Examine :
Signature Medical Examiner : Name Medical Examiner






Jennatar,



ECG

DR.GOYAL PATH LAB & IMAGING CENTER, JAIPUR
2626 / MR DEVKI NANDAN MEENA / 35 Yrs / M/ Non Smoker
Heart Rate: 91 bpm / Tested On: 30-Oct-22 12:46:17 / HF 0.05 Hz - LF 35 Hz / Notch 50 Hz / Sn 1.00 Cm/mV / Sw 25 mm/s / Refd By: BOB





## Dr. Goyal's Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date

:- 30/10/2022 12:12:41

NAME :- Mr. DEVKI NANDAN MEENA

Sex / Age :- Male

35 Yrs 8 Mon 20 Days

Company :- MediWheel

Patient ID: -12222971 Ref. By Doctor:-BOB

Lab/Hosp:-

Final Authentication: 30/10/2022 14:00:08

**BOB PACKAGE BELOW 40MALE** 

#### X RAY CHEST PA VIEW:

Both lung fields appears clear.

Bronchovascular markings appear normal.

Trachea is in midline.

Both the hilar shadows are normal.

Both the C.P.angles is clear.

Both the domes of diaphragm are normally placed.

Bony cage and soft tissue shadows are normal.

Heart shadows appear normal.

Impression :- Normal Study

(Please correlate clinically and with relevant further investigations)

\*\*\* End of Report \*\*\*

DR. RATHOD HETALI AMRUTLAL MD RADIO DIAGNOSIS **RMC NO. 17163** 

Page No: 1 of 1

Dr. Piyush Goyal (D.M.R.D.) BILAL

### Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

Date :- 30/10/2022 12:12:41

NAME :- Mr. DEVKI NANDAN MEENA

Sex / Age :- Male 35 Yrs 8 Mon 20 Days

Sample Type :- EDTA

Company :- MediWheel

Patient ID: -12222971

Ref. By Dr:- BOB

Lab/Hosp :-

HAEMATOLOGY

Sample Collected Time 30/10/2022 12:24:45

Final Authentication: 30/10/2022 16:18:40

Test Name	Value	Unit	Biological Ref Interval
BOB PACKAGE BELOW 40MALE			
HAEMOGARAM			
	13.0	a/dI	13.0 - 17.0
HAEMOGLOBIN (Hb) TOTAL LEUCOCYTE COUNT		g/dL	
	7.72	/cumm	4.00 - 10.00
DIFFERENTIAL LEUCOCYTE COUNT			
NEUTROPHIL	61.9	%	40.0 - 80.0
LYMPHOCYTE	32.3	%	20.0 - 40.0
EOSINOPHIL	2.3	%	1.0 - 6.0
MONOCYTE * :	3.0	%	2.0 - 10.0
BASOPHIL	0.5	%	0.0 - 2.0
NEUT#	4.78	10^3/uL	1.50 - 7.00
LYMPH#.	2.49	10^3/uL	1.00 - 3.70
EO#	0.06	10^3/uL	0.00 - 0.40
MONO#	0.41	10^3/uL	0.00 - 0.70
BASO#	0.02	10^3/uL	0.00 - 0.10
TOTAL RED BLOOD CELL COUNT (RBC)	5.34	x10^6/uL	4.50 - 5.50
HEMATOCRIT (HCT)	42.70	%	40.00 - 50.00
MEAN CORP VOLUME (MCV)	79.9 L	fL	83.0 - 101.0
MEAN CORP HB (MCH)	24.3 L	pg	27.0 - 32.0
MEAN CORP HB CONC (MCHC)	30.5 └	g/dL	31.5 - 34.5
PLATELET COUNT	212	x10^3/uL	150 - 410
RDW-CV	14.0	%	11.6 - 14.0
MENTZER INDEX	14.96		

The Mentzer index is used to differentiate iron deficiency anemia from beta thalassemia trait. If a CBC indicates microcytic anemia, these are two of the most likely causes, making it necessary to distinguish between them.

If the quotient of the mean corpuscular volume divided by the red blood cell count is less than 13, thalassemia is more likely. If the result is greater than 13, then iron-deficiency anemia is more likely.

BANWARI Technologist

Page No: 1 of 12



Dr. Rashmi Bakshi MBBS. MD ( Path ) RMC No. 17975/008828

## Dr. Goya

### Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

:- 30/10/2022 12:12:41 Date

NAME :- Mr. DEVKI NANDAN MEENA

Sex / Age :- Male 35 Yrs 8 Mon 20 Days

Sample Type :-, EDTA

Company :- MediWheel

Patient ID: -12222971

mm/hr.

Ref. By Dr:- BOB

Lab/Hosp:-

Sample Collected Time 30/10/2022 12:24:45

Final Authentication: 30/10/2022 16:18:40

00 - 13

HAEMATOLOGY

**Test Name** Value **Biological Ref Interval** 

Erythrocyte Sedimentation Rate (ESR)

(ESR) Methodology: Measurment of ESR by cells aggregation. Instrument Name : Indepedent form Hematocrit value by Automated Analyzer (Roller-20)

: ESR test is a non-specific indicator ofinflammatory disease and abnormal protein states.

The test in used to detect, follow course of a certain disease (e.g-tuberculosis, rheumatic fever, myocardial infarction

Levels are higher in pregnency due to hyperfibrinogenaemia.

The "3-figure ESR " x>100 value nearly always indicates serious disease such as a serious infection, malignant paraproteinaemia (CBC) interpretation of the control of the

BANWARI **Technologist** 

Page No: 2 of 12



Dr. Rashmi Bakshi MBBS. MD (Path) RMC No. 17975/008828

### Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgovalspathlab.com | E-mail: drgovalpiyush@gmail.com

:- 30/10/2022 12:12:41

NAME :- Mr. DEVKI NANDAN MEENA

Sex / Age :- Male

35 Yrs 8 Mon 20 Days Company :- ' MediWheel

Ref. By Dr:- BOB

Patient ID: -12222971

Lab/Hosp:-

Sample Type :- EDTA, KOx/Na FLUORIDE-F, KSavihbacFCbl@RiedETPRe BURINUE2022 12:24:45

Final Authentication: 30/10/2022 16:25:28

#### HAEMATOLOGY

**Test Name** Value Unit **Biological Ref Interval** 

**BLOOD GROUP ABO** 

"B"POSITIVE

BLOOD GROUP ABO Methodology: Haemagglutination reaction Kit Name: Monoclonal agglutinating antibodies (Span clone).

FASTING BLOOD SUGAR (Plasma) Method:- GOD PAP

105.2

mg/dl

75.0 - 115.0

111 - 125 mg/dL Impaired glucose tolerance (IGT)

Diabetes Mellitus (DM) > 126 mg/dL

Instrument Name: Randox Rx Imola Interpretation: Elevated glucose levels (hyperglycemia) may occur with diabetes, pancreatic neoplasm, hyperthyroidism and adrenal cortical hyper-function as well as other disorders. Decreased glucose levels(hypoglycemia) may result from excessive insulin therapy or various liver diseases.

BLOOD SUGAR PP (Plasma)

120.5

mg/dl

70.0 - 140.0

Instrument Name: Randox Rx Imola Interpretation: Elevated glucose levels (hyperglycemia) may occur with diabetes, pancreatic neoplasm, hyperthyroidism and adrenal cortical hyper-function as well as other disorders. Decreased glucose levels(hypoglycemia) may result from excessive insulin therapy or various liver diseases

URINE SUGAR (FASTING)
Collected Sample Received

Nil

Nil

BANWARI, C.L.SAINI, POOJABOHRA **Technologist** DR.HANSA

Page No: 3 of 12




### Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



NAME :- Mr. DEVKI NANDAN MEENA

Sex / Age :- Male

Sample Type :- STOOL

35 Yrs 8 Mon 20 Days

Company :- MediWheel

Sample Collected Time 30/10/2022 12:24:45

Patient ID: -12222971

Ref. By Dr:- BOB

Lab/Hosp:-

Final Authentication: 31/10/2022 08:53:18

**CLINICAL PATHOLOGY** 

**Test Name** Value Unit Biological Ref Interval

STOOL ANALYSIS

PHYSICAL EXAMINATION

COLOUR

CONSISTENCY

MUCUS

BLOOD

MICROSCOPIC EXAMINATION

RBC's

WBC/HPF

MACROPHAGES

OVA

CYSTS

**TROPHOZOITES** 

CHARCOT LEYDEN CRYSTALS

OTHERS Collected Sample Received

YELLOW

SEMI SOLID

ABSENT

ABSENT

NIL

NIL

/HPF /HPF

ABSENT ABSENT

ABSENT

ABSENT

ABSENT

Normal bacteria flora present

**POOJABOHRA Technologist** DR.HANSA Page No: 4 of 12



Dr. Chandrika Gupta MBBS.MD (Path) RMC NO. 21021/008037

### Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgovalspathlab.com | E-mail: drgovalpiyush@gmail.com

:- 30/10/2022 12:12:41

NAME :- Mr. DEVKI NANDAN MEENA

35 Yrs 8 Mon 20 Days Sex / Age :- Male

Company :- MediWheel Sample Type :- PLAIN/SERUM

Sample Collected Time 30/10/2022 12:24:45

Final Authentication: 30/10/2022 14 14 37

#### **BIOCHEMISTRY**

Lab/Hosp:-

Patient ID: -12222971 Ref. By Dr:- BOB

Test Name	. Value	Unit	Biological Ref Interva
LIPID PROFILE			
TOTAL CHOLESTEROL Method:- Enzymatic Endpoint Method	172.99	mg/dl	Desirable <200 Borderline 200-239 High> 240
TRIGLYCERIDES Method:- GPO-PAP	72.41	mg/dl	Normal <150 Borderline high 150-199 High 200-499 Very high >500
DIRECT HDL CHOLESTEROL Method:- Direct clearance Method	51.92	mg/dl	Low < 40 High > 60
DIRECT LDL CHOLESTEROL Method:- Direct clearance Method	109.00	mg/dl	Optimal <100 Near Optimal/above optimal 100-129 Borderline High 130-159 High 160-189 Very High > 190
VLDL CHOLESTEROL  Method:- Calculated	14.48	mg/dl	0.00 - 80.00
T.CHOLESTEROL/HDL CHOLESTEROL RATIO Method:- Calculated	3.33		0.00 - 4.90
LDL / HDL CHOLESTEROL RATIO Method:- Calculated	2.10		0.00 - 3.50
TOTAL LIPID Method:- CALCULATED	482.54	mg/dl	400.00 - 1000.00

TOTAL CHOLESTEROL InstrumentName: Randox Rx Imola Interpretation: Cholesterol measurements are used in the diagnosis and treatments of lipid lipoprotein metabolism

TRIGLYCERIDES InstrumentName: Randox Rx Imola Interpretation: Triglyceride measurements are used in the diagnosis and treatment of diseases involving lipid metabolism and various endocrine disorders e.g. diabetes mellitus, nephrosis and liver obstructi

DIRECT HDLCHOLESTERO InstrumentName: Randox Rx Imola Interpretation: An inverse relationship between HDL-cholesterol (HDL-C) levels in serum and the incidence/prevalence of coronary heart disease (CHD) has been demonstrated in a number of epidemiological studies. Accurate measurement of HDL-C is of vital importance when assessing patient risk from CHD. Direct measurement gives improved accuracy and reproducibility when compared to precipitation methods.

DIRECT LDL-CHOLESTEROLInstrumentName: Randox Rx Imola Interpretation: Accurate measurement of LDL-Cholesterol is of vital importance in therapies which focus on lipid reduction to prevent abbrosclerosis or reduce its progress and to avoid plaque rupture.

TOTAL LIPID AND VLDL ARE CALCULATED

C.L.SAINI

Page No: 5 of 12



### Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgovalspathlab.com | E-mail: drgovalpiyush@gmail.com

:- 30/10/2022 12:12:41

NAME :- Mr. DEVKI NANDAN MEENA

Sex / Age :- Male 35 Yrs 8 Mon 20 Days

Company :- MediWheel

Sample Type :- PLAIN/SERUM Sample Collected Time 30/10/2022 12:24:45

Patient ID: -12222971 Ref. By Dr:- BOB

Lab/Hosp:-

Final Authentication: 30/10/2022 14:14:37

#### BIOCHEMISTRY

	DIOCHEM	IDIKI	
Test Name	Value	Unit	Biological Ref Interval
LIVER PROFILE WITH GGT			
SERUM BILIRUBIN (TOTAL) Method:-Colorimetric method	0.78	mg/dl	Up to - 1.0 Cord blood <2 mg/dL Premature < 6 days <16mg/dL Full-term < 6 days= 12 mg/dL 1month - <12 months <2 mg/dL 1-19 years <1.5 mg/dL Adult - Up to - 1.2 Ref-(ACCP 2020)
SERUM BILIRUBIN (DIRECT) Method:-Colorimetric Method	0.28	mg/dL	Adult - Up to 0.25 Newborn - <0.6 mg/dL >- 1 month - <0.2 mg/dL
SERUM BILIRUBIN (INDIRECT) Method:- Calculated	0.50	mg/dl	0.30-0.70
SGOT Method:- IFCC	25.5	U/L	Men- Up to - 37.0 Women - Up to - 31.0
SGPT Method:- IFCC	39.3	U/L	Men- Up to - 40.0 Women - Up to - 31.0
SERUM ALKALINE PHOSPHATASE Method:-AMP Buffer	53.80	IU/L	30.00 - 120.00
SERUM GAMMA GT Method:- IFCC	33.20	U/L	11.00 - 50.00
SERUM TOTAL PROTEIN Method:- Biuret Reagent	7.16	g/dl	6.40 - 8.30
SERUM ALBUMIN Method:- Bromocresol Green	4.76	g/dl	3.80 - 5.00
SERUM GLOBULIN Method:- CALCULATION	2.40	gm/dl	2.20 - 3.50
A/G RATIO	1.98		1.30 - 2.50

Total Bilirubin Methodology: Colorimetric method InstrumentName: Randox Rx Imola Interpretation An increase in bilirubin concentration in the serum occurs in toxic or infectious diseases of the liver e.g. hepatitis B or obstruction of the bile duct and in rhesus incompatible babies. High levels of unconjugated bilirubin indicate that too much haemoglobin is being destroyed or that the liver is not actively treating the haemoglobin it is receiving.

AST Aspartate Aminotransferase Methodology: IFCC InstrumentName:Randox Rx Imola Interpretation: Elevated levels of AST can signal myocardial infarction, hepatic disease, muscular dystrophy and organ damage. Although heart muscle is found to have the most activity of the enzyme, significant activity has also been seen in the brain, liver, gastric mucosa, adipose tissue and kidneys of humans.

ALT Alanine Aminotransferase Methodology: IFCCInstrumentName:Randox Rx Imola Interpretation: The enzyme ALT has been found to be in highest concentrations in the liver, with decreasing concentrations found in kidney, heart, skeletal muscle, pancreas, spleen and lung tissue respectively. Elevated levels of the transaminases can indicate myocardial infarction, hepatic disease, muscular disease, descriptions and the contraction of the part of the transaminases can indicate myocardial infarction, hepatic disease, muscular disease, descriptions and the contractions of the transaminases can indicate myocardial infarction, hepatic disease, muscular diseases, mus

dystrophy and organ damage.

Alkaline Phosphatase Methodology: AMP Buffer InstrumentName: Randox Rx Imola Interpretation: Measurements of alkaline phosphatase are of use in the diagnosis, treatment and investigation of hepatobilary disease and in bone disease associated with increased osteoblastic activity. Alkaline phosphatase is also used in the diagnosis of parathyroid and intestinal disease.

TOTAL PROTEIN Methodology: Biuret Reagent InstrumentName: Randox Rx Imola Interpretation: Measurements obtained by this method are used in the diagnosis and treatment of a variety of diseases involving the liver, kidney and bone marrow as well as other metabolic or nutritional disorders.

ALBUMIN (ALB) Methodology: Bromocresol Green InstrumentName:Randox Rx Imola Interpretation: Albumin measurements are used in the diagnosis and treatment of numerous diseases involving

C.L.SAINI

Page No: 6 of 12



### Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Sample Type :- PLAIN/SERUM

SERUM CREATININE

Method:- Colorimetric Method SERUM URIC ACID

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



:- 30/10/2022 12:12:41

NAME :- Mr. DEVKI NANDAN MEENA

Sex / Age :- Male

**Test Name** 

Company :- MediWheel

35 Yrs 8 Mon 20 Days

Patient ID: -12222971

mg/dl

Ref. By Dr:- BOB

Lab/Hosp:-

Final Authentication: 30/10/2022 14:14:37

**BIOCHEMISTRY** 

Sample Collected Time 30/10/2022 12:24:45

8.44 H

Value Unit Biological Ref Interval 1.10 mg/dl Men - 0.6-1.30 Women - 0.5-1.20

Men - 3.4-7.0

Women - 2.4-5.7

C.L.SAINI

Page No: 8 of 12



### Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



:- 30/10/2022 12:12:41

35 Yrs 8 Mon 20 Days

Sex / Age :- Male

**Test Name** 

Sample Type :- PLAIN/SERUM

Company :- MediWheel

NAME :- Mr. DEVKI NANDAN MEENA

Ref. By Dr:- BOB

Patient ID: -12222971

Lab/Hosp :-

Final Authentication: 30/10/2022 14:14:37

Sample Collected Time 30/10/2022 12:24:45 BIOCHEMISTRY

Value

Unit Biological Ref Interval

BLOOD UREA NITROGEN (BUN)

8.9

mg/dl

0.0 - 23.0

C.L.SAINI

Page No: 9 of 12



### Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

:- 30/10/2022 12:12:41

GLYCOSYLATED HEMOGLOBIN (HbA1C)

NAME :- Mr. DEVKI NANDAN MEENA

Sex / Age :- Male

35 Yrs 8 Mon 20 Days

Company :- MediWheel

Patient ID :-12222971 Ref. By Dr:- BOB

Lab/Hosp :-

Sample Type :- EDTA

Sample Collected Time 30/10/2022 12:24:45

6.3 H

Biological Ref Interval

HAEMATOLOGY

**Test Name** Value Final Authentication : 30/10/2022 16:18:40

%

Unit

Non-diabetic: < 5.7 Pre-diabetics: 5.7-6.4

Diabetics: = 6.5 or higher ADA Target: 7.0 Action suggested: > 6.5

Instrument name: ARKRAY's ADAMS Lite HA 8380V, JAPAN.

HbA1C is formed by the condensation of glucose with n-terminal valine residue of each beta chain of HbA to form an unstable schiff base. It is the major fraction, constituting approximately 80% of HbA1c. Formation of glycated hemoglobin (GHb) is essentially irreversible and the concentration in the blood depends on both the lifespan of the red blood cells (RBC) (120 days) and the blood glucose concentration. The GHb concentration represents the integrated values for glucose overthe period of 6 to 8 weeks. GHb values are free of day to day glucose fluctuations and are unaffected by recent exercise or food ingestion. Concentration of plasmaglucose concentration in GHb depends on the time interval, with more recent values providing a larger contribution than earlier values. The interpretation of GHbdepends on RBC having a normal life span. Patients with hemolytic disease or other conditions with shortened RBC survival exhibit a substantial reduction of GHb.High GHb have been reported in iron deficiency anemia. GHb has been firmly established as an index of long term blood glucose concentrations and as a measureof the risk for the development of complications in patients with diabetes mellitus. The absolute risk of retinopathy and nephropathy are directly proportional to themean of HbA1C.Genetic variants (e.g. HbS trait, HbC trait), elevated HbF and chemically modified derivatives of hemoglobin can affect the accuracy of HbA1cmeasurements. The effects vary depending on the specific Hb vatiant or derivative and the specific HbA1c method.

Ref by ADA 2020

MEAN PLASMA GLUCOSE

Method:- Calculated Parameter

134 H

mg/dL

Non Diabetic < 100 mg/dL Prediabetic 100- 125 mg/dL Diabetic 126 mg/dL or Higher

BANWARI **Technologist** 

Page No: 10 of 12



Dr. Rashmi Bakshi MBBS. MD (Path) RMC No. 17975/008828

### Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

:- 30/10/2022 12:12:41

NAME :- Mr. DEVKI NANDAN MEENA

Sex / Age :- Male

Sample Type :- URINE

**APPEARANCE** 

35 Yrs 8 Mon 20 Days

Company :- MediWheel

Lab/Hosp :-Sample Collected Time 30/10/2022 12:24:45

Patient ID: -12222971

Ref. By Dr:- BOB

Clear

Final Authentication: 31/10/2022 08:53:18



Test Name	Value	Unit	Biological Ref Interval	
Urine Routine PHYSICAL EXAMINATION	4		*	
COLOUR	PALE Y	ELLOW	PALE YELLOW	

	CHEMICAL	<b>EXAMINATION</b>
--	----------	--------------------

5.5	5.0 - 7.5
1.025	1.010 - 1.030
NIL	NIL
NIL	NIL
NEGATIVE	NEGATIVE
NORMAL	NORMAL
NEGATIVE	NEGATIVE
NEGATIVE	NEGATIVE
	1.025 NIL NIL NEGATIVE NORMAL NEGATIVE

Clear

MICROSCOPY EXAMINATION			
RBC/HPF	NIL	/HPF	NIL
WBC/HPF	2-3	/HPF	2-3
EPITHELIAL CELLS .	2-3	/HPF	2-3
CRYSTALS/HPF +	ABSENT		ABSENT
CAST/HPF	ABSENT		ABSENT
AMORPHOUS SEDIMENT	ABSENT		ABSENT
BACTERIAL FLORA	ABSENT		ABSENT
YEAST CELL	ABSENT	191	ABSENT
OTHER	ABSENT		

**POOJABOHRA Technologist** DR.HANSA Page No: 11 of 12



Dr. Rashmi Bakshi MBBS. MD (Path) RMC No. 17975/008828 Dr. Chandrika Gupta

### Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

Date :- 30/10/2022 12:12:41

NAME :- Mr. DEVKI NANDAN MEENA

35 Yrs 8 Mon 20 Days

Company :- MediWheel
Sample Type :- PLAIN/SERUM

Sex / Age :- Male

Sample Collected Time 30/10/2022 12:24:45

Lab/Hosp :-

Patient ID: -12222971

Ref. By Dr:- BOB

Final Authentication: 30/10/2022 13:41:38



Value	Unit	Biological Ref Interval
		v.
1.290	ng/ml	0.600 - 1.810
8.460	ug/dl	4.500 - 10.900
1.580	μIU/mL	0.550 - 4.780
	1.290 8.460	1.290 ng/ml 8.460 ug/dl

Interpretation: Triiodothyronine (T3) contributes to the maintenance of the euthyroid state. A decrease in T3 concentration of up to 50% occurs in a variety of clinical situations, including acute and chronic disease. Although T3 results alone cannot be used to diagnose hypothyroidism, T3 concentration may be more sensitive than thyroxine (T4) for hyperthyroidism. Consequently, the total T3 assay can be used in conjunction with other assays to aid in the differential diagnosis of thyroid disease. T3 concentrations may be altered in some conditions, such as pregnancy, that affect the capacity of the thyroid hormone-binding proteins. Under such conditions, Free T3 can provide the best estimate of the metabolically active hormone concentration. Alternatively, T3 uptake, or T4 uptake can be used with the total T3 result to calculate the free T3 index and estimate the concentration of free T3.

Interpretation: The measurement of Total T4 aids in the differential diagnosis of thyroid disease. While >99.9% of T4 is protein-bound, primarily to thyroxine-binding globulin (TBG), it is the free fraction that is biologically active. In most patients, the total T4 concentration is a good indicator of thyroid status. T4 concentrations may be altered in some conditions, such as pregnancy, that affect the capacity of the thyroid hormone-binding proteins. Under such conditions, free T4 can provide the best estimate of the metabolically active hormone concentration. Alternatively, T3 uptake may be used with the total T4 result to calculate the free T4 index (FT4I) and estimate the concentration of free T4. Some drugs and some nonthyroidal patient conditions are known to alter TT4 concentrations in vivo.

Interpretation: TSH stimulates the production of thyroxine (T4) and triiodothyronine (T3) by the thyroid gland. The diagnosis of overt hypothyroidism by the finding of a low total T4 or free T4 concentration is readily confirmed by a raised TSH concentration. Measurement of low or undetectable TSH concentrations may assist the diagnosis of hyperthyroidism, where concentrations of T4 and T3 are elevated and TSH secretion is suppressed. These have the advantage of discriminating between the concentrations of TSH observed in thyrotoxicosis, compared with the low, but detectable, concentrations that occur in subclinical hyperthyroidism. The performance of this assay has not been established for neonatal specimens. Some drugs and some nonthyroidal patient conditions are known to alter TSH concentrations in vivo.

#### INTERPRETATION

PREGNANCY	REFERENCE RANGE FOR TSH IN uIU/mL (As per American Thyroid Association)
1st Trimester	0.10-2.50
2nd Trimester	0.20-3.00
3rd Trimester	0.30-3.00

\*\*\* End of Report \*\*\*

NARENDRAKUMAR Technologist

Page No: 12 of 12



Dr. Rashmi Bakshi MBBS. MD ( Path ) RMC No. 17975/008828



## Dr. Goy Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgovalspathlab.com | E-mail: drgovalpiyush@gmail.com



Date

:- 30/10/2022 12:12:41

NAME :- Mr. DEVKI NANDAN MEENA

Sex / Age :- Male

35 Yrs 8 Mon 20 Days

Company :-

MediWheel

Patient ID: -12222971 Ref. By Doctor:-BOB

Lab/Hosp:-

Final Authentication: 30/10/2022 14:07:34

**BOB PACKAGE BELOW 40MALE** 

#### USG WHOLE ABDOMEN

Liver is of normal size. Echo-texture is bright. No focal space occupying lesion is seen within liver parenchyma. Intra hepatic biliary channels are not dilated. Portal vein diameter is normal.

Gall bladder is of normal size. Wall is not thickened. No calculus or mass lesion is seen in gall bladder. Common bile duct is not dilated.

Pancreas is of normal size and contour. Echo-pattern is normal. No focal lesion is seen within pancreas.

Spleen is of normal size and shape. Echotexture is normal. No focal lesion is seen.

Kidneys are normally sited and are of normal size and shape. Cortico-medullary echoes are normal. No focal lesion is seen. Collecting system does not show any dilatation or calculus.

Urinary bladder is partially filed (Patient refuse to no more hold urine)

Prostate is normal in size with normal echo-texture and outline.

No enlarged nodes are visualised. No retro-peritoneal lesion is identified Great vessels appear normal.

No significant free fluid is seen in peritoneal cavity.

#### **IMPRESSION:**

\* Fatty liver grade I Needs clinical correlation for further evaluation

\*\*\* End of Report \*\*\*

Page No: 1 of 1

Dr. Piyush Goyal M.B.B.S., D.M.R.D. RMC Reg No. 017996

Dr. Poonam Gupta MBBS, MD (Radio Diagnosis) RMC No. 32495

Dr. Ashish Choudhary MBBS, MD (Radio Diagnosis) Fetal Medicine Consultant FMF ID - 260517 | RMC No 22430 Dr. Rathod Hetali Amrutlal MBBS, M.D. (Radio-Diagnosis) RMC No. 17163

Transcript by.

**GEETASAINI** 

## Dr. Goyal

### Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

Date

:- 30/10/2022 12:12:41

NAME :- Mr. DEVKI NANDAN MEENA

Sex / Age :- Male

35 Yrs 8 Mon 20 Days

Company :- MediWheel

Patient ID :-12222971 Ref. By Doctor:-BOB

Lab/Hosp:-



Final Authentication: 30/10/2022 13:21:58

#### **BOB PACKAGE BELOW 40MALE**

2D ECHO OPTION TMT (ADULT/CHILD)

#### **2D-ECHOCARDIOGRAPHY M.MODE WITH DOPPLER STUDY:**

FAIR TRANSTHORACIC ECHOCARIDIOGRAPHIC WINDOW MORPHOLOGY:

MITRAL VALV	/E	NOR	MAL	TR	ICUSPID VALVE		NORMAL	
AORTIC VALV	/E	NOR	MAL	PL	ILMONARY VALVE		NORMAL	
		M.MODE	EXAMITATION:					
AO	20	mm	LA	26	Mm	IVS-D	6	mm
IVS-S	11	mm	LVID	44	Mm	LVSD	28	mm
LVPW-D	9	mm	LVPW-S	15	Mm	RV		mm
RVWT		mm	EDV		МІ	LVVS		ml
LVEF	64%		'	RWI	ИА	ABSENT		
					CHANADEDC.			

CHAMBERS:

LA	NORMAL	RA	NORMAL
LV	NORMAL	RV	NORMAL
PERICARDIUM		NORMAL	

#### COLOUR DOPPLER:

	M	ITRAL VAL	.VE					
E VELOCITY	0.83	m/sec PEA		PEAK GRADIENT		Mm	Mm/hg	
A VELOCITY	0.64	m/se	c MEAN	GRADIEN	т	Mm/hg		
MVA BY PHT		Cm2 MV		IVA BY PLANIMETRY		Cm2	Cm2	
MITRAL REGURGITATI	ON				ABSENT			
	A	ORTIC VAL	VE					
PEAK VELOCITY	0.88		n/sec	PEAK GRADIENT		mn	mm/hg	
AR VMAX		n	n/sec	MEAN GRADIENT		mr	mm/hg	
AORTIC REGURGITATION				ABSENT	ABSENT			
	TRI	CUSPID V	ALVE					
PEAK VELOCITY	0.4	3	m/sec	PEAK GRADIENT			mm/hg	
MEAN VELOCITY			m/sec	MEAN GRADIENT			mm/hg	
VMax VELOCITY								
TRICUSPID REGURGITATION				ABSENT				
	PU	JLMONAR	Y VALVE					
PEAK VELOCITY 0.9		0.95		M/sec.	PEAK GRADIENT		Mm/hg	
MEAN VALOCITY					MEAN GRADIENT		Mm/hg	
PULMONARY REGURO	SITATION				ABSENT			

Page No: 1 of 2

**ANITASHARMA** 



Dr. Piyush Goyal M.B.B.S., D.M.R.D. RMC Reg No. 017996

Dr. Poonam Gupta MBBS, MD (Radio Diagnosis) RMC No. 32495

Dr. Tej Prakash Gupta MBBS, DMRD, UCAM Fetal Medicine Specialist RMC No 24436 FMF ID 102534 Dr. Rathod Hetali Amrutlal MBBS, M.D. (Radio-Diagnosis) RMC No. 17163

Transcript by.



Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sangaper Read Jainus
Tele: 0141-2293346, 4049787, 9887049787
Website: www.drgoyalspathlab.com | E-mail output approach commails donn

Date

:- 30/10/2022 12:12:41

NAME

:- Mr. DEVKI NANDAN MEENA

Sex / Age :- Male

le 35 Yrs 8 Mon 20 Days

Company :- MediWheel

Patient ID :-12222971 Ref. By Doctor:-BOB

Lab/Hosp :-



Final Authentication: 30/10/2022 13:21:58

### Impression--

- 1. Normal LV size & contractility
- 2. No RWMA, LVEF 64 %.
- 3. Normal cardiac chamber.
- 4. Normal valve
- 5. No clot, no vegetation, no pericardial effusion.


(Cardiologist)

\*\*\* End of Report \*\*\*

Page No: 2 of 2



ANITASHARMA



Name: DEVKI NANDAN MEENA / M

Dr. Goyal's Path Lab, Jaipur DEVKI NANDAN MEENA, 35 F19168-22-10-30-17 MV-Peak E 0.831#9/s MV-Peak A 0.641mg/s MV-E/A 1.30 DEVKI NANDAN MEENA, 35 DEVKI NANDAN MEENA, 35 E19168-22-10-30-17 E19168-22-10-30-17