

Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road,Aliganj Ph: 9235432681, CIN : U85110DL2003PLC308206



| Patient Name | : Mr.GOKUL KUMAR | Registered On | : 26/Sep/2021 09:45:38 |
|--------------|--------------------|---------------|------------------------|
| Age/Gender | : 29 Y O M O D /M | Collected | : 26/Sep/2021 09:52:06 |
| UHID/MR NO | : CALI.0000029931 | Received | : 26/Sep/2021 13:55:31 |
| Visit ID | : CALI0062492122 | Reported | : 26/Sep/2021 16:56:12 |
| Ref Doctor | : Dr.MediWheel Knp | Status | : Final Report |

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interval | Method |
|--|----------|----------------|--------------------|-------------------------|
| | | | | |
| Blood Group (ABO & Rh typing) ** , Blood | | | | |
| Blood Group | А | | | |
| Rh (Anti-D) | POSITIVE | | | |
| COMPLETE BLOOD COUNT (CBC) ** , Blood | | | | |
| Haemoglobin | 13.50 | g/dl | 13.5-17.5 | PHOTOMETRIC |
| TLC (WBC) | 6,800.00 | /Cu mm | 4000-10000 | ELECTRONIC |
| | | | | IMPEDANCE |
| DLC | | | | |
| Polymorphs (Neutrophils) | 62.00 | % | 55-70 | ELECTRONIC |
| | 22.22 | 0/ | 05.40 | IMPEDANCE |
| Lymphocytes | 30.00 | % | 25-40 | ELECTRONIC IMPEDANCE |
| Monocytes | 5.00 | % | 3-5 | ELECTRONIC |
| monositos | 0.00 | | | IMPEDANCE |
| Eosin <mark>ophils</mark> | 3.00 | % | 1-6 | ELECTRONIC |
| | | | and a second | IMPEDANCE |
| Basophils | 0.00 | % | < 1 | ELECTRONIC |
| ESR | | | | IMPEDANCE |
| Observed | 10.00 | Mm for 1st hr. | | |
| Corrected | 8.00 | Mm for 1st hr. | < 9 | |
| PCV (HCT) | 42.00 | cc % | 40-54 | |
| Platelet count | 12100 | | | |
| Platelet Count | 1.60 | LACS/cu mm | 1.5-4.0 | ELECTRONIC |
| | | | | IMPEDANCE |
| PDW (Platelet Distribution width) | 17.30 | fL | 9-17 | ELECTRONIC |
| | | <i></i> | a= / a | IMPEDANCE |
| P-LCR (Platelet Large Cell Ratio) | 55.10 | % | 35-60 | ELECTRONIC IMPEDANCE |
| PCT (Platelet Hematocrit) | 0.19 | % | 0.108-0.282 | ELECTRONIC |
| | 0.17 | 70 | 0.100 0.202 | IMPEDANCE |
| MPV (Mean Platelet Volume) | 14.20 | fL | 6.5-12.0 | ELECTRONIC |
| | | | | IMPEDANCE |
| RBC Count | | | | |
| RBC Count | 4.23 | Mill./cu mm | 4.2-5.5 | ELECTRONIC |
| | | | | IMPEDANCE |





Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road,Aliganj Ph: 9235432681, CIN : U85110DL2003PLC308206



| Patient Name | : Mr.GOKUL KUMAR | Registered On | : 26/Sep/2021 09:45:38 |
|--------------|--------------------|---------------|------------------------|
| Age/Gender | : 29 Y O M O D /M | Collected | : 26/Sep/2021 09:52:06 |
| UHID/MR NO | : CALI.0000029931 | Received | : 26/Sep/2021 13:55:31 |
| Visit ID | : CALI0062492122 | Reported | : 26/Sep/2021 16:56:12 |
| Ref Doctor | : Dr.MediWheel Knp | Status | : Final Report |
| | | | |

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interval | Method |
|--|--------------------|------------------|---------------------|-------------------------|
| | | | | |
| Blood Indices (MCV, MCH, MCHC) | | | | |
| MCV | 105.40 | fl | 80-100 | CALCULATED PARAMETER |
| MCH | 32.00 | pg | 28-35 | CALCULATED PARAMETER |
| MCHC | 30.40 | , % | 30-38 | CALCULATED PARAMETER |
| RDW-CV | 16.00 | % | 11-16 | ELECTRONIC IMPEDANCE |
| RDW-SD | 62.50 | fL | 35-60 | ELECTRONIC IMPEDANCE |
| Absolute Neutrophils Count Absolute Eosinophils Count (AEC) | 4,216.00 204.00 | /cu mm /cu mm | 3000-7000 40-440 | |



Dr. Anupam Singh M.B.B.S,M.D.(Pathology)

Page 2 of 11



Home Sample Collection



Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681, CIN: U85110DL2003PLC308206



| Patient Name | : Mr.gokul kumar | Registered On | : 26/Sep/2021 09:45:39 |
|--------------|--------------------|---------------|------------------------|
| Age/Gender | : 29 Y 0 M 0 D /M | Collected | : 26/Sep/2021 09:52:06 |
| 0 | | | |
| UHID/MR NO | : CALI.0000029931 | Received | : 26/Sep/2021 14:14:47 |
| Visit ID | : CALI0062492122 | Reported | : 26/Sep/2021 15:58:29 |
| Ref Doctor | : Dr.MediWheel Knp | Status | : Final Report |

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

| Test Name | Result | ι | Unit | Bio. Ref. Interva | al Method |
|--|--------|-------|--------|---------------------------------------|-----------|
| Glucose Fasting ** Sample:Plasma | 94.10 | mg/dl | 100-12 | Normal 25 Pre-diabetes Diabetes | GOD POD |
| Interpretation: a) Kindly correlate clinically with intake of hypoglyd b) A negative test result only shows that the person | 6 6 | 0 | | U | |

will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

| Glucose PP ** | 110.20 | mg/dl | <140 Normal | GOD POD |
|--------------------------|--------|-------|----------------------|---------|
| Sample:Plasma After Meal | | | 140-199 Pre-diabetes | |
| | | | >200 Diabetes | |

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions. b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential. c) I.G.T = Impared Glucose Tolerance.

| GLYCOSYLATED HAEMOGLOBIN (HBA1C) | ** | , EDTA BLOOD |
|---|----|--------------|
|---|----|--------------|

| Glycosylated Haemoglobin (HbA1c) | 4.90 | % NGSP | HPLC (NGSP) |
|-----------------------------------|-------|---------------|-------------|
| Glycosylated Haemoglobin (Hb-A1c) | 30.00 | mmol/mol/IFCC | |
| Estimated Average Glucose (eAG) | 94 | mg/dl | |

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.







Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681, CIN : U85110DL2003PLC308206



| Patient Name | : Mr.gokul kumar | Registered On | : 26/Sep/2021 09:45:39 |
|--------------|--------------------|---------------|------------------------|
| Age/Gender | : 29 Y 0 M 0 D /M | Collected | : 26/Sep/2021 09:52:06 |
| UHID/MR NO | : CALI.0000029931 | Received | : 26/Sep/2021 14:14:47 |
| Visit ID | : CALI0062492122 | Reported | : 26/Sep/2021 15:58:29 |
| Ref Doctor | : Dr.MediWheel Knp | Status | : Final Report |
| | | | |

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name

| Result |
|--------|
|--------|

Unit Bio. Ref. Interval

I Method

| Haemoglobin A1C (%)NGSP | mmol/mol / IFCC Unit | eAG (mg/dl) | Degree of Glucose Control Unit |
|-------------------------|----------------------|-------------|---------------------------------------|
| > 8 | >63.9 | >183 | Action Suggested* |
| 7-8 | 53.0 -63.9 | 154-183 | Fair Control |
| < 7 | <63.9 | <154 | Goal** |
| 6-7 | 42.1 -63.9 | 126-154 | Near-normal glycemia |
| < 6% | <42.1 | <126 | Non-diabetic level |

*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. **Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated G8 90 SL TOSOH HPLC Analyser.

<u>Clinical Implications:</u>

*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

*With optimal control, the HbA 1c moves toward normal levels.

*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

*Pregnancy d. chronic renal failure. Interfering Factors:

*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) **

11.00

mg/dL 7.0-23.0

CALCULATED





Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road,Aliganj Ph: 9235432681, CIN : U85110DL2003PLC308206



| Patient Name | : Mr.gokul Kumar | Registered On | : 26/Sep/2021 09:45:39 |
|--------------|--------------------|---------------|------------------------|
| Age/Gender | : 29 Y O M O D /M | Collected | : 26/Sep/2021 09:52:06 |
| UHID/MR NO | : CALI.0000029931 | Received | : 26/Sep/2021 14:14:47 |
| Visit ID | : CALI0062492122 | Reported | : 26/Sep/2021 15:58:29 |
| Ref Doctor | : Dr.MediWheel Knp | Status | : Final Report |

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

| Test Name | Result | Un | it Bio. Ref. Interv | al Method |
|--|--------|---------------|---|--|
| | | | | |
| Sample:Serum | | | | |
| Creatinine ** Sample:Serum | 0.92 | mg/dl | 0.7-1.3 | MODIFIED JAFFES |
| e-GFR (Estimated Glomerular Filtration Rate) ** cample:Serum | 97.30 | ml/min/1.73m2 | 2 - 90-120 Normal - 60-89 Near Normal | CALCULATED |
| Jric Acid ** | 8.39 | mg/dl | 3.4-7.0 | URICASE |
| Sample:Serum | | | | |
| F.T.(WITH GAMMA GT) ** , Serum | | | | |
| SGOT / Aspartate Aminotransferase (AST) | 29.10 | U/L | < 35 | IFCC WITHOUT P5P |
| SGPT / Alanine Aminotransferase (ALT) | 23.30 | U/L | < 40 | IFCC WITHOUT P5P |
| Gamma GT (GGT) | 18.50 | IU/L | 11-50 | OPTIMIZED SZAZING |
| Protein | 7.39 | gm/dl | 6.2-8.0 | BIRUET |
| Albumin | 4.47 | gm/dl | 3.8-5.4 | B.C.G. |
| Globulin | 2.92 | gm/dl | 1.8-3.6 | CALCULATED |
| A:G Ratio | 1.53 | | 1.1-2.0 | CALCULATED |
| Alkaline Phosphatase (Total) | 105.00 | U/L | 42.0-165.0 | IFCC METHOD |
| Bilirubin (Total) | 0.50 | mg/dl | 0.3-1.2 | JENDRASSIK & GROF |
| Bilirubin (Direct) | 0.19 | mg/dl | < 0.30 | JENDRASSIK & GROF |
| Bilirubin (Indirect) | 0.31 | mg/dl | < 0.8 | JENDRASSIK & GROF |
| .IPID PROFILE (MINI) ** , Serum | | | | |
| Cholesterol (Total) | 237.00 | mg/dl | <200 Desirable 200-239 Borderline Higt > 240 High | CHOD-PAP 1 |
| HDL Cholesterol (Good Cholesterol) | 37.40 | mg/dl | 30-70 | DIRECT ENZYMATIC |
| LDL Cholesterol (Bad Cholesterol) | 147 | mg/dl | < 100 Optimal 100-129 Nr. Optimal/Above Optimal 130-159 Borderline High 160-189 High > 190 Very High | |
| VLDL | 52.84 | mg/dl | 10-33 | CALCULATED |
| | 264.20 | mg/dl | < 150 Normal 150-199 Borderline Higl 200-499 High >500 Very High | GPO-PAP Dr. Anupam Sing M.B.B.S.M.D. (Pathol |



Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road,Aliganj Ph: 9235432681, CIN : U85110DL2003PLC308206



Method

| Patient Name | : Mr.gokul Kumar | Registered On | : 26/Sep/2021 09:45:38 |
|--------------|--------------------|---------------|------------------------|
| Age/Gender | : 29 Y O M O D /M | Collected | : 26/Sep/2021 13:50:59 |
| UHID/MR NO | : CALI.0000029931 | Received | : 26/Sep/2021 16:14:18 |
| Visit ID | : CALI0062492122 | Reported | : 26/Sep/2021 16:39:48 |
| Ref Doctor | : Dr.MediWheel Knp | Status | : Final Report |

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Result

Bio. Ref. Interval

URINE EXAMINATION, ROUTINE ** , Urine

| Color | LIGHT YELLOW | | | |
|--|--------------|----------|------------------------------|-------------|
| Specific Gravity | 1.015 | | | |
| Reaction PH | Acidic (6.0) | | | DIPSTICK |
| Protein | ABSENT | mg % | < 10 Absent | DIPSTICK |
| | | | 10-40 (+) | |
| | | | 40-200 (++) 200-500 (+++) | |
| | | | > 500 (+++) | |
| Sugar | ABSENT | gms% | < 0.5 (+) | DIPSTICK |
| | | grittere | 0.5-1.0 (++) | |
| | | | 1-2 (+++) | |
| | | | > 2 (++++) | |
| Ketone | ABSENT | | | DIPSTICK |
| Bile Salts | ABSENT | | | |
| Bile Pigments | ABSENT | | | |
| Urobilinogen(1:20 dilution) | ABSENT | | 1.1.1.1.1.1.1 | |
| Microscopic Examination: | | | | |
| Epithelial cells | ABSENT | | | MICROSCOPIC |
| and the second | | | | EXAMINATION |
| Pus cells | ABSENT | | | MICROSCOPIC |
| | | | | EXAMINATION |
| RBCs | ABSENT | | | MICROSCOPIC |
| | | | | EXAMINATION |
| Cast | ABSENT | | | |
| Crystals | ABSENT | | | MICROSCOPIC |
| | | | | EXAMINATION |
| Others | ABSENT | | | |
| STOOL, ROUTINE EXAMINATION ** , Stool | | | | |
| Color | BROWNISH | | | |
| Consistency | SEMI SOLID | | | |
| Reaction (PH) | Acidic (6.5) | | | |
| Mucus | ABSENT | | | |
| Blood | ABSENT | | | |
| Worm | ABSENT | | | |
| Pus cells | ABSENT | | | |
| | | | | |





Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road,Aliganj Ph: 9235432681, CIN : U85110DL2003PLC308206




| Patient Name | : Mr.GOKUL KUMAR | Registered On | : 26/Sep/2021 09:45:38 |
|--------------|--------------------|---------------|------------------------|
| Age/Gender | : 29 Y O M O D /M | Collected | : 26/Sep/2021 13:50:59 |
| UHID/MR NO | : CALI.0000029931 | Received | : 26/Sep/2021 16:14:18 |
| Visit ID | : CALI0062492122 | Reported | : 26/Sep/2021 16:39:48 |
| Ref Doctor | : Dr.MediWheel Knp | Status | : Final Report |

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interval | Method |
|---|--------|------|--------------------|--------|
| | | | | |
| RBCs | ABSENT | | | |
| Ova | ABSENT | | | |
| Cysts | ABSENT | | | |
| Others | ABSENT | | | |
| SUGAR, FASTING STAGE ** , Urine | | | | |
| Sugar, Fasting stage | ABSENT | gms% | | |
| Technologia de la companya de | | | | |
| Interpretation: (+) < 0.5 | | | | |
| (+) < 0.3 (++) 0.5-1.0 | | | | |
| (+++) 1-2 | | | | |
| (+++) > 2 | | | | |
| | | 11/2 | | |
| SUGAR, PP STAGE ** , Urine | | | | |
| | ADCENT | | | |
| Sugar, PP Stage | ABSENT | | and a start | |
| Intermediation | | | | |
| Interpretation: (+) < 0.5 gms% | | | | |
| | | | | |
| (++) 0.5-1.0 gms% (+++) 1-2 gms% | | | | |
| (++++) > 2 gms% | | | | |
| | | | | |





Page 7 of 11





Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681, CIN : U85110DL2003PLC308206



| Patient Name | : Mr.GOKUL KUMAR | Registered On | : 26/Sep/2021 09:45:38 |
|--------------|--------------------|---------------|------------------------|
| Age/Gender | : 29 Y O M O D /M | Collected | : 26/Sep/2021 09:52:06 |
| UHID/MR NO | : CALI.0000029931 | Received | : 26/Sep/2021 14:03:09 |
| Visit ID | : CALI0062492122 | Reported | : 26/Sep/2021 14:41:33 |
| Ref Doctor | : Dr.MediWheel Knp | Status | : Final Report |

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interval | Method | |
|------------------------------------|--------|-------------|--------------------|--------|--|
| | | | | | |
| THYROID PROFILE - TOTAL ** , Serum | | | | | |
| T3, Total (tri-iodothyronine) | 125.63 | ng/dl | 84.61-201.7 | CLIA | |
| T4, Total (Thyroxine) | 9.36 | ug/dl | 3.2-12.6 | CLIA | |
| TSH (Thyroid Stimulating Hormone) | 3.24 | µIU/mL | 0.27 - 5.5 | CLIA | |
| Interpretation: | | 0 3-4 5 uHU | mI First Trimester | | |

| 0.3-4.5 | µIU/mL | First Trimester | | |
|----------|--------|------------------------|--|--|
| 0.5-4.6 | µIU/mL | Second Trimester | | |
| 0.8-5.2 | µIU/mL | Third Trimester | | |
| 0.5-8.9 | µIU/mL | Adults 55-87 Years | | |
| 0.7-27 | µIU/mL | Premature 28-36 Week | | |
| 2.3-13.2 | µIU/mL | Cord Blood > 37Week | | |
| 0.7-64 | µIU/mL | Child(21 wk - 20 Yrs.) | | |
| 1-39 | µIU/mL | Child 0-4 Days | | |
| 1.7-9.1 | µIU/mL | Child 2-20 Week | | |
| | | | | |

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.



Dr. Anupam Singh M.B.B.S,M.D.(Pathology)

Page 8 of 11



Home Sample Collection



Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681, CIN : U85110DL2003PLC308206



| Patient Name | : Mr.GOKUL KUMAR | Registered On | : 26/Sep/2021 09:45:39 |
|--------------|--------------------|---------------|------------------------|
| Age/Gender | : 29 Y O M O D /M | Collected | : N/A |
| UHID/MR NO | : CALI.0000029931 | Received | : N/A |
| Visit ID | : CALI0062492122 | Reported | : 26/Sep/2021 14:36:25 |
| Ref Doctor | : Dr.MediWheel Knp | Status | : Final Report |

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

X-RAY DIGITAL CHEST PA * (500 mA COMPUTERISED UNIT SPOT FILM DEVICE)

DIGITAL CHEST P-A VIEW

- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Pulmonary parenchyma did not reveal any significant lesion.

IMPRESSION : NO SIGNIFICANT DIAGNOSTIC ABNORMALITY SEEN.



Dr. Pankaj Kumar Gupta (M.B.B.S D.M.R.D)







Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681, CIN : U85110DL2003PLC308206



| Patient Name | : Mr.GOKUL KUMAR | Registered On | : 26/Sep/2021 09:45:40 |
|--------------|--------------------|---------------|------------------------|
| Age/Gender | : 29 Y O M O D /M | Collected | : N/A |
| UHID/MR NO | : CALI.0000029931 | Received | : N/A |
| Visit ID | : CALI0062492122 | Reported | : 26/Sep/2021 11:27:00 |
| Ref Doctor | : Dr.MediWheel Knp | Status | : Final Report |
| | | | |

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

WHOLE ABDOMEN ULTRASONOGRAPHY REPORT

LIVER

• The liver is normal in size measures 12.9 cm and has a normal homogenous echotexture. No focal lesion is seen.

PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- The portal vein is not dilated.
- Porta hepatis is normal.

BILIARY SYSTEM

- The intra-hepatic biliary radicles are normal.
- Common duct is not dilated.
- The gall bladder is normal in size and has regular walls. Lumen of the gall bladder is anechoic.

PANCREAS

• The pancreas is normal in size and shape and has a normal homogenous echotexture. Pancreatic duct is not dilated.

KIDNEYS

- Right kidney is normal in size, position and cortical echotexture.Cortico-medullary demarcation is maintained.
- Left kidney is normal in size, position and cortical echotexture. Cortico-medullary demarcation is maintained.
- The collecting system of both the kidneys are not dilated.

SPLEEN

• The spleen is normal in size and has a normal homogenous echo-texture.

ILIAC FOSSAE & PERITONEUM

- Scan over the iliac fossae does not reveal any fluid collection or mass.
- No free fluid is noted in peritoneal cavity.

URINARY BLADDER

• The urinary bladder is normal. Bladder wall is normal in thickness and is regular.No calculus is seen.



Home Sample Collection 1800-419-0002



Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681, CIN : U85110DL2003PLC308206



| Patient Name | : Mr.GOKUL KUMAR | Registered On | : 26/Sep/2021 09:45:40 |
|--------------|--------------------|---------------|------------------------|
| Age/Gender | : 29 Y 0 M 0 D /M | Collected | : N/A |
| UHID/MR NO | : CALI.0000029931 | Received | : N/A |
| Visit ID | : CALI0062492122 | Reported | : 26/Sep/2021 11:27:00 |
| Ref Doctor | : Dr.MediWheel Knp | Status | : Final Report |
| | | | |

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

PROSTATE

• The prostate gland is normal in size measures 2.4 x 3.4 x 2.9 cms (Volume - 12.3 gms) with smooth outline.

FINAL IMPRESSION

• NO SIGNIFICANT ABNORMALITY SEEN IN PRESENT STUDY.

Adv: Clinico-pathological correlation and follow-up.

*** End Of Report ***

(**) Test Performed at Chandan Speciality Lab.

Result/s to Follow: ECG/EKG



Dr. Pankaj Kumar Gupta (M.B.B.S D.M.R.D)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing * 365 Days Open *Facilities Available at Select Location

Page 11 of 11



