



LABORATORY REPORT

Name : Mr. Jalpesh Parmar
Sex/Age : Male/35 Years
Ref. By :
Client Name : Mediwheel

Reg. No : 303101204
Reg. Date : 25-Mar-2023 08:55 AM
Collected On :
Report Date : 25-Mar-2023 02:38 PM

Medical Summary

GENERAL EXAMINATION

Height (cms) :172

Weight (kgs) :78.7

Blood Pressure : 130/80mmHg

Pulse : 76/Min

No Clubbing/Cynosis/Pallor/PedelOedem

Systemic Examination:

Cardio vascular System - S1,S2 Normal, No Murmur

Respiratory system - AEBE

Central Nervous System - No FND

Abdomen - Soft, Non Tender, No Organomegaly

Epilepsy -- N/A

This is an electronically authenticated report



Dr. Jay Soni
M.D, GENERAL MEDICINE



Dr. Jay Soni
M.D. (General Medicine)
Reg. No. G-23899

8980132562

संस्कार विभाग
फिरी खाता
GOVT. OF INDIA

संस्कार विभाग
INCOMETAX DEPARTMENT

JALPESH A PARMAR
ASHOKBHAI JAGJIVANDAS PARMAR

05/08/1989

Program Account Number

ENTPP2583E

JAP

LETTER OF APPROVAL / RECOMMENDATION

To:
 The Controller,
 National Aeronautics and Space Administration
 Washington, D.C. 20546

Date: 01/14/68

Subj: Annual Health Checkup for the employees of Lang of Florida

This is to advise you that the following employee wishes to avail the benefit of Company Annual Health Checkup provided by your terms of an agreement.

PARTICULARS	EMPLOYEE DETAILS
NAME	DR. HAROLD W. WILSON ASSOCIATE
ID NO.	17488
DESCRIPTION	PHYSICIAN CONTRACTOR
PLANT / WORK	ADMINISTRATIVE CENTER
REPORT	10/18/67
PROCESSED UNDER PLAN	10/18/67
DATE	
APPROVED BY	

This letter is signed by the Controller, National Aeronautics and Space Administration, and is subject to the terms and conditions of the agreement between the National Aeronautics and Space Administration and the Lang of Florida, Inc. The employee is advised that the health checkup is provided by the Lang of Florida, Inc. and is subject to the terms and conditions of the agreement between the National Aeronautics and Space Administration and the Lang of Florida, Inc.

Very truly yours,

Harold W. Wilson




TEST REPORT

Reg. No : 303101204	Ref Id :	Collected On : 25-Mar-2023 08:55 AM
Name : Mr. Jalpesh Parmar		Reg. Date : 25-Mar-2023 08:55 AM
Age/Sex : 35 Years / Male	Pass. No. :	Tele No. : 8980213256
Ref. By :		Dispatch At :
Location : CHPL		Sample Type : EDTA Whole Blood

Parameter	Result	Unit	Biological Ref. Interval
-----------	--------	------	--------------------------

HEMOGLOBIN A1 C ESTIMATION
Specimen: Blood EDTA

*Hb A1C	5.6	% of Total Hb	Normal < 5.7 % Pre-Diabetes 5.7 % - 6.4 % Diabetes ≥ 6.5 % or higher
---------	-----	---------------	--

Boronate Affinity with Fluorescent Quenching

Mean Blood Glucose	114.02	mg/dL
--------------------	--------	-------

Calculated

Degree of Glucose Control Normal Range:

Poor Control >7.0% *

Good Control 6.0 - 7.0 %**Non-diabetic level < 6.0 %

* High risk of developing long term complication such as retinopathy, nephropathy, neuropathy, cardiopathy,etc.

* Some danger of hypoglycemic reaction in Type I diabetics.

* Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1c levels in this area.

EXPLANATION :-

*Total haemoglobin A1 c is continuously synthesised in the red blood cell through its 120 days life span.The concentration of HBA1c in the cell reflects the average blood glucose concentration it encounters.

*The level of HBA1c increases proportionately in patients with uncontrolled diabetes. It reflects the average blood glucose concentration over an extended time period and remains unaffected by short-term fluctuations in blood glucose levels.

*The measurement of HbA1c can serve as a convenient test for evaluating the adequacy of diabetic control and in preventing various diabetic complications. Because the average half life of a red blood cell is sixty days,HbA1c has been accepted as a measurement which effects the mean daily blood glucose concentration, better than fasting blood glucose determination, and the degree of carbohydrate imbalance over the preceding two months.

*It may also provide a better index of control of the diabetic patient without resorting to glucose loading procedures.

HbA1c assay Interferences:

*Erroneous values might be obtained from samples with abnormally elevated quantities of other Haemoglobins as a result of either their simultaneous elution with HbA1c(HbF) or differences in their glycation from that of HbA(HbS)

----- End Of Report -----

This is an electronically authenticated report.

* This test has been out sourced.

Approved By : Dr. Keyur V Patel
MB,DCIP

Generated On : 27-Mar-2023 11:11 AM

Approved On : 26-Mar-2023 06:01 PM

Page 1 of 1

CUROVIS HEALTHCARE PVT. LTD.

'B' Block, Mondeal Business Park, Near Gurudwara, Bodakdev, S.G. Highway, Ahmedabad - 380 054, Gujarat

☎ 079 40308700 ☎ +91 75730 30001 ✉ info@curovis.co.in 🌐 www.curovis.co.in


TEST REPORT

Reg. No : 303101204	Ref Id :	Collected On : 25-Mar-2023 08:55 AM
Name : Mr. Jalpesh Parmar		Reg. Date : 25-Mar-2023 08:55 AM
Age/Sex : 35 Years / Male	Pass. No. :	Tele No. : 8980213256
Ref. By :		Dispatch At :
Location : CHPL		Sample Type : EDTA Whole Blood

Parameter	Results	Unit	Biological Ref. Interval
-----------	---------	------	--------------------------

COMPLETE BLOOD COUNT (CBC)
 Specimen: EDTA blood

Hemoglobin <small>Colorimetric method</small>	16.0	g/dl.	13.0 - 18.0
Hematocrit (Calculated) <small>Calculated</small>	47.20	%	47 - 52
RBC Count	L 4.54	million/cmm	4.7 - 6.0
MCV	103.9	fL	78 - 110
MCH (Calculated)	H 35.3	Pg	27 - 31
MCHC (Calculated)	34.0	%	31 - 35
RDW (Calculated)	12.1	%	11.5 - 14.0
WBC Count	8700	/cmm	4000 - 10500
MPV (Calculated)	9.2	fL	7.4 - 10.4

DIFFERENTIAL WBC COUNT	[%]	EXPECTED VALUES	[Abs]	EXPECTED VALUES
Neutrophils (%)	66	% 42.0 - 75.2	5742 /cmm	2000 - 7000
Lymphocytes (%)	28	% 20 - 45	2436 /cmm	1000 - 3000
Eosinophils (%)	02	% 0 - 6	348 /cmm	200 - 1000
Monocytes (%)	04	% 2 - 10	174 /cmm	20 - 500
Basophils (%)	00	% 0 - 1	0 /cmm	0 - 100


PERIPHERAL SMEAR STUDY

RBC Morphology Macrocytic Normochromic.
 WBC Morphology Normal

PLATELET COUNTS

Platelet Count (Volumetric Impedance) 310000 /cmm 150000 - 450000
 Platelets Platelets are adequate with normal morphology.
 Parasites Malarial parasite is not detected.
 Comment

This is an electronically authenticated report.
 * This test has been out sourced.

Approved By : 
 Dr. Keyur Patel
 M.B.D.C.P.

Approved On : 25-Mar-2023 10:31 AM


Generated On : 25-Mar-2023 08:32 PM



TEST REPORT

Reg. No : 303101204	Ref Id :	Collected On : 25-Mar-2023 08:55 AM
Name : Mr. Jalpesh Parmar		Reg. Date : 25-Mar-2023 08:55 AM
Age/Sex : 35 Years / Male	Pass. No. :	Tele No. : 8980213256
Ref. By :		Dispatch At :
Location : CHPL		Sample Type : EDTA Whole Blood

This is an electronically authenticated report.
* This test has been out sourced.

Approved By :  Dr. Keyur Patel
M.B.D.C.P.

Approved On : 25-Mar-2023 10:31 AM
Page 2 of 13

Generated On : 25-Mar-2023 08:32 PM

CUROVIS HEALTHCARE PVT. LTD.

'B' Block, Mondeal Business Park, Near Gurudwara, Bodakdev, S.G. Highway, Ahmedabad - 380 054, Gujarat


TEST REPORT

Reg. No : 303101204	Ref Id :	Collected On : 25-Mar-2023 08:55 AM
Name : Mr. Jalpesh Parmar		Reg. Date : 25-Mar-2023 08:55 AM
Age/Sex : 35 Years / Male	Pass. No. :	Tele No. : 8980213256
Ref. By :		Dispatch At :
Location : CHPL		Sample Type : EDTA Whole Blood

Parameter	Result	Unit	Biological Ref. Interval
-----------	--------	------	--------------------------

HEMATOLOGY
BLOOD GROUP & RH

Specimen: EDTA and Serum; Method: Forward Reverse Tube Agglutination

ABO	"B"
Rh (D)	Positive
Note	-

ERYTHROCYTE SEDIMENTATION RATE [ESR]

ESR 1 hour <i>Intra red measurement</i>	03	mm/hr	ESR AT 1 hour : 1-7
---	----	-------	---------------------

ERYTHRO SEDIMENTATION RATE, BLOOD -

Erythrocyte sedimentation rate (ESR) is a non-specific phenomena and is clinically useful in the diagnosis and monitoring of disorders associated with an increased production of acute phase reactants. The ESR is increased in pregnancy from about the 3rd month and returns to normal by the 4th week post partum. ESR is influenced by age, sex, menstrual cycle and drugs (eg. corticosteroids, contraceptives). It is especially low (0-1mm) in polycythaemia, hypofibrinogenemia or congestive cardiac failure and when there are abnormalities of the red cells such as poikilocytosis, spherocytosis or sickle cells.

This is an electronically authenticated report.

* This test has been out sourced.


Approved By : Dr. Keyur V Patel
 MB, DCP

Approved On : 25-Mar-2023 12:03 PM

Generated On : 25-Mar-2023 08:32 PM

Page 3 of 13


TEST REPORT

Reg. No : 303101204	Ref Id :	Collected On : 25-Mar-2023 08:55 AM
Name : Mr. Jalpesh Parmar		Reg. Date : 25-Mar-2023 08:55 AM
Age/Sex : 35 Years / Male	Pass. No. :	Tele No. : 8980213256
Ref. By :		Dispatch At :
Location : CHPL		Sample Type : Flouride F, Flouride PP

Parameter	Result	Unit	Biological Ref. Interval
-----------	--------	------	--------------------------

FASTING PLASMA GLUCOSE
 Specimen: Flouride plasma

Fasting Blood Sugar (FBS)	115.00	mg/dL	70 - 110
---------------------------	---------------	-------	----------

GOD-POD Method

Criteria for the diagnosis of diabetes


1. HbA1c \geq 6.5 *
 - Or
 2. Fasting plasma glucose $>$ 126 gm/dL. Fasting is defined as no caloric intake at least for 8 hrs.
 - Or
 3. Two hour plasma glucose \geq 200mg/dL during an oral glucose tolerance test by using a glucose load containing equivalent of 75 gm anhydrous glucose dissolved in water
 - Or
 4. In a patient with classic symptoms of hyperglycemia or hyperglycemic crisis, a random plasma glucose \geq 200 mg/dL.
- *In the absence of unequivocal hyperglycemia, criteria 1-3 should be confirmed by repeat testing.
 American diabetes association. Standards of medical care in diabetes 2011. Diabetes care 2011;34:S11

POST PRANDIAL PLASMA GLUCOSE
 Specimen: Flouride plasma

Post Prandial Blood Sugar (PPBS)	143.6	mg/dL	70 - 140
----------------------------------	--------------	-------	----------

GOD-POD Method

This is an electronically authenticated report.
 * This test has been out sourced.


Approved By : Dr. Keyur V Patel
 MB,DCP
Approved On : 25-Mar-2023 07:00 PM

Generated On : 25-Mar-2023 08:32 PM



TEST REPORT

Reg. No : 303101204	Ref Id :	Collected On : 25-Mar-2023 08:55 AM
Name : Mr. Jalpesh Parmar		Reg. Date : 25-Mar-2023 08:55 AM
Age/Sex : 35 Years / Male	Pass. No. :	Tele No. : 8980213256
Ref. By :		Dispatch At :
Location : CHPL .		Sample Type : Stool

Parameter	Result	Unit	Biological Ref. Interval
-----------	--------	------	--------------------------

STOOL EXAMINATION

Colour	Brown
Consistency	Semi Solid

CHEMICAL EXAMINATION

Occult Blood	Negative
--------------	----------

Peroxidase Reaction with o-Diaminodiox

Reaction	Acidic
----------	--------

Double Indicator

MICROSCOPIC EXAMINATION

Mucus	Nil
Pus Cells	1 - 2/hpf
Red Cells	Nil
Epithelial Cells	Nil
Vegetable Cells	Nil
Trophozoites	Nil
Cysts	Nil
Ova	Nil
Neutral Fat	Nil
Monilia	Nil
Note	

Note: Stool occult blood test is highly sensitive to peroxidase like activity of free hemoglobin

False negative: False negative occult blood test may be observed in case of excess (>250mg/day) Vitamin C intake and in case of occassinal unruptured RBCs.

False positive: False positive occult blood test may be observed in stool samples containing vegetable peroxidase (turnips, horseradish, cauliflower, broccoli, cantaloupe, parsnips) and myoglobin from food (meat diet) intake.

This is an electronically authenticated report.

* This test has been out sourced.

Approved By : 
Dr. Keyur V Patel
MB, DCP

Approved On : 25-Mar-2023 02:01 PM

Generated On : 25-Mar-2023 08:32 PM

Page 5 of 13

CUROVIS HEALTHCARE PVT. LTD.

'B' Block, Mondeal Business Park, Near Gurudwara, Bodakdev, S.G. Highway, Ahmedabad - 380 054, Gujarat

☎ 079 40308700 ☎ +91 75730 30001 ✉ info@curovis.co.in 🌐 www.curovis.co.in


TEST REPORT

Reg. No : 303101204	Ref Id :	Collected On : 25-Mar-2023 08:55 AM
Name : Mr. Jalpesh Parmar		Reg. Date : 25-Mar-2023 08:55 AM
Age/Sex : 35 Years / Male	Pass. No. :	Tele No. : 8980213256
Ref. By :		Dispatch At :
Location : CHPL		Sample Type : Serum


Parameter	Result	Unit	Biological Ref. Interval
-----------	--------	------	--------------------------

Lipid Profile

Cholesterol	171.00	mg/dL	Desirable : < 200 Borderline High: 200 - 239 High: > 240
<i>Enzymatic, colorimetric method</i>			
Triglyceride	114.40	mg/dL	Normal : < 150 Borderline High: 150 - 199 High: 200 - 499 Very High: > 500
<i>Enzymatic, colorimetric method</i>			
HDL Cholesterol	29.60	mg/dL	High Risk : < 40 Low Risk : = 60
<i>Accelerator selective detergent method</i>			
LDL	118.52	mg/dL	Optimal : < 100.0 Near / above optimal: 100-129 Borderline High : 130-159 High : 160-189 Very High : > 190.0
<i>Calculated</i>			
VLDL	22.88	mg/dL	15 - 35
<i>Calculated</i>			
LDL / HDL RATIO	4.00		0 - 3.5
<i>Calculated</i>			
Cholesterol /HDL Ratio	5.78		0 - 5.0
<i>Calculated</i>			

This is an electronically authenticated report.

* This test has been out sourced.

Approved By : 
 Dr. Keyur V Patel
 MB,DCP

Approved On : 25-Mar-2023 02:01 PM

Generated On : 25-Mar-2023 08:32 PM

Page 6 of 13

CUROVIS HEALTHCARE PVT. LTD.

'B' Block, Mondeal Business Park, Near Gurudwara, Bodakdev, S.G. Highway, Ahmedabad - 380 054, Gujarat


TEST REPORT


Reg. No : 303101204	Ref Id :	Collected On : 25-Mar-2023 08:55 AM
Name : Mr. Jalpesh Parmar		Reg. Date : 25-Mar-2023 08:55 AM
Age/Sex : 35 Years / Male	Pass. No. :	Tele No. : 8980213256
Ref. By :		Dispatch At :
Location : CHPL		Sample Type : Serum

Parameter	Result	Unit	Biological Ref. Interval
-----------	--------	------	--------------------------

BIO - CHEMISTRY
LFT WITH SGT

Total Protein <i>Buret Reaction</i>	7.10	gm/dl.	Premature 1 Day : 3.4 - 5.0 1 Day to 1 Month : 4.6 - 6.8 2 to 12 Months : 4.8 - 7.6 1 Year : 6.0 - 8.0 Adults : 6.6 - 8.7
Albumin <i>By Bromocresol Green</i>	4.83	g/dl.	0 - 4 days: 2.8 - 4.4 4 days - 14 yrs: 3.8 - 5.4 14 - 19 yrs: 3.2 - 4.5 20 - 60 yrs: 3.5 - 5.2 60 - 90 yrs: 3.2 - 4.6 > 90 yrs: 2.9 - 4.5
Globulin <i>Calculated</i>	2.27	g/dl	2.3 - 3.5
A/G Ratio <i>Calculated</i>	2.13		0.8 - 2.0
SGOT <i>UV without P5P</i>	23.00	U/L	0 - 40
SGPT <i>UV without P5P</i>	22.70	U/L	0 - 40
Alkaline Phosphatase <i>P nitrophenyl phosphatase-AMP Buffer Multiple-point rate</i>	84.3	IU/l	53 - 128
Total Bilirubin <i>Vanadate Oxidation</i>	1.24	mg/dl.	0 - 1.2
Conjugated Bilirubin	0.47	mg/dl.	0.0 - 0.4

This is an electronically authenticated report.
 * This test has been out sourced.

Approved By : 
 Dr. Keyur Patel
 M.B.D.C.P.

Generated On : 25-Mar-2023 08:32 PM

Approved On : 25-Mar-2023 02:19 PM

Page 7 of 13

CUROVIS HEALTHCARE PVT. LTD.

'B' Block, Mondeal Business Park, Near Gurudwara, Bodakdev, S.G. Highway, Ahmedabad - 380 054, Gujarat



TEST REPORT

Reg. No : 303101204	Ref Id :	Collected On : 25-Mar-2023 08:55 AM
Name : Mr. Jaipesh Parmar		Reg. Date : 25-Mar-2023 08:55 AM
Age/Sex : 35 Years / Male	Pass. No. :	Tele No. : 8980213256
Ref. By :		Dispatch At :
Location : CHPL		Sample Type : Serum

Unconjugated Bilirubin <i>Calculated</i>	0.77	mg/dL	0.0 - 1.1
GGT <i>SZASZ Method</i>	28.30	mg/dL	< 49

This is an electronically authenticated report.
* This test has been out sourced.


Approved By : Dr. Keyur Patel
M.B.D.C.P.
Approved On : 25-Mar-2023 02:19 PM
Page 8 of 13

Generated On : 25-Mar-2023 08:32 PM

CUROVIS HEALTHCARE PVT. LTD.

'B' Block, Mondeal Business Park, Near Gurudwara, Bodakdev, S.G. Highway, Ahmedabad - 380 054, Gujarat


TEST REPORT

Reg. No : 303101204	Ref Id :	Collected On : 25-Mar-2023 08:55 AM
Name : Mr. Jalpesh Parmar		Reg. Date : 25-Mar-2023 08:55 AM
Age/Sex : 35 Years Male	Pass. No. :	Tele No. : 8980213256
Ref. By :		Dispatch At :
Location : CHPL		Sample Type : Serum


Parameter	Result	Unit	Biological Ref. Interval
-----------	--------	------	--------------------------

BIO - CHEMISTRY

Uric Acid <i>Enzymatic, colorimetric method</i>	7.06	mg/dL	3.5 - 7.2
Creatinine <i>Enzymatic Method</i>	0.76	mg/dL	0.9 - 1.3
BUN <i>UV Method</i>	5.30	mg/dL	6.0 - 20.0

This is an electronically authenticated report.

* This test has been out sourced.

Approved By : 
 Dr. Keyur V Patel
 MB, DCP

Approved On : 25-Mar-2023 02:01 PM

Generated On : 25-Mar-2023 08:32 PM

Page 9 of 13

CUROVIS HEALTHCARE PVT. LTD.

'B' Block, Mondeal Business Park, Near Gurudwara, Bodakdev, S.G. Highway, Ahmedabad - 380 054, Gujarat


TEST REPORT

Reg. No : 303101204	Ref Id :	Collected On : 25-Mar-2023 08:55 AM
Name : Mr. Jalpesh Parmar		Reg. Date : 25-Mar-2023 08:55 AM
Age/Sex : 35 Years / Male	Pass. No. :	Tele No. : 8980213256
Ref. By :		Dispatch At :
Location : CHPL		Sample Type : Urine Spot

Test	Result	Unit	Biological Ref. Interval
------	--------	------	--------------------------

URINE ROUTINE EXAMINATION
PHYSICAL EXAMINATION

Quantity	20 cc	
Colour	Pale Yellow	
Clarity	Clear	Clear

CHEMICAL EXAMINATION (BY REFLECTANCE PHOTOMETRIC)

pH	6	4.0 - 8.0
Sp. Gravity	1.000	1.001 - 1.035
Protein	Nil	Nil
Glucose	Nil	Nil
Ketone Bodies	Nil	Nil
Urobilinogen	Nil	Nil
Bilirubin	Nil	
Nitrite	Nil	Nil
Blood	Nil	Nil

MICROSCOPIC EXAMINATION (MANUAL BY MICROSCOPY)

Leucocytes (Pus Cells)	Occasional/hpf	Absent
Erythrocytes (Red Cells)	Nil	Absent
Epithelial Cells	Nil	Absent
Crystals	Absent	Absent
Casts	Absent	Absent
Amorphous Material	Absent	Absent
Bacteria	Absent	Absent
Remarks	-	

This is an electronically authenticated report.

* This test has been out sourced.


Approved By : Dr. Keyur V Patel
 MB DCP

Approved On : 25-Mar-2023 02:01 PM

Generated On : 25-Mar-2023 08:32 PM

Page 10 of 1


TEST REPORT

Reg. No : 303101204	Ref Id :	Collected On : 25-Mar-2023 08:55 AM
Name : Mr. Jalpesh Parmar		Reg. Date : 25-Mar-2023 08:55 AM
Age/Sex : 35 Years / Male	Pass. No. :	Tele No. : 8980213256
Ref. By :		Dispatch At :
Location : CHPL		Sample Type : Serum

Parameter	Result	Unit	Biological Ref. Interval
-----------	--------	------	--------------------------

IMMUNOLOGY
THYROID FUNCTION TEST

T3 (Triiodothyronine) <small>CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY</small>	1.32	ng/mL	0.86 - 1.92
---	------	-------	-------------

Triiodothyronine (T3) is a hormone synthesized and secreted by the thyroid gland in response to the pituitary hormone TSH (thyroid stimulating hormone) and is regulated by a negative feedback mechanism involving the thyroid gland, pituitary gland and hypothalamus.

In the circulation, 99.7% of T3 is reversibly bond to transport proteins, primarily thyroxine-binding globulin (TBG) and to a lesser extent albumin and prealbumin. The remaining unbound T3 is free in the circulation and is metabolically active.

In hypothyroidism and hyperthyroidism, F T3 (free T3) levels parallel changes in total T3 levels. Measuring F T3 is useful in certain conditions such as normal pregnancy and steroid therapy, when altered levels of total T3 occur due to changes in T3 binding proteins, especially TBG

T4 (Thyroxine) <small>CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY</small>	11.00	µg/dL	3.2 - 12.6
--	-------	-------	------------

Thyroxin (T4) is a hormone synthesized and secreted by the thyroid gland in response to the pituitary hormone TSH (thyroid stimulating hormone) and is regulated by a negative feedback mechanism involving the thyroid gland, pituitary gland and hypothalamus. In the circulation, 99.95% of T4 is reversibly bond to transport proteins, primarily thyroxine-binding globulin (TBG) and to a lesser extent albumin and thyroxine-binding prealbumin. The remaining unbound T4 is free in the circulation and is both metabolically active and a precursor to triiodothyronine (T3).

In hypothyroidism and hyperthyroidism, F T4 (free T4) levels parallel changes in total T4 levels. Measuring F T4 is useful in certain conditions such as normal pregnancy and steroid therapy, when altered levels of total T4 occur due to changes in T4 binding proteins, especially TBG.

Limitations:

1. The anticonvulsant drug phenytoin may interfere with total and F T4 levels due to competition for TBG binding sites
2. F T4 values may be decreased in patients taking carbamazepine
3. Thyroid autoantibodies in human serum may interfere and cause falsely elevated F T4 results

This is an electronically authenticated report.

* This test has been out sourced.

Approved By : Dr. Keyur V Patel
MB, DCP

Generated On : 25-Mar-2023 08:32 PM

Approved On : 25-Mar-2023 02:01 PM

Page 11 of 1

CUROVIS HEALTHCARE PVT. LTD.

'B' Block, Mondeal Business Park, Near Gurudwara, Bodakdev, S.G. Highway, Ahmedabad - 380 054, Gujarat

☎ 079 40308700 ☎ +91 75730 30001 ✉ info@curovis.co.in 🌐 www.curovis.co.in


TEST REPORT

Reg. No : 303101204	Ref Id :	Collected On : 25-Mar-2023 08:55 AM
Name : Mr. Jalpesh Parmar		Reg. Date : 25-Mar-2023 08:55 AM
Age/Sex : 35 Years / Male	Pass. No. :	Tele No. : 8980213256
Ref. By :		Dispatch At :
Location : CHPL		Sample Type : Serum

TSH 1.530 μ U/ml 0.35 - 5.50
 CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY

Thyroid stimulating hormone (TSH) is synthesized and secreted by the anterior pituitary in response to a negative feedback mechanism involving concentrations of FT3 (free T3) and FT4 (free T4). Additionally, the hypothalamic tripeptide, thyrotropin-releasing hormone (TRH), directly stimulates TSH production. TSH stimulates thyroid cell production and hypertrophy, also stimulate the thyroid gland to synthesize and secrete T3 and T4. Quantification of TSH is significant to differentiate primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.

TSH levels During Pregnancy :

 First Trimester : 0.1 to 2.5 μ U/mL

 Second Trimester : 0.2 to 3.0 μ U/mL

 Third trimester : 0.3 to 3.0 μ U/mL

Reference : Carl A. Burtis, Edward R. Ashwood, David E. Bruns. Tietz Textbook of Clinical Chemistry and Molecular Diagnostics. 5th Edition. Philadelphia: WB Saunders, 2012: 2170

This is an electronically authenticated report

* This test has been out sourced.

Approved By : Dr. Keyur V Patel
 MB, DCP

Generated On : 25-Mar-2023 08:32 PM

Approved On : 25-Mar-2023 02:01 PM

Page 12 of 1

CUROVIS HEALTHCARE PVT. LTD.

'B' Block, Mondeal Business Park, Near Gurudwara, Bodakdev, S.G. Highway, Ahmedabad - 380 054, Gujarat


TEST REPORT

Reg. No : 303101204	Ref Id :	Collected On : 25-Mar-2023 08:55 AM
Name : Mr. Jalpesh Parmar		Reg. Date : 25-Mar-2023 08:55 AM
Age/Sex : 35 Years / Male	Pass. No. :	Tele No. : 8980213256
Ref. By :		Dispatch At :
Location : CHPL		Sample Type : Serum

Parameter	Result	Unit	Biological Ref. Interval
-----------	--------	------	--------------------------

IMMUNOLOGY

*TOTAL PROSTATE SPECIFIC ANTIGEN (PSA)	0.27	ng/mL	0 - 4
---	------	-------	-------

CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY


Measurement of total PSA alone may not clearly distinguish between benign prostatic hyperplasia (BPH) from cancer, this is especially true for the total PSA values between 4-8 ng/mL.

Percentage of free PSA = free PSA/total PSA X 100

Percentage of free PSA: Patients with prostate cancer generally have a lower percentage of Free PSA than patients with benign prostatic hyperplasia. Percentage Free PSA of less than 25% is a high likelihood of prostatic cancer

----- End Of Report -----

This is an electronically authenticated report.
 * This test has been out sourced.

Approved By : 
 Dr. Keyur V Patel
 MB, DCP

Approved On : 25-Mar-2023 02:01 PM

Generated On : 25-Mar-2023 08:32 PM

Page 13 of 1

CUROVIS HEALTHCARE PVT. LTD.

'B' Block, Mondeal Business Park, Near Gurudwara, Bodakdev, S.G. Highway, Ahmedabad - 380 054, Gujarat



LABORATORY REPORT

Name : Mr. Jalpesh Parmar

Sex/Age : Male/35 Years

Ref. By :

Client Name : Mediwheel

Reg. No : 303101204

Reg. Date : 25-Mar-2023 08:55 AM

Collected On :

Report Date : 25-Mar-2023 04:14 PM

Electrocardiogram

Findings

Normal Sinus Rhythm.

Within Normal Limit.

This is an electronically authenticated report



Dr. Jay Soni

M.D, GENERAL MEDICINE

JALPESH
PARHR

HR 76/min
P 51°
QRS 77°
T 46°

35 years
172 cm / 79 kg
RR 78/m
P 120/m

PR 144 ms
QRS 86 ms
QT 354 ms
QTc 402 ms
(Bazett)

P (II) 0.17 mV
S (V1) -0.73 mV
R (V5) 0.98 mV
Sokol. 2.39 mV

10 mm/mV

12 mm/mV





LABORATORY REPORT

Name : Mr. Jalpesh Parmar
Sex/Age : Male/35 Years
Ref. By :
Client Name : Mediwheel

Reg. No : 303101204
Reg. Date : 25-Mar-2023 08:55 AM
Collected On :
Report Date : 25-Mar-2023 04:14 PM

2D Echo Colour Doppler

1. Mild concentric LVH.
2. Normal sized LA, LV, RA, RV.
3. Normal LV systolic function, LVEF: 60%.
4. No RWMA.
5. Reduced LV compliance.
6. All cardiac valves are structurally normal.
7. Mild MR, Trivial TR, Trivial PR, No AR.
8. Mild PAH, RVSP: 40 mm Hg.
9. IAS/IVS: Intact.
10. No clot/vegetation/pericardial effusion.
11. No coarctation of aorta.

This is an electronically authenticated report



Dr. Jay Soni
M.D, GENERAL MEDICINE



LABORATORY REPORT

Name	: Mr. Jalpesh Parmar	Reg. No	: 303101204
Sex/Age	: Male/35 Years	Reg. Date	: 25-Mar-2023 08:55 AM
Ref. By	:	Collected On	:
Client Name	: Mediwheel	Report Date	: 27-Mar-2023 03:18 PM

X RAY CHEST PA

Both lung fields appear clear.

No evidence of any active infiltrations or consolidation.

Cardiac size appears within normal limits.


Both costo-phrenic angles appear free of fluid.

Both domes of diaphragm appear normal.

COMMENT: No significant abnormality is detected.

----- End Of Report -----

This is an electronically authenticated report



DR DHAVAL PATEL
Consultant Radiologist
MB,DMRE
Reg No:0494



Page 2 of 2

CUROVIS HEALTHCARE PVT. LTD.

'B' Block, Mondeal Business Park, Near Gurudwara, Bodakdev, S.G. Highway, Ahmedabad - 380 054, Gujarat



LABORATORY REPORT

Name :	Mr. Jalpesh Parmar	Reg. No :	303101204
Sex/Age :	Male/35 Years	Reg. Date :	25 Mar-2023 08:55 AM
Ref. By :		Collected On :	
Client Name :	Mediwheel	Report Date :	27-Mar-2023 03:18 PM

USG ABDOMEN

Liver appears normal in size & echogenicity. No evidence of focal solid or cystic lesion seen. No evidence of dilatation of intra-hepatic biliary or portal radicals. PV is normal in caliber.

Gall bladder is normally distended. No evidence of calculus or mass seen. Gall bladder wall thickness appears normal.

Pancreas Visualized portion appears normal in size and echopattern. No evidence of focal lesions.

Spleen appears normal in size & echopattern. No evidence of focal lesions

Both kidneys are normal in size, shape and position. C.M. differentiation on both sides is maintained. No evidence of hydronephrosis, calculus or solid mass on either side.

Urinary bladder is partially distended. No evidence of calculus or mass.

Prostate appears normal in size and echopattern. No evidence of focal lesions.

No evidence of free fluid in peritoneal cavity.

No evidence of para-aortic lymph adenopathy.

No evidence of dilated small bowel loops.

COMMENTS :

NO SIGNIFICANT ABNORMALITY DETECTED.

This is an electronically authenticated report



DR DHAVAL PATEL
Consultant Radiologist
MB,DMRE
Reg No:0494





LABORATORY REPORT

Name : Mr. Jalpesh Parmar
Sex/Age : Male/35 Years
Ref. By :
Client Name : Mediwheel

Reg. No : 303101204
Reg. Date : 25-Mar-2023 08:55 AM
Collected On :
Report Date : 25-Mar-2023 02:15 PM

Eye Check - Up

No Eye Complaints

	Without Glasses	With Glasses
Right Eye	6/5	N.A
Left Eye	6/5	N.A

Near Vision: Right Eye - N/6, Left Eye - N/6

Fundus Examination - Within Normal Limits.

Color Vision : Normal

Comments: Normal

----- End Of Report -----

This is an electronically authenticated report



Dr Kejal Patel
MB,DO(Ophth)


NAME:- JALPESH PARMAR.

ID NO:-

AGE:- 35Y/ M

DATE:- 25/03/2023

AUDIOGRAM



EAR	MODE	Air Conduction		Bone Conduction		Carrier Code
		Masked	UnMasked	Masked	UnMasked	
LEFT		□	×	⊖	>	11
RIGHT		△	○	⊕	<	11

NO RESPONSE - Add 3 below the respective symbols

Threshold in dB	RIGHT	LEFT
AIR CONDUCTION	11	10.5
BONE CONDUCTION		
SPLIT CH		

Comments:- Bilateral Hearing Sensitivity Within Normal Limits.

