

CID	: 2309405380
Name	: MRS.EMAN MONIKA
Age / Gender	: 38 Years / Female
Consulting Dr.	: -
Reg. Location	: Kandivali East (Main Centre)

Use a QR Code Scanner Application To Scan the Code Collected Reported

R

E

P

0

R

т

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

	<u>CBC (Complet</u>	<u>e Blood Count), Blood</u>	
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
RBC PARAMETERS			
Haemoglobin	10.1	12.0-15.0 g/dL	Spectrophotometric
RBC	4.76	3.8-4.8 mil/cmm	Elect. Impedance
PCV	33.9	36-46 %	Measured
MCV	71	80-100 fl	Calculated
MCH	21.2	27-32 pg	Calculated
MCHC	29.8	31.5-34.5 g/dL	Calculated
RDW	22.0	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	4850	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND	ABSOLUTE COUNTS		
Lymphocytes	29.0	20-40 %	
Absolute Lymphocytes	1406.5	1000-3000 /cmm	Calculated
Monocytes	4.4	2-10 %	
Absolute Monocytes	213.4	200-1000 /cmm	Calculated
Neutrophils	63.6	40-80 %	
Absolute Neutrophils	3084.6	2000-7000 /cmm	Calculated
Eosinophils	2.8	1-6 %	
Absolute Eosinophils	135.8	20-500 /cmm	Calculated
Basophils	0.2	0.1-2 %	
Absolute Basophils	9.7	20-100 /cmm	Calculated
Immature Leukocytes	-		

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	115000(Manual method)	150000-400000 /cmm	Elect. Impedance
MPV	9.5	6-11 fl	Calculated
PDW	15.8	11-18 %	Calculated
RBC MORPHOLOGY			

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2rd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Omart, Premier Road, Vidyavihar (W), Mumbai - 400086. HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com

Corporate Identity Number (CIN): U85110MH2002PTC136144



CID : 2309405380			Authenticity Check	R E P O	
Name	: MRS.EMAN MO	NIKA			R
Age / Gender	: 38 Years / Fer	nale		Use a QR Code Scanner Application To Scan the Code	
Consulting Dr. Reg. Location	: - : Kandivali East	(Main Centre)	Collected Reported	:04-Apr-2023 / 09:57 :04-Apr-2023 / 17:01	т
Hypochromia		+			
Microcytosis		+			
Macrocytosis		-			
Anisocytosis		++			
Poikilocytosis		Mild			
Polychromasia		Mild			
Target Cells		-			
Basophilic Stipp	oling	-			
Normoblasts		-			
Others		Elliptocytes-occasional			
WBC MORPHO	DLOGY	-			
PLATELET MC	RPHOLOGY	Platelets reduced on smear	.megaplatelets seen on si	mear	
COMMENT		-			
Result rechecked Kindly correlate					
Specimen: EDTA V	Vhole Blood				

Result rechecked.

ESR, EDTA WB-ESR

21

2-20 mm at 1 hr.

Sedimentation

Kindly correlate clinically.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***



Bmhaskar

Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 2 of 15



R

E


P

0

R

т

CID : 2309405380 Name : MRS.EMAN MONIKA Age / Gender : 38 Years / Female Consulting Dr. : -Reg. Location : Kandivali East (Main Centre)



Collected Reported

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE			
PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	79.7	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	67.4	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.88	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.31	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.57	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.2	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.6	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.6	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.8	1 - 2	Calculated
SGOT (AST), Serum	23.7	5-32 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	33.6	5-33 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	15.1	3-40 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	84.0	35-105 U/L	Colorimetric
BLOOD UREA, Serum	27.9	12.8-42.8 mg/dl	Kinetic
BUN, Serum	13.0	6-20 mg/dl	Calculated
		· · · · · · · ·	
CREATININE, Serum	0.76	0.51-0.95 mg/dl	Enzymatic



Urine Sugar (PP)

CID Name	: 2309405380 : MRS.EMAN <i>N</i>	ONIKA			E P O R
Age / Gender Consulting Dr. Reg. Location	: 38 Years / F : - : Kandivali Ea	emale st (Main Centre)	Collected Reported	Use a QR Code Scanner Application To Scan the Code :04-Apr-2023 / 09:57 :04-Apr-2023 / 19:28	т
eGFR, Serum URIC ACID, Se	rum	91 5.4	>60 ml/min/1.73sqm 2.4-5.7 mg/dl	Calculated Enzymatic	
Urine Sugar (Fa Urine Ketones (Absent Absent	Absent Absent		

Urine Ketones (PP) Absent Absent

Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West

*** End Of Report ***

Absent





Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Authenticity Check

R

Page 4 of 15



CID : 2309405380 Name : MRS.EMAN MONIKA Age / Gender : 38 Years / Female Consulting Dr. : -Reg. Location : Kandivali East (Main Centre)



Authenticity Check

R

E

Use a QR Code Scanner Application To Scan the Code

Collected Reported

Non-Diabetic Level: < 5.7 %

Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

:04-Apr-2023 / 09:57 :04-Apr-2023 / 13:34

METHOD

Calculated

HPLC

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE <u>GLYCOSYLATED HEMOGLOBIN (HbA1c)</u> RESULTS BIOLOGICAL REF RANGE ME

mg/dl

PARAMETER

Glycosylated Hemoglobin4.2(HbA1c), EDTA WB - CC

Estimated Average Glucose 73.8 (eAG), EDTA WB - CC

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***

Bmhaskar

Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 5 of 15



CID	: 2309405380
Name	: MRS.EMAN MONIKA
Age / Gender	: 38 Years / Female
Consulting Dr. Reg. Location	: - : Kandivali East (Main Centre)

R

E

P

О

R

Use a QR Code Scanner Application To Scan the Code

Collected Reported

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE URINE EXAMINATION REPORT

UKINE EXAMINATION REPORT			
PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	5.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.020	1.001-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	30	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Trace	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION			
Leukocytes(Pus cells)/hpf	5-6	0-5/hpf	
Red Blood Cells / hpf	Occasional	0-2/hpf	
Epithelial Cells / hpf	3-4		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	+(>20/hpf)	Less than 20/hpf	
Othere			

Others

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein:(1+ ~25 mg/dl, 2+ ~75 mg/dl, 3+ ~ 150 mg/dl, 4+ ~ 500 mg/dl)
- Glucose:(1+ ~ 50 mg/dl, 2+ ~100 mg/dl, 3+ ~300 mg/dl,4+ ~1000 mg/dl)
- Ketone:(1+ ~5 mg/dl, 2+ ~15 mg/dl, 3+ ~ 50 mg/dl, 4+ ~ 150 mg/dl)

Reference: Pack insert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West



Bmhaskar

Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 6 of 15

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2rd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar (W), Mumbal - 400086. HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com

Corporate Identity Number (CIN): U85110MH2002PTC136144



CID	: 2309405380
Name	: MRS.EMAN MONIKA
Age / Gender	: 38 Years / Female
Consulting Dr.	: -
Reg. Location	: Kandivali East (Main Centre)

R

E

P

0

R

т

*** End Of Report ***

Page 7 of 15



CID	: 2309405380
Name	: MRS.EMAN MONIKA
Age / Gender	: 38 Years / Female
Consulting Dr.	: -
Reg. Location	: Kandivali East (Main Centre)



R

Е

Collected Reported

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE BLOOD GROUPING & Rh TYPING

PARAMETER

<u>RESULTS</u>

ABO GROUP AB Rh TYPING Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab

*** End Of Report ***



June King

Dr.VRUSHALI SHROFF M.D.(PATH) Pathologist

Page 8 of 15



CID	: 2309405380
Name	: MRS.EMAN MONIKA
Age / Gender	: 38 Years / Female
Consulting Dr.	: -
Reg. Location	: Kandivali East (Main Centre)

R

E

P

0

R

т

Use a QR Code Scanner Application To Scan the Code : 04-Apr-2023 /

Collected Reported :04-Apr-2023 / 09:57 :04-Apr-2023 / 13:34

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE LIPID PROFILE

PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	164.6	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	84.9	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	39.2	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	125.4	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	108.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	17.4	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	4.2	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.8	0-3.5 Ratio	Calculated

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***



Bmhaskav

Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 9 of 15



CID	: 2309405380
Name	: MRS.EMAN MONIKA
Age / Gender	: 38 Years / Female
Consulting Dr. Reg. Location	: - : Kandivali East (Main Centre)

Use a QR Code Scanner Application To Scan the Code Collected Reported

:04-Apr-2023 / 09:57 :04-Apr-2023 / 13:42

R

E

P

0

R

т

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE **THYROID FUNCTION TESTS BIOLOGICAL REF RANGE** RESULTS PARAMETER METHOD Free T3, Serum 4.2 3.5-6.5 pmol/L ECLIA Free T4, Serum 17.1 11.5-22.7 pmol/L **ECLIA** First Trimester:9.0-24.7 Second Trimester: 6.4-20.59 Third Trimester: 6.4-20.59 sensitiveTSH, Serum 3.33 0.35-5.5 microlU/ml **ECLIA** First Trimester:0.1-2.5 Second Trimester: 0.2-3.0 Third Trimester: 0.3-3.0

Page 10 of 15



Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors

can give falsely high TSH.

2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3/T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non- thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation: TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation: 19.7% (with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours

following the last biotin administration.

2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)

2. Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357

3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition

4.Biological Variation: From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***



Bmhaskar

Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Authenticity Check


R

Page 11 of 15



CID	: 2309405380
Name	: MRS.EMAN MONIKA
Age / Gender	: 38 Years / Female
Consulting Dr.	: -
Reg. Location	: Kandivali East (Main Centre)







CID	: 2309405380
Name	: MRS.EMAN MONIKA
Age / Gender	: 38 Years / Female
Consulting Dr.	: -
Reg. Location	: Kandivali East (Main Centre)



R


E

P

0


R


т





CID	: 2309405380
Name	: MRS.EMAN MONIKA
Age / Gender	: 38 Years / Female
Consulting Dr.	: -
Reg. Location	: Kandivali East (Main Centre)





Page 14 of 15



CID	: 2309405380
Name	: MRS.EMAN MONIKA
Age / Gender	: 38 Years / Female
Consulting Dr.	: -
Reg. Location	: Kandivali East (Main Centre)



R


E

P

0

R

т



Page 15 of 15