Name PID No. SID No. Age / Sex Type Ref. Dr	: Mrs. LAVANYA S : MED111569770 : 223005427 : 39 Year(s) / Female : OP : MediWheel	Collection On :( Report On :( Printed On :	1/04/2023 8:10 AM 01/04/2023 8:42 AM 03/04/2023 7:02 PM 10/04/2023 5:41 PM	DIAGNOSTICS
TYPING (EDTA Blo INTERPI	GROUPING AND Rh	Observed Value 'B' 'Positive' roup and Typing befor	<u>Unit</u> e blood transfusion	<u>Biological</u> <u>Reference Interval</u>
Haemog (EDTA Blo	lobin 00d/Spectrophotometry)	11.8	g/dL	12.5 - 16.0
	Cell Volume(PCV)/Haematocrit	35.2	%	37 - 47
RBC Cor (EDTA Blo	unt 00d/Impedance Variation)	4.03	mill/cu.mm	4.2 - 5.4
	orpuscular Volume(MCV) ood/Derived from Impedance)	87.2	fL	78 - 100
	orpuscular Haemoglobin(MCH) ood/Derived from Impedance)	29.3	pg	27 - 32
concentra	orpuscular Haemoglobin ation(MCHC) ood/Derived from Impedance)	33.6	g/dL	32 - 36
RDW-C (EDTA Blo	V ood/Derived from Impedance)	14.2	%	11.5 - 16.0
RDW-SI (EDTA Blo	<b>)</b> ood/Derived from Impedance)	43.34	fL	39 - 46
	ukocyte Count (TC) ood/Impedance Variation)	7600	cells/cu.mm	4000 - 11000
Neutroph (EDTA Blo <i>Cytometry</i> )	ood/Impedance Variation & Flow	71.1	%	40 - 75
Lymphoo (EDTA Blo <i>Cytometry</i> )	ood/Impedance Variation & Flow	18.8	%	20 - 45





Page 1 of 8

Name	: Mrs. LAVANYA S	
PID No.	: MED111569770	Register On : 01/04/2023 8:10 AM
SID No.	: 223005427	Collection On : 01/04/2023 8:42 AM
Age / Sex	: 39 Year(s) / Female	Report On : 03/04/2023 7:02 PM medall
Туре	: OP	Printed On : 10/04/2023 5:41 PM DIAGNOSTICS
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
Eosinophils (EDTA Blood/Impedance Variation & Flow Cytometry)	3.2	%	01 - 06
Monocytes (EDTA Blood/Impedance Variation & Flow Cytometry)	6.4	%	01 - 10
Basophils (EDTA Blood/Impedance Variation & Flow Cytometry)	0.5	%	00 - 02
INTERPRETATION: Tests done on Automated F	Five Part cell counter	er. All abnormal results are review	ed and confirmed microscopically.
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	5.40	10^3 / µl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	1.43	10^3 / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry)	0.24	10^3 / µl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.49	10^3 / µl	< 1.0
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.04	10^3 / µl	< 0.2
Platelet Count (EDTA Blood/Impedance Variation)	256	10^3 / µl	150 - 450
MPV (EDTA Blood/Derived from Impedance)	8.2	fL	8.0 - 13.3
PCT (EDTA Blood/Automated Blood cell Counter)	0.21	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Blood/Automated - Westergren method)	29	mm/hr	< 20





Page 2 of 8

Name	: Mrs. LAVANYA S		
PID No.	: MED111569770	Register On : 01/04/2023 8:10 AM	~
SID No.	: 223005427	Collection On : 01/04/2023 8:42 AM	
Age / Sex	: 39 Year(s) / Female	Report On : 03/04/2023 7:02 PM	medall
Туре	: OP	Printed On : 10/04/2023 5:41 PM	DIAGNOSTICS
Ref. Dr	: MediWheel		

Investi	nation	Obse
1114000	gauon	0000

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
BUN / Creatinine Ratio	10.29		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	103.5	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

**INTERPRETATION:** Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine) (Urine - F/GOD - POD)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD-PAP)	104.9	mg/dL	70 - 140

## **INTERPRETATION:**

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Blood Urea Nitrogen (BUN)	7.0	mg/dL	7.0 - 21
(Serum/Urease UV / derived)			
Creatinine	0.68	mg/dL	0.6 - 1.1

## (Serum/Modified Jaffe)

**INTERPRETATION:** Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin, cefazolin, ACE inhibitors, angiotensin II receptor antagonists, N-acetylcysteine, chemotherapeutic agent such as flucytosine etc.

Uric Acid (Serum/ <i>Enzymatic</i> )	4.0	mg/dL	2.6 - 6.0
Liver Function Test			
Bilirubin(Total) (Serum/DCA with ATCS)	0.65	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.20	mg/dL	0.0 - 0.3
		03(5)	E





The results pertain to sample tested.

Page 3 of 8

Name	: Mrs. LAVANYA S		
PID No.	: MED111569770	Register On : 01/04/2023 8:10 AM	
SID No.	: 223005427	Collection On : 01/04/2023 8:42 AM	$\mathbf{O}$
Age / Sex	: 39 Year(s) / Female	Report On : 03/04/2023 7:02 PM	medall
Туре	: OP	Printed On : 10/04/2023 5:41 PM	DIAGNOSTICS
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Bilirubin(Indirect) (Serum/Derived)	0.45	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/ <i>Modified IFCC</i> )	16.1	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/ <i>Modified IFCC</i> )	17.1	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	18.9	U/L	< 38
Alkaline Phosphatase (SAP) (Serum/ <i>Modified IFCC</i> )	99.4	U/L	42 - 98
Total Protein (Serum/Biuret)	7.87	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.26	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	3.61	gm/dL	2.3 - 3.6
A : G RATIO (Serum/ <i>Derived</i> )	1.18		1.1 - 2.2
Lipid Profile			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	188.6	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	109.7	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500



DR.SUNDAR ELAYAPERUMAL MD, CIC CONSULTANT MICROBIOLOGIST REG NO: 41854 APPROVED BY

The results pertain to sample tested.

Page 4 of 8

Name	:	Mrs. LAVANYA S				
PID No.	:	MED111569770	Register O	n :	01/04/2023 8:10 AM	
SID No.	:	223005427	Collection	On :	01/04/2023 8:42 AM	<b>O</b>
Age / Sex	:	39 Year(s) / Female	Report On	:	03/04/2023 7:02 PM	medall
Туре	:	OP	Printed Or	n :	10/04/2023 5:41 PM	DIAGNOSTICS
Ref. Dr	:	MediWheel				
Investiga	atio	<u>on</u>	<u>Obse</u> Va		Unit	<u>Biological</u> Reference Interval
increasing variation to	as oo. for	much as 5 to 10 times the fasting There is evidence recommending metabolic syndrome, as non-fasti	levels, just a gtriglycerides	few ho estima	urs after eating. Fasting tri tion in non-fasting conditi	ls change drastically in response to food, glyceride levels show considerable diurnal on for evaluating the risk of heart disease and _ circulating level of triglycerides during most
HDL Cho (Serum/Imi		esterol noinhibition)	4	6.3	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cho (Serum/ <i>Ca</i>			12	20.4	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL C (Serum/Ca			2	1.9	mg/dL	< 30
Non HDI (Serum/Ca		Cholesterol lated)	14	2.3	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >=220
2.It is the s	sur	TATION: 1. Non-HDL Cholester n of all potentially atherogenic pro arget for cholesterol lowering ther	oteins includii			sk marker than LDL Cholesterol. icrons and it is the "new bad cholesterol" and is a

Total Cholesterol/HDL Cholesterol Ratio (Serum/ <i>Calculated</i> )	4.1	Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/ <i>Calculated</i> )	2.4	Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
		DR.SUNDAR ELAYAPERUMAL MD, CIC CONSULTANT MICROBIOLOGIST REG NO. 41854

Page 5 of 8

APPROVED BY

Name	: Mrs. LAVANYA S			
	•	De sister Os	1/04/0000 0.10 AM	
PID No.	: MED111569770	5	1/04/2023 8:10 AM	$\sim$
SID No.	: 223005427		01/04/2023 8:42 AM	
Age / Sex	: 39 Year(s) / Female	Report On : (	)3/04/2023 7:02 PM	medall
Туре	: OP	Printed On : 1	0/04/2023 5:41 PM	DIAGNOSTICS
Ref. Dr	: MediWheel			
<u>Investiga</u>	ation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
LDL/HD (Serum/Ca	DL Cholesterol Ratio	2.6		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0
<u>Glycosyl</u>	ated Haemoglobin (HbA1c)			
HbA1C (Whole Blo	ood/HPLC)	5.8	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5
INTERPI	RETATION: If Diabetes - Good cor	ntrol : 6.1 - 7.0 % , Fair	control : 7.1 - 8.0 % , Poc	or control >= 8.1 %
Estimate (Whole Bl	d Average Glucose	119.76	mg/dL	
control as Condition hypertrigh Condition ingestion,	compared to blood and urinary gluc s that prolong RBC life span like Irc yceridemia,hyperbilirubinemia,Drug	ose determinations. on deficiency anemia, V gs, Alcohol, Lead Poison te or chronic blood loss	itamin B12 & Folate defic ning, Asplenia can give fa , hemolytic anemia, Hemo	
	odothyronine) - Total nemiluminescent Immunometric Assay	1.06	ng/ml	0.7 - 2.04
<b>Comment</b> Total T3 v		on like pregnancy, drug	s, nephrosis etc. In such c	ases, Free T3 is recommended as it is
T4 (Tyrc	oxine) - Total	8.97	µg/dl	4.2 - 12.0
(Serum/Ch (CLIA))	eemiluminescent Immunometric Assay			
<b>INTERPI</b> Comment Total T4 v		on like pregnancy, drug	s, nephrosis etc. In such c	ases, Free T4 is recommended as it is
				DR.SUNDAR ELAYAPERUMAL MD, CIC CONSULTANT MICROBIOLOGIST REG ND: 41854 APPROVED BY

Page 6 of 8

Name	: Mrs. LAVANYA S		
PID No.	: MED111569770	Register On : 01/04/2023 8:10 AM	~
SID No.	: 223005427	Collection On : 01/04/2023 8:42 AM	
Age / Sex	: 39 Year(s) / Female	Report On : 03/04/2023 7:02 PM	medall
Туре	: OP	Printed On : 10/04/2023 5:41 PM	DIAGNOSTICS
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
TSH (Thyroid Stimulating Hormone)	2.25	µIU/mL	0.35 - 5.50
(Serum/Chemiluminescent Immunometric Assay			

## INTERPRETATION:

(CLIA))

Reference range for cord blood - upto 20 1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0 (Indian Thyroid Society Guidelines) **Comment :** 

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI. 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM.The variation can be of the order of 50%,hence time of the day has influence on the measured serum TSH concentrations.

3.Values&amplt0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.

## Urine Analysis - Routine

COLOUR (Urine)	Pale yellow		Yellow to Amber
APPEARANCE (Urine)	Clear		Clear
Protein (Urine/Protein error of indicator)	Negative		Negative
Glucose (Urine/GOD - POD)	Negative		Negative
Pus Cells (Urine/Automated <sup>-</sup> Flow cytometry)	0 - 1	/hpf	NIL
Epithelial Cells (Urine/Automated <sup>-</sup> Flow cytometry)	0 - 1	/hpf	NIL
RBCs (Urine/Automated <sup>-</sup> Flow cytometry )	NIL	/hpf	NIL
Casts (Urine/Automated <sup>-</sup> Flow cytometry )	NIL	/hpf	NIL
Crystals (Urine/Automated Flow cytometry)	NIL	/hpf	NIL





The results pertain to sample tested.

Page 7 of 8

Name	: Mrs. LAVANYA S			
PID No.	: MED111569770	<b>Register On</b>	: 01/04/2023 8:10 AM	~
SID No.	: 223005427	<b>Collection On</b>	: 01/04/2023 8:42 AM	
Age / Sex	: 39 Year(s) / Female	Report On	: 03/04/2023 7:02 PM	medall
Туре	: OP	Printed On	: 10/04/2023 5:41 PM	DIAGNOSTICS
Ref. Dr	: MediWheel			
Investiga	ation	Observed	<u>l Unit</u>	Biological

<u>Value</u>

NIL

Others

(Urine)

**INTERPRETATION:** Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.





**Reference Interval** 

-- End of Report --

The results pertain to sample tested.

Page 8 of 8

Name	· Mrs. LAVANYA S	Register On	: 01/04/2023 8:10 AM
PID No.	: MED111569770	Collection On	: 01/04/2023 8:42 AM
SID No.	: 223005427	Report On	: 03/04/2023 7:02 PM
Age / Sex	: 39 Year(s) / Female	Printed On	<sup>:</sup> 10/04/2023 5:41 PM
Ref. Dr	: MediWheel	OP / IP	: OP



PAP Smear by LBC( Liquid based Cytology )

SPECIMEN NO : Cy 870/2023

MICROSCOPIC FINDINGS :

ADEQUACY : Satisfactory.

PREDOMINANT CELLS : Superficial and intermediate cells.

BACKGROUND : Neutrophils.

**ORGANISMS** : No specific organisms.

IMPRESSION :

Negative for intraepithelial lesion/ malignancy.





APPROVED BY

-- End of Report --

The results pertain to sample tested.

Page 1 of 1