

Name : MRS.SAJITHA JANARDHAN

Age / Gender : 35 Years / Female

Consulting Dr. :

Reg. Location

: Vashi (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected : 11-Mar-2023 / 10:43

:11-Mar-2023 / 14:42

Calculated

Calculated

Reported

### AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

CBC (Complete Blood Count), Blood				
<u>PARAMETER</u>	<u>RESULTS</u>	<b>BIOLOGICAL REF RANGE</b>	<u>METHOD</u>	
RBC PARAMETERS				
Haemoglobin	11.1	12.0-15.0 g/dL	Spectrophotometric	
RBC COUNT	3.76	3.8-4.8 mil/cmm	Elect. Impedance	
PCV	33.0	36-46 %	Measured	
MCV	88	80-100 fl	Calculated	
MCH	29.7	27-32 pg	Calculated	
MCHC	33.7	31.5-34.5 g/dL	Calculated	
RDW	13.8	11.6-14.0 %	Calculated	
WBC PARAMETERS				
WBC TOTAL COUNT	5660	4000-10000 /cmm	Elect. Impedance	
WBC DIFFERENTIAL AND ABSOLUTE COUNTS				
Lymphocytes	29.9	20-40 %		
Absolute Lymphocytes	1692.3	1000-3000 /cmm	Calculated	
Monocytes	8.0	2-10 %		
Absolute Monocytes	452.8	200-1000 /cmm	Calculated	
Neutrophils	59.3	40-80 %		
Absolute Neutrophils	3356.4	2000-7000 /cmm	Calculated	

WBC Differential Count by Absorbance & Impedance method/Microscopy.

1.7

96.2

1.1

62.3

### **PLATELET PARAMETERS**

PLATELET COUNT	265000	150000-400000 /cmm	Elect. Impedance
MPV	8.6	6-11 fl	Calculated
PDW	14.0	11-18 %	Calculated

1-6 %

0.1-2 %

20-500 /cmm

20-100 /cmm

### RBC MORPHOLOGY

Eosinophils

Basophils

Absolute Eosinophils

Absolute Basophils

Immature Leukocytes

Hypochromia Microcytosis -



CID : 2307019836

Name : MRS.SAJITHA JANARDHAN

: 35 Years / Female Age / Gender

Consulting Dr.

: Vashi (Main Centre) Reg. Location

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected :11-Mar-2023 / 10:43 Reported

:11-Mar-2023 / 14:50

Macrocytosis

Anisocytosis

Poikilocytosis

Polychromasia

**Target Cells** 

Basophilic Stippling

Normoblasts

Others (CBC) Normocytic, Normochromic

**WBC MORPHOLOGY** 

PLATELET MORPHOLOGY

COMMENT

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 2-20 mm at 1 hr. Sedimentation

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East \*\*\* End Of Report \*\*\*



Dr.IMRAN MUJAWAR M.D (Path) **Pathologist** 

Page 2 of 15

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2<sup>rd</sup> Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053.



Name : MRS.SAJITHA JANARDHAN

Age / Gender : 35 Years / Female

Consulting Dr. :

Reg. Location

: Vashi (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Kinetic

Calculated

Enzymatic

Calculated

Collected : 11-Mar-2023 / 10:43

**Reported** :11-Mar-2023 / 19:18

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
FBS (-F), Fluoride Plasma	88.4	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.17	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.13	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.04	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	6.4	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.3	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.1	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	2.0	1 - 2	Calculated
SGOT, Serum	9.6	5-32 U/L	NADH (w/o P-5-P)
SGPT, Serum	10.4	5-33 U/L	NADH (w/o P-5-P)
GGT, Serum	11.0	3-40 U/L	Enzymatic
ALK PHOS, Serum	82.2	35-105 U/L	Colorimetric

12.8-42.8 mg/dl

0.51-0.95 mg/dl

>60 ml/min/1.73sqm

6-20 mg/dl

**AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE** 

Note: eGFR estimation is calculated using MDRD (Modification of diet in renal disease study group) equation

This is amended report for eGFR.

BLOOD UREA, Serum

CREATININE, Serum

eGFR, Serum

Serum

BLOOD UREA NITROGEN,

Kindly ingnore the previous report which was released with result 20913 of on date 11th march 2023.

18.6

8.7

0.61

119



Name : MRS.SAJITHA JANARDHAN

Age / Gender : 35 Years / Female

Consulting Dr. :

•

Reg. Location : Vashi (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

:11-Mar-2023 / 10:43

:11-Mar-2023 / 18:53

URIC, Serum 4.0 2.4-5.7 mg/dl Enzymatic

Urine Sugar (Fasting) Absent Absent
Urine Ketones (Fasting) Absent Absent

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East
\*\*\* End Of Report \*\*\*



Dr.IMRAN MUJAWAR M.D ( Path ) Pathologist

Page 4 of 15



CID : 2307019836

Name : MRS.SAJITHA JANARDHAN

Age / Gender : 35 Years / Female

Consulting Dr.

Reg. Location

: Vashi (Main Centre)

Authenticity Check

Use a OR Code Scanner Application To Scan the Code

**HPLC** 

Collected : 11-Mar-2023 / 10:43

Reported :11-Mar-2023 / 14:54

### AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE **GLYCOSYLATED HEMOGLOBIN (HbA1c)**

**BIOLOGICAL REF RANGE PARAMETER RESULTS** METHOD

GLYCO Hb, EDTA WB - CC 5.8 Non-Diabetic Level: < 5.7 %

Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

119.8 Estimated Average Glucose mg/dl Calculated

(eAG), EDTA WB - CC

### Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

### Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

### Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

### Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East \*\*\* End Of Report \*\*\*



Dr.IMRAN MUJAWAR M.D (Path) **Pathologist** 

Page 5 of 15



Name : MRS.SAJITHA JANARDHAN

Age / Gender : 35 Years / Female

Consulting Dr. : -

**Reg. Location**: Vashi (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected

:11-Mar-2023 / 10:43

**Reported** :11-Mar-2023 / 19:18

# AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE URINE EXAMINATION REPORT

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color-U	Pale yellow	Pale Yellow	-
pH-Urine	Acidic (6.0)	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.010	1.001-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	30	-	-
<b>CHEMICAL EXAMINATION</b>			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood (Urine)	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite (Urine)	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION			
Pus cells / hpf	1-2	0-5/hpf	
RBC / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	2-3		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	5-6	Less than 20/hpf	

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein: (1+ ~25 mg/dl, 2+ ~75 mg/dl, 3+ ~ 150 mg/dl, 4+ ~ 500 mg/dl)
- Glucose: (1+ ~ 50 mg/dl, 2+ ~100 mg/dl, 3+ ~300 mg/dl, 4+ ~1000 mg/dl)
- Ketone:(1+ ~5 mg/dl, 2+ ~15 mg/dl, 3+ ~ 50 mg/dl, 4+ ~ 150 mg/dl)

Reference: Pack insert

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East
\*\*\* End Of Report \*\*\*



Dr.IMRAN MUJAWAR M.D ( Path ) Pathologist

Page 6 of 15



Name : MRS.SAJITHA JANARDHAN

Age / Gender : 35 Years / Female

Consulting Dr. : -

Reg. Location

: Vashi (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected : 11-Mar-2023 / 10:43

**Reported** :11-Mar-2023 / 16:00

# AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE BLOOD GROUPING & Rh TYPING

<u>PARAMETER</u> <u>RESULTS</u>

ABO GRP 0

Rh TYPING Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

### Clinical significance:

ABO system is most important of all blood group in transfusion medicine

### Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- · Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

### Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
\*\*\* End Of Report \*\*\*





Dr.VRUSHALI SHROFF M.D.(PATH) Pathologist

Page 7 of 15



Name : MRS.SAJITHA JANARDHAN

Age / Gender : 35 Years / Female

Consulting Dr. :

**Reg. Location**: Vashi (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected : 11-Mar-2023 / 10:43

**Reported** :11-Mar-2023 / 17:07

# AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE LIPID PROFILE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
TOTAL CHOLESTEROL, Serum	131.8	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	66.4	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	52.7	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
Non HDL CHOLESTEROL, Serum	79.1	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	66.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL, Serum	13.1	< /= 30 mg/dl	Calculated
TC/HDLC RATIO, Serum	2.5	0-4.5 Ratio	Calculated
LDLC/HDLC RATIO, Serum	1.3	0-3.5 Ratio	Calculated

<sup>\*</sup>Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East
\*\*\* End Of Report \*\*\*



Dr.IMRAN MUJAWAR M.D ( Path ) Pathologist

Page 8 of 15



Name : MRS.SAJITHA JANARDHAN

Age / Gender : 35 Years / Female

Consulting Dr. : -

Reg. Location

: Vashi (Main Centre)

Authenticity Check

R

E

Use a QR Code Scanner Application To Scan the Code

Collected : 11-Mar-2023 / 10:43

**Reported** :11-Mar-2023 / 15:18

# AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
FT3, Serum	4.1	3.5-6.5 pmol/L	ECLIA
FT4, Serum	13.4	11.5-22.7 pmol/L First Trimester:9.0-24.7 Second Trimester:6.4-20.59 Third Trimester:6.4-20.59	ECLIA
TSH, Serum	2.25	0.35-5.5 microIU/ml First Trimester:0.1-2.5 Second Trimester:0.2-3.0 Third Trimester:0.3-3.0	ECLIA



Name : MRS.SAJITHA JANARDHAN

Age / Gender : 35 Years / Female

Consulting Dr. : - Collected : 11-Mar-2023 / 10:43

Reg. Location : Vashi (Main Centre) Reported :11-Mar-2023 / 15:18

### Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

### Clinical Significance:

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors
- can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

**Diurnal Variation:**TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

### Limitations:

- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
- 2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

### Reference

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East
\*\*\* End Of Report \*\*\*



Dr.IMRAN MUJAWAR M.D ( Path ) Pathologist

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Page 10 of 15



Name : MRS.SAJITHA JANARDHAN


Age / Gender : 35 Years / Female

Consulting Dr. :


Reg. Location : Vashi (Main Centre)




Use a QR Code Scanner
Application To Scan the Code









### **CHOLESTEROL**




## WBC Total Count



### **ESR**



### **TRIGLYCERIDES**





Name : MRS.SAJITHA JANARDHAN

Age / Gender : 35 Years / Female

Consulting Dr. :

Reg. Location : Vashi (Main Centre)




R


E

Use a QR Code Scanner Application To Scan the Code











### **CREATININE**




### LDL CHOLESTEROL



### BUN



### **URIC ACID**





Name : MRS.SAJITHA JANARDHAN

Age / Gender : 35 Years / Female

Consulting Dr. :

8

6

4

2

0


Reg. Location : Vashi (Main Centre)



R

E


Use a QR Code Scanner Application To Scan the Code




**GLOBULIN** 

11-Mar-2023

28-Mar-2022




SGPT (ALT)




SGOT (AST)

11-Mar-2023

28-Mar-2022



### **ALKALINE PHOSPHATASE**





Name : MRS.SAJITHA JANARDHAN

Age / Gender : 35 Years / Female

Consulting Dr. :

12

10

8

6

4

2

0


Reg. Location : Vashi (Main Centre)



R

E


Use a QR Code Scanner Application To Scan the Code








# 0.14 0.13 mg/dl 0.13 mg/dl 0.13 mg/dl 0.10 0.08 0.06 0.04 0.02 0 28-Mar-2022 11-Mar-2023


### Estimated Average Glucose (eAG)













CID : 2307019836

Name : MRS.SAJITHA JANARDHAN

sensitiveTSH

2.25 microIU/ml

11-Mar-2023

3.13 microIU/ml

28-Mar-2022

Age / Gender : 35 Years / Female

Consulting Dr.

3.5

1.5 1 0.5 0

3 2.5 2

Reg. Location : Vashi (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Page 15 of 15