Name : Mr. GOURAB MALLICK (34 /M) Date : 07/10/2023

Address : RAJCHANDRAPUR, HOWRAH, HOWRAH, WEST BENGAL, INDIA

Examined by: UHID : AMHL.0002228761

Package: MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK

AHC No: AMHLAH184380



For corporate health checkup No specific complaints

#### PRESENT KNOWN ILLNESS

No history of - Diabetes mellitus,

Hypertension,

Dyslipidemia, Thyroid disorder, Heart disease,

Stroke, Asthma



NO KNOWN ALLERGY :07/10/2023



#### Cardiovascular system

- Nil Significant

# Respiratory system

- Nil Significant

# **Gastrointestinal system**

- Nil Significant

#### **Genitourinary system**

- Nil Significant

#### **Eyes**

- Nil Significant

#### **ENT**

- Nil Significant

#### Musculoskeletal system

Spine and joints

- Nil Significant

#### Skin

- Nil Significant



# **Present medications**

- Nil

# Past medical history

Do you have any - No

allergies?

Do you have any drug - No

allergies?

Covid 19 - Yes

- 2021 - No

Hospitalization for

Covid 19

# Surgical history

Surgical history - Nil



Marital status - Married

Diet - Non Vegetarian

Alcohol - does not consume alcohol

Smoking - No
Chews tobacco - No
Physical activity - Mild

# Family history

Father - alive

Mother - alive

Sisters - 1

Diabetes - father

Hypertension - father

Coronary artery - father

disease

Cancer - None

# PHYSICAL EXAMINATION



Build - over weight

 Height
 - 163

 Weight
 - 69

 BMI
 - 25.97

 Pallor
 - No

Package: MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK

AHC No: AMHLAH184380

Oedema - no



# Cardiovascular system

Heart rate (Per minute) - 66

Rhythm - Regular

- B.P. Sitting

Systolic(mm of Hg) - 126
Diastolic(mm of Hg) - 92
Heart sounds - S1S2+

# **Respiratory system**

Breath sounds - Normal vesicular breath

sounds



Organomegaly - No Tenderness - No



- No significant finding

# **Opthalmology consultation**

Opthalmology findings - UCVA:RE:6/9 LE:6/0

NVA:RE:N6 LE:N6

OCULAR MOVEMENT:WNL

ANT.SEG:WNL

ACCPT: SPECTACLE PWR RE:-0.50/-0.50x85\*(6/6,N6) LE:-0.50/-0.75x50\*(6/6,N6) ADVICE: \*Glass Rx.\*Review

after 1yr/SOS

Printed By: Benazir Begaum

Name : Mr. GOURAB MALLICK (34 /M) UHID : AMHL.0002228761 Date : 07/10/2023

Package : MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK AHC No : AMHLAH184380

COMPLETE HAEMO			_		Casts:	Not Fou	ınd		
Test Name	Result		Level		Crystals:	Not Fou	ınd		
Hemoglobin	16.0	g/dl		13.0-17.0			<b>D.</b> 4.		
RBC COUNT	5.22	Millic ul	on/	4.5-5.5	URINE SUGAR - POS (QUALITATIVE)	TPRAN	DIAL		
Hematocrit - Hct:	47.2	%		41-53	Test Name	Result	Unit	Level	Range
MCV	90.5	fl		83-101	URINE GLUCOSE(POST	Nil			
MCH	30.6	pg		27-32	PRANDIAL)				
MCHC	33.8	%		31.5-34.5	LIDINE CLICAD FACT	INC/OU	A I ITA:	TI\/E\	
RDW	14.6 *	%		11.8-14.0	URINE SUGAR- FAST Test Name	Result Unit Level Range			
WBC Count	5600	/cu n	nm 🗨	4000-10000	URINE GLUCOSE(FASTING)	Nil	Oilit	LCVCI	runge
Platelet Count	1.69	lacs/ mm	cu •	1.5-4.0					
Neutrophils	57.9	%		40-80	BLOOD GROUPING A		•		
Lymphocytes	30.5	%		20-40	Test Name		Unit	Level	Range
Monocytes	8.1	%		2-10	ABO Group:	В			
Eosinophils	3.2	%		01-06	Rh (D) Type:	POSITI	VE		
Basophils	0.3 *	%	•	0-0	LIVER FUNCTION TE	ST (PAC	KAGE	)	
RBC:	Normocytic Normochro			mic cells	Test Name	Result	Unit	Level	Range
Platelets:	Adequa	te.			ALT(SGPT) - SERUM	32	U/L		0-50
ERYTHROCYTE SEDIMENTATION	04	mm/	1st	0-15	ALBUMIN - SERUM	4.6	g/dL	•	3.5-5.1
RATE (ESR)					ALKALINE PHOSPHATASE -	78	U/L		43-115
JRINE ROUTINE AN	D MICRO	SCOF	Υ		SERUM				
Test Name	Result	Unit	Level	Range					
Volume:	30	mL			AST (SGOT) - SERUM	24	U/L		0-50
Colour:	Pale Straw				BILIRUBIN TOTAL - SERUM	1.5 *	mg/dL		0.3-1.2
Appearance	Slightly	Slightly Turbid 1.020				1.0			0.0 1.2
Specific Gravity	1.020				LIPID PROFILE TEST (PACKAGE)				
pH:	6.0				Test Name	Result	•	Level	Range
Albumin:	Not Det	Not Detected			CHOLESTEROL -	224 *	mg/dl	_	0-200
Glucose	Not Detected				SERUM		J		
Ketone:	Not Det	ected			CREATININE - SERUI	И			
Bile Pigments	Not Det	ected			Test Name	Result	Unit	Level	Range
RBC	Nil	/hpf			CREATININE - SERUM	1.0	mg/dl	_	0.9-1.3
Pus Cells	Occasio	na/hpf			LIVED EUNOTION TE	OT /DA 0	WA 0 =		
Epithelial Cells	Occasionalhpf				LIVER FUNCTION TE Test Name	•		•	Range

Name : Mr. GOURAB MALLICK (34 /M) UHID : AMHL.0002228761 **Date** : 07/10/2023 Package: MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK AHC No: AMHLAH184380 U/L GGTP: GAMMA 0.88 ng/ml 14 0-55 TOTAL T3: TRI 0.87-1.78 **GLUTAMYL IODOTHYRONINE -**TRANSPEPTIDASE -SERUM **SERUM** TOTAL T4: 7.7 μg/dL 5.93-13.29 **GLUCOSE - PLASMA (FASTING)** THYROXINE - SERUM **Test Name** Result Unit Level Range LIPID PROFILE TEST (PACKAGE) mg/dL GLUCOSE - PLASMA 90 70-99 (FASTING) **Test Name** Result Unit Level Range TRIGLYCERIDES -148 mg/dL 0 - 150GLUCOSE - PLASMA (POST PRANDIAL) **SERUM Test Name** Result Unit Level Range THYROID PROFILE - I(T3,T4 AND TSH) **GLUCOSE - PLASMA** 108 mg/dL 70-140 (POST PRANDIAL) **Test Name** Result Unit Level Range TSH: THYROID 3.000 μIU/mL 0.380-5.330 **HBA1C (GLYCOSYLATED** STIMULATING HAEMOGLOBIN)-WHOLE BLOOD HORMONE - SERUM **Test Name** Result Unit Level Range **URIC ACID - SERUM** HBA1C 5.3 % Nondiadetic: 4 (GLYCOSYLATED - 5.6 % **Test Name** Result Unit Level Range Prediabetics: HAEMOGLOBIN)-WHO **URIC ACID - SERUM** 7.2 mg/dL 2.6-7.2 LE BLOOD 5.7 - 6.4% Diabetes **LIVER FUNCTION TEST (PACKAGE)** >/= 6.5% **Test Name** Result Unit Level Range **ADA** Theraputic goal **BILIRUBIN** 0.2 mg/dL 0.0-0.2 : <7% **CONJUGATED** (DIRECT) - SERUM LIPID PROFILE TEST (PACKAGE) **BUN (BLOOD UREA NITROGEN) Test Name** Result Unit Level Range **Test Name** Result Unit HDI CHOLESTEROL -43 mg/dL 30-70 Level Range **SERUM** mg/dL BUN (BLOOD UREA 9.2 7.0-18.0 NITROGEN) LDL CHOLESTEROL 160 \* mg/dL Optimal: <100 **LIVER FUNCTION TEST (PACKAGE)** -SERUM Result Unit **Test Name** Level Range VLDL CHOLESTEROL -21 mg/dL 0-35 A/G - RATIO SERUM (Calculated) 1.8 1.0 - 2.0LIVER FUNCTION TEST (PACKAGE) **BUN/CREATININE RATIO** Result Unit **Test Name Test Name** Level Range Result Unit Level Range g/dL PROTEIN TOTAL -7.1 6.4-8.3 **BUN/CREATININE** 8.8 **SERUM RATIO** GLOBULIN: 2.6 g/dL 1.8-3.6 (CALCULATED) -**ECG SERUM** SINUS RHYTHM.

**Borderline High/Low** 

INCOMPLETE RIGHT BUNDLE BRANCH BLOCK.

Out of Range

**Test Name** 

THYROID PROFILE - I(T3,T4 AND TSH)

Result Unit

Within Normal Range

Level Range

Name : Mr. GOURAB MALLICK (34 /M) UHID : AMHL.0002228761 Date : 07/10/2023

Package: MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK

AHC No: AMHLAH184380

#### TREADMILL TEST / STRESS TEST

STRESS TEST IS NEGATIVE FOR PROVOCABLE MYOCARDIAL ISCHAEMIA.

#### **ULTRASOUND SCREENING WHOLE ABDOMEN**

\* No significant abnormality detected.

[NOTE: At times pelvic structures are not well visualized due to inadequate patient preparation / excess bowel gas shadow. However suggested clinical correlation and other investigations if clinically indicated.]

Dr. HENA PARVIN DNB RESIDENT In consultation with

#### X-RAY CHEST PA

Chest skiagram does not reveal any significant abnormality.

INVESTIGATIONS NOT DONE / NOT YET REPORTED / NOT PART OF PACKAGE(LAB,RADIOLOGY & CARDIOLOGY)

#### Histopathology

PAP SMEAR /CERVICAL SMEAR

Package: MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK

AHC No: AMHLAH184380

Printed By: AHC Physician / Consultant Internal Medicine

Note :- The Health Check-up examinations and routine investigations have certain limitations and may not be able to detect all the diseases. Any new or persisting symptoms should be brought to the attention of the Consulting Physician. Additional tests, consultations and follow up may be required in some cases.

Name : Mr. GOURAB MALLICK (34 /M) UHID ; AMHL.0002228761 Date ; 07/10/2023

Package: MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK

AHC No: AMHLAH184380

#### **AICVD RISK SCORE REPORT**

RISK STATUS	YOUR S	CORE	ACCEPTABLE SCORE		
Low Risk		3	4		

#### Your cardiovascular disease risk in the next 10 years is within the Normal limits for your age and gender

The AICVD risk score developed by Apollo Hospitals is a novel artificial intelligence-based risk scoring system that predicts your risk of having Coronary Artery Disease (CAD) related events in the next ten years. This scoring system uses Indian data and has been validated by multiple national and international institutions. This risk score is more than 92% accurate and has been compiled based on your physical parameters, heart health attributes, lifestyle and medical history. **Note:** The risk category is determined through the ratio between guest score and acceptable score at multiple decimal points. The outputs are shown in whole numbers.

#### Based on your AICVD risk score you are advised the following:

- Follow the guidance and education on lifestyle and dietary management provided through the ProHealth program. Maintain a healthy BMI (<25). Avoid tobacco in any form and if you are a smoker, stop smoking.
- Continue with **medications** for high blood pressure, diabetes, or dyslipidemia, if advised by your physician. Maintain HbA1c <7% (<53mmol/mol), blood pressure <140/90mmHg.
- · Follow your physician's advice regarding follow up tests, consults and annual health assessment

#### **DISCLAIMER**

- 1. This is not a diagnostic tool and it does not guarantee accuracy of the result and cannot be acted upon independently.
- 2. This risk score and clinical algorithm is a general guideline for physicians. Any additional laboratory investigations, diagnostic imaging, treatment or patient education related to lifestyle management is under the physician's or cardiologist's discretion.
- 3. To ensure the information in the report is up to date, accurate and correct, doctor shall be consulted for interpretation of the report.
- 4. Apollo Hospitals and its staff does not offer any assurance on the information made available or be liable for any loss or damage as the said report is based on the AICVD risk score without any intervention from their side.
- 5. By usage of the AICVD risk score, it is deemed that the beneficiary of this service has agreed to get the same done at his own risk and further agrees with this disclaimer without any limitation or any clauses or sub-clauses.

The Clinical Al Models and APIs used at Apollo Hospitals are certified by ISO 13485 : 2016 vide certificate no. MD 763515