

Name : Mrs. ESHITA CHANDRA (26 /F)

Date : 08/12/2023

Address : 8 NO MANASA BARI LANE GARUI PO RABINDRA NAGAR, NORTH 24 PARGANAS,  
NORTH 24 PARGANAS, WEST BENGAL, INDIA

Examined by :

UHID : AC01.0004706939

Package : MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK

AHC No : AMHLAH188247



## CHIEF COMPLAINTS

For corporate health checkup  
No specific complaints

## PRESENT KNOWN ILLNESS

No history of - Diabetes mellitus,  
Hypertension,  
Dyslipidemia, Heart  
disease, Stroke, Asthma  
Thyroid disease - hypothyroidism; Since -  
1 yr; Medication - regular



## DRUG ALLERGY

NO KNOWN ALLERGY

:09/12/2023



## SYSTEMIC REVIEW

### Cardiovascular system

- Nil Significant

### Respiratory system

- Nil Significant

### Gastrointestinal system

- Nil Significant

### Genitourinary system

- Nil Significant

### Gynaec history

Last menstrual period - 20/11/2023; Periods -  
regular; Ectopic pregnancy - 1 yr back

### Eyes

- Nil Significant

### ENT

- Nil Significant

### Musculoskeletal system

Spine and joints

- Nil Significant

### Skin

- Nil Significant



### Present medications

- T Thyronorm 50mcg



### Past medical history

Do you have any - No  
allergies?

Do you have any drug - No  
allergies?

Covid 19 - Yes  
- 2021

Hospitalization for - No  
Covid 19



### Surgical history

Others - Laparoscopic surgery for  
ectopic pregnancy 1 yr ago



### Personal history

Marital status - Married

Diet - Non Vegetarian

Alcohol - does not consume alcohol

Smoking - No

Chews tobacco - No

Physical activity - Mild



### Family history

Father - alive

Mother - alive

Brothers - 1

Coronary artery - none  
disease

Cancer - None

## PHYSICAL EXAMINATION



### General

Build - over weight  
Height - 163  
Weight - 70  
BMI - 26.35  
Pallor - No  
Oedema - no

 **Cardiovascular system**

Heart rate (Per minute) - 70  
Rhythm - Regular  
- B.P. Sitting  
Systolic(mm of Hg) - 114  
Diastolic(mm of Hg) - 80  
Heart sounds - S1S2+

**Respiratory system**

Breath sounds - Normal vesicular breath sounds

 **Abdomen**

Organomegaly - No  
Tenderness - No

 **Skin**

- No significant finding

**Ophthalmology consultation**

Ophthalmology findings - UCVA:RE:6/9 LE:6/9  
NVA:RE:N6 LE:N6  
OCULAR MOVEMENT:WNL  
ANT.SEG:WNL  
ACCPT:SPECTACLE PWR  
BE:-0.25DS(6/6,N6)  
ADVICE:\*Glass Rx.\*Review  
after 1yr/SOS

Name : Mrs. ESHITA CHANDRA (26 /F)

UHID : AC01.0004706939

Date : 08/12/2023

Package : MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK

AHC No : AMHLAH188247

**COMPLETE HAEMOGRAM PROFILE**

Test Name	Result	Unit	Level	Range
Hemoglobin	12.5	g/dl	●	12.0-15.0
RBC COUNT	4.32	Million/ ul	●	3.8-4.8
Hematocrit - Hct:	36.9	%	●	36-46
MCV	85.4	fl	●	83-101
MCH	29.0	pg	●	27-32
MCHC	33.9	%	●	31.5-34.5
RDW	14.3 *	%	●	11.8-14.0
WBC Count	7000	/cu mm	●	4000-10000
Platelet Count	2.00	lacs/cu mm	●	1.5-4.0
Neutrophils	67	%	●	40-80
Lymphocytes	26	%	●	20-40
Monocytes	05	%	●	2-10
Eosinophils	02	%	●	01-06
Basophils	00	%	●	0-0
RBC:	Normocytic Normochromic cells			
Platelets:	Adequate on the smear			
ERYTHROCYTE SEDIMENTATION RATE (ESR)	24 *	mm/1st hr	●	0-20

Casts: Not Found  
Crystals: Not Found

**URINE SUGAR - POST PRANDIAL (QUALITATIVE)**

Test Name	Result	Unit	Level	Range
URINE GLUCOSE(POST PRANDIAL)	Nil			

**URINE SUGAR- FASTING(QUALITATIVE)**

Test Name	Result	Unit	Level	Range
URINE GLUCOSE(FASTING)	Nil			

**LIVER FUNCTION TEST (PACKAGE)**

Test Name	Result	Unit	Level	Range
ALT(SGPT) - SERUM	43 *	U/L	●	0-35
ALBUMIN - SERUM	4.7	g/dL	●	3.5-5.1
ALKALINE PHOSPHATASE - SERUM	64	U/L	●	33-98
AST (SGOT) - SERUM	26	U/L	●	0-35
BILIRUBIN TOTAL - SERUM	0.6	mg/dL	●	0.3-1.2

**URINE ROUTINE AND MICROSCOPY**

Test Name	Result	Unit	Level	Range
Volume:	20	mL		
Colour:	Pale Straw			
Appearance	Slightly Turbid			
Specific Gravity	1.010			
pH:	6.0			
Albumin:	Not Detected			
Glucose	Not Detected			
Ketone:	Not Detected			
Bile Pigments	Not Detected			
RBC	Nil	/hpf		
Pus Cells	Occasional/hpf			
Epithelial Cells	0-2			

**LIPID PROFILE TEST (PACKAGE)**

Test Name	Result	Unit	Level	Range
CHOLESTEROL - SERUM	187	mg/dL	●	0-200

**CREATININE - SERUM**

Test Name	Result	Unit	Level	Range
CREATININE - SERUM	0.8	mg/dL	●	0.6-1.1

**LIVER FUNCTION TEST (PACKAGE)**

Test Name	Result	Unit	Level	Range
GGTP: GAMMA GLUTAMYL TRANSPEPTIDASE - SERUM	36	U/L	●	0-38

● Within Normal Range    ● Borderline High/Low    ● Out of Range

Name : Mrs. ESHITA CHANDRA (26 /F)

UHID : AC01.0004706939

Date : 08/12/2023

Package : MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK

AHC No : AMHLAH188247

**GLUCOSE - PLASMA (FASTING)**

Test Name	Result	Unit	Level	Range
GLUCOSE - PLASMA (FASTING)	94	mg/dL	●	70-99

**GLUCOSE - PLASMA (POST PRANDIAL)**

Test Name	Result	Unit	Level	Range
GLUCOSE - PLASMA (POST PRANDIAL)	99	mg/dL	●	70-140

**HBA1C (GLYCOSYLATED HAEMOGLOBIN)-WHOLE BLOOD**

Test Name	Result	Unit	Level	Range
HBA1C (GLYCOSYLATED HAEMOGLOBIN)-WHOLE BLOOD	5.1	%	●	Nondiabetic : 4 - 5.6 % Prediabetics : 5.7 - 6.4% Diabetes : >= 6.5% ADA Therapeutic goal : <7%

**LIPID PROFILE TEST (PACKAGE)**

Test Name	Result	Unit	Level	Range
HDL CHOLESTEROL - SERUM	43	mg/dL	●	30-70
LDL CHOLESTEROL -SERUM	131 *	mg/dL	●	0-100
VLDL CHOLESTEROL - SERUM (Calculated)	13	mg/dL	●	0-35

**LIVER FUNCTION TEST (PACKAGE)**

Test Name	Result	Unit	Level	Range
PROTEIN TOTAL - SERUM	7.6	g/dL	●	6.4-8.3
GLOBULIN: (CALCULATED) - SERUM	2.9	g/dL	●	1.8-3.6

**THYROID PROFILE - I(T3,T4 AND TSH)**

Test Name	Result	Unit	Level	Range
TOTAL T3: TRI IODOTHYRONINE - SERUM	1.00	ng/ml	●	0.87-1.78

TOTAL T4: THYROXINE - SERUM	8.2	µg/dL	●	5.48-14.28
-----------------------------	-----	-------	---	------------

**LIPID PROFILE TEST (PACKAGE)**

Test Name	Result	Unit	Level	Range
TRIGLYCERIDES - SERUM	103	mg/dL	●	0-150

**THYROID PROFILE - I(T3,T4 AND TSH)**

Test Name	Result	Unit	Level	Range
TSH: THYROID STIMULATING HORMONE - SERUM	7.4 *	µIU/mL	●	0.38-5.33

**URIC ACID - SERUM**

Test Name	Result	Unit	Level	Range
URIC ACID - SERUM	5.4	mg/dL	●	2.4-5.7

**LIVER FUNCTION TEST (PACKAGE)**

Test Name	Result	Unit	Level	Range
BILIRUBIN CONJUGATED (DIRECT) - SERUM	0.1	mg/dL	●	0.0-0.2

**BUN (BLOOD UREA NITROGEN)**

Test Name	Result	Unit	Level	Range
BUN (BLOOD UREA NITROGEN)	11.8	mg/dL	●	7.0-18.0

**LIVER FUNCTION TEST (PACKAGE)**

Test Name	Result	Unit	Level	Range
A/G - RATIO	1.6		●	1.0-2.0

**BUN/CREATININE RATIO**

Test Name	Result	Unit	Level	Range
BUN/CREATININE RATIO	14.6			

**PAP SMEAR /CERVICAL SMEAR**

Ref No:  
AG01.C2308807  
SPECIMEN TYPE:  
Conventional cervical smear (Pap) x 1  
SPECIMEN ADEQUACY:  
Satisfactory for evaluation with endocervical cells.  
INTERPRETATION/RESULT:

● Within Normal Range    ● Borderline High/Low    ● Out of Range

Name : Mrs. ESHITA CHANDRA (26 /F)

UHID : AC01.0004706939

Date : 08/12/2023

Package : MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK

AHC No : AMHLAH188247

---

Negative for intraepithelial lesion or malignancy,with no organism

#### ECG

NORMAL SINUS RHYTHM, WITHIN NORMAL LIMITS.

#### TREADMILL TEST / STRESS TEST

STRESS TEST IS NEGATIVE FOR PROVOCABLE MYOCARDIAL ISCHAEMIA.

#### ULTRASOUND SCREENING WHOLE ABDOMEN

\* Grade -I fatty liver.

#### X-RAY CHEST PA

Chest skiagram does not reveal any significant abnormality.

INVESTIGATIONS NOT DONE / NOT YET REPORTED / NOT PART OF PACKAGE(LAB,RADIOLOGY & CARDIOLOGY)

#### Blood Bank - 2 Services

BLOOD GROUPING AND TYPING (ABO AND RH)



Within Normal Range



Borderline High/Low



Out of Range

Name : Mrs. ESHITA CHANDRA (26 /F)

UHID : AC01.0004706939

Date : 08/12/2023

Package : MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK

AHC No : AMHLAH188247

---

Printed By :

AHC Physician / Consultant Internal Medicine

**Note** :- The Health Check-up examinations and routine investigations have certain limitations and may not be able to detect all the diseases. Any new or persisting symptoms should be brought to the attention of the Consulting Physician. Additional tests, consultations and follow up may be required in some cases.

## AICVD RISK SCORE REPORT

### RISK STATUS

Low Risk

### YOUR SCORE

2

### ACCEPTABLE SCORE

2

#### Your cardiovascular disease risk in the next 10 years is within the Normal limits for your age and gender

The AICVD risk score developed by Apollo Hospitals is a novel artificial intelligence-based risk scoring system that predicts your risk of having Coronary Artery Disease (CAD) related events in the next ten years. This scoring system uses Indian data and has been validated by multiple national and international institutions. This risk score is more than 92% accurate and has been compiled based on your physical parameters, heart health attributes, lifestyle and medical history. **Note:** The risk category is determined through the ratio between guest score and acceptable score at multiple decimal points. The outputs are shown in whole numbers.

#### Based on your AICVD risk score you are advised the following:

- Follow the guidance and education on **lifestyle and dietary management provided through the ProHealth program. Maintain a healthy BMI (<25). Avoid tobacco in any form and if you are a smoker, stop smoking.**
- Continue with **medications** for high blood pressure, diabetes, or dyslipidemia, if advised by your physician. Maintain HbA1c <7% (<53mmol/mol), blood pressure <140/90mmHg.
- Follow your physician's advice regarding **follow up tests, consults and annual health assessment**

#### DISCLAIMER

1. This is not a diagnostic tool and it does not guarantee accuracy of the result and cannot be acted upon independently.
2. This risk score and clinical algorithm is a general guideline for physicians. Any additional laboratory investigations, diagnostic imaging, treatment or patient education related to lifestyle management is under the physician 's or cardiologist's discretion.
3. To ensure the information in the report is up to date , accurate and correct, doctor shall be consulted for interpretation of the report.
4. Apollo Hospitals and its staff does not offer any assurance on the information made available or be liable for any loss or damage as the said report is based on the AICVD risk score without any intervention from their side .
5. By usage of the AICVD risk score, it is deemed that the beneficiary of this service has agreed to get the same done at his own risk and further agrees with this disclaimer without any limitation or any clauses or sub-clauses.

**The Clinical AI Models and APIs used at Apollo Hospitals are certified by ISO 13485 : 2016 vide certificate no. MD 763515**