

Name : MRS.POOJA KUMARI

Age / Gender : 26 Years / Female

Consulting Dr. :

**Reg. Location**: Vashi (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected : 22-Jan-2022 / 11:27

**Reported** :22-Jan-2022 / 14:28

## **AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE**

CBC (Complete Blood Count), Blood			
<u>PARAMETER</u>	<u>RESULTS</u>	<b>BIOLOGICAL REF RANGE</b>	<u>METHOD</u>
<b>RBC PARAMETERS</b>			
Haemoglobin	11.5	12.0-15.0 g/dL	Spectrophotometric
RBC	4.08	3.8-4.8 mil/cmm	Elect. Impedance
PCV	35.9	36-46 %	Measured
MCV	88	80-100 fl	Calculated
MCH	28.3	27-32 pg	Calculated
MCHC	32.2	31.5-34.5 g/dL	Calculated
RDW	14.9	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	5190	4000-10000 /cmm	Elect. Impedance
<b>WBC DIFFERENTIAL AND A</b>	BSOLUTE COUNTS		
Lymphocytes	32.6	20-40 %	
Absolute Lymphocytes	1691.9	1000-3000 /cmm	Calculated
Monocytes	8.3	2-10 %	
Absolute Monocytes	430.8	200-1000 /cmm	Calculated
Neutrophils	55.7	40-80 %	
Absolute Neutrophils	2890.8	2000-7000 /cmm	Calculated
Eosinophils	2.5	1-6 %	
Absolute Eosinophils	129.8	20-500 /cmm	Calculated
Basophils	0.9	0.1-2 %	
Absolute Basophils	46.7	20-100 /cmm	Calculated

WBC Differential Count by Absorbance & Impedance method/Microscopy.

## **PLATELET PARAMETERS**

Platelet Count	165000	150000-400000 /cmm	Elect. Impedance
MPV	12.4	6-11 fl	Calculated
PDW	26.2	11-18 %	Calculated

**RBC MORPHOLOGY** 

Immature Leukocytes

Hypochromia Microcytosis -

Page 1 of 9

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



Name : MRS.POOJA KUMARI

: 26 Years / Female Age / Gender

Consulting Dr.

: Vashi (Main Centre) Reg. Location

Authenticity Check

Use a OR Code Scanner Application To Scan the Code

Collected

Reported

: 22-Jan-2022 / 11:27 :22-Jan-2022 / 13:45

Macrocytosis

Anisocytosis

Poikilocytosis

Polychromasia

**Target Cells** 

**Basophilic Stippling** 

Normoblasts

Others Normocytic, Normochromic

WBC MORPHOLOGY

PLATELET MORPHOLOGY Megaplatelets seen on smear

COMMENT

Specimen: EDTA Whole Blood

**ESR** 11 2-20 mm at 1 hr. Westergren

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East \*\*\* End Of Report \*\*\*



**Dr.TEJASWINI DHOTE** M.D. (PATH) **Pathologist** 

Page 2 of 9

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MRS.POOJA KUMARI

Age / Gender : 26 Years / Female

Consulting Dr. :

Reg. Location : Vashi (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected : 22-Jan-2022 / 11:27

**Reported** :22-Jan-2022 / 15:00

## AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	80.0	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	98.8	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.27	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.13	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.14	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	6.9	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.7	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.2	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	2.1	1 - 2	Calculated
SGOT (AST), Serum	17.9	5-32 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	11.3	5-33 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	9.4	3-40 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	82.8	35-105 U/L	Colorimetric
BLOOD UREA, Serum	18.3	12.8-42.8 mg/dl	Kinetic
BUN, Serum	8.5	6-20 mg/dl	Calculated
CREATININE, Serum	0.69	0.51-0.95 mg/dl	Enzymatic
eGFR, Serum	109	>60 ml/min/1.73sqm	Calculated
URIC ACID, Serum	3.6	2.4-5.7 mg/dl	Enzymatic





Dr.TEJASWINI DHOTE M.D. (PATH) Pathologist

ADDRESS: 2" Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MRS.POOJA KUMARI

Age / Gender : 26 Years / Female

Consulting Dr. :

Reg. Location : Vashi (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported:

:

\*\*\* End Of Report \*\*\*

Page 4 of 9



Name : MRS.POOJA KUMARI

Age / Gender : 26 Years / Female

Consulting Dr.

Reg. Location : Vashi (Main Centre)



Use a OR Code Scanner Application To Scan the Code

Collected : 22-Jan-2022 / 11:27

Reported :22-Jan-2022 / 14:59

## **AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE GLYCOSYLATED HEMOGLOBIN (HbA1c)**

**BIOLOGICAL REF RANGE PARAMETER RESULTS** METHOD

Glycosylated Hemoglobin **HPLC** 5.0 Non-Diabetic Level: < 5.7 % (HbA1c), EDTA WB - CC

Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

Estimated Average Glucose 96.8 mg/dl Calculated

(eAG), EDTA WB - CC

#### Intended use:

In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year

In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly

For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

#### Clinical Significance:

HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.

The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

#### Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

#### Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East \*\*\* End Of Report \*\*\*



**Dr.TEJASWINI DHOTE** M.D. (PATH) **Pathologist** 

Page 5 of 9

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MRS.POOJA KUMARI

Age / Gender : 26 Years / Female

Consulting Dr.

: Vashi (Main Centre) Reg. Location



Authenticity Check

Use a OR Code Scanner Application To Scan the Code

Collected : 22-Jan-2022 / 11:27

Reported :22-Jan-2022 / 16:57

## **AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE BLOOD GROUPING & Rh TYPING**

**RESULTS PARAMETER** 

**ABO GROUP** Α

Rh TYPING **POSITIVE** 

NOTE: Test performed by automated column agglutination technology (CAT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

#### Clinical significance:

ABO system is most important of all blood group in transfusion medicine

#### Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

#### Refernces:

- Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- AABB technical manual

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West \*\*\* End Of Report \*\*



over the page or visit our website.





**Dr.MILLU JAIN** M.D.(PATH) **Pathologist** 

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 6 of 9



Name : MRS.POOJA KUMARI

: 26 Years / Female Age / Gender

Consulting Dr.

Reg. Location : Vashi (Main Centre)



Use a OR Code Scanner Application To Scan the Code

: 22-Jan-2022 / 11:27

Collected Reported :22-Jan-2022 / 15:04

## **AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE** LIPID PROFILE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	162.0	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	Enzymatic
TRIGLYCERIDES, Serum	52.1	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	Enzymatic
HDL CHOLESTEROL, Serum	55.2	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Enzymatic
NON HDL CHOLESTEROL, Serum	106.8	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	97.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Colorimetric
VLDL CHOLESTEROL, Serum	9.8	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	2.9	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	1.8	0-3.5 Ratio	Calculated

<sup>\*</sup>Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East
\*\*\* End Of Report \*\*\*



**Dr.TEJASWINI DHOTE** M.D. (PATH) **Pathologist** 

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MRS.POOJA KUMARI

Age / Gender : 26 Years / Female

Consulting Dr. :

**Reg. Location**: Vashi (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected: 22-

: 22-Jan-2022 / 11:27

**Reported** :22-Jan-2022 / 14:31

# AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	3.9	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	14.3	11.5-22.7 pmol/L First Trimester:9.0-24.7 Second Trimester:6.4-20.59 Third Trimester:6.4-20.59	ECLIA
sensitiveTSH, Serum	8.77	0.35-5.5 microIU/ml First Trimester:0.1-2.5 Second Trimester:0.2-3.0 Third Trimester:0.3-3.0	ECLIA

Kindly correlate clinically.

Page 8 of 9



Name : MRS.POOJA KUMARI

Age / Gender : 26 Years / Female

Consulting Dr. : - Collected : 22-Jan-2022 / 11:27

Reg. Location : Vashi (Main Centre) Reported :22-Jan-2022 / 14:31

#### Interpretation

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

#### Clinical Significance:

- 1)TSH Values between 5.5 to 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

**Diurnal Variation:**TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations: Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.

### Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz ,Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)



Dr.TEJASWINI DHOTE M.D. (PATH) Pathologist

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

ADDRESS: 2" Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

<sup>\*</sup>Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East
\*\*\* End Of Report \*\*\*