Name	: Mr. V. SATYANARAYANA			
PID No.	: MED111551707	Register On	: 25/03/2023 9:21 AM	
SID No.	: 80026874	<b>Collection On</b>	: 25/03/2023 9:55 AM	$\mathbf{O}$
Age / Sex	: 38 Year(s) / Male	Report On	: 25/03/2023 2:08 PM	medall
Туре	: OP	Printed On	: 05/04/2023 5:34 PM	DIAGNOSTICS
			-	

## Ref. Dr : MediWheel

Investigation BLOOD GROUPING AND Rh TYPING (Blood/Agglutination)	<u>Observed</u> <u>Value</u> 'O' 'Positive'	<u>Unit</u>	Biological Reference Interval
Complete Blood Count With - ESR			
Haemoglobin (Blood/Spectrophotometry)	16.0	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (Blood/Numeric Integration of MCV)	47.7	%	42 - 52
RBC Count (Blood/Electrical Impedance)	5.58	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (Blood/ <i>Calculated</i> )	85.4	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (Blood/ <i>Calculated</i> )	28.8	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (Blood/ <i>Calculated</i> )	33.7	g/dL	32 - 36
RDW-CV (Calculated)	14.4	%	11.5 - 16.0
RDW-SD (Calculated)	43.04	fL	39 - 46
Total Leukocyte Count (TC) (Blood/ <i>Electrical Impedance</i> )	7650	cells/cu.mm	4000 - 11000
Neutrophils (Blood/Impedance and absorbance)	65.42	%	40 - 75
Lymphocytes (Blood/Impedance and absorbance)	24.43	%	20 - 45
Eosinophils (Blood/Impedance and absorbance)	3.14	%	01 - 06







APPROVED BY

The results pertain to sample tested.

Page 1 of 8

Name	: Mr. V. SATYANARAYANA		
PID No.	: MED111551707	Register On : 25/03/2023 9:21 A	Μ
SID No.	: 80026874	Collection On : 25/03/2023 9:55 A	١M
Age / Sex	: 38 Year(s) / Male	<b>Report On</b> : 25/03/2023 2:08 F	РΜ
Туре	: OP	Printed On : 05/04/2023 5:34 F	эΜ

Printed On

: MediWheel

Ref. Dr



Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Monocytes (Blood/Impedance and absorbance)	6.70	%	01 - 10
Basophils (Blood/Impedance and absorbance)	0.32	%	00 - 02
INTERPRETATION: Tests done on Automated	Five Part cell count	er. All abnormal results are	reviewed and confirmed microscopically.
Absolute Neutrophil count (Blood/Impedance and absorbance)	5.00	10^3 / µl	1.5 - 6.6
Absolute Lymphocyte Count (Blood/Impedance)	1.87	10^3 / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (Blood/Impedance)	0.24	10^3 / µl	0.04 - 0.44
Absolute Monocyte Count (Blood/Impedance)	0.51	10^3 / µl	< 1.0
Absolute Basophil count (Blood/Impedance)	0.02	10^3 / µl	< 0.2
Platelet Count (Blood/Impedance)	2.15	lakh/cu.mm	1.4 - 4.5
<b>INTERPRETATION:</b> Platelet count less than 1.	5 lakhs will be confi	rmed microscopically.	
MPV (Blood/Derived from Impedance)	7.20	fL	7.9 - 13.7
PCT (Calculated)	0.15	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Blood/Automated ESR analyser)	04	mm/hr	< 15
BUN / Creatinine Ratio	11.2		
Glucose Fasting (FBS) (Plasma - F/ <i>Glucose oxidase/Peroxidase</i> )	95	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

: 05/04/2023 5:34 PM







APPROVED BY

The results pertain to sample tested.

Page 2 of 8

Name	: Mr. V. SATYANARAYANA			
PID No.	: MED111551707	Register On : 25	/03/2023 9:21 AM	
SID No.	: 80026874	Collection On : 2	5/03/2023 9:55 AM	
Age / Sex	: 38 Year(s) / Male	Report On : 2	5/03/2023 2:08 PM	medall
Туре	: OP	Printed On : 0	5/04/2023 5:34 PM	DIAGNOSTICS
Ref. Dr	: MediWheel			
<u>Investig</u> a		<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
INTERPI blood glud		quantity and time of food	intake, Physical activity	y, Psychological stress, and drugs can influence
Glucose, (Urine - F)	Fasting (Urine)	Negative		Negative
	Postprandial (PPBS) PP/GOD - POD)	180	mg/dL	70 - 140
Factors su Fasting bl	ood glucose level may be higher that	an Postprandial glucose, b	ecause of physiological	and drugs can influence blood glucose level. surge in Postprandial Insulin secretion, Insulin cation during treatment for Diabetes.
Urine Gl (Urine - Pl	lucose(PP-2 hours)	Negative		Negative
Blood U (Serum/Ca	rea Nitrogen (BUN) ulculated)	11.2	mg/dL	7.0 - 21
Creatinin (Serum/Jaj	ne ffe ó"Alkaline Picrate)	1	mg/dL	0.9 - 1.3
Uric Aci (Serum/Ur	d icase/Peroxidase)	5.8	mg/dL	3.5 - 7.2
<u>Liver Fu</u>	unction Test			
Bilirubir (Serum/Di	n(Total) azotized Sulphanilic acid)	1.0	mg/dL	0.1 - 1.2
Bilirubir (Serum/Di	n(Direct) azotized Sulphanilic acid )	0.3	mg/dL	0.0 - 0.3
Bilirubir (Serum/Ca	n(Indirect) nlculated)	0.70	mg/dL	0.1 - 1.0
Aminotr	ST (Aspartate ansferase) CC without P-5-P)	24	U/L	5 - 40
	LT (Alanine Aminotransferase CC without P-5-P)	26	U/L	5 - 41
	H. Shiver INTHA SHIVAJI Lab Manager	<b>回版</b> 級 法-25条 第44 回点が		K.Nul orita Dr K. NEEHARIKA MD PATHOLOGY Reg No : 96545

APPROVED BY

The results pertain to sample tested.

VERIFIED BY

Page 3 of 8

Name	: Mr. V. SATYANARAYANA			
PID No.	: MED111551707	Register On	: 25/03/2023 9:21 AM	
SID No.	: 80026874	<b>Collection On</b>	: 25/03/2023 9:55 AM	
Age / Sex	: 38 Year(s) / Male	Report On	: 25/03/2023 2:08 PM	medall
Туре	: OP	Printed On	: 05/04/2023 5:34 PM	DIAGNOSTICS
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Alkaline Phosphatase (SAP) (Serum/IFCC AMP Buffer)	98	U/L	53 - 128
Total Protein (Serum/Biuret)	7.4	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	3.8	gm/dl	3.5 - 5.2
Globulin (Serum/ <i>Calculated</i> )	3.60	gm/dL	2.3 - 3.6
A : G RATIO (Serum/ <i>Calculated</i> )	1.06		1.1 - 2.2
INTERPRETATION: Enclosure : Graph			
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	19	U/L	< 55
Lipid Profile			
Cholesterol Total (Serum/Cholesterol oxidase/Peroxidase)	205	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol-phosphate oxidase/Peroxidase)	129	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

**INTERPRETATION:** The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the õusualö"circulating level of triglycerides during most part of the day.







APPROVED BY

The results pertain to sample tested.

Page 4 of 8

Name	: Mr. V. SATYANARAYANA			
PID No.	: MED111551707	Register On	: 25/03/2023 9:21 AM	
SID No.	: 80026874	<b>Collection On</b>	25/03/2023 9:55 AM	$\mathbf{O}$
Age / Sex	: 38 Year(s) / Male	Report On	: 25/03/2023 2:08 PM	medall
Туре	: OP	Printed On	: 05/04/2023 5:34 PM	DIAGNOSTICS

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
HDL Cholesterol (Serum/Immunoinhibition)	52	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/Calculated)	127.2	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	25.8	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	153.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >=220

INTERPRETATION: 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio (Serum/ <i>Calculated</i> )	3.9	Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/ <i>Calculated</i> )	2.5	Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
CH. Shivey CHINTHA SHIVAJI Lab Manager		K.Nut out a Dr K. NEEHARIKA MD PATHOLOGY Reg No : 96545

VERIFIED BY

Ref. Dr

: MediWheel



APPROVED BY

The results pertain to sample tested.

Page 5 of 8

Name	: Mr. V. SATYANARAYANA			
PID No.	: MED111551707	Register On : 2	25/03/2023 9:21 AM	<b>C</b>
SID No.	: 80026874	Collection On :	25/03/2023 9:55 AM	
Age / Sex	: 38 Year(s) / Male	Report On :	25/03/2023 2:08 PM	medall
Туре	: OP	Printed On :	05/04/2023 5:34 PM	DIAGNOSTICS
Ref. Dr	: MediWheel			
Investiga	ation	<u>Observed</u> <u>Value</u>	Unit	Biological Reference Interval
LDL/HD (Serum/Ca	DL Cholesterol Ratio	2.4		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0
<u>Glycosyl</u>	lated Haemoglobin (HbA1c)			
HbA1C (Whole Blo	ood/HPLC-Ion exchange)	5.4	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5
INTERPI	RETATION: If Diabetes - Good cor	ntrol : 6.1 - 7.0 % , Fair	control: 7.1 - 8.0 %, Poo	or control $>= 8.1$ %
Mean Bl	ood Glucose	108.28	mg/dl	
HbA1c pro- control as Condition hypertrigh Condition ingestion,	compared to blood and urinary gluc s that prolong RBC life span like Iro yceridemia,hyperbilirubinemia,Drug	ose determinations. n deficiency anemia, V s, Alcohol, Lead Poiso te or chronic blood loss	fitamin B12 & Folate defic ning, Asplenia can give fa , hemolytic anemia, Hemo	
(Serum/Ch (CLIA))	odothyronine) - Total nemiluminescent Immunometric Assay	1.46	ng/ml	0.7 - 2.04
Comment Total T3 v	t:	on like pregnancy, drug	s, nephrosis etc. In such c	ases, Free T3 is recommended as it is
· •	roxine) - Total nemiluminescent Immunometric Assay	7.83	µg/dl	4.2 - 12.0
	H. Shivey INTHA SHIVAJI Lab Manager ERIFIED BY			APPROVED BY

The results pertain to sample tested.

Page 6 of 8

Name	: Mr. V. SATYANARAYANA	A		
PID No.	: MED111551707	Register On : 2	5/03/2023 9:21 AM	
SID No.	: 80026874	Collection On : 2	25/03/2023 9:55 AM	<b>O</b>
Age / Sex	: 38 Year(s) / Male	Report On :	25/03/2023 2:08 PM	medall
Туре	: OP	Printed On :	)5/04/2023 5:34 PM	DIAGNOSTICS
Ref. Dr	: MediWheel			
Investiga	ation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
<b>Comment</b> Total T4 v		ition like pregnancy, drug	s, nephrosis etc. In such ca	ases, Free T4 is recommended as it is
	yroid Stimulating Hormone)	1.16	µIU/mL	0.35 - 5.50
Reference 1 st trimes 2 nd trimes 3 rd trimes (Indian Th <b>Comment</b> 1.TSH refe 2.TSH Let be of the c	erence range during pregnancy de	ion, reaching peak levels y has influence on the mea	between 2-4am and at a m asured serum TSH concent	
	nalysis - Routine			
Others (Urine/ <i>Mic</i>	eroscopy) RETATION: Note: Done with Au	NIL	r microscony	
	Examination(Urine Routing	-	e incroscopy	
·				
Colour (Urine/Phy	vsical examination)	PALE YELLOW	V	Yellow to Amber
Appearan (Urine/Phy	nce esical examination)	Clear		Clear
<u>Chemica</u>	<u>ll Examination(Urine Routin</u>	<u>ne)</u>		
	stick-Error of indicator/ cylic acid method )	Negative		Negative
	H. Shivey INTHA SHIVAJI Lab Manager ERIFIED BY			KINGLOUILA DEK - NEEHARIKA MD PATHOLOGY Reg No : 96545 APPROVED BY

The results pertain to sample tested.

Page 7 of 8

Name PID No. SID No. Age / Sex Type Ref. Dr	<ul> <li>: Mr. V. SATYANARAYANA</li> <li>: MED111551707</li> <li>: 80026874</li> <li>: 38 Year(s) / Male</li> <li>: OP</li> <li>: MediWheel</li> </ul>	Register On       : 25/03/2023 9:21         Collection On       : 25/03/2023 9:55         Report On       : 25/03/2023 2:08         Printed On       : 05/04/2023 5:34	SAM <b>PM medall</b>
Peroxidase method.)	9 Stick Method / Glucose Oxidase - 2 / Benedictøs semi quantitative 9 <b>0pic Examination(Urine</b>	<u>Observed</u> <u>Unit</u> <u>Value</u> Negative	Biological Reference Interval Negative
Pus Cell	S croscopy exam of urine sediment)	3-4 /hpf <b>1-2</b> /hpf	0 - 5 NIL

(Urine/Microscopy exam of urine sediment) RBCs

(Urine/Microscopy exam of urine sediment)





/hpf

NIL



0 - 5

APPROVED BY

-- End of Report --

The results pertain to sample tested.

Page 8 of 8