PROCESSED Thyrocare 260 - 261, Tr Ishwar Nagar New Delhi - 1	ibhuvan Complex, -,			s you can trust
	Corporate office : Thyrocare Tech © 022 - 3090 0000 / 6712 3400	nologies Limited, 🕈 D-37/3, TTC MIDC, Turbhe, Navi † 🔊 9870666333 🛛 wellness@thyrocare.com @		-
		REPORT		
NAME	: TANYA NAYAN(32Y/F)	HOME COLLI		
REF. BY	: SELF	C 1002 ACE C	ITY NOIDA EXTENSI	ON BISRAKH
TEST ASKED	: MEDIWHEEL 60+			
PATIENTID	: TN20539308			
TEST NAME		TECHNOLOGY	VALUE	UNITS
CA-125		C.L.I.A	3.8	U/ml
Reference R	ange :-			

Less than 30.2 U/ml

Clinical Significance:

CA-125 is used to monitor therapy during treatment for Ovarian Cancer. CA125 is also to detect or monitor whether there is a recurrence of cancer or malignancy after surgical removal of tumor or radiation therapy or chemotherapy (antineoplastic drugs). This test is sometimes used to follow High-Risk women who have a family history of Ovarian Cancer. CA-125 may normally be increased in early pregnancy and during menstruation. It can also be increased in diseases such as Pelvic Inflammatory Disease or Endometriosis and sometimes in Hepatitis and Cirrhosis of the liver.

Specifications:

Precision: Intra Assay (%CV): 4.3 %, Inter Assay (%CV): 2.5%; Sensitivity: 2.0 U/ml

Kit Validation References:

Mackey SE, Creasman WT. Ovarian Cancer Screening. J. Clin Oncol 1995; 13(3); 783 - 93.

Please correlate with clinical conditions. Method:- TWO SITE SANDWICH IMMUNOASSAY

Sample Collected on (SCT) Sample Received on (SRT) Report Released on (RRT) Sample Type Labcode Barcode



: 20 Nov 2022 06:45 : 20 Nov 2022 16:08

: 20 Nov 2022 20:12

. SERUM 2011085108/DS853 Dr Neha Prabhakar MD(Path)

Dr V Sandeep MD(Path)

: AC218821

Page : 1 of 18

#### **PROCESSED AT :** nyrocare Thyrocare 260 - 261, Tribhuvan Complex, Tests you can trust Ishwar Nagar, New Delhi - 110 065 Corporate office : Thyrocare Technologies Limited, 9 D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 © 022 - 3090 0000 / 6712 3400 © 9870666333 wellness@thyrocare.com @www.thyrocare.com EPOR' NAME : TANYA NAYAN(32Y/F) HOME COLLECTION : C 1002 ACE CITY NOIDA EXTENSION BISRAKH **REF. BY** : SELF **TEST ASKED** : MEDIWHEEL 60+ PATIENTID : TN20539308 VALUE TECHNOLOGY **TEST NAME** UNITS

# RHEUMATOID FACTOR (RF)

IMMUNOTURBIDIMETRY < 10

IU/mL

# Reference Range :

ADULT : <= 18

Clinical Significance:

Rheumatoid factor is an anti IgE autoimmune antibody. There are high concentration of rheumatoid factor in the serum of some disease, especially rheumatoid arthritis patients. It helps to diagnose rheumatism ,systematic lupus erythematosus, chronic hepatitis etc.

Specifications: Precision %CV :- Intra assay %CV- 1.38% , Inter assay %CV-2.88%, Sensitivity :- 40 IU/mL.

Kit Validation Reference:

Anderson, S.G., Bentzon, M.W., Houba, V. and Krag, P. Bull. Wld. Hlth. Org. 42: 311-318 (1970).

Method : LATEX ENHANCED IMMUNOTURBIDIMETRY Please correlate with clinical conditions.

Sample Collected on (SCT): 20 Nov 2022 06:45Sample Received on (SRT): 20 Nov 2022 16:08Report Released on (RRT): 20 Nov 2022 20:12Sample Type: SERUMLabcode: 2011085108/DS853Barcode: AC218821

PROCESSED Thyrocare 260 - 261, Tr Ishwar Nagar New Delhi - 1	ibhuvan Complex, -,	CERTIFICATE NO: MC-3238		<b>yrocare</b> Is you can trust
		logies Limited, ♥ D-37/3, TTC MIDC, Turbhe, Navi № 9870666333 🗳 wellness@thyrocare.com @		
×		REPORT		
NAME	: TANYA NAYAN(32Y/F)	HOME COLLE		
REF. BY	: SELF	C 1002 ACE C	TY NOIDA EXTENSI	ON BISRAKH
TEST ASKED	: MEDIWHEEL 60+			
PATIENTID	: TN20539308			
TEST NAME		TECHNOLOGY	VALUE	UNITS
25-OH VITA Reference R	MIN D (TOTAL) ange :-	C.L.I.A	25.86	ng/ml

DEFICIENCY : <20 ng/ml || INSUFFICIENCY : 20-<30 ng/ml SUFFICIENCY : 30-100 ng/ml || TOXICITY : >100 ng/ml

Clinical Significance:

Vitamin D is a fat soluble vitamin that has been known to help the body absorb and retain calcium and phosphorous; both are critical for building bone health. Decrease in vitamin D total levels indicate inadequate exposure of sunlight, dietary deficiency, nephrotic syndrome. Increase in vitamin D total levels indicate Vitamin D intoxication.

Specifications: Precision: Intra assay (%CV):5.3%, Inter assay (%CV):11.9%; Sensitivity:3.2 ng/ml.

Kit Validation Reference: Holick MF. Vitamin D Deficiency. N Engl J Med. 2007;357:266-81.

Please correlate with clinical conditions.

Method:- Fully Automated Chemi Luminescent Immuno Assay

Sample Collected on (SCT)	: 20 Nov 2022 06:45	- 3497A	
Sample Received on (SRT)	: 20 Nov 2022 16:08	NAA	and
Report Released on (RRT)	: 20 Nov 2022 20:12	Nehap	() () () () () () () () () () () () () (
Sample Type	SERUM	0-6-	0
Labcode	2011085108/DS853	Dr Neha Prabhakar MD(Path)	Dr V Sandeep MD(Path)
Barcode	: AC218821		Page : 3 of 18

Thyrocare 260 - 261, Tribhuvan Complex, Ishwar Nagar, New Delhi - 110 065





 Corporate office : Thyrocare Technologies Limited, ♥ D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703

 ● 022 - 3090 0000 / 6712 3400
 ● 9870666333
 ■ wellness@thyrocare.com

 REPORT

 NAME
 : TANYA NAYAN(32Y/F)
 HOME COLLECTION : C 1002 ACE CITY NOIDA EXTENSION BISRAKH

 TEST ASKED
 : MEDIWHEEL 60+

PATIENTID	: TN20539308
-----------	--------------

TEST NAME	TECHNOLOGY	VALUE	UNITS
HIGH SENSITIVITY C-REACTIVE PROTEIN (HS-CRP)	IMMUNOTURBIDIMETRY	3.85	mg/L
Reference Range :-			

< 1.00 - Low Risk 1.00 - 3.00 - Average Risk >3.00 - 10.00 - High Risk > 10.00 - Possibly due to Non-Cardiac Inflammation

Disclaimer: Persistent unexplained elevation of HSCRP >10 should be evaluated for non-cardiovascular etiologies such as infection , active arthritis or concurrent illness.

Clinical significance:

High sensitivity C- reactive Protein (HSCRP) can be used as an independent risk marker for the identification of Individuals at risk for future cardiovascular Disease. A coronary artery disease risk assessment should be based on the average of two hs-CRP tests, ideally taken two weeks apart.

Kit Validation Reference:

Clinical management of laboratory date in medical practice 2003-3004, 207(2003).
 Tietz : Textbook of Clinical Chemistry and Molecular diagnostics :Second edition :Chapter 47:Page no.1507- 1508.

### Please correlate with clinical conditions.

Method:- FULLY AUTOMATED LATEX AGGLUTINATION - BECKMAN COULTER

Sample Collected on (SCT)	: 20 Nov 2022 06:45			
Sample Received on (SRT)	: 20 Nov 2022 16:08	OA A A	and	
Report Released on (RRT)	: 20 Nov 2022 20:12	Tehap	() () () () () () () () () () () () () (	
Sample Type	. SERUM	0-6-	8	
Labcode	2011085108/DS853	Dr Neha Prabhakar MD(Path)	Dr V Sandeep MD(Path)	
Barcode	- AC218821		Page : 4 of 18	

PATIENTID	: TN20539308		
TEST ASKED	: MEDIWHEEL 60+		
NAME REF. BY	: TANYA NAYAN(32Y/F) : SELF	HOME COLLE C 1002 ACE C	ECTION : TY NOIDA EXTENSION BISRAKH
	Corporate office : Thyrocare Tech © 022 - 3090 0000 / 6712 3400	nologies Limited, ♥ D-37/3, TTC MIDC, Turbhe, Navi M ⑤ 9870666333   wellness@thyrocare.com	
<b>Thyrocare</b> 260 - 261, Tr Ishwar Naga New Delhi - 3		CERTIFICATE NO: MC-3238	Tests you can trust

C.L.I.A

280

pg/ml

Normal : 211 - 911 pg/ml

**Reference Range :-**

Clinical significance :

VITAMIN B-12

Vitamin B12 or cyanocobalamin, is a complex corrinoid compound found exclusively from animal dietary sources, such as meat, eggs and milk. It is critical in normal DNA synthesis, which in turn affects erythrocyte maturation and in the formation of myelin sheath. Vitamin-B12 is used to find out neurological abnormalities and impaired DNA synthesis associated with macrocytic anemias. For diagnostic purpose, results should always be assessed in conjunction with the patients medical history, clinical examination and other findings.

Specifications: Intra assay (%CV):5.0%, Inter assay (%CV):9.2 %;Sensitivity:45 pg/ml

#### Kit Validation reference:

Chen IW, Sperling MI, Heminger LA. Vitamin B12. In: Pesce AJ, Kaplan LA, eds. Methods in Clinical Chemistry. St. Louis: CV Mosby; 1987:569–73.

#### Please correlate with clinical conditions.

Method:- COMPETITIVE CHEMI LUMINESCENT IMMUNO ASSAY

Sample Collected on (SCT)	: 20 Nov 2022 06:45	- 345 M	
Sample Received on (SRT)	20 Nov 2022 16:08	nn n n	and
Report Released on (RRT)	: 20 Nov 2022 20:12	Nehaf	() lowelly
Sample Type	SERUM	0-6-	Ø
Labcode	2011085108/DS853 C	r Neha Prabhakar MD(Path)	Dr V Sandeep MD(Path)
Barcode	: AC218821		Page : 5 of 18

PROCESSED AT : Thyrocare 260 - 261, Tribhuvan Complex, Ishwar Nagar, New Delhi - 110 065		CERTIFICATE NO: MC-3238		
	Corporate office : Thyrocare Technolo © 022 - 3090 0000 / 6712 3400 ©	9870666333  ➡ wellness@thyrocare.com		
NAME REF. BY TEST ASKED	: TANYA NAYAN(32Y/F) : SELF : MEDIWHEEL 60+	HOME COLL	ECTION : CITY NOIDA EXTENS	ION BISRAKH
PATIENTID	: TN20539308			
TEST NAME		TECHNOLOGY	VALUE	UNITS
PROSTATE SF Reference R	PECIFIC ANTIGEN (PSA) Range :-	C.L.I.A	0.04	ng/ml

Normal : < 4.00 ng/ml Border line : 4.01 to 10.00 ng/ml

Clinical Significance:

Elevated levels of PSA are associated with prostate cancer, but may also be seen with prostatitis (Inflammation of the prostate) and benign prostatic hyperplasia (BPH). PSA test done along with free PSA provides additional information. Studies have suggested that the percentage of free PSA in total PSA is lower in patients with prostate cancer than those with benign prostate hyperplasia.

Specification:

Precision: Intra assay (%CV): 4.38%, Inter assay (%CV): 4.67%; Sensitivity: 0.01 ng/ml

Kit validation references:

Wang MC, Valenzuala LA, Murphy GP, and Chu TM. Purification of a human prostate-specific antigen. Invest. Urol. 1979; 17: 159

Please correlate with clinical conditions.

Method:- TWO SITE SANDWICH IMMUNOASSAY

Sample Collected on (SCT)	: 20 Nov 2022 06:45	200 B	
Sample Received on (SRT)	: 20 Nov 2022 16:08	NAA	and
Report Released on (RRT)	: 20 Nov 2022 20:12	Nehap	() Jourse
Sample Type	. SERUM	0-6-	Ø
Labcode	2011085108/DS853	Dr Neha Prabhakar MD(Path)	Dr V Sandeep MD(Path)
Barcode	• AC218821		Page : 6 of 18

#### **PROCESSED AT :** Thyrocare 260 - 261, Tribhuvan Complex, Ishwar Nagar, New Delhi - 110 065







Corporate office : Thyrocare Technologies Limited, P D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 🕲 022 - 3090 0000 / 6712 3400 🕲 9870666333 🛛 🕿 wellness@thyrocare.com 🌐 www.thyrocare.com

REPORT

**HOME COLLECTION :** 

NAME : TANYA NAYAN(32Y/F) **REF. BY** : SELF **TEST ASKED** : MEDIWHEEL 60+

C 1002 ACE CITY NOIDA EXTENSION BISRAKH

PATIENTID : TN20539308

TEST NAME	TECHNOLOGY	VALUE	UNITS	NORMAL RANGE
TOTAL CHOLESTEROL	PHOTOMETRY	138	mg/dl	< 200
HDL CHOLESTEROL - DIRECT	PHOTOMETRY	42	mg/dl	40-60
LDL CHOLESTEROL - DIRECT	PHOTOMETRY	82	mg/dl	< 100
TRIGLYCERIDES	PHOTOMETRY	64	mg/dl	< 150
TC/ HDL CHOLESTEROL RATIO	CALCULATED	3.3	Ratio	3 - 5
TRIG / HDL RATIO	CALCULATED	1.51	Ratio	< 3.12
LDL / HDL RATIO	CALCULATED	1.9	Ratio	1.5-3.5
HDL / LDL RATIO	CALCULATED	0.51	Ratio	> 0.40
NON-HDL CHOLESTEROL	CALCULATED	96.22	mg/dl	< 160
VLDL CHOLESTEROL	CALCULATED	12.72	mg/dl	5 - 40

Please correlate with clinical conditions.

#### Method :

CHOL - Cholesterol Oxidase, Esterase, Peroxidase HCHO - Direct Enzymatic Colorimetric LDL - Direct Measure TRIG - Enzymatic, End Point TC/H - Derived from serum Cholesterol and Hdl values TRI/H - Derived from TRIG and HDL Values LDL/ - Derived from serum HDL and LDL Values HD/LD - Derived from HDL and LDL values. NHDL - Derived from serum Cholesterol and HDL values VLDL - Derived from serum Triglyceride values **\*REFERENCE RANGES AS PER NCEP ATP III GUIDELINES:** 

TOTAL CHOLESTEROL	(mg/dl)	HDL	(mg/dl)	LDL	(mg/dl)	TRIGLYCERIDES	(mg/dl)
DESIRABLE	<200	LOW	<40	OPTIMAL	<100	NORMAL	<150
BORDERLINE HIGH	200-239	HIGH	>60	NEAR OPTIMAL	100-129	BORDERLINE HIGH	150-199
HIGH	>240			BORDERLINE HIGH	130-159	HIGH	200-499
				HIGH	160-189	VERY HIGH	>500
				VERY HIGH	>190		

Alert !!! 10-12 hours fasting is mandatory for lipid parameters. If not, values might fluctuate.

Sample Collected on (SCT)	: 20 Nov 2022 06:45		1
Sample Received on (SRT)	: 20 Nov 2022 16:08	DAAA	au puto
Report Released on (RRT)	: 20 Nov 2022 20:12	Mehap	09 Jones
Sample Type	: SERUM	0-6	V
Labcode	: 2011085108/DS853	Dr Neha Prabhakar MD(Path)	Dr V Sandeep MD(Path)
Barcode	AC218821		Dage 17 of 19

Page : 7 of 18

#### PROCESSED AT : Thyrocare 260 - 261, Tribhuvan Complex, Ishwar Nagar, New Delhi - 110 065



REPORT



Corporate office : Thyrocare Technologies Limited, P D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 🕲 022 - 3090 0000 / 6712 3400 🕲 9870666333 🛛 🕿 wellness@thyrocare.com 🌐 www.thyrocare.com



#### NAME : TANYA NAYAN(32Y/F) **REF. BY** : SELF **TEST ASKED** : MEDIWHEEL 60+

# **HOME COLLECTION :**

C 1002 ACE CITY NOIDA EXTENSION BISRAKH

PATIENTID : TN20539308

TEST NAME	TECHNOLOGY	VALUE	UNITS	NORMAL RANGE
ALKALINE PHOSPHATASE	PHOTOMETRY	101.64	U/L	45 - 129
BILIRUBIN - TOTAL	PHOTOMETRY	0.68	mg/dl	0.3-1.2
BILIRUBIN -DIRECT	PHOTOMETRY	0.15	mg/dl	< 0.3
BILIRUBIN (INDIRECT)	CALCULATED	0.53	mg/dl	0-0.9
GAMMA GLUTAMYL TRANSFERASE (GGT)	PHOTOMETRY	37.14	U/I	< 38
ASPARTATE AMINOTRANSFERASE (SGOT )	PHOTOMETRY	52.81	U/I	< 31
ALANINE TRANSAMINASE (SGPT)	PHOTOMETRY	57.32	U/I	< 34
SGOT / SGPT RATIO	CALCULATED	0.92	Ratio	< 2
PROTEIN - TOTAL	PHOTOMETRY	6.83	gm/dl	5.7-8.2
ALBUMIN - SERUM	PHOTOMETRY	3.82	gm/dl	3.2-4.8
SERUM GLOBULIN	CALCULATED	3.01	gm/dL	2.5-3.4
SERUM ALB/GLOBULIN RATIO	CALCULATED	1.27	Ratio	0.9 - 2

# Please correlate with clinical conditions.

#### Method :

ALKP - Modified IFCC method BILT - Vanadate Oxidation BILD - Vanadate Oxidation BILI - Derived from serum Total and Direct Bilirubin values GGT - Modified IFCC method

SGOT - IFCC\* Without Pyridoxal Phosphate Activation

SGPT - IFCC\* Without Pyridoxal Phosphate Activation

OT/PT - Derived from SGOT and SGPT values.

PROT - Biuret Method

SALB - Albumin Bcg<sup>1</sup>method (Colorimetric Assay Endpoint)

SEGB - DERIVED FROM SERUM ALBUMIN AND PROTEIN VALUES

A/GR - Derived from serum Albumin and Protein values

Sample Collected on (SCT)	: 20 Nov 2022 06:45	5.450 M	1
Sample Received on (SRT)	: 20 Nov 2022 16:08	OD D D	Ber Juko
Report Released on (RRT)	: 20 Nov 2022 20:12	Mehap	Of South
Sample Type	: SERUM	0-6	Ø
Labcode	: 2011085108/DS853	Dr Neha Prabhakar MD(Path)	Dr V Sandeep MD(Path)
Barcode	AC218821		Daga ( 9 of 19

Page : 8 of 18

#### **PROCESSED AT : hyrocare** Thyrocare 260 - 261, Tribhuvan Complex, Ishwar Nagar, New Delhi - 110 065 Corporate office : Thyrocare Technologies Limited, 9 D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 © 022 - 3090 0000 / 6712 3400 © 9870666333 wellness@thyrocare.com @www.thyrocare.com EPOR' NAME

Sample Collected on (SCT) :20 Nov 2022 06:45 Sample Received on (SRT) : 20 Nov 2022 16:08 Report Released on (RRT) : 20 Nov 2022 20:12 Sample Type : SERUM Dr Neha Prabhakar MD(Path) Labcode :2011085108/DS853 Dr V Sandeep MD(Path) :AC218821 Barcode Page : 9 of 18

Precision %CV :- Intra assay %CV-1.55% , Inter assay %CV-2.99% , Sensitivity:-0.10 mmol/L

Kit Validation Reference: Young DS. Effects of drugs on clinical laboratory tests, 5th ed. AACC Press, 2000. Method : UNREDUCED PHOSPHOMOLYBDATE METHOD

Please correlate with clinical conditions.

Tests you can trust

: TANYA NAYAN(32Y/F) HOME COLLECTION : C 1002 ACE CITY NOIDA EXTENSION BISRAKH **REF. BY** : SELF **TEST ASKED** : MEDIWHEEL 60+ PATIENTID : TN20539308 VALUE TECHNOLOGY **TEST NAME** UNITS **PHOSPHOROUS** PHOTOMETRY 4.21 mg/dL

In plasma and serum the majority of phosphate exists in the inorganic form (Pi), approximately 15% bound to protein and the remainder in complexes and free forms. Serum phosphate concentrations are dependent on diet and variation in the secretion of

# **Reference Range :**

Adults : 2.4 - 5.1 mg/dL

Clinical Significance:

hormones such as Parathyroid Hormone (PTH).

```
Specifications:
```

<b>Thyrocare</b> 260 - 261, Tri Ishwar Nagar, New Delhi - 1		CERTIFICATE NO: MC-3238		Tests you can trust
4	Corporate office : Thyrocare Technol		MIDC, Turbhe, Navi Mun @thyrocare.com @ww	
NAME REF. BY TEST ASKED PATIENTID	: TANYA NAYAN(32Y/F) : SELF : MEDIWHEEL 60+ : TN20539308		HOME COLLECTION C 1002 ACE CITY N	N : OIDA EXTENSION BISRAKH
EST NAME	. 11/20333300	TECHNOLOGY	VALUE	UNITS
POTASSIUM Reference Rai ADULTS: 3.5-5.	nge :	I.S.E	4.28	mmol/l

Clinical Significance :

An increased level of blood chloride (called hyperchloremia) usually indicates dehydration, but can also occur with other problems that cause high blood sodium, such as Cushing syndrome or kidney disease. Hyperchloremia also occurs when too much base is lost from the body (producing metabolic acidosis) or when a person hyperventilates (causing respiratory alkalosis). A decreased level of blood chloride (called hypochloremia) occurs with any disorder that causes low blood sodium. Hypochloremia also occurs with congestive heart failure, prolonged vomiting or gastric suction, Addison disease, emphysema or other chronic lung diseases (causing respiratory acidosis), and with loss of acid from the body (called metabolic alkalosis).

Method: ION SELECTIVE ELECTRODE

Please correlate with clinical conditions.

Sample Collected on (SCT)	:20 Nov 2022 06:45		
Sample Received on (SRT)	: 20 Nov 2022 16:08	OA A A	and
Report Released on (RRT)	: 20 Nov 2022 20:12	Mehaf	() () () () () () () () () () () () () (
Sample Type	: SERUM	U-6	Ø
Labcode	:2011085108/DS853	Dr Neha Prabhakar MD(Path)	Dr V Sandeep MD(Path)
Barcode	:AC218821		Page : 10 of 18


#### PROCESSED AT : Thyrocare 260 - 261, Tribhuvan Complex, Ishwar Nagar, New Delhi - 110 065





3.2 - 6.1

mg/dl



PHOTOMETRY

4.8

Please correlate with clinical conditions.

#### Method :

URIC ACID

BUN - Kinetic UV Assay.

SCRE - Creatinine Enzymatic method

B/CR - Derived from serum Bun and Creatinine values

UREAC - Derived from BUN Value.

UR/CR - Derived from UREA and Sr.Creatinine values.

CALC - Arsenazo III Method, End Point.

SOD - ION SELECTIVE ELECTRODE

URIC - Uricase / Peroxidase Method

Sample Collected on (SCT)	: 20 Nov 2022 06:45		1
Sample Received on (SRT)	: 20 Nov 2022 16:08	ON N N	Ber Julo
Report Released on (RRT)	: 20 Nov 2022 20:12	Mehap	09 Jane
Sample Type	: SERUM	0-6-	Ø
Labcode	: 2011085108/DS853	Dr Neha Prabhakar MD(Path)	Dr V Sandeep MD(Path)
Barcode	AC218821		5 44 649

Page : 11 of 18

Thyrocare 260 - 261, Tribhuvan Complex, Ishwar Nagar, New Delhi - 110 065





	IMULATING HORMONE (TSH)	C.L.I.A	12.96	µIU/ml 0.3-5.5
TEST NAME		TECHNOLOGY	VALUE	UNITS REFERENCE RANGE
PATIENTID	: TN20539308			
TEST ASKED	: MEDIWHEEL 60+			
REF. BY	: SELF		C 1002 A	CE CITT NOIDA EXTENSION DISRAKIT
NAME	: TANYA NAYAN(32Y/F)		номе с	OLLECTION : CE CITY NOIDA EXTENSION BISRAKH
× 7		REPOR	T	
	Corporate office : Thyrocare Technolog © 022 - 3090 0000 / 6712 3400 © 9			he, Navi Mumbai - 400 703 .com @www.thyrocare.com

Comments : \*\*\*

# Please correlate with clinical conditions.

# Method :

TSH - SANDWICH CHEMI LUMINESCENT IMMUNO ASSAY

Pregnancy reference ranges for TSH 1st Trimester : 0.10 - 2.50 2nd Trimester : 0.20 - 3.00 3rd Trimester : 0.30 - 3.00

#### Reference:

Guidelines of American Thyroid Association for the Diagnosis and Management of Thyroid Disease During Pregnancy and Postpartum, Thyroid, 2011, 21; 1-46

Sample Collected on (SCT)	: 20 Nov 2022 06:45		
Sample Received on (SRT)	: 20 Nov 2022 16:08		Ν.
Report Released on (RRT)	: 20 Nov 2022 20:12	ON N. N	Any well
Sample Type	: SERUM	Tehap	of the
Labcode	: 2011085108/DS853	Dr Neha Prabhakar MD(Path)	Dr V Sandeep MD(Path)
Barcode	: AC218821		Page : 12 of 18

**Thyrocare** 260 - 261, Tribhuvan Complex, Ishwar Nagar, New Delhi - 110 065





	Corporate office : Thyrocare Technologies Li © 022 - 3090 0000 / 6712 3400 © 987066			
		REPORT		
NAME	: TANYA NAYAN(32Y/F)	HOME COLI	ECTION :	
REF. BY	: SELF	C 1002 ACE	CITY NOIDA EXTENSI	ON BISRAKH
TEST ASKED	: MEDIWHEEL 60+			
PATIENTID	: TN20539308			
TEST NAME		TECHNOLOGY	VALUE	UNITS
EST. GLOMER Reference R	RULAR FILTRATION RATE (eGFR) ange :-	CALCULATED	111	mL/min/1.73 m2

> = 90 : Normal
60 - 89 : Mild Decrease
45 - 59 : Mild to Moderate Decrease
30 - 44 : Moderate to Severe Decrease

15 - 29 : Severe Decrease

#### **Clinical Significance**

The normal serum creatinine reference interval does not necessarily reflect a normal GFR for a patient. Because mild and moderate kidney injury is poorly inferred from serum creatinine alone. Thus, it is recommended for clinical laboratories to routinely estimate glomerular filtration rate (eGFR), a "gold standard" measurement for assessment of renal function, and report the value when serum creatinine is measured for patients 18 and older, when appropriate and feasible. It cannot be measured easily in clinical practice, instead, GFR is estimated from equations using serum creatinine, age, race and sex. This provides easy to interpret information for the doctor and patient on the degree of renal impairment since it approximately equates to the percentage of kidney function remaining. Application of CKD-EPI equation together with the other diagnostic tools in renal medicine will further improve the detection and management of patients with CKD.

### Reference

Levey AS, Stevens LA, Schmid CH, Zhang YL, Castro AF, 3rd, Feldman HI, et al. A new equation to estimate glomerular filtration rate. Ann Intern Med. 2009;150(9):604-12.

Please correlate with clinical conditions. Method:- CKD-EPI Creatinine Equation

Sample Collected on (SCT)	: 20 Nov 2022 06:45	- 3.447 M	24.5
Sample Received on (SRT)	: 20 Nov 2022 16:08	nn n n	and
Report Released on (RRT)	: 20 Nov 2022 20:12	Tehap	() ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )
Sample Type	SERUM	0-6-	Ø
Labcode	2011085108/DS853	Dr Neha Prabhakar MD(Path)	Dr V Sandeep MD(Path)
Barcode	: AC218821		Page : 13 of 18

# PROCESSED AT : Thyrocare 260 - 261, Tribhuvan Complex, Ishwar Nagar, New Delhi - 110 065





Corporate office : Thyrocare Technologies Limited, 9 D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 © 022 - 3090 0000 / 6712 3400 9870666333 wellness@thyrocare.com @www.thyrocare.com REPORT NAME : TANYA NAYAN(32Y/F) HOME COLLECTION : C 1002 ACE CITY NOIDA EXTENSION BISRAKH **REF. BY** : SELF **TEST ASKED** : MEDIWHEEL 60+ PATIENTID : TN20539308 VALUE **TEST NAME** TECHNOLOGY UNITS HbA1c - (HPLC) H.P.L.C 5.3 % **Reference Range : Reference Range: As per ADA Guidelines Guidance For Known Diabetics** Below 5.7% : Normal Below 6.5% : Good Control 5.7% - 6.4% : Prediabetic 6.5% - 7% : Fair Control >=6.5% : Diabetic 7.0% - 8% : Unsatisfactory Control : Poor Control >8% Method : Fully Automated H.P.L.C. using Biorad Variant II Turbo AVERAGE BLOOD GLUCOSE (ABG) CALCULATED 105 mg/dl Reference Range : 90 - 120 mg/dl : Good Control 121 - 150 mg/dl : Fair Control 151 - 180 mg/dl : Unsatisfactory Control > 180 mg/dl : Poor Control Method : Derived from HBA1c values

Please correlate with clinical conditions.

Sample Collected on (SCT)	:20 Nov 2022 06:45		
Sample Received on (SRT)	: 20 Nov 2022 16:06	OA A A	and
Report Released on (RRT)	: 20 Nov 2022 17:31	Mehaf	() Joursel
Sample Type	: EDTA	U-6	0
Labcode	:2011084935/DS853	Dr Neha Prabhakar MD(Path)	Dr V Sandeep MD(Path)
Barcode	:AC381529		Page : 14 of 18

#### **PROCESSED AT :** Thyrocare

260 - 261, Tribhuvan Complex, Ishwar Nagar, New Delhi - 110 065





Corporate office : Thyrocare Technologies Limited, 9 D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 🔘 022 - 3090 0000 / 6712 3400 🔘 9870666333 🗳 wellness@thyrocare.com 🌐 www.thyrocare.com REPORT : TANYA NAYAN(32Y/F) HOME COLLECTION :

NAME	: TANYA NAYAN(32Y/F)	
REF. BY	: SELF	
TEST ASKED	: MEDIWHEEL 60+	
PATIENTID	: TN20539308	

C 1002 ACE CITY NOIDA EXTENSION BISRAKH

TEST NAME	VALUE	UNITS	REFERENCE RANGE
TOTAL LEUCOCYTES COUNT (WBC)	5.36	X 10³ / μL	4.0-10.0
NEUTROPHILS	51.7	%	40-80
LYMPHOCYTE PERCENTAGE	40.3	%	20.0-40.0
MONOCYTES	3.2	%	0.0-10.0
EOSINOPHILS	4.1	%	0.0-6.0
BASOPHILS	0.4	%	<2
IMMATURE GRANULOCYTE PERCENTAGE(IG%)	0.3	%	0.0-0.4
NEUTROPHILS - ABSOLUTE COUNT	2.77	X 10³ / μL	2.0-7.0
LYMPHOCYTES - ABSOLUTE COUNT	2.16	X 10³ / μL	1.0-3.0
MONOCYTES - ABSOLUTE COUNT	0.17	X 10³ / μL	0.2-1.0
BASOPHILS - ABSOLUTE COUNT	0.02	X 10 <sup>3</sup> / μL	0.02-0.1
EOSINOPHILS - ABSOLUTE COUNT	0.22	X 10 <sup>3</sup> / μL	0.02-0.5
IMMATURE GRANULOCYTES(IG)	0.02	X 10³ / μL	0.0-0.3
TOTAL RBC	4.54	X 10^6/µL	3.9-4.8
NUCLEATED RED BLOOD CELLS	Nil	X 10³ / μL	<0.01
NUCLEATED RED BLOOD CELLS %	Nil	%	<0.01
HEMOGLOBIN	9.1	g/dL	12.0-15.0
HEMATOCRIT(PCV)	31.6	%	36.0-46.0
MEAN CORPUSCULAR VOLUME(MCV)	69.6	fL	83.0-101.0
MEAN CORPUSCULAR HEMOGLOBIN(MCH)	20	pq	27.0-32.0
MEAN CORP.HEMO.CONC(MCHC)	28.8	g/dL	31.5-34.5
RED CELL DISTRIBUTION WIDTH - SD(RDW-SD)	42.2	fL	39.0-46.0
RED CELL DISTRIBUTION WIDTH (RDW-CV)	17.2	%	11.6-14.0
PLATELET COUNT	216	X 10 <sup>3</sup> / μL	150-400

Remarks : Alert !!! RBCs: Moderate anisocytosis mild poikilocytosis. Predominantly microcytic hypochromic cells with ovalocytes & elliptocytes. Platelets: Apr. adequate in smear.

Please Correlate with clinical conditions.

Method : Fully automated bidirectional analyser (6 Part Differential SYSMEX XN-1000)

(This device performs hematology analyses according to the Hydrodynamic Focussing (DC method), Flow Cytometry Method (using a semiconductor laser), and SLS- hemoglobin method)

Sample Collected on (SCT)
Sample Received on (SRT)
Report Released on (RRT)
Sample Type
Labcode
Barcode

.20 Nov 2022 06:45 : 20 Nov 2022 16:06 20 Nov 2022 17:31 . EDTA

Dr V Sandeep MD(Path) Page : 15 of 18

: 2011084935/DS853 : AC381529

Dr Neha Prabhakar MD(Path)

**Thyrocare** 260 - 261, Tribhuvan Complex, Ishwar Nagar, New Delhi - 110 065





	Corporate office : Thyrocare Technologies	Limited, ♥ D-37/3, TTC MIDC, Turbhe, Navi M 666333     wellness@thyrocare.com		-
× 2		REPORT		
NAME	: TANYA NAYAN(32Y/F)	HOME COLLE	CTION :	
REF. BY	: SELF	C 1002 ACE C	ITY NOIDA EXTENSI	ON BISRAKH
TEST ASKED	: MEDIWHEEL 60+			
PATIENTID	: TN20539308			
TEST NAME		TECHNOLOGY	VALUE	UNITS
FASTING BLC	OOD SUGAR(GLUCOSE)	PHOTOMETRY	86.99	mg/dL

#### Reference Range :-

As per ADA Guide	s per ADA Guideline: Fasting Plasma Glucose (FPG)	
Normal	70 to 100 mg/dl	
Prediabetes	100 mg/dl to 125 mg/dl	
Diabetes 126 mg/dl or higher		

Please correlate with clinical conditions.

Method:- GOD-PAP METHOD

Sample Collected on (SCT)	: 20 Nov 2022 06:45	2.403	
Sample Received on (SRT)	: 20 Nov 2022 16:05	OA A A	and
Report Released on (RRT)	: 20 Nov 2022 17:29	Tehap	() Joursel
Sample Type	. FLUORIDE	0-6-	Ø
Labcode	2011084870/DS853	Dr Neha Prabhakar MD(Path)	Dr V Sandeep MD(Path)
Barcode	: AG090929		Page : 16 of 18

#### PROCESSED AT : Thyrocare

260 - 261, Tribhuvan Complex, Ishwar Nagar, New Delhi - 110 065



Corporate office : Thyrocare Technologies Limited, ♥ D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 © 022 - 3090 0000 / 6712 3400 © 9870666333 ➡ wellness@thyrocare.com ⊕ www.thyrocare.com REPORT

NAME	: TANYA NAYAN(32Y/F)
REF. BY	: SELF
TEST ASKED	: MEDIWHEEL 60+

HOME COLLECTION : C 1002 ACE CITY NOIDA EXTENSION BISRAKH

PATIENTID : TN20539308

TEST NAME	OBSERVATION	UNITS	<b>REFERENCE RANGE</b>
COMPLETE URINOGRAM			
VOLUME	3	mL	-
COLOUR	PALE YELLOW	-	Pale Yellow
APPEARANCE	CLEAR	-	Clear
SPECIFIC GRAVITY	1.01	-	1.003-1.030
PH	6.5	-	5 - 8
URINARY PROTEIN	ABSENT	mg/dl	Absent
URINARY GLUCOSE	ABSENT	mg/dl	Absent
URINE KETONE	ABSENT	mg/dl	Absent
URINARY BILIRUBIN	ABSENT	mg/dl	Absent
UROBILINOGEN	< 0.2	mg/dl	<=0.2
BILE SALT	ABSENT	-	Absent
BILE PIGMENT	ABSENT	-	Absent
URINE BLOOD	ABSENT	Cells/ul*	Absent
NITRITE	ABSENT	-	Absent
MICROALBUMIN	10	mg/l	< 20
MUCUS	PRESENT	-	Absent
RED BLOOD CELLS	ABSENT	Cells/ul*	Absent
URINARY LEUCOCYTES (PUS CELLS)	ABSENT	Cells/ul*	Absent
EPITHELIAL CELLS	>10	-	0-4
CASTS	ABSENT	-	Absent
CRYSTALS	ABSENT	-	Absent
BACTERIA	ABSENT	-	Absent
YEAST	ABSENT	-	Absent
PARASITE	ABSENT	-	Absent

\* To Obtain Counts in Cells / HPF Divide the Cells / ul by 5

Please correlate with clinical conditions.

Method : Fully Automated AVE772-2 Urinalysis Dipstick Method, Microscopy

~~ End of report ~~

Sample Collected on (SCT) Sample Received on (SRT) Report Released on (RRT)

Sample Type Labcode Barcode



: 20 Nov 2022 06:45 : 20 Nov 2022 16:04

: 20 Nov 2022 16:38

: URINE

: 2011084749/DS853 : Z7890115

Dr Neha Prabhakar MD(Path)

Dr V Sandeep MD(Path)

#### CONDITIONS OF REPORTING

- v The reported results are for information and interpretation of the referring doctor only.
- v It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- v Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.
- v Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- v Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- v This report is not valid for medico-legal purpose.
- v Neither Thyrocare, nor its employees/representatives assume any liability, responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report.
- v Thyrocare Discovery video link :- <u>https://youtu.be/nbdYeRgYyQc</u>
- v For clinical support please contact @8450950852,8450950853,8450950854 between 10:00 to 18:00

# EXPLANATIONS

- v Majority of the specimen processed in the laboratory are collected by Pathologists and Hospitals we call them as "Clients".
- v **Name** The name is as declared by the client and recored by the personnel who collected the specimen.
- v Ref.Dr The name of the doctor who has recommended testing as declared by the client.
- v Labcode This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- v **Barcode** This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- v **SCP** Specimen Collection Point This is the location where the blood or specimen was collected as declared by the client.
- v SCT Specimen Collection Time The time when specimen was collected as declared by the client.
- v SRT Specimen Receiving Time This time when the specimen reached our laboratory.
- v RRT Report Releasing Time The time when our pathologist has released the values for Reporting.
- v **Reference Range** Means the range of values in which 95% of the normal population would fall.

#### SUGGESTIONS

- v Values out of reference range requires reconfirmation before starting any medical treatment.
  - Retesting is needed if you suspect any quality shortcomings.
- v Testing or retesting should be done in accredited laboratories.
- v For suggestions, complaints or feedback, write to us at info@thyrocare.com or call us on 022-3090 0000 / 6712 3400
- v SMS:<Labcode No.> to 9870666333

v

