

Name : Mr. PRASANNA K S

: 522220890

PID No. : MED121189283

: OP

Register On : 09/07/2022,9:04 AM Collection On : 09/07/2022 10:43 AM

SID No.

Type

Age / Sex : 44 Year(s) / Male

Report On : 09/07/2022 4:46 PM

Printed On


11/07/2022 3:05 PM

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	Biological Reference Interval
HAEMATOLOGY			
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood'Spectrophotometry)	14.48	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	45.2	%	42 - 52
RBC Count (EDTA Blood)	4.94	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood)	91.5	fL.	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	29.3	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	32.0	g/dL	32 - 36
RDW-CV	13.5	%	11.5 - 16.0
RDW-SD	43.23	ſL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	5890	cells/cu.mm	4000 - 11000
Neutrophils (Blood)	54.33	%	40 - 75
Lymphocytes (Blood)	35.41	₹%	20 - 45
Eosinophils (Blood)	4.37	%	01 - 06



VERIFIED BY



APPROVED BY

The results pertain to sample tested.

Page 1 of 12





Name ; Mr. PRASANNA K S

PID No. : MED121189283

: 522220890

Register On : 09/07/2022 9:04 AM

Report On

SID No. : 522220890

Collection On : 09/07/2022 10:43 AM

Age / Sex : 44 Year(s) / Male

: 09/07/2022 4:46 PM

Type : OP


Printed On : 11/07/2022 3:05 PM

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	Biological Reference Interval
Monocytes (Blood)	5.76	-9 %	01 - 10
Basophils (Blood)	0.14	%	00 - 02
(Blood) INTERPRETATION: Tests done on Automated Fiv	ve Part cell counter. All	abnormal results are rev	iewed and confirmed microscopicarry.
Absolute Neutrophil count	3.20	10^3 / μΙ	1.5 - 0.0
Absolute Lymphocyte Count (EDTA Blood)	2.09	10^3 / μ1	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.26	10^3 / μl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.34	10^3 / μl	< 1.0
Absolute Basophil count	0.01	10^3 / μl	< 0.2
Platelet Count	211.0	10^3 / μ1	150 - 450
(EDTA Blood) MPV	7.24	T	7.9 - 13.7
PCT	0.15	%	0.18 - 0.28
(Automated Blood cell Counter) ESR (Erythrocyte Sedimentation Rate) (Citrated Blood)	12	mm/hr	< 15
(Cinaira Dive)			



VERIFIED BY



APPROVED BY

The results pertain to sample tested.

Page 2 of 12





: MED121189283 PID No.

Register On : 09/07/2022 9:04 AM

Report On

: 522220890 SID No.

Collection On : 09/07/2022 10:43 AM

Age / Sex : 44 Year(s) / Male

: 09/07/2022 4:46 PM

Type

: OP


: 11/07/2022 3:05 PM **Printed On**

: MediWheel Ref. Dr

Investigation	Observed Value	<u>Unit</u>	Biological Reference Interval
BIOCHEMISTRY			
Liver Function Test			
Bilirubin(Total) (Serum/DCA with ATCS)	1.44	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.39	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	1.05	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/Modified IFCC)	19.05	-Æ/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/Modified IFCC)	9.80	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	20.71	U/L	< 55
Alkaline Phosphatase (SAP) (Serum/Modified IFCC)	70.2	U/L	53 - 128
Total Protein (Serum/Biuret)	7.69	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.40	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	3.29	gm/dL	2.3 - 3.6
A : G RATIO (Scrum/Derived)	1.34		1.1 - 2.2
American Maria Mar			



VERIFIED BY



APPROVED BY

The results pertain to sample tested.

Page 3 of 12





Name : Mr. PRASANNA K S

MED121189283 PID No.

Register On : 09/07/2022 9:04 AM

: 522220890 SID No.

: 09/07/2022 10:43 AM Collection On Report On

: 44 Year(s)/ Male Age / Sex

: 09/07/2022 4:46 PM

: OP Type Ref. Dr : MediWheel

: 11/07/2022 3:05 PM **Printed On**


Investigation	Observed Value	<u>Unit</u>	Biological Reference Interval
Lipid Profile			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	147.12	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	68.61	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the "usual" circulating level of triglycerides during most

46.99		
40.77	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
86.4	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
13.7	mg/dL	< 30
100.1	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220
	86.4	86.4 mg/dL 13.7 mg/dL



VERIFIED BY



APPROVED BY

The results pertain to sample tested.

Page 4 of 12





: Mr. PRASANNA K S

PID No.

: MED121189283

Register On : 09/07/2022 9:04 AM

SID No.

: 522220890

Collection On : 09/07/2022 10:43 AM

Age / Sex

: 44 Year(s)/ Male

Report On

: 09/07/2022 4:46 PM

Type

: OP

Printed On

: 11/07/2022 3:05 PM

Ref. Dr

: MediWheel

Investigation	Observed	Unit	Biological
	Value		Reference Interval

INTERPRETATION: 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol.

2. It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio

(Serum/Calculated)

3.1

Optimal: < 3.3

Low Risk: 3.4 - 4.4

Average Risk: 4.5 - 7.1

Moderate Risk: 7.2 - 11.0

High Risk: > 11.0

Triglyceride/HDL Cholesterol Ratio

(TG/HDL)

1.5

Optimal: < 2.5

Mild to moderate risk: 2.5 - 5.0

High Risk: > 5.0

LDL/HDL Cholesterol Ratio

(Serum/Calculated)

(Serum/Calculated)


1.8

Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0

High Risk: > 6.0



VERIFIED BY



APPROVED BY

The results pertain to sample tested.

Page 5 of 12





Name : Mr. PRASANNA K S

PID No. : MED121189283

Register On : 09/07/2022 9:04 AM SID No. : 522220890 Collection On : 09/07/2022 10:43 AM

Age / Sex : 44 Year(s) / Male Report On 09/07/2022 4:46 PM

Ref. Dr : MediWheel

Type

: OP

Investigation	Observed Value	Unit	Biological Reference Interval
Glycosylated Haemoglobin (HbA1c)	ACT ACT OF		
HbA1C (Whole Blood/HPLC)	5.9	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Printed On

Estimated Average Glucose

(Whole Blood)

122.63

mg/dL

: 11/07/2022 3:05 PM

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbAlC values. Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.



VERIFIED BY

DR SHAMIM JAVED MD PATHOLOGY KMC 88902

APPROVED BY

The results pertain to sample tested.

Page 6 of 12





PID No. : MED121189283

Register On : 09/07/2022 9:04 AM

: 522220890 SID No. Collection On : 09/07/2022 10:43 AM

Age / Sex : 44 Year(s) / Male

Report On 09/07/2022 4:46 PM

Type

: OP

Printed On

: 11/07/2022 3:05 PM

Ref. Dr : MediWheel

Investigation	Observed Unit	Biological
	Value	Reference Interval

IMMUNOASSAY

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total

0.904 ng/ml 0.7 - 2.04

(Serum/ECLIA)

INTERPRETATION:

Comment:

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Tyroxine) - Total

4.87

µg/dl

4.2 - 12.0

(Serum/ECLIA)

INTERPRETATION:

Comment:

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone)

7.53

HIU/mL

0.35 - 5.50

(Serum/ECLIA)

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5

2 nd trimester 0.2-3.0

3 rd trimester: 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment:

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.

2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.

3. Values&lt,0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.




VERIFIED BY



APPROVED BY

The results pertain to sample tested.

Page 7 of 12





: MED121189283 PID No.

: 522220890 SID No.

Register On : 09/07/2022 9:04 AM

: 44 Year(s)/ Male

Collection On : 09/07/2022 10:43 AM

Age / Sex Type

09/07/2022 4:46 PM 11/07/2022 3:05 PM

Ref. Dr : MediWheel

: OP

Investigation	Observed	Unit	Biological
	Value		Reference Interval

Report On

Printed On

CLINICAL PATHOLOGY

PHYSICAL EXAMINATION (URINE COMPLETE)

Colour	Pale Yellow	Yellow to Amber
(Urine)		

A CONTRACTOR OF THE PROPERTY O		
Appearance	Clear	Clear
(Urine)		

Volume(CLU)	20

(Urine)

CHEMICAL EXAMINATION (URINE COMPLETE)

pН		6.5	4.5 - 8.0
(Urine)			

Specific Gravity	1.004	1.002 - 1.035

(Urine)

Negative Ketone Negative

(Urine)

Urobilinogen Normal Normal

(Urine)

Blood Negative Negative (Urine)


Negative Nitrite Negative

(Urine) Negative Bilirubin Negative

(Urine) Protein Negative Negative (Urine)



VERIFIED BY



APPROVED BY

The results pertain to sample tested.

Page 8 of 12





: Mr. PRASANNA K S

PID No.

: MED121189283

Register On : 09/07/2022 9:04 AM

SID No.

: 522220890

Collection On : 09/07/2022 10:43 AM

Age / Sex

: 44 Year(s)/ Male

Report On : 09/07/2022 4:46 PM

Туре

: OP

Printed On

: 11/07/2022 3:05 PM

Ref. Dr

: MediWheel

Investigation	Observed Unit	Biological
-	Value	Reference Interval
Glucose	Negative	Negative

(Urine/GOD - POD)

Leukocytes(CP)

Negative

(Urine)

MICROSCOPIC EXAMINATION (URINE COMPLETE)

Pus Cells		0-1	/hpf	NIL
rus Celis		0-1	/npi	IVIL

(Urine)

Epithelial Cells 0-1 /hpf

NIL

(Urine)

RBCs NIL /HPF NIL

(Urine)

Others

(Urine)

INTERPRETATION: Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.



VERIFIED BY



APPROVED BY

The results pertain to sample tested.

Page 9 of 12





: Mr. PRASANNA K S

PID No.

: MED121189283

: 09/07/2022 9:04 AM Register On

SID No.

: 522220890

Collection On : 09/07/2022 10:43 AM

Age / Sex : 44 Year(s) / Male

Report On

09/07/2022-4:46 PM

Type

: OP

Printed On

: 11/07/2022 3:05 PM

Ref. Dr

Investigation

: MediWheel

Observed Value

Unit

Biological Reference Interval

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING

'O' 'Negative'

(EDTA Blood/Agglutination)

INTERPRETATION: Note: Slide method is screening method. Kindly confirm with Tube method for transfusion.

Remark: Gel card method is suggested for confirmation.



VERIFIED BY



APPROVED BY

The results pertain to sample tested.

Page 10 of 12





: MED121189283 PID No.

Register On 09/07/2022 9:04 AM

Report On

: 522220890 SID No.

Collection On 09/07/2022 10:43 AM

Age / Sex : 44 Year(s) / Male

09/07/2022 4:46 PM

Ref. Dr : MediWheel

Type : OP **Printed On** 11/07/2022 3:05 PM

Investigation	Observed Value	Unit	Biological Reference Interval
BIOCHEMISTRY			
BUN / Creatinine Ratio	8.3	nac become	6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	97.63	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Negative Negative Glucose, Fasting (Urine) (Urine - F/GOD - POD)

70 - 140 74.69 mg/dL Glucose Postprandial (PPBS)

(Plasma - PP/GOD-PAP)

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti-diabetic medication during treatment for Diabetes.

Urine Glucose(PP-2 hours) (Urine - PP)	Negative	Negative
Blood Urea Nitrogen (BUN) (Scrum/Urease UV / derived)	8.3 mg/dL	7.0 - 21
Creatinine (Serum/Modified Jaffe)	0.99 mg/dL	0.9 - 1.3

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists, N-acetylcyteine , chemotherapeutic agent such as flucytosine

3.5 - 7.2Uric Acid 4.27 mg/dL (Serum/Enzymatic)

VERIFIED BY

MD PATHOLOGY KMC 88902

APPROVED BY

The results pertain to sample tested.

Page 11 of 12





: Mr. PRASANNA K S

PID No.

: MED121189283

Register On

: 09/07/2022 9:04 AM

SID No.

: 522220890

Collection On : 09/07/2022 10:43 AM

Age / Sex : 44 Year(s) / Male

: OP

Report On **Printed On**

: 09/07/2022 4:46 PM : 11/07/2022 3:05 PM

Type Ref. Dr

: MediWheel

Investigation	Observed	Unit	Biological
	Value		Reference Interval

IMMUNOASSAY

Prostate specific antigen - Total(PSA) (Serum/Manometric method)

0.849

ng/ml

Normal: 0.0 - 4.0 Inflammatory & Non Malignant conditions of Prostate & genitourinary system: 4.01 - 10.0 Suspicious of Malignant disease of Prostate: > 10.0



VERIFIED BY



APPROVED BY

-- End of Report --

The results pertain to sample tested.

Page 12 of 12





Physical Fitness Certificate

I, Dr. Yogest	after personal
examination of the case do hereby certify that	
Mr/Ms/Mrs PRASANNA KS	is
found physically FIT/ UNFIT to work.	
Please tick the below box (✓)	
FIT	
UNFIT	
If Unfit – Please mention the reasons below	
Date: 9/7/22 Doctor Seal	with Signature:

Dr. YOGESH. M. M.D.B.S., M.D. KMC, Reg. No. 57790

44 Years , Prasanna K S ID: 121189283 QRS: QT / QTcBaz: PR: P/QRS/T Male Vital Signs™ 226 166 05 86 ms 396 / 388 ms 146 ms 68 ms 1038 / 1034 ms 102 / 65 / 50 degrees laVL aVR 09.07.2022 11:21:52 CLUMAX DIAGNOSTICS VYALIKAVAL BANGALORE Sinus bradycardia Otherwise normal ECG 5 5 5 Unconfirmed 0.56-20 Hz 50 Hz 4x2.5x3_25_R1 Technician: Suguna
Ordering Ph:
Referring Ph: Mediwel
Attending Ph: € 0537 58 bpm -/- mmHg

GE MAC2000 1.1

12SL™ v241

25 mm/s 10 mm/mV

ADS

=



Name	PRASANNA K S	Customer ID	MED121189283
Age & Gender	44Y/M	Visit Date	Jul 9 2022 9:02AM
Ref Doctor	MediWheel		

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

IMPRESSION:

· No significant abnormality detected.

DR.HEMANANDHINI

CONSULTANT RADIOLOGIST



Customer Name	MR.PRASANNA K S	Customer ID	MED121189283
Age & Gender	44Y/MALE	Visit Date	09/07/2022
Ref Doctor	MediWheel		



2D ECHOCARDIOGRAPHIC STUDY

M-mode measurement:

AORTA : 2.43 cms.

LEFT ATRIUM : 2.24 cms.

AVS : 1.47 cms.

LEFT VENTRICLE

(DIASTOLE) : 3.51 cms.

(SYSTOLE) : 2.66 cms.

VENTRICULAR SEPTUM

(DIASTOLE) : 0.69 cms.

(SYSTOLE) : 1.00 cms.

POSTERIOR WALL

(DIASTOLE) : 1.31 cms. (SYSTOLE) : 1.35 cms.

(SYSTOLE) : 1.35 cms EDV : 51 ml.

ESV : 26 ml.

FRACTIONAL SHORTENING : 24 %

EJECTION FRACTION : 60 %

EPSS : --- cms.

RVID : 1.80 cms.

DOPPLER MEASUREMENTS:

MITRAL VALVE: $E - 0.8 \,\text{m/s}$ $A - 0.6 \,\text{m/s}$ NO MR.

AORTIC VALVE: 1.1 m/s NO AR.

TRICUSPID VALVE: E - 0.4 m/s A - 0.3 m/s MILD TR.PASP-18mmHg

PULMONARY VALVE: 0.8 m/s NO PR.



Customer Name	MR.PRASANNA K S	Customer ID	MED121189283
Age & Gender	44Y/MALE	Visit Date	09/07/2022
Ref Doctor	MediWheel		



2D ECHOCARDIOGRAPHY FINDINGS:

Left Ventricle

Normal size, Normal systolic function.

No regional wall motion abnormalities.

Left Atrium

Right Ventricle

Normal.

Normal.

Right Atrium

.

Normal.

Mitral Valve

Normal. No mitral valve prolapsed.

Aortic Valve

Tricuspid Valve

.

Normal.

Normal.Trileaflet.

Pulmonary Valve

Normal.

IAS

.

Intact.

IVS

Intact.

Pericardium

.

No pericardial effusion.

IMPRESSION:

- NORMAL SIZED CARDIAC CHAMBERS.
- NORMAL LV SYSTOLIC FUNCTION. EF: 60 %.
- NO REGIONAL WALL MOTION ABNORMALITIES.
- MILD TR, PASP 18mmHg.
- NORMAL VALVES.
- NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.


DR. YASHODA RAVI CONSULTANT CARDIOLOGIST





CLUMAX DIAGNOSTICS 2nd Main,Bashyam Circle,Vyalikaval ,Bangalore-560003





Customer Name	MR.PRASANNA K S	Customer ID	MED121189283
Age & Gender	44Y/MALE	Visit Date	09/07/2022
Ref Doctor	MediWheel		- Ma
















Customer Name	MR.PRASANNA K S	Customer ID	MED121189283
Age & Gender	44Y/MALE	Visit Date	09/07/2022
Ref Doctor	MediWheel		



ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in shape, size (11.5 cm) and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER is partially distended.

CBD is not dilated.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN shows normal shape, size (8.6 cm) and echopattern.

No demonstrable Para-aortic lymphadenopathy.

KIDNEYS

Right kidney: Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

Left kidney: Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

	Bipolar length (cm)	Parenchymal thickness (cm)	
Right Kidney	9.6	1.2	
Left Kidney	10.3	1.7	

URINARY BLADDER shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

PROSTATE shows normal shape, size and echopattern. It measures 2.9 x 2.9 x 3.8 cm volume: 16.5cc. No evidence of ascites.

IMPRESSION:

· No significant abnormality detected.

DR. HEMANANDINI V.N

CONSULTANT RADIOLOGIST

Hn/mj



CLUMAX DIAGNOSTICS 2nd Main,Bashyam Circle,Vyalikaval ,Bangalore-560003



Customer Name	MR.PRASANNA K S	Customer ID	MED121189283
Age & Gender	44Y/MALE	Visit Date	09/07/2022
Pof Doctor	MediWheel		





