

covid status of the patient examined

NAME: Mr. Manchast. H. D
AGE/GENDER: 32 you 1 male
неіднт: <u>168ст</u> Wеіднт: <u>76.3</u> юд
IDENTIFICATION MARK:
BLOOD PRESSURE: 130/80 mmtg
PULSE: 80 6 M
cvs: 2 normal
RS:P
ANY OTHER DISEASE DIAGNOSED IN THE PAST: NI
ALLERGIES, IF ANY:
LIST OF PRESCRIBED MEDICINES:
ANY OTHER REMARKS: NO
I Certify that I have carefully examined Mr/Mrs. mancha. H.M son/daughter
of Mar A lateral muchy who has signed in my presence. He/ she has no physical disease and is fit for employment.
Dr. BINDURAJ. R
Signature of candidate Signature of Medical Officer
Place: Spectrum piagnostics & health can Reg No. 62306
Date: 07/09/24
Disclaimer: The patient has not been checked for COVID. This certificate does not relate to the

0:15-35Hz AC50 25mi		J B C C C C C C C C C C		Male 32Years	MR MANOHAR H N
m/s 10mm/mV 2*5.0s •91 V2.2			And the second s	P : 102 ms PR : 140 ms QRS : 99 ms QT/QTc : 360/444 ms P/QRS/T : 62/58/17 ° RV5/SV1 : 0.796/0.315 mV	07-09-2024 13:00:33 HR : 91 bpm
0.15-35Hz AC50 25mm/s 10mm/mV 2*5.0s \P91 \V2.2 \SEMIP \V1.81 \SPECTRUM DIAGNOSTICS & HEALTH CARE	## ## ## ## ## ## ## ## ## ## ## ## ##			Sinus Arrhythmia Flat T Wave(V6) Report Confirmed by:	or BPL Diagnosis Information:
STICS & HEALTH CARE				BENGAUPRU (A)	





Age / Gender : 32 Years / Male

Ref. By Dr. : Dr. APOLO CLINIC

Reg. No. : 0709240013

Test Name

C/o : Apollo Clinic **Bill Date** : 07-Sep-2024 10:26 AM

Sample Col. Date: 07-Sep-2024 10:26 AM

Method

Result Date : 07-Sep-2024 01:56 PM Report Status : Final

CHEST PA VIEW

Result

UHID

Unit

: 0709240013

Reference Value

0709240013

· Visualised lungs are clear.

- · Bilateral hila appears normal.
- · Cardia is normal in size.
- · No pleural effusion.

IMPRESSION: No significant abnormality.



Printed By

: Jayanth

Printed On

: 07 Sep, 2024 03:19 pm

Dr RIKHIT MAGANLAL,MBBS,MDRD,CONSULTANT

RADIOLOGIST



Tejas Arcade, #9/1, 1st Main Road, Dr. Rajkumar Road, Rajajinagar, Opp. St. Theresa Hospital, Bengaluru - 560010 +91 77604 97644 | 080 2337 1555 info@spectrumdiagnostics.org





Age / Gender : 32 Years / Male

Ref. By Dr. : Dr. APOLO CLINIC

Reg. No. : 0709240013

C/o : Apollo Clinic **Bill Date** : 07-Sep-2024 10:26 AM

Sample Col. Date: 07-Sep-2024 10:26 AM **Result Date** : 07-Sep-2024 01:44 PM

Report Status : Final

Test Name	Result	Unit	Reference Value	Method
Fasting Blood Sugar (FBS)- Plasma	93	mg/dL	60.0-110.0	Hexo Kinase

0709240013

: 0709240013

Comments: Glucose, also called dextrose, one of a group of carbohydrates known as simple sugars (monosaccharides). Glucose has the molecular formula C₆H₁₂O₆. It is found in fruits and honey and is the major free sugar circulating in the blood of higher animals. It is the source of energy in cell function, and the regulation of its metabolism is of great importance (fermentation; gluconeogenesis). Molecules of starch, the major energy-reserve carbohydrate of plants, consist of thousands of linear glucose units. Another major compound composed of glucose is cellulose, which is also linear. Dextrose is the molecule D-glucose. Blood sugar, or glucose, is the main sugar found in the blood. It comes from the food you eat, and it is body's main source of energy. The blood carries glucose to all of the body's cells to use for energy. Diabetes is a disease in which your blood sugar levels are too high.Usage: Glucose determinations are useful in the detection and management of Diabetes mellitus.

Note: Additional tests available for Diabetic control are Glycated Hemoglobin (HbA1c), Fructosamine & Microalbumin urine

UHID

Comments: Conditions which can lead to lower postprandial glucose levels as compared to fasting glucose are excessive insulin release, rapid gastric emptying & brisk glucose absorption.

Probable causes: Early Type II Diabetes / Glucose intolerance, Drugs like Salicylates, Beta blockers, Pentamidine etc., Alcohol , Dietary - Intake of excessive carbohydrates and foods with high glycemic index? Exercise in between samples? Family history of Diabetes, Idiopathic, Partial / Total Gastrectomy.

Alanine Aminotransferase

(ALT/SGPT)-Serum

39.00

U/L

Male:16.0-63.0

UV with Pyridoxal -

Female: 14.0-59.0

5 - Phosphate

Comments: Alanine Aminotransferase (ALT/SGPT) is an enzyme found mainly in liver tissue and to a lesser extent in heart, kidney and skeletar muscle. It's measurement is clinically useful in the diagnosis of liver and biliary disease. Normal ranges in Adult male: <45 and Adult female: <34 U/L.

Bilirubin Total-Serum

1.24

mg/dL

0.2 - 1.0

Caffeine

Benzoate

Comments: Bilirubin is a yellowish waste product of red cell breakdown in the blood. High levels in the blood indicate inability of the liver to excrete bilirubin leading to jaundice.

Normal ranges in premature: Cord:<2.0,0-1 Day:1.0-8.0,1-2 Days:6.0-12.0,3-5 Days:10.0-14.0. Normal ranges in full term: Cord: <2.0,0-1 Day:2.0-6.0,1-2 Days:6.0-10.0,3-5 Days:4.0-8.0.Adult :0.0-2.0.

Creatinine, Serum

0.81

mg/dL

Male: 0.70-1.30


Modified

kinetic Jaffe

Female: 0.55-1.02



Tejas Arcade, #9/1, 1st Main Road, Dr. Rajkumar Road, Rajajinagar, Opp. St. Theresa Hospital, Bengaluru $rac{P}{250}$ 000 +91 77604 97644 | 080 2337 1555 info@spectrumdiagnostics.org







Age / Gender : 32 Years / Male

Ref. By Dr. : Dr. APOLO CLINIC

Reg. No. : 0709240013 C/o : Apollo Clinic **Bill Date** : 07-Sep-2024 10:26 AM

Sample Col. Date: 07-Sep-2024 10:26 AM **Result Date** : 07-Sep-2024 01:44 PM

Report Status

: Final

Test Name Result Unit Reference Value Method

UHID

Comments: Creatinine is the product of creatine metabolism. Creatinine is a chemical compound left over from energy-producing processes in your muscles. Healthy kidneys filter creatinine out of the blood. Creatinine exits your body as a waste product in urine It is a measure of renal function and elevated levels are observed in patients typically with 50% or greater impairment of renal function.

Blood Urea Nitrogen (BUN)-Serum

9.50

mg/dL

7.0 - 18.0

: 0709240013

GLDH, Kinetic

Assay

Comments: Blood urea nitrogen (BUN) or serum urea nitrogen is the end product of the hepatic detoxification of ammonia. It is this parameter that is sometimes also used to assess liver function. Urea nitrogen concentration in blood may decrease with impaired conversion of ammonia to urea by the liver. Low serum urea concentrations are, however, not specific for liver disease. Low urea nitrogen concentration is also seen in anorectic patients consuming less protein. In ruminants that are anorectic or on a low-protein diet, rumen microbes recur to Blood urea nitrogen as a nitrogen source for their own protein synthesis, decreasing the Blood urea nitrogen concentration. It is one of the oldest prognostic biomarkers in heart failure. Urea is formed by the liver and carried by the blood to the kidneys for excretion. Diseased or damaged kidneys cause Blood urea nitrogen to accumulate in the blood as glomerular filtration rate (GFR) drops. Conditions such as shock, heart failure, a high protein diet, and bleeding into the gastrointestinal tract can cause Blood urea nitrogen elevations.

Usage: Urea nitrogen is a renal function test that is often interpreted with creatinine. It is useful when measured before and after dialysis treatments.



Printed By

: Jayanth

Printed On

: 07 Sep, 2024 03:19 pm

Dr. Nithun Reddy C,MD,Consultant Pathologist







Age / Gender : 32 Years / Male

Ref. By Dr. : Dr. APOLO CLINIC

Reg. No. : 0709240013

C/o : Apollo Clinic Bill Date : 07-Sep-2024 10:26 AM

Sample Col. Date: 07-Sep-2024 10:26 AM

Result Date : 07-Sep-2024 02:32 PM

Report Status : Final

Test Name	Result	Unit	Reference Value	Method
Urine Routine Examinati	on-Urine			
Physical Examination				
Colour	Pale Yellow		Pale Yellow	Visual
Appearance	Clear		Clear	Visual
Reaction (pH)	5.5		5.0-7.5	Dipstick
Specific Gravity	1.025		1.000-1.030	Dipstick
Biochemical Examinatio	n			
Albumin	Negative		Negative	Dipstick/Precipitation
Glucose	Negative		Negative	Dipstick/Benedicts
Bilirubin	Negative		Negative	Dipstick/Fouchets
Ketone Bodies	Negative		Negative	Dipstick/Rotheras
Urobilinogen	Normal		Normal	Dipstick/Ehrlichs
Nitrite	Negative		Negative	Dipstick
Microscopic Examination	n			1
Pus Cells	1-2	hpf	0.0-5.0	Microscopy
Epithelial Cells	2-3	hpf	0.0-10.0	Microscopy
RBCs	Absent	hpf	Absent	Microscopy
Casts	Absent		Absent	Microscopy
Crystals	Absent		Absent	Microscopy
Others	Absent		Absent	Microscopy

: 0709240013

0709240013

Comments: The kidneys help infiltration of the blood by eliminating waste out of the body through urine. They also regulate water in the body by conserving electrolytes, proteins, and other compounds. But due to some conditions and abnormalities in kidney function, the urine may encompass some abnormal constituents, which are not normally present. A complete urine examination helps in detecting such abnormal constituents in urine. Several disorders can be detected by identifying and measuring the levels of such substances. Blood cells, bilirubin, bacteria, pus cells, epithelial cells may be present in urine due to kidney disease or infection. Routine urine examination helps to diagnose kidney diseases, urinary tract infections, diabetes and other metabolic disorders.



Printed By : Jayanth

Printed On : 07 Sep, 2024 03:19 pm

Dr. Nithun Reddy C,MD,Consultant Pathologist



Tejas Arcade, #9/1, 1st Main Road, Dr. Rajkumar Road, Rajajinagar, Opp. St. Theresa Hospital, Bengaluru - 550010 www.spectrumdiagnostics.org





Age / Gender : 32 Years / Male

Ref. By Dr. : Dr. APOLO CLINIC

Reg. No. : 0709240013 C/o : Apollo Clinic **Bill Date**

: 07-Sep-2024 10:26 AM

Sample Col. Date: 07-Sep-2024 10:26 AM

Result Date : 07-Sep-2024 02:32 PM Report Status

: Final

Test Name	Result	Unit	Reference Value	Method	
Post prandial Blood Glucose (PPBS)-Plasma	127	mg/dL	70-140	Hexo Kinase	7

: 0709240013

Comments: Glucose, also called dextrose, one of a group of carbohydrates known as simple sugars (monosaccharides). Glucose has the molecular formula C₆H₁₂O₆. It is found in fruits and honey and is the major free sugar circulating in the blood of higher animals. It is the source of energy in cell function, and the regulation of its metabolism is of great importance (fermentation; gluconeogenesis). Molecules of starch, the major energy-reserve carbohydrate of plants, consist of thousands of linear glucose units. Another major compound composed of glucose is cellulose, which is also linear. Dextrose is the molecule D-glucose. Blood sugar, or glucose, is the main sugar found in the blood. It comes from the food you eat, and it is body's main source of energy. The blood carries glucose to all of the body's cells to use for energy. Diabetes is a disease in which your blood sugar levels are too high. Usage: Glucose determinations are useful in the detection and management of Diabetes mellitus.

Note: Additional tests available for Diabetic control are Glycated Hemoglobin (HbA1c), Fructosamine & Microalbumin urine

UHID

Comments: Conditions which can lead to lower postprandial glucose levels as compared to fasting glucose are excessive insulin release, rapid gastric emptying & brisk glucose absorption.

Probable causes: Early Type II Diabetes / Glucose intolerance, Drugs like Salicylates, Beta blockers, Pentamidine etc., Alcohol , Dietary - Intake of excessive carbohydrates and foods with high glycemic index? Exercise in between samples? Family history of Diabetes, Idiopathic, Partial / Total Gastrectomy.



Printed By : Jayanth

Printed On : 07 Sep, 2024 03:19 pm

Dr. Nithun Reddy C,MD,Consultant Pathologist

www.spectrumdiagnostics.org







Age / Gender : 32 Years / Male

Ref. By Dr. : Dr. APOLO CLINIC

Reg. No. : 0709240013

C/o : Apollo Clinic **Bill Date** : 07-Sep-2024 10:26 AM

Sample Col. Date: 07-Sep-2024 10:26 AM **Result Date**

: 07-Sep-2024 02:32 PM

Report Status : Final

Test Name	Result	Unit	Reference Value	Method
Blood Group & Rh Typ	oing-Whole Blood EDT	CA.		
Blood Group	A			Slide/Tube agglutination
Rh Type	Positive			Slide/Tube agglutination

0709240013

: 0709240013

UHID

Note: Confirm by tube or gel method.

Comments: ABO blood group system, the classification of human blood based on the inherited properties of red blood cells (erythrocytes) as determined by the presence or absence of the antigens A and B, which are carried on the surface of the red cells. Persons may thus have type A, type B, type O, or type AB blood.

Complete Haemogram-Whole B	lood EDTA			
Haemoglobin (HB)	15.60	g/dL	Male: 14.0-17.0 Female:12.0-15.0 Newborn:16.50 - 19.50	Spectrophotmeter
Red Blood Cell (RBC)	5.02	million/cun	nm3.50 - 5.50	Volumetric Impedance
Packed Cell Volume (PCV)	44.90	%	Male: 42.0-51.0 Female: 36.0-45.0	Electronic Pulse
Mean corpuscular volume (MCV)	89.40	fL	78.0- 94.0	Calculated
Mean corpuscular hemoglobin (MCH)	31.00	pg	27.50-32.20	Calculated
Mean corpuscular hemoglobin concentration (MCHC)	34.70	%	33.00-35.50	Calculated
Red Blood Cell Distribution Width SD (RDW-SD)	39.20	fL	40.0-55.0	Volumetric Impedance
Red Blood Cell Distribution CV (RDW-CV)	14.40	%	Male: 11.80-14.50 Female:12.20-16.10	Volumetric Impedance
Mean Platelet Volume (MPV)	9.30	fL	8.0-15.0	Volumetric Impedance
Platelet	2.82	lakh/cumm	1.50-4.50	Volumetric
Platelet Distribution Width (PDW)	8.90	%	8.30 - 56.60	Impedance Volumetric Impedance



Tejas Arcade, #9/1, 1st Main Road, Dr. Rajkumar Road, Rajajinagar, Opp. St. Theresa Hospital, Bengaluru Page 5000 +91 77604 97644 | 080 2337 1555 info@spectrumdiagnostics.org www.spectrumdiagnostics.org





Age / Gender : 32 Years / Male

Ref. By Dr. : Dr. APOLO CLINIC

Reg. No. : 0709240013 C/o : Apollo Clinic UHID : 0709240013

> 0709240013

: 07-Sep-2024 10:26 AM **Bill Date**

Sample Col. Date: 07-Sep-2024 10:26 AM Result Date : 07-Sep-2024 02:32 PM

Report Status : Final

Test Name	Result	Unit	Reference Value	Method
White Blood cell Count (WBC)	8280.00	cells/cumm	Male: 4000-11000 Female 4000-11000 Children: 6000-17500 Infants: 9000-30000	Volumetric Impedance
Neutrophils	59.90	%	40.0-75.0	Light scattering/Manual
Lymphocytes	35.20	%	20.0-40.0	Light scattering/Manual
Eosinophils	0.70	%	0.8-0.0	Light scattering/Manual
Monocytes	4.20	%	0.0-10.0	Light scattering/Manual
Basophils	0.00	%	0.0-1.0	Light scattering/Manual
Absolute Neutrophil Count	4.96	10^3/uL	2.0- 7.0	Calculated
Absolute Lymphocyte Count	2.91	10^3/uL	1.0-3.0	Calculated
Absolute Monocyte Count	0.35	10^3/uL	0.20-1.00	Calculated
Absolute Eosinophil Count	60.00	cells/cumm	40-440	Calculated
Absolute Basophil Count	0.00	10^3/uL	0.0-0.10	Calculated
Erythrocyte Sedimentation Rate (ESR)	02	mm/hr	Female: 0.0-20.0 Male: 0.0-10.0	Westergren

Peripheral Smear Examination-Whole Blood EDTA

Method: (Microscopy-Manual)

RBC'S : Normocytic Normochromic.

: Are normal in total number, morphology and distribution. WBC'S

Platelets : Adequate in number and normal in morphology.

No abnormal cells or hemoparasites are present.

Impression: Normocytic Normochromic Blood picture.

Printed By : Jayanth

Printed On : 07 Sep, 2024 03:19 pm

Dr. Nithun Reddy C,MD,Consultant Pathologist

Tejas Arcade, #9/1, 1st Main Road, Dr. Rajkumar Road, Rajajinagar, Opp. St. Theresa Hospital, Bengaluru – 550010 www.spectrumdiagnostics.org



