

info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

Date 19/09/2021		Srl No. 19		Patient Id 2109190019	
Name Ref. By Di	Mrs. NEHA KUMARI :BOB	Age	33 Yrs.	Sex	F
Test Name		Value	Unit	Normal Val	ue
	<u>H</u> /	AEMATC	LOGY		
HB A1C		7.2	%		
<u>EXPECTE</u>	D VALUES :-				
REMARKS	Metabolicaly healthy patients Good Control Fair Control Poor Control	= 5. = 6.	8 - 5.5 % HbAIC 5 - 6.8 % HbAIC 8-8.2 % HbAIC .2 % HbAIC		
	<u>antitative determination of HbAIC i</u>	in whole bloo	od is utilized in long t	erm monitoring of	glycemia

The **HbAIC** level correlates with the mean glucose concentration prevailing in the course of the patient's recent history (approx - 6-8 weeks) and therefore provides much more reliable information for glycemia monitoring than do determinations of blood glucose or urinary glucose.

It is recommended that the determination of **HbAIC** be performed at intervals of 4-6 weeksduring Diabetes

Mellitus therapy.

www.busysoft.in

Results of **HbAIC** should be assessed in conjunction with the patient's medical history, clinical examinations and other findings.

**** End Of Report ****

Dr.R.B.RAMAN MBBS, MD CONSULTANT PATHOLOGIST



www.busysoft.in

info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

Date 19/09/2021 Name Mrs. NEHA KUMARI Ref. By Dr.BOB	Srl No. Age	19 33 Yrs.	Patient Id 2109190019 Sex F
Test Name	Value	Unit	Normal Value
COMPLETE BLOOD COUNT (CBC)			
HAEMOGLOBIN (Hb)	11.8	gm/dl	11.5 - 16.5
TOTAL LEUCOCYTE COUNT (TLC)	6,400	/cumm	4000 - 11000
DIFFERENTIAL LEUCOCYTE COUNT (D	LC)		
NEUTROPHIL	67	%	40 - 75
LYMPHOCYTE	28	%	20 - 45
EOSINOPHIL	02	%	01 - 06
MONOCYTE	03	%	02 - 10
BASOPHIL	00	%	0 - 0
ESR (WESTEGREN`s METHOD)	13	mm/lst hr.	0 - 20
R B C COUNT	3.97	Millions/cmm	3.8 - 4.8
P.C.V / HAEMATOCRIT	35.4	%	35 - 45
MCV	89.17	fl.	80 - 100
MCH	29.72	Picogram	27.0 - 31.0
МСНС	33.3	gm/dl	33 - 37
PLATELET COUNT	2.54	Lakh/cmm	1.50 - 4.00
BLOOD GROUP ABO	"B"		
RH TYPING	POSITIVE		

**** End Of Report ****

Dr.R.B.RAMAN MBBS, MD **CONSULTANT PATHOLOGIST**



🗵 info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

Date 19/09/2021 Name Mrs. NEHA KUMARI	Srl No Age	o. 19 33 Yrs.	Patient Id 2109190019 Sex F
Ref. By Dr.BOB			
Test Name	Value	Unit	Normal Value
	BIOCHEM	<u>ISTRY</u>	
BLOOD SUGAR FASTING	225.9	mg/dl	70 - 110
SERUM CREATININE	0.68	mg%	0.5 - 1.3
BLOOD UREA	24.7	mg /dl	15.0 - 45.0
SERUM URIC ACID	4.9	mg%	2.5 - 6.0
LIVER FUNCTION TEST (LFT)			
BILIRUBIN TOTAL	0.50	mg/dl	0 - 1.0
CONJUGATED (D. Bilirubin)	0.16	mg/dl	0.00 - 0.40
UNCONJUGATED (I.D.Bilirubin)	0.34	mg/dl	0.00 - 0.70
TOTAL PROTEIN	6.9	gm/dl	6.6 - 8.3
ALBUMIN	3.8	gm/dl	3.4 - 4.8
GLOBULIN	3.1	gm/dl	2.3 - 3.5
A/G RATIO	1.226		
SGOT	27.5	IU/L	5 - 35
SGPT	26.6	IU/L	5.0 - 45.0
ALKALINE PHOSPHATASE IFCC Method	94.5	U/L	35.0 - 104.0
GAMMA GT	25.4	IU/L	6.0 - 42.0
LFT INTERPRET			
LIPID PROFILE			
TRIGLYCERIDES	86.3	mg/dL	40.0 - 165.0
TOTAL CHOLESTEROL	191.3	mg/dL	123.0 - 199.0



🗵 info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

Date 19/09/2021 Name Mrs. NEHA KUMARI Ref. By Dr.BOB	Srl No. Age	19 33 Yrs.	Patient Id 210919001 Sex F	
Test Name	Value	Unit	Normal Value	
H D L CHOLESTEROL DIRECT	44.7	mg/dL	40.0 - 79.4	
VLDL	17.26	mg/dL	4.7 - 22.1	
L D L CHOLESTEROL DIRECT	129.34	mg/dL	63.0 - 129.0	
TOTAL CHOLESTEROL/HDL RATIO	4.28		0.0 - 4.97	
LDL / HDL CHOLESTEROL RATIO	2.894		0.00 - 3.55	
THYROID PROFILE				
ТЗ	0.81	ng/ml	0.60 - 1.81	
T4 Chemiluminescence	9.74	ug/dl	4.5 - 10.9	
TSH Chemiluminescence REFERENCE RANGE	1.41	ulU/ml		
<u>PAEDIATRIC AGE GROUP</u> 0-3 DAYS 3-30 DAYS I MONTH -5 MONTHS 6 MONTHS- 18 YEARS	1-20 0.5 - 6.5 0.5 - 0.5 -	ulu/ ml ulu/ml 6.0 ulu/ml 4.5 ulu/ml		
ADULTS	0.39 - 6.16	ulu/ml		

before the onset of sleep, reaching peak levels between 11 pm to 6 am. Nadir concentrations are observed during the afternoon. Diurnal variation in TSH level approximates \pm 50 %, hence time of the day has influence on the measured serum TSH concentration.



🖾 info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

Date 19/09/2021 Name Mrs. NEHA KUMARI Ref. By Dr.BOB		Srl No. 19 Age 33 Yrs.		Patient Sex	Patient Id 2109190019 Sex F	
Test Name		Value	Unit	Normal	Value	

Assay performed on enhanced chemi lumenescence system (Centaur-Siemens)

Serum T3,T4 & TSH measurements form the three components of Thyroid screening panel, useful in diagnosing various disorders of Thyroid gland function.

1. Primary hypothyroidism is accompanied by depressed serum T3 and T4 values and elevated serum TSH level.

2. Primary hyperthyroidism is accompanied by elevated serum T3 and T4 levels along with depressed TSH values.

3. Normal T4 levels are accompanied by increased T3 in patients with T3 thyrotoxicosis.

4. Slightly elevated T3 levels may be found in pregnancy and estrogen therapy, while depressed levels may be encountered in severe illness, renal failure and during therapy with drugs like propranolol and propyl thiouracil.

5. Although elevated TSH levels are nearly always indicative of primary hyporthyroidism, and may be seen in secondary thyrotoxicosis.

URINE EXAMINATION TEST

PHYSICAL EXAMINATION

	QUANTITY	10	ml.
	COLOUR	PALE YELLOW	,
	TRANSPARENCY	CLEAR	
	SPECIFIC GRAVITY	1.015	
	РН	6.0	
C	CHEMICAL EXAMINATION		
	ALBUMIN	NIL	



www.busysoft.in

info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

Date Name Ref. By			o. 19 33 Yrs.	Patient Id 2109190019 Sex F	
Test Name		Value	Unit	Normal Value	
SUGAR		NIL			
MICROSCO	OPIC EXAMINATION				
PUS CEL	LS	0-1	/HPF		
RBC'S		NIL	/HPF		
CASTS		NIL			
CRYSTAL	S	NIL			
EPITHELI	AL CELLS	0-1	/HPF		
BACTERI	A	NIL			
OTHERS		NIL			

**** End Of Report ****

Dr.R.B.RAMAN MBBS, MD CONSULTANT PATHOLOGIST