NAME	SARITA CHUGH	STUDY DATE	10-02-2023 09:19:33
AGE / SEX	058Yrs / F	HOSPITAL NO.	MH004726926
REFERRING DEPT	OPD	MODALITY/Procedure	CR /Xray chest PA (CXR)
		Description	
REPORTED ON	10-02-2023 11:18:09	REFERRED BY	Dr. Health Check MHD

X-RAY CHEST - PA VIEW

Findings:

Unfolding of aorta is seen.

Cardiac silhouette is unremarkable.

Visualised lung fields shows prominent bronchovascular markings.

Bilateral hila, CP angles and hemidiaphragm are normal.

Bony cage is unremarkable.

Kindly correlate clinically.

Dr.Simran Singh DNB, FRCR(UK), DMC Reg. no. 36404

Consultant Radiologist

NAME	SARITA CHUGH	STUDY DATE	10-02-2023 09:19:33
AGE / SEX	058Yrs / F	HOSPITAL NO.	MH004726926
REFERRING DEPT	OPD	MODALITY/Procedure	CR /Xray chest PA (CXR)
		Description	
REPORTED ON	10-02-2023 11:18:09	REFERRED BY	Dr. Health Check MHD

N.B.: This is only a professional opinion and not the final diagnosis. Radiological investigations are subject to variations due to technical limitations. Hence, correlation with clinical findings and other investigations should be carried out to know true nature of illness.

58 Years

. Sinus rhythm..... V-rate 50-99 Rate 201 PR 92 QRSD 385 QT 422 QTc --AXIS--39 - NORMAL ECG -QRS 12 Lead; Standard Placement Unconfirmed Diagnosis aVR **V**1 **V4** V2 **V**5 II aVL III F 60~ 0.15-100 Hz 100B CL Speed: 25 mm/sec Chest: 10.0 mm/mV Limb: 10 mm/mV P? Device:

NAME	SARITA CHUGH	STUDY DATE	10-02-2023 10:26:56
AGE / SEX	058Yrs / F	HOSPITAL NO.	MH004726926
REFERRING DEPT	OPD	MODALITY/Procedure	US /Echo-Cardiogram
		Description	
REPORTED ON	10-02-2023 13:15:56	REFERRED BY	Dr. Health Check MHD

2D ECHOCARDIOGRAPHY REPORT

Findings:

	End diastole	End systole
IVS thickness (cm)	0.9	1.1
Left Ventricular Dimension (cm)	4.0	2.6
Left Ventricular Posterior Wall thickness (cm)	0.8	1.0

Aortic Root Diameter (cm)	2.9
Left Atrial Dimension (cm)	2.9
Left Ventricular Ejection Fraction (%)	55 %

LEFT VENTRICLE : Normal in size. No RWMA. LVEF= 55 %

RIGHT VENTRICLE : Normal in size. Normal RV function.

LEFT ATRIUM : Normal in size

RIGHT ATRIUM : Normal in size

MITRAL VALVE : Trace MR.

AORTIC VALVE : Normal

TRICUSPID VALVE : Trace TR, PASP~ 23 mmHg

PULMONARY VALVE : Normal

MAIN PULMONARY ARTERY & : Appears normal.

ITS BRANCHES

N.B.: This is only a professional opinion and not the final diagnosis. Radiological investigations are subject to variations due to technical limitations. Hence, correlation with clinical findings and other investigations should be carried out to know true nature of illness.

NAME	SARITA CHUGH	STUDY DATE	10-02-2023 10:26:56
AGE / SEX	058Yrs / F	HOSPITAL NO.	MH004726926
REFERRING DEPT	OPD	MODALITY/Procedure	US /Echo-Cardiogram
		Description	
REPORTED ON	10-02-2023 13:15:56	REFERRED BY	Dr. Health Check MHD

INTERATRIAL SEPTUM Intact.

INTERVENTRICULAR SEPTUM Intact.

PERICARDIUM No pericardial effusion or thickening

DOPPLER STUDY

VALVE	Peak	Maximum P.G.	Mean P. G.	Regurgitatio	Stenosis
	Velocity (cm/sec)	(mmHg)	(mmHg)	n	
MITRAL	E= 112 A=82	-	-	Trace	Nil
AORTIC	149	-	-	Nil	Nil
TRICUSPID	-	N	N	Trace	Nil
PULMONARY	47	N	N	Nil	Nil

SUMMARY & INTERPRETATION:

- No LV regional wall motion abnormality with LVEF = 55 %
- Normal sized RA/RV/LV/LA with no chamber hypertrophy. Normal RV function.
- Trace MR.
- Trace TR, PASP~ 23 mmHg
- Normal mitral inflow pattern.
- IVC normal in size, >50% collapse with inspiration, suggestive of normal RA pressure.
- No clot/vegetation/pericardial effusion.

Please correlate clinically.

DR. SARÍTA GULATI

MD, DM

SENIOR INTERVENTIONAL CARDIOLOGIST

N.B.: This is only a professional opinion and not the final diagnosis. Radiological investigations are subject to variations due to technical limitations. Hence, correlation with clinical findings and other investigations should be carried out to know true nature of illness.

NAME	SARITA CHUGH	STUDY DATE	10-02-2023 10:26:56
AGE / SEX	058Yrs / F	HOSPITAL NO.	MH004726926
REFERRING DEPT	OPD	MODALITY/Procedure	US /Echo-Cardiogram
		Description	
REPORTED ON	10-02-2023 13:15:56	REFERRED BY	Dr. Health Check MHD



Registered Office: Sector-6, Dwarka, New Delhi-110075

: MRS SARITA CHUGH 58 Yr(s) Sex :Female Name Age

Registration No : MH004726926 Lab No 31230200419

10 Feb 2023 08:55 **Patient Episode** : H03000052024 **Collection Date:**

Referred By : HEALTH CHECK MHD **Reporting Date:** 10 Feb 2023 11:16

Receiving Date : 10 Feb 2023 09:18

Department of Transfusion Medicine (Blood Bank)

BLOOD GROUPING, RH TYPING & ANTIBODY SCREEN (TYPE & SCREEN) Specimen-Blood

Blood Group & Rh Typing (Agglutinaton by gel/tube technique)

O Rh(D) Positive Blood Group & Rh typing

Antibody Screening (Microtyping in gel cards using reagent red cells)

Cell Panel I NEGATIVE Cell Panel II NEGATIVE Cell Panel III NEGATIVE Autocontrol NEGATIVE

Final Antibody Screen Result Negative

Technical Note:

ABO grouping and Rh typing is done by cell and serum grouping by microplate / gel technique. Antibody screening is done using a 3 cell panel of reagent red cells coated with Rh, Kell, Duffy, Kidd, Lewis, P, MNS, Lutheran and Xg antigens using gel technique.

Page1 of 10

-----END OF REPORT-----



Dr Himanshu Lamba



NABL Accredited Hospital



Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021 N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Awarded Nursing Excellence Services



Awarded Clean & Green Hospital



Registered Office: Sector-6, Dwarka, New Delhi-110075

: MRS SARITA CHUGH 58 Yr(s) Sex :Female Name Age

Registration No MH004726926 Lab No 32230203846

Patient Episode : H03000052024 **Collection Date:** 10 Feb 2023 08:55

Referred By : HEALTH CHECK MHD **Reporting Date:** 10 Feb 2023 10:50

Receiving Date : 10 Feb 2023 09:25

BIOCHEMISTRY

Glycosylated Hemoglobin Specimen: EDTA Whole blood

As per American Diabetes Association (ADA)

HbA1c (Glycosylated Hemoglobin) [4.0-6.5] HbA1c in % 5.8 Non diabetic adults >= 18 years <5.7

Prediabetes (At Risk) 5.7-6.4

Diagnosing Diabetes >= 6.5

Methodology (HPLC)

120 Estimated Average Glucose (eAG) mq/dl

Comments: HbAlc provides an index of average blood glucose levels over the past

8-12 weeks and is a much better indicator of long term glycemic control.

Specimen Type : Serum

THYROID PROFILE, Serum

T3 - Triiodothyronine (ECLIA)	1.27	ng/ml	[0.70-2.04]
T4 - Thyroxine (ECLIA)	8.17	micg/dl	[4.60-12.00]
Thyroid Stimulating Hormone (ECLIA)	1.970	uIU/mL	[0.340-4.250]

1st Trimester: 0.6 - 3.4 micIU/mL 2nd Trimester: 0.37 - 3.6 micIU/mL 3rd Trimester: 0.38 - 4.04 micIU/mL

Note: TSH levels are subject to circadian variation, reaching peak levels between 2-4.a.m.and at a minimum between 6-10 pm. Factors such as change of seasons

Page 2 of 10





NABL Accredited Hospital



Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021 N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Awarded Nursing Excellence Services



Awarded Clean & Green Hospital



Registered Office: Sector-6, Dwarka, New Delhi-110075

: MRS SARITA CHUGH 58 Yr(s) Sex :Female Name Age

Registration No MH004726926 Lab No 32230203846

Patient Episode H03000052024 **Collection Date:** 10 Feb 2023 08:55

Referred By : HEALTH CHECK MHD **Reporting Date:** 10 Feb 2023 10:54

Receiving Date : 10 Feb 2023 09:22

BIOCHEMISTRY

hormonal fluctuations, Ca or Fe supplements, high fibre diet, stress and illness affect TSH results.

- * References ranges recommended by the American Thyroid Association
- 1) Thyroid. 2011 Oct; 21(10):1081-125.PMID .21787128
- 2) http://www.thyroid-info.com/articles/tsh-fluctuating.html

Test Name	Result	Unit	Biological Ref. Interval
Lipid Profile (Serum)			
TOTAL CHOLESTEROL (CHOD/POD)	248 #	mg/dl	[<200]
			Moderate risk:200-239
			High risk:>240
TRIGLYCERIDES (GPO/POD)	74	mg/dl	[<150]
			Borderline high:151-199
			High: 200 - 499
			Very high:>500
HDL - CHOLESTEROL (Direct)	73 #	mg/dl	[30-60]
VLDL - Cholesterol (Calculated)	15	mg/dl	[10-40]
LDL- CHOLESTEROL	160 #	mg/dl	[<100]
			Near/Above optimal-100-129
			Borderline High:130-159
			High Risk:160-189
T.Chol/HDL.Chol ratio	3.4		<4.0 Optimal
			4.0-5.0 Borderline
			>6 High Risk
LDL.CHOL/HDL.CHOL Ratio	2.2		<3 Optimal
			3-4 Borderline
			>6 High Risk

Note:

Reference ranges based on ATP III Classifications. Recommended to do fasting Lipid Profile after a minimum of 8 hours of overnight fasting.





NABL Accredited Hospital



Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021



Awarded Nursing Excellence Services



Awarded Clean & Green Hospital N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Registered Office: Sector-6, Dwarka, New Delhi-110075

Name : MRS SARITA CHUGH Age : 58 Yr(s) Sex :Female

Referred By: HEALTH CHECK MHD Reporting Date: 10 Feb 2023 10:51

Receiving Date : 10 Feb 2023 09:22

BIOCHEMISTRY

Test Name	Result	Unit	Biological Ref. Interval
LIVER FUNCTION TEST (Serum)			
BILIRUBIN-TOTAL (mod.J Groff) **	0.59	mg/dl	[0.10-1.20]
BILIRUBIN - DIRECT (mod.J Groff)	0.22 #	mg/dl	[<0.2]
BILIRUBIN - INDIRECT (mod.J Groff)	0.37	mg/dl	[0.20-1.00]
SGOT/ AST (P5P, IFCC)	18.50	IU/L	[5.00-37.00]
SGPT/ ALT (P5P, IFCC)	20.40	IU/L	[10.00-50.00]
ALP (p-NPP, kinetic) *	150 #	IU/L	[46-118]
TOTAL PROTEIN (mod.Biuret)	6.9	g/dl	[6.0-8.2]
SERUM ALBUMIN (BCG-dye)	4.4	g/dl	[3.5-5.0]
SERUM GLOBULIN (Calculated)	2.5	g/dl	[1.8-3.4]
ALB/GLOB (A/G) Ratio	1.76		[1.10-1.80]

Note:

Page 4 of 10











^{**}NEW BORN: Vary according to age (days), body wt & gestation of baby

^{*}New born: 4 times the adult value



Registered Office: Sector-6, Dwarka, New Delhi- 110075

Name : MRS SARITA CHUGH Age : 58 Yr(s) Sex :Female

Referred By : HEALTH CHECK MHD Reporting Date : 10 Feb 2023 10:50

Receiving Date : 10 Feb 2023 09:22

BIOCHEMISTRY

Test Name	Result	Unit	Biological Ref. Interval
KIDNEY PROFILE (Serum)			
BUN (Urease/GLDH)	8.00	mg/dl	[8.00-23.00]
SERUM CREATININE (mod.Jaffe)	0.56 #	mg/dl	[0.60-1.40]
SERUM URIC ACID (mod.Uricase)	4.6	mg/dl	[2.6-6.0]
SERUM CALCIUM (NM-BAPTA)	9.1	mg/dl	[8.6-10.0]
SERUM PHOSPHORUS (Molybdate, UV)	3.4	mg/dl	[2.3-4.7]
SERUM SODIUM (ISE)	136.0	mmol/l	[134.0-145.0]
SERUM POTASSIUM (ISE)	4.91	mmol/l	[3.50-5.20]
SERUM CHLORIDE (ISE / IMT)	101.4	mmol/l	[95.0-105.0]
eGFR	103.1	ml/min/1.73s	q.m [>60.0]

Technical Note

eGFR which is primarily based on Serum Creatinine is a derivation of CKD-EPI 2009 equation normalized to1.73 sq.m BSA and is not applicable to individuals below 18 years. eGFR tends to be less accurate when Serum Creatinine estimation is indeterminate e.g. patients at extremes of muscle mass, on unusual diets etc. and samples with severe Hemolysis / Icterus / Lipemia.

Page 5 of 10

-----END OF REPORT------

Dr. Neelam Singal CONSULTANT BIOCHEMISTRY













Registered Office: Sector-6, Dwarka, New Delhi- 110075

: MRS SARITA CHUGH 58 Yr(s) Sex :Female Name Age

Registration No : MH004726926 Lab No 32230203847

Patient Episode : H03000052024 **Collection Date:** 10 Feb 2023 12:51

Referred By : HEALTH CHECK MHD **Reporting Date:** 10 Feb 2023 14:24

Receiving Date : 10 Feb 2023 13:27

BIOCHEMISTRY

Specimen Type : Serum/Plasma

PLASMA GLUCOSE - PP

Plasma GLUCOSE - PP (Hexokinase) mg/dl [70-140]

Note: Conditions which can lead to lower postprandial glucose levels as compared to fasting glucose are excessive insulin release, rapid gastric emptying,

brisk glucose absorption , post exercise

Specimen Type : Serum/Plasma

Plasma GLUCOSE-Fasting (Hexokinase) 99 mg/dl [70-100]

Page 6 of 10

----END OF REPORT-----

Dr. Neelam Singal

CONSULTANT BIOCHEMISTRY











Awarded Emergency Excellence Services

Awarded Nursing Excellence Services

Awarded Clean & Green Hospital E-2019-0026/27/07/2019-26/07/2021 N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Registered Office: Sector-6, Dwarka, New Delhi- 110075

: MRS SARITA CHUGH 58 Yr(s) Sex :Female Name Age

Registration No MH004726926 Lab No 33230202325

Patient Episode H03000052024 **Collection Date:** 10 Feb 2023 08:55

Referred By : HEALTH CHECK MHD **Reporting Date:** 10 Feb 2023 11:05

Receiving Date : 10 Feb 2023 09:12

HAEMATOLOGY

ERYTHROCYTE SEDIMENTATION RATE (Automated) Specimen-Whole Blood

ESR 29.0 # /1sthour [0.0-20.0]

Interpretation :

Erythrocyte sedimentation rate (ESR) is a non-specific phenomena and is clinically useful in the diagnosis and monitoring of disorders associated with an increased production of acute phase reactants (e.g. pyogenic infections, inflammation and malignancies). The ESR is increased in pregnancy from about the 3rd month and returns to normal by the 4th week postpartum.

ESR is influenced by age, sex, menstrual cycle and drugs (eg. corticosteroids, contraceptives).

It is especially low (0 -1mm) in polycythemia, hypofibrinogenemia or congestive cardiac failure and when there are abnormalities of the red cells such as poikilocytosis, spherocytosis or sickle cells.

Test Name	Result	Unit Bi	ological Ref. Interval
COMPLETE BLOOD COUNT (EDTA Blood)			
WBC Count (Flow cytometry)	4320	/cu.mm	[4000-10000]
RBC Count (Impedence)	4.32	million/cu.mm	[3.80-4.80]
Haemoglobin (SLS Method)	12.5	g/dL	[12.0-15.0]
Haematocrit (PCV)	38.2	%	[36.0-46.0]
(RBC Pulse Height Detector Method)			
MCV (Calculated)	88.4	fL	[83.0-101.0]
MCH (Calculated)	28.9	pg	[25.0-32.0]
MCHC (Calculated)	32.7	g/dL	[31.5-34.5]
Platelet Count (Impedence)	238000	/cu.mm	[150000-410000]
RDW-CV (Calculated)	15.4 #	8	[11.6-14.0]
DIFFERENTIAL COUNT			
Neutrophils (Flowcytometry)	70.0	90	[40.0-80.0]

Page 7 of 10









Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021



Awarded Nursing Excellence Services N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Awarded Clean & Green Hospital



Registered Office: Sector-6, Dwarka, New Delhi- 110075

Name : MRS SARITA CHUGH Age : 58 Yr(s) Sex :Female

Patient Episode : H03000052024 Collection Date : 10 Feb 2023 08:55

Referred By : HEALTH CHECK MHD Reporting Date : 10 Feb 2023 10:11

Receiving Date : 10 Feb 2023 09:12

HAEMATOLOGY

Lymphocytes (Flowcytometry)	18.1 #	용	[20.0-40.0]
Monocytes (Flowcytometry)	7.2	%	[2.0-10.0]
Eosinophils (Flowcytometry)	4.2	%	[1.0-6.0]
Basophils (Flowcytometry)	0.5 #	%	[1.0-2.0]
IG	0.20	%	
		x10 ³	

Complete Blood Count is used to evaluate wide range of health disorders, including anemia, infection, and leukemia. Abnormal increase or decrease in cell counts as revealed may indicate that an underlying medical condition that calls for further evaluation.

-----END OF REPORT-----

Page 8 of 10

Dr.Lakshita singh











Awarded Nursing Excellence Services Awarded Clean & Green Hospital N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Registered Office: Sector-6, Dwarka, New Delhi- 110075

Name MRS SARITA CHUGH 58 Yr(s) Sex :Female Age

Registration No MH004726926 Lab No 38230200607

Collection Date: Patient Episode H03000052024 10 Feb 2023 08:54

HEALTH CHECK MHD 10 Feb 2023 13:30 **Referred By Reporting Date:**

Receiving Date 10 Feb 2023 11:26

CLINICAL PATHOLOGY

Test Name	Result	Biological Ref. Interval
ROUTINE URINE ANALYSIS		
MACROSCOPIC DESCRIPTION		
Colour (Visual)	PALE YELLOW	(Pale Yellow - Yellow)
Appearance (Visual)	CLEAR	
CHEMICAL EXAMINATION		
Reaction[pH]	7.0	(5.0-9.0)
(Reflectancephotometry(Indicator Meth-	od))	
Specific Gravity	1.010	(1.003-1.035)
(Reflectancephotometry(Indicator Method	od))	
Bilirubin	Negative	NEGATIVE
Protein/Albumin	Negative	(NEGATIVE-TRACE)
(Reflectance photometry(Indicator Met	hod)/Manual SSA)	
Glucose	NOT DETECTED	(NEGATIVE)
(Reflectance photometry (GOD-POD/Bene	dict Method))	
Ketone Bodies	NOT DETECTED	(NEGATIVE)
(Reflectance photometry(Legal's Test)	/Manual Rotheras)	
Urobilinogen	NORMAL	(NORMAL)
Reflactance photometry/Diazonium salt	reaction	
Nitrite	NEGATIVE	NEGATIVE
Reflactance photometry/Griess test		
Leukocytes	TRACE	NEGATIVE
Reflactance photometry/Action of Este	rase	
BLOOD	NIL	NEGATIVE
(Reflectance photometry(peroxidase))		
MICROSCOPIC EXAMINATION (Manual) Me	ethod: Light microscopy on	centrifuged urine
WBC/Pus Cells	2-4 /hpf	(4-6)
Red Blood Cells	NIL	(1-2)
Epithelial Cells	2-4 /hpf	(2-4)
Casts	NIL	(NIL)
Crystals	NIL	(NIL)
Bacteria	NIL	
Yeast cells	NIL	

Page 9 of 10











Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021

Awarded Nursing Excellence Services N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019

Awarded Clean & Green Hospital



Registered Office: Sector-6, Dwarka, New Delhi- 110075

: MRS SARITA CHUGH 58 Yr(s) Sex :Female Name Age

38230200607 **Registration No** : MH004726926 Lab No

: H03000052024 **Collection Date: Patient Episode** 10 Feb 2023 08:54

Referred By : HEALTH CHECK MHD 10 Feb 2023 13:30 **Reporting Date:**

: 10 Feb 2023 11:26 **Receiving Date**

CLINICAL PATHOLOGY

Interpretation:

URINALYSIS-Routine urine analysis assists in screening and diagnosis of various metabolic , urological, kidney and liver disorders

Protein: Elevated proteins can be an early sign of kidney disease. Urinary protein excretion can also be temporarily elevated by strenuous exercise, orthostatic proteinuria, dehydration, urina tract infections and acute illness with fever

Glucose: Uncontrolled diabetes mellitus can lead to presence of glucose in urine.

Other causes include pregnancy, hormonal disturbances, liver disease and certain medications.

Ketones: Uncontrolled diabetes mellitus can lead to presence of ketones in urine.

Ketones can also be seen in starvation, frequent vomiting, pregnancy and strenuous exercise.

Blood: Occult blood can occur in urine as intact erythrocytes or haemoglobin, which can occur in various urological, nephrological and bleeding disorders.

Leukocytes: An increase in leukocytes is an indication of inflammation in urinary tract or kidneys Most Common cause is bacterial urinary tract infection.

Nitrite: Many bacteria give positive results when their number is high. Nitrite concentration duri infection increases with length of time the urine specimen is retained in bladder prior to collection.

pH: The kidneys play an important role in maintaining acid base balance of the body. Conditions of the body producing acidosis/alkalosis or ingestion of certain type of food can affect the pH of urine.

Specific gravity: Specific gravity gives an indication of how concentrated the urine is. Increased Specific gravity is seen in conditions like dehydration, glycosuria and proteinuria while decrease Specific gravity is seen in excessive fluid intake, renal failure and diabetes insipidus.

Bilirubin: In certain liver diseases such as biliary obstruction or hepatitis, bilirubin gets excreted in urine.

Urobilinogen: Positive results are seen in liver diseases like hepatitis and cirrhosis and in case of hemolytic anemia.

----END OF REPORT-----

Page 10 of 10

Dr.Lakshita singh







Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021



Awarded Nursing Excellence Services N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Awarded Clean & Green Hospital

NAME	SARITA CHUGH	STUDY DATE	10-02-2023 10:39:01
AGE / SEX	058Yrs / F	HOSPITAL NO.	MH004726926
REFERRING DEPT	OPD	MODALITY/Procedure	US /Ultrasound abdomen n pelvis
REPORTED ON	10-02-2023 12:38:41	REFERRED BY	Dr. Health Check MHD

USG WHOLE ABDOMEN

Findings:

Liver is normal in size and shows grade I fatty changes. No focal intra-hepatic lesion is detected. Intra-hepatic biliary radicals are not dilated. Portal vein is normal in calibre.

Gall bladder appears echofree with normal wall thickness. Common bile duct is normal in calibre.

Pancreas is normal in size and echopattern.

Spleen is normal in size and echopattern.

Both kidneys are normal in position, size and outline. Cortico-medullary differentiation of both kidneys is maintained. Central sinus echoes are compact. No focal lesion or calculus seen. Bilateral pelvicalyceal systems are not dilated.

Urinary bladder is normal in wall thickness with clear contents. No significant intra or extraluminal mass is seen.

Uterus is anteverted. It is bulky in size (97x64x86mm) and shows multiple fibroids, largest measuring 29x40x35mm. Endometrium is thin central.

No adnexal focal lesion is seen.

No significant free fluid is detected.

Impression:

- Grade I fatty liver.
- Bulky uterus with multiple fibroids.

Kindly correlate clinically

4

Dr.Pankaj Saini MD,DHA, DMC reg. no. 15796

N.B.: This is only a professional opinion and not the final diagnosis. Radiological investigations are subject to variations due to technical limitations. Hence, correlation with clinical findings and other investigations should be carried out to know true nature of illness.

NAME	SARITA CHUGH	STUDY DATE	10-02-2023 10:39:01
AGE / SEX	058Yrs / F	HOSPITAL NO.	MH004726926
REFERRING DEPT	OPD	MODALITY/Procedure	US /Ultrasound abdomen n pelvis
REPORTED ON	10-02-2023 12:38:41	REFERRED BY	Dr. Health Check MHD

Consultant Radiologist