

Sector-6, Dwarka, New Delhi 110 075

GST: 07AAAAH3917LIZM PAN NO: AAAAH3917L

NAME	MRS, TAPSHI MADHAV	STUDY DATE	23/03/2024 2:34PM
AGE / SEX	27 y / F	HOSPITAL NO.	MH011796266
ACCESSION NO.	NM12919384	MODALITY	US
REPORTED ON	27/03/2024 2:03PM	REFERRED BY	Health Check MHD

2D Echocardiography Report

		End diastole	End systole
IVS thickness (cm)		0.9	1.2
Left Ventricular Dimension (cm)		4.0	2.2
Left Ventricular Posterior Wall thicknes	s (cm)	0.8	1.0
Aortic Root Diameter (cm)		2.5	
Left Atrial Dimension (cm)		3.0	
Left Ventricular Ejection Fraction (%)		55%	
LEFT VENTRICLE	:	Normal in size. No	RWMA. LVEF=55%
RIGHT VENTRICLE	:	Normal in size. No	rmal RV function.
LEFT ATRIUM	:	Normal in size	
RIGHT ATRIUM	:	Normal in size	
MITRAL VALVE	:	Trace MR	
AORTIC VALVE	:	Normal	
TRICUSPID VALVE	:	Mild TR (PASP ~ N	lormal)
PULMONARY VALVE	:	Normal	
MAIN PULMONARY ARTERY & ITS BRANCHES	:	Appears normal.	
INTERATRIAL SEPTUM	:	Intact.	
INTERVENTRICULAR SEPTUM	:	Intact.	
PERICARDIUM	:	No pericardial effu	ision or thickening











NABL Accredited Hospital

Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021

Awarded Nursing Excellence Services

Awarded Clean & Green Hospital N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019

www.manipalhospitals.com E info@manipalhospitals.com P +91 11 4967 4967 Home sample collection: +91 74 2876 9482 Pharmacy Home Delivery: +91 84 4848 6472



Sector-6, Dwarka, New Delhi 110 075

GST: 07AAAAH3917LIZM PAN NO: AAAAH3917L

NAME	MRS, TAPSHI MADHAV	STUDY DATE	23/03/2024 2:34PM
AGE / SEX	27 y / F	HOSPITAL NO.	MH011796266
ACCESSION NO.	NM12919384	MODALITY	US
REPORTED ON	27/03/2024 2:03PM	REFERRED BY	Health Check MHD

DOPPLER STUDY

VALVE	Peak Velocity (cm/sec)	Maximum P.G. (mmHg)	Mean P. G. (mmHg)	Regurgitation	Stenosis
MITRAL	E= 94 A=71	-	-	Trace	Nil
AORTIC	147	-	-	Nil	Nil
TRICUSPID	-	Ν	N	Mild	Nil
PULMONARY	79	Ν	Ν	Nil	Nil

SUMMARY & INTERPRETATION:

- No LV regional wall motion abnormality with LVEF = 55%
- Normal sized RA/RV/LV/LA with no chamber hypertrophy. Normal RV function. •
- Trace MR •
- Mild TR (PASP ~ Normal) •
- Normal mitral inflow pattern. •
- IVC normal in size, >50% collapse with inspiration, suggestive of normal RA pressure. •
- No clot/vegetation/pericardial effusion.

Please correlate clinically.

amenipy Mullig

Dr. Samanjoy Mukherjee MBBS, MD, General Medicine, DM(Cardiology) DMC No.12194 **Consultant (Cardiology)**

******End Of Report*****











H-2019-0640/09/06/2019-08/06/2022

NABL Accredited Hospital MC/3228/04/09/2019-03/09/2021 Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021

Awarded Nursing Excellence Services N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019

Awarded Clean & Green Hospital

www.manipalhospitals.com E info@manipalhospitals.com P +91 11 4967 4967 Home sample collection: +91 74 2876 9482 Pharmacy Home Delivery: +91 84 4848 6472

Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name	: MRS TAPSHI MADHAV	Age :	27 Yr(s) Sex :Female
Registration No	: MH011796266	Lab No :	32240312799
Patient Episode	: H03000061600	Collection Date :	23 Mar 2024 11:23
Referred By Receiving Date	HEALTH CHECK MHD23 Mar 2024 12:06	Reporting Date :	23 Mar 2024 17:49

BIOCHEMISTRY

		Specimen: EDTA Whole blood
HbAlc (Glycosylated Hemoglobin)	5.2	As per American Diabetes Association(ADA) 2010 % [4.0-6.5] HbAlc in % Non diabetic adults : < 5.7 % Prediabetes (At Risk) : 5.7 % - 6.4 % Diabetic Range : > 6.5 %
Estimated Average Glucose (eAG)	103	mg/dl

Use :

1.Monitoring compliance and long-term blood glucose level control in patients with diabetes. 2.Index of diabetic control (direct relationship between poor control and development of complications).

3. Predicting development and progression of diabetic microvascular complications.

Limitations :

A1C values may be falsely elevated or decreased in those with chronic kidney disease.
False elevations may be due in part to analytical interference from carbamylated hemoglobin formed in the presence of elevated concentrations of urea, with some assays.
False decreases in measured A1C may occur with hemodialysis and altered red cell turnover, especially in the setting of erythropoietin treatment

References : Rao.L.V., Michael snyder.L. (2021). Wallach's Interpretation of Diagnostic Tests. 11th Edition. Wolterkluwer. NaderRifai, Andrea Rita Horvath, Carl T.wittwer. (2018) Teitz Text book

of Clinical Chemistry and Molecular Diagnostics.First edition,Elsevier,South Asia.

Page1 of 3

Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name	: MRS TAPSHI MADHAV		Ag	ge :	27 Yr(s) Sex :Female
Registration No	: MH011796266		La	ab No 🛛 :	32240312799
Patient Episode	: H03000061600		Co	ollection Date :	23 Mar 2024 11:23
Referred By Receiving Date	: HEALTH CHECK MHD : 23 Mar 2024 12:05		Re	eporting Date :	23 Mar 2024 18:29
		BIOCHEMIST	ſRY		
Lipid Profile (Serum)				
TOTAL CHOLESTER	OL (CHOD/POD)	199	mg/dl	-	<200] e risk:200-239 sk:>240
TRIGLYCERIDES (GPO/POD)	305 #	mg/dl	[Borderline High: 2	<150] high:151-199 00 - 499 igh:>500
HDL - CHOLESTER Methodology: Ho	OL (Direct) mogenous Enzymatic	41	mg/dl		30-60]
	rol (Calculated)	61 #	mg/dl	[10-40]
	(CALCULATED)LDL- CHOL	ESTEROL	97 mg/dl	Near/Above Borderlin	<100] optimal-100-129 e High:130-159 isk:160-189
T.Chol/HDL.Chol	ratio	4.9			ptimal O Borderline h Risk
LDL.CHOL/HDL.CH	OL Ratio	2.4		<3 Opt 3-4 Bo >6 Hig	rderline

Note:

Reference ranges based on ATP III Classifications. Recommended to do fasting Lipid Profile after a minimum of 8 hours of overnight fasting.

Technical Notes: Lipid profile is a panel of blood tests that serves as initial broad medical screening tool for abnormalities in lipids, the results of these tests can identify certain genetic

Page 2 of 3

P 011 4967 4967 E info@manipalhospitals.com Emergency 011 4040 7070 www.hcmct.in www.manipalhospitals.com/delhi/ Managed by Manipal Hospitals (Dwarka) Private Limited

Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name	: MRS TAPSHI MADHAV	Age :	27 Yr(s) Sex :Female
Registration No	: MH011796266	Lab No :	32240312799
Patient Episode	: H03000061600	Collection Date :	23 Mar 2024 11:23
Referred By Receiving Date	HEALTH CHECK MHD23 Mar 2024 12:05	Reporting Date :	23 Mar 2024 18:29

BIOCHEMISTRY

diseases and determine approximate risks for cardiovascular disease, certain forms of pancreatitis and other diseases.

-----END OF REPORT------

Page3 of 3

Neelan Singert.

Dr. Neelam Singal CONSULTANT BIOCHEMISTRY

Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name	: MRS TAPSHI MADHAV	Age :	27 Yr(s) Sex :Female
Registration No	: MH011796266	Lab No :	32240312799
Patient Episode	: H03000061600	Collection Date :	23 Mar 2024 11:23
Referred By Receiving Date	: HEALTH CHECK MHD : 23 Mar 2024 12:05	Reporting Date :	23 Mar 2024 18:29

BIOCHEMISTRY

THYROID PROFILE, Serum		SI	oecimen Type : Serum
T3 - Triiodothyronine (ECLIA) T4 - Thyroxine (ECLIA) Thyroid Stimulating Hormone (ECLIA)	1.120 8.210 6.120 #	ng/ml µg/dl µIU/mL	[0.800-2.040] [5.500-11.000] [0.340-4.250]
1st Trimester:0.6 - 3.4 micIU/mL 2nd Trimester:0.37 - 3.6 micIU/mL			

3rd Trimester:0.38 - 4.04 micIU/mL

Note : TSH levels are subject to circadian variation, reaching peak levels between 2-4.a.m.and at a minimum between 6-10 pm.Factors such as change of seasons hormonal fluctuations, Ca or Fe supplements, high fibre diet, stress and illness affect TSH results.

* References ranges recommended by the American Thyroid Association

1) Thyroid. 2011 Oct;21(10):1081-125.PMID .21787128

2) http://www.thyroid-info.com/articles/tsh-fluctuating.html

Page1 of 8



Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name	: MRS TAPSHI MADHAV	Age :	27 Yr(s) Sex :Female
Registration No	: MH011796266	Lab No :	32240312799
Patient Episode	: H03000061600	Collection Date :	23 Mar 2024 11:23
Referred By Receiving Date	: HEALTH CHECK MHD : 23 Mar 2024 12:05	Reporting Date :	23 Mar 2024 18:29

BIOCHEMISTRY

Test Name	Result	Unit	Biological Ref. Interval
LIVER FUNCTION TEST (Serum)			
BILIRUBIN-TOTAL (Diazonium Ion)	0.31	mg/dl	[0.10-1.20]
BILIRUBIN - DIRECT (Diazotization)	0.14	mg/dl	[0.00-0.30]
BILIRUBIN - INDIRECT (Calculated)	0.17 #	mg/dl	[0.20-1.00]
SGOT/ AST (UV without P5P)	16.7	U/L	[10.0-35.0]
SGPT/ ALT (UV without P5P)	17.6	U/L	[0.0-33.0]
ALP (p-NPP, kinetic) *	133 #	U/L	[37-98]
TOTAL PROTEIN (Biuret)	8.3 #	g/dl	[6.0-8.2]
SERUM ALBUMIN (BCG-dye)	4.6	g/dl	[3.5-5.2]
SERUM GLOBULIN (Calculated)	3.7 #	g/dl	[1.8-3.4]
ALB/GLOB (A/G) Ratio(Calculated)	1.24		[1.10-1.80]

Technical Notes: Liver function test aids in diagnosis of various pre hepatic, hepatic and post hepatic causes of dysfunction like hemolytic anemia's, viral and alcoholic hepatitis and cholestasis of obstructive causes.



Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name	: MRS TAPSHI MADHAV	Age :	27 Yr(s) Sex :Female
Registration No	: MH011796266	Lab No :	32240312799
Patient Episode	: H03000061600	Collection Date :	23 Mar 2024 11:23
Referred By Receiving Date	: HEALTH CHECK MHD : 23 Mar 2024 12:05	Reporting Date :	23 Mar 2024 18:29

BIOCHEMISTRY

Test Name	Result	Unit H	Biological Ref. Interval
KIDNEY PROFILE (Serum)			
BUN (Urease/GLDH)	11.00	mg/dl	[6.00-20.00]
SERUM CREATININE (Jaffe's method)	0.69	mg/dl	[0.60-1.40]
SERUM URIC ACID (Uricase)	5.5	mg/dl	[2.6-6.0]
SERUM CALCIUM (NM-BAPTA)	9.78	mg/dl	[8.00-10.50]
SERUM PHOSPHORUS (Molybdate, UV)	3.8	mg/dl	[2.5-4.5]
SERUM SODIUM (ISE)	140.0	mmol/l	[134.0-145.0]
SERUM POTASSIUM (ISE)	4.54	mmol/l	[3.50-5.20]
SERUM CHLORIDE (ISE Indirect)	102.9	mmol/L	[95.0-105.0]
eGFR	119.7	ml/min/1.73sc	q.m [>60.0]
Technical Note			

eGFR which is primarily based on Serum Creatinine is a derivation of CKD-EPI 2009 equation normalized to1.73 sq.m BSA and is not applicable to individuals below 18 years. eGFR tends to be less accurate when Serum Creatinine estimation is indeterminate e.g. patients at extremes of muscle mass, on unusual diets etc. and samples with severe Hemolysis / Icterus / Lipemia.

-----END OF REPORT------

Page3 of 8

Neefam King

Dr. Neelam Singal CONSULTANT BIOCHEMISTRY

P 011 4967 4967 E info@manipalhospitals.com Emergency 011 4040 7070 www.hcmct.in www.manipalhospitals.com/delhi/ Managed by Manipal Hospitals (Dwarka) Private Limited



Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name	: MRS TAPSHI MADHAV	Age :	27 Yr(s) Sex :Female
Registration No	: MH011796266	Lab No :	32240312800
Patient Episode	: H03000061600	Collection Date :	23 Mar 2024 13:56
Referred By Receiving Date	: HEALTH CHECK MHD : 23 Mar 2024 14:07	Reporting Date :	23 Mar 2024 18:04

BIOCHEMISTRY

Specimen Type : Plasma PLASMA GLUCOSE - PP

Plasma	GLUCOSE -	ΡP	(Hexokinase)	133	mg/dl	[70-140]
--------	-----------	----	--------------	-----	-------	----------

Note : Conditions which can lead to lower postprandial glucose levels as compared to fasting glucose are excessive insulin release, rapid gastric emptying, brisk glucose absorption , post exercise

Specimen Type : Serum/Plasma

Plasma GLUCOSE-Fasting (Hexokinase) 83 mg/dl [74-106]

Page4 of 8

-----END OF REPORT------

Neefane Sugar

Dr. Neelam Singal CONSULTANT BIOCHEMISTRY



Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name	: MRS TAPSHI MADHAV	Age :	27 Yr(s) Sex :Female
Registration No	: MH011796266	Lab No :	33240307987
Patient Episode	: H03000061600	Collection Date	23 Mar 2024 11:23
Referred By Receiving Date	: HEALTH CHECK MHD : 23 Mar 2024 12:05	Reporting Date :	23 Mar 2024 13:30

HAEMATOLOGY

ERYTHROCYTE SEDIMENTATION RATE (Automated) Specimen-Whole Blood

ESR	25.0 #	mm/1sthour	[0.0-20.0]
-----	--------	------------	------------

Interpretation :

Erythrocyte sedimentation rate (ESR) is a non-specific phenomena and is clinically useful in the diagnosis and monitoring of disorders associated with an increased production of acute phase reactants (e.g. pyogenic infections, inflammation and malignancies). The ESR is increased in pregnancy from about the 3rd month and returns to normal by the 4th week postpartum.

ESR is influenced by age, sex, menstrual cycle and drugs (eg. corticosteroids, contraceptives).

It is especially low (0 -1mm) in polycythemia, hypofibrinogenemia or congestive cardiac failure and when there are abnormalities of the red cells such as poikilocytosis, spherocytosis or sickle cells.

Test Name	Result	Unit Bi	ological Ref. Interval
COMPLETE BLOOD COUNT (EDTA Blood)			
WBC Count (Flow cytometry)	7630	/cu.mm	[4000-10000]
RBC Count (Impedence)	4.35	million/cu.mm	[3.80-4.80]
Haemoglobin (SLS Method)	12.4	g/dL	[12.0-15.0]
Haematocrit (PCV)	38.8	olo	[36.0-46.0]
(RBC Pulse Height Detector Method)			
MCV (Calculated)	89.2	fL	[83.0-101.0]
MCH (Calculated)	28.5	pg	[25.0-32.0]
MCHC (Calculated)	32.0	g/dL	[31.5-34.5]
Platelet Count (Impedence)	374000	/cu.mm	[150000-410000]
RDW-CV (Calculated)	15.7 #	90	[11.6-14.0]
DIFFERENTIAL COUNT			
Neutrophils (Flowcytometry)	57.0	00	[40.0-80.0]
Lymphocytes (Flowcytometry)	34.9	00	[20.0-40.0]



Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name	: MRS TAPSHI MADHAV	Age :	27 Yr(s) Sex :Female
Registration No	: MH011796266	Lab No :	33240307987
Patient Episode	: H03000061600	Collection Date :	23 Mar 2024 11:23
Referred By Receiving Date	: HEALTH CHECK MHD : 23 Mar 2024 12:05	Reporting Date :	23 Mar 2024 12:46

HAEMATOLOGY

Monocytes (Flowcytometry)	4.7	9	20	[2.0-10.0]
Eosinophils (Flowcytometry)	2.9	2	00	[1.0-6.0]
Basophils (Flowcytometry)	0.5 #	2	90	[1.0-2.0]
IG	0.80	2	00	
Neutrophil Absolute(Flouroscence f	low cytometry)	4.4	/cu mm	[2.0-7.0]x10 ³
Lymphocyte Absolute(Flouroscence f.	low cytometry)	2.7	/cu mm	[1.0-3.0]x10 ³
Monocyte Absolute(Flouroscence flo	w cytometry)	0.4	/cu mm	[0.2-1.2]x10 ³
Eosinophil Absolute(Flouroscence f.	low cytometry)	0.2	/cu mm	[0.0-0.5]x10 ³
Basophil Absolute(Flouroscence flo	w cytometry)	0.0	/cu mm	[0.0-0.1]x10 ³

Complete Blood Count is used to evaluate wide range of health disorders, including anemia, infection, and leukemia. Abnormal increase or decrease in cell counts as revealed may indicate that an underlying medical condition that calls for further evaluation.

Page6 of 8

-----END OF REPORT-----

Dr. Shalakha Agrawal Associate Consultant,M.B.B.S,M.D. Pathology --2020



Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name	: MRS TAPSHI MADHAV	Age :	27 Yr(s) Sex :Female
Registration No	: MH011796266	Lab No :	38240302996
Patient Episode	: H03000061600	Collection Date :	23 Mar 2024 11:23
Referred By Receiving Date	: HEALTH CHECK MHD : 23 Mar 2024 12:32	Reporting Date :	23 Mar 2024 13:43

CLINICAL PATHOLOGY

Test Name	Result	Biological Ref. Interval
ROUTINE URINE ANALYSIS		
MACROSCOPIC DESCRIPTION		
Colour (Visual)	PALE YELLOW	(Pale Yellow - Yellow)
Appearance (Visual)	SLIGHTLY TURBID	
CHEMICAL EXAMINATION		
Reaction[pH]	5.0	(5.0-9.0)
(Reflectancephotometry(Indicator Metho	od))	
Specific Gravity	1.015	(1.003-1.035)
(Reflectancephotometry(Indicator Metho	od))	
Bilirubin	Negative	NEGATIVE
Protein/Albumin	Negative	(NEGATIVE-TRACE)
(Reflectance photometry(Indicator Meth	nod)/Manual SSA)	
Glucose	NOT DETECTED	(NEGATIVE)
(Reflectance photometry (GOD-POD/Bened	dict Method))	
Ketone Bodies	NOT DETECTED	(NEGATIVE)
(Reflectance photometry(Legal's Test),	/Manual Rotheras)	
Urobilinogen	NORMAL	(NORMAL)
Reflactance photometry/Diazonium salt	reaction	
Nitrite	NEGATIVE	NEGATIVE
Reflactance photometry/Griess test		
Leukocytes	++	NEGATIVE
Reflactance photometry/Action of Ester	rase	
BLOOD	PRESENT TRACE	NEGATIVE
(Reflectance photometry(peroxidase))		
MICROSCOPIC EXAMINATION (Manual) Me	ethod: Light microscopy on	centrifuged urine
WBC/Pus Cells	8-10 /hpf	(4-6)
Red Blood Cells	2-4 /hpf	(1-2)
Epithelial Cells	10-15 /hpf	(2-4)
Casts	NIL	(NIL)
Crystals	NIL	(NIL)
Bacteria	NIL	
Yeast cells	NIL	
Interpretation:		

Page7 of 8



Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name	: MRS TAPSHI MADHAV	Age :	:	27 Yr(s) Sex :Female
Registration No	: MH011796266	Lab No :	:	38240302996
Patient Episode	: H03000061600	Collection Date	:	23 Mar 2024 11:23
Referred By Receiving Date	: HEALTH CHECK MHD : 23 Mar 2024 12:32	Reporting Date	:	23 Mar 2024 13:43

CLINICAL PATHOLOGY

URINALYSIS-Routine urine analysis assists in screening and diagnosis of various metabolic , urological, kidney and liver disorders

Protein: Elevated proteins can be an early sign of kidney disease. Urinary protein excretion can also be temporarily elevated by strenuous exercise, orthostatic proteinuria, dehydration, urina tract infections and acute illness with fever

Glucose: Uncontrolled diabetes mellitus can lead to presence of glucose in urine.

Other causes include pregnancy, hormonal disturbances, liver disease and certain medications.

Ketones: Uncontrolled diabetes mellitus can lead to presence of ketones in urine.

Ketones can also be seen in starvation, frequent vomiting, pregnancy and strenuous exercise. Blood: Occult blood can occur in urine as intact erythrocytes or haemoglobin, which can occur in

various urological, nephrological and bleeding disorders.

Leukocytes: An increase in leukocytes is an indication of inflammation in urinary tract or kidneys Most Common cause is bacterial urinary tract infection.

Nitrite: Many bacteria give positive results when their number is high. Nitrite concentration duri infection increases with length of time the urine specimen is retained in bladder prior to collection.

pH: The kidneys play an important role in maintaining acid base balance of the body. Conditions of the body producing acidosis/alkalosis or ingestion of certain type of food can affect the pH of urine.

Specific gravity: Specific gravity gives an indication of how concentrated the urine is. Increased Specific gravity is seen in conditions like dehydration, glycosuria and proteinuria while decrease Specific gravity is seen in excessive fluid intake, renal failure and diabetes insipidus. Bilirubin: In certain liver diseases such as biliary obstruction or hepatitis,

bilirubin gets excreted in urine.

Urobilinogen: Positive results are seen in liver diseases like hepatitis and cirrhosis and in case of hemolytic anemia.

Page8 of 8

-----END OF REPORT-----

Dr. Shalakha Agrawal Associate Consultant,M.B.B.S,M.D. Pathology --2020



Sector-6, Dwarka, New Delhi 110 075

GST: 07AAAAH3917LIZM PAN NO: AAAAH3917L

NAME	MRS, TAPSHI MADHAV	STUDY DATE	23/03/2024 10:34AM
AGE / SEX	27 y / F	HOSPITAL NO.	MH011796266
ACCESSION NO.	R7109964	MODALITY	US
REPORTED ON	23/03/2024 12:35PM	REFERRED BY	Health Check MHD

USG WHOLE ABDOMEN

Results:

Liver is normal in size (14.5 cm) and echopattern. No focal intra-hepatic lesion is detected. Intra-hepatic biliary radicals are not dilated. Portal vein is normal in calibre.

Gall bladder appears echofree with normal wall thickness. Common bile duct is normal in calibre.

Pancreas is normal in size and echopattern.

Spleen is normal in size (10 cm) and echopattern.

Both kidneys are normal in position, size and outline. Cortico-medullary differentiation of both kidneys is maintained. No focal lesion or calculus seen on either side. Bilateral pelvicalyceal systems are not dilated.

Urinary bladder is normal in wall thickness with clear contents. No significant intra or extraluminal mass is seen.

Uterus is anteverted and measures 64 x 34 x 51 mm. **Small subcentimetric seedling fibroid is seen in anterior myometrium.** Endometrium is central (3.9 mm).

Both ovaries are normal in size and echopattern. Right ovary measures 23 x 15 mm Left ovary measures 20 x 15 mm

No significant free fluid is detected.

IMPRESSION: Small uterine fibroid.

Kindly correlate clinically

Dr. Nipun Gumber MBBS, MD DMC No.90272 ASSOCIATE CONSULTANT











NABH Accredited Hospital H-2019-0640/09/06/2019-08/06/2022

NABL Accredited Hospital MC/3228/04/09/2019-03/09/2021 Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021

Awarded Nursing Excellence Services N-2019-0113/27/07/2019-26/07/2021 Awarded Clean & Green Hospital IND18.6278/05/12/2018- 04/12/2019

www.manipalhospitals.com E info@manipalhospitals.com P +91 11 4967 4967 Home sample collection: +91 74 2876 9482 Pharmacy Home Delivery: +91 84 4848 6472





Sector-6, Dwarka, New Delhi 110 075

GST: 07AAAAH3917LIZM PAN NO: AAAAH3917L

NAME	MRS, TAPSHI MADHAV	STUDY DATE	23/03/2024 10:34AM
AGE / SEX	27 y / F	HOSPITAL NO.	MH011796266
ACCESSION NO.	R7109964	MODALITY	US
REPORTED ON	23/03/2024 12:35PM	REFERRED BY	Health Check MHD

******End Of Report*****











NABH Accredited Hospital H-2019-0640/09/06/2019-08/06/2022 MC/3228/04/09/2019-03/09/2021

NABL Accredited Hospital

Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021

Awarded Nursing Excellence Services Awarded Clean & Green Hospital N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019

www.manipalhospitals.com E info@manipalhospitals.com P +91 11 4967 4967 Home sample collection: +91 74 2876 9482 Pharmacy Home Delivery: +91 84 4848 6472

Sector-6, Dwarka, New Delhi 110 075

GST: 07AAAAH3917LIZM PAN NO: AAAAH3917L

NAME	MRS, TAPSHI MADHAV	STUDY DATE	23/03/2024 1:47PM
AGE / SEX	27 y / F	HOSPITAL NO.	MH011796266
ACCESSION NO.	R7109966	MODALITY	CR
REPORTED ON	26/03/2024 3:23PM	REFERRED BY	Health Check MHD

X-RAY CHEST - PA VIEW

Results:

Visualized lung fields appear clear.

Both hilar shadows appear normal.

Cardiothoracic ratio is within normal limits.

Both hemidiaphragmatic outlines appear normal.

Both costophrenic angles are clear.

Kindly correlate clinically.

Aaruchi

Dr. Aarushi MBBS, MD, DNB DMC N0.03291 CONSULTANT RADIOLOGIST

******End Of Report*****











H-2019-0640/09/06/2019-08/06/2022 MC/3228/04/09/2019-03/09/2021

NABL Accredited Hospital

Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021

Awarded Nursing Excellence Services N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019

Awarded Clean & Green Hospital

www.manipalhospitals.com E info@manipalhospitals.com P +91 11 4967 4967 Home sample collection: +91 74 2876 9482 Pharmacy Home Delivery: +91 84 4848 6472