Chandan Diagnostic




Age / Gender: 32/Male

Date and Time: 19th Feb 24 11:19 AM

Patient ID: CVAR0116192324

Patient Name: Mr.ABHISHEK GUPTA - BOBE10166



ECG Within Normal Limits: Sinus Rhythm, Sinus Arrhythmia Seen. Please correlate clinically.

AUTHORIZED BY

REPORTED BY



Dr. Charit Dr. Arun MD, DM: Cardiology

Dr. Arundhati Muragoji

eian. 63382

Disclaimer: Analysis in this report is based on ECG alone and should only be used as an adjunct to clinical history, symptoms and results of other invasive and non-invasive tests and must be interpreted by a qualified physician.





CIN: U85110DL2003PLC308206



Patient Name : Mr.ABHISHEK GUPTA - BOBE10166 Registered On : 19/Feb/2024 11:22:07 Age/Gender Collected : 19/Feb/2024 14:43:03 : 32 Y 0 M 0 D /M UHID/MR NO : CVAR.0000047604 Received : 19/Feb/2024 15:22:39 Visit ID : CVAR0116192324 Reported : 20/Feb/2024 12:04:27 Ref Doctor : Dr.MEDIWHEEL VNS -

: Final Report Status

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) * , Blo	ood			
Blood Group	В			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE	- Constitution of the Cons		ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE
				AGGLUTINA
Complete Blood Count (CBC) * , Whole	e Blood			
Haemoglobin (CDG) , Whole	15.40	g/dl	1 Day- 14.5-22.5 g/dl	
			1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl	
			3-6 Mo- 9.5-13.5 g/dl	
			0.5-2 Yr- 10.5-13.5 g/dl	
			2-6 Yr- 11.5-15.5 g/dl	
			6-12 Yr- 11.5-15.5 g/dl	
			12-18 Yr 13.0-16.0 g/dl	
			Male- 13.5-17.5 g/dl	
			Female- 12.0-15.5 g/dl	
TLC (WBC)	7,700.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
Polymorphs (Neutrophils)	60.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	36.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	2.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	2.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils	0.00	%	<1	ELECTRONIC IMPEDANCE
ESR				
Observed	10.00	Mm for 1st hr.		
Corrected	6.00	Mm for 1st hr.	<9	
PCV (HCT)	45.60	%	40-54	
Platelet count				
Platelet Count	2.27	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.30	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	nr	%	35-60	ELECTRONIC IMPEDANCE
(,-		



Page 1 of 10









CIN: U85110DL2003PLC308206



Patient Name : Mr.ABHISHEK GUPTA - BOBE10166 Registered On : 19/Feb/2024 11:22:07 Age/Gender : 32 Y 0 M 0 D /M Collected : 19/Feb/2024 14:43:03 UHID/MR NO : CVAR.0000047604 Received : 19/Feb/2024 15:22:39 Visit ID : CVAR0116192324 Reported : 20/Feb/2024 12:04:27 Ref Doctor : Dr.MEDIWHEEL VNS -Status : Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	nr	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	nr	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBCCount				
RBC Count	5.20	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	87.60	fΙ	80-100	CALCULATED PARAMETER
MCH	29.60	pg	28-35	CALCULATED PARAMETER
MCHC	33.80	%	30-38	CALCULATED PARAMETER
RDW-CV	13.60	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	47.10	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	4,620.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	154.00	/cu mm	40-440	

S.N. Sinha (MD Path)







Page 2 of 10







CIN: U85110DL2003PLC308206



Patient Name : Mr.ABHISHEK GUPTA - BOBE10166 : 19/Feb/2024 11:22:08 Registered On Age/Gender : 32 Y 0 M 0 D /M Collected : 19/Feb/2024 14:43:03 UHID/MR NO : CVAR.0000047604 Received : 19/Feb/2024 15:22:06 Visit ID : CVAR0116192324 Reported : 19/Feb/2024 16:43:30

Ref Doctor : Dr.MEDIWHEEL VNS - Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
GLUCOSE FASTING, Plasma					
Glucose Fasting	86.10	mg/dl	< 100 Normal	GOD POD	
			100-125 Pre-diabetes	i	
			≥ 126 Diabetes		

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

Glucose PP	125.00	mg/dl	<140 Normal	GOD POD
Sample:Plasma After Meal			140-199 Pre-diabetes	
			>200 Diabetes	

Interpretation:


- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

S.N. Sinha (MD Path)

Page 3 of 10







Customer Care No.: +91-9918300637 E-mail: customercare.diagnostic@chandan.co.in Web.: www.chandan.co.in







CIN: U85110DL2003PLC308206



Patient Name : Mr.ABHISHEK GUPTA - BOBE10166 : 19/Feb/2024 11:22:09 Registered On Collected Age/Gender : 32 Y 0 M 0 D /M : 19/Feb/2024 14:43:03 UHID/MR NO : CVAR.0000047604 Received : 20/Feb/2024 11:41:29 Visit ID : CVAR0116192324 Reported : 20/Feb/2024 12:59:02 Ref Doctor : Dr.MEDIWHEEL VNS -Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

GLYCOSYLATED HABMOGLOBIN (HBA1C) **, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.10	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	32.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	99	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy



Page 4 of 10





^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.





Add: 99, Shivaji Nagar Mahmoorganj, Varanasi

Ph: 9235447795,0542-3500227 CIN: U85110DL2003PLC308206



Patient Name : Mr.ABHISHEK GUPTA - BOBE10166

Registered On

: 19/Feb/2024 11:22:09

Age/Gender

: 32 Y 0 M 0 D /M

Collected

: 19/Feb/2024 14:43:03 : 20/Feb/2024 11:41:29

UHID/MR NO

: CVAR.0000047604 : CVAR0116192324 Received Reported

: 20/Feb/2024 12:59:02

Visit ID Ref Doctor

: Dr.MEDIWHEEL VNS -

Status

: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

c. Alcohol toxicity d. Lead toxicity



Dr. Anupam Singh (MBBS MD Pathology)











^{*}Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

^{*}Pregnancy d. chronic renal failure. Interfering Factors:

^{*}Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.





CIN: U85110DL2003PLC308206



Patient Name : Mr.ABHISHEK GUPTA - BOBE10166 Registered On : 19/Feb/2024 11:22:10 Age/Gender Collected : 19/Feb/2024 14:43:02 : 32 Y 0 M 0 D /M UHID/MR NO : CVAR.0000047604 Received : 19/Feb/2024 15:22:39 Visit ID : CVAR0116192324 Reported : 19/Feb/2024 16:48:07 Ref Doctor : Final Report : Dr.MEDIWHEEL VNS -Status

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
BUN (Blood Urea Nitrogen) Sample:Serum	10.50	mg/dL	7.0-23.0	CALCULATED
Creatinine Sample:Serum	0.90	mg/dl	0.6-1.30	MODIFIED JAFFES
Uric Acid Sample:Serum	5.80	mg/dl	3.4-7.0	URICASE
LFT (WITH GAMMA GT) * , Serum				
SGOT / Aspartate Aminotransferase (AST)	29.70	U/L	<35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	46.70	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	26.00	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.80	gm/dl	6.2-8.0	BIURET
Albumin	4.10	gm/dl	3.4-5.4	B.C.G.
Globulin	2.70	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.52		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	70.10	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.90	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.40	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.50	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI), Serum				
Cholesterol (Total)	150.00	mg/dl	<200 Desirable 200-239 Borderline High > 240 High	CHOD-PAP
HDL Cholesterol (Good Cholesterol)	60.00	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	69	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optima 130-159 Borderline High	
			160-189 High > 190 Very High	
VLDL	20.52	mg/dl	10-33	CALCU
Triglycerides	102.60	mg/dl	< 150 Normal 150-199 Borderline High 200-499 High >500 Very High	GPO-P S. N. Sinha (MD Path)



Page 6 of 10





Customer Care No.: +91-9918300637 E-mail: customercare.diagnostic@chandan.co.in Web.: www.chandan.co.in





Add: 99, Shivaji Nagar Mahmoorganj, Varanasi

Ph: 9235447795,0542-3500227 CIN: U85110DL2003PLC308206

: Dr.MEDIWHEEL VNS -



Patient Name : Mr.ABHISHEK GUPTA - BOBE10166 Registered On : 19/Feb/2024 11:22:09 Age/Gender Collected : 19/Feb/2024 14:43:03 : 32 Y 0 M 0 D /M UHID/MR NO : CVAR.0000047604 Received : 19/Feb/2024 15:22:39 Visit ID : CVAR0116192324 Reported : 20/Feb/2024 11:46:02 Ref Doctor

DEPARTMENT OF CLINICAL PATHOLOGY

Status

: Final Report

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS


Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE*, Urine				
Color	PALE YELLOW			
Specific Gravity	1.030			
Reaction PH	Acidic (6.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
			> 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
			0.5-1.0 (++)	
			1-2 (+++)	
		1 1 1 1	>2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pig <mark>ments</mark>	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	2-3/h.p.f			MICROSCOPIC
				EXAMINATION
Pus cells	2-4/h.p.f			
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
				EXAMINATION
Others	ABSENT			
		, ,		
SUGAR, FASTING STAGE*, Urine				
Sugar, Fasting stage	ABSENT	gms%		
		ŭ		

Interpretation:



Page 7 of 10











Age/Gender

UHID/MR NO

Ref Doctor

Visit ID

Add: 99, Shivaji Nagar Mahmoorganj, Varanasi

Ph: 9235447795,0542-3500227 CIN: U85110DL2003PLC308206



Patient Name : Mr.ABHISHEK GUPTA - BOBE10166

: 32 Y 0 M 0 D /M

: CVAR.0000047604

: CVAR0116192324

: Dr.MEDIWHEEL VNS -

Registered On

Collected

: 19/Feb/2024 11:22:09

: 19/Feb/2024 14:43:03

Received : 19/Feb/2024 15:22:39 Reported

: 20/Feb/2024 11:46:02

Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Unit Result Bio. Ref. Interval Method

< 0.5 (+)

0.5 - 1.0(++)

(+++) 1-2

(++++) > 2



S.N. Sinta

Dr.S.N. Sinha (MD Path)



Page 8 of 10









CIN: U85110DL2003PLC308206



: 19/Feb/2024 11:22:11 Patient Name : Mr.ABHISHEK GUPTA - BOBE10166 Registered On Age/Gender : 32 Y 0 M 0 D /M Collected : 19/Feb/2024 14:43:02 UHID/MR NO : CVAR.0000047604 Received : 20/Feb/2024 10:33:36 Visit ID : CVAR0116192324 Reported : 20/Feb/2024 12:15:28 : Final Report Ref Doctor : Dr.MEDIWHEEL VNS -Status

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
PSA (Prostate Specific Antigen), Total **	1.27	ng/mL	<4.1	CLIA	
Sample:Serum		<u>.</u>			

Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone.
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

Bring

Dr. Anupam Singh (MBBS MD Pathology)



Page 9 of 10











CIN: U85110DL2003PLC308206



Patient Name : Mr.ABHISHEK GUPTA - BOBE10166 Registered On : 19/Feb/2024 11:22:09 Age/Gender : 19/Feb/2024 14:43:02 : 32 Y 0 M 0 D /M Collected UHID/MR NO : CVAR.0000047604 Received : 19/Feb/2024 15:22:39 Visit ID : CVAR0116192324 Reported : 19/Feb/2024 17:38:40 Ref Doctor : Dr.MEDIWHEEL VNS -Status : Final Report

DEPARTM ENT OF IMM UNOLOGY

M EDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL*, Serum				
T3, Total (tri-iodothyronine)	131.00	ng/dl	84.61-201.7	CLIA
T4, Total (Thyroxine)	6.80	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	4.300	μIU/mL	0.27 - 5.5	CLIA
		y .		
Interpretation:				
		0.3-4.5 μIU/n	nL First Trimes	ter
		0.5-4.6 μIU/n	nL Second Trim	ester
		0.8-5.2 μIU/m	nL Third Trimes	ster
		0.5-8.9 μIU/n	nL Adults	55-87 Years
		0.7-27 μIU/n		28-36 Week
		2.3-13.2 μIU/m		> 37Week
		0.7-64 μIU/m		- 20 Yrs.)
		1-39 μΙU/		0-4 Days
		1.7-9.1 μIU/n		2-20 Week
		7		

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- 4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- 6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- 8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

End Of Report ***

(**) Test Performed at Chandan Speciality Lab.

S.N. Sinta

EXAMINATION, SUGAR, PP STAGE, ECG / EKG, X-RAY DIGITAL CHEST PA, ULTRASOUND WHOLE ABD(Dr.S.N. Sinha (MD Path)

OWER), Tread Mill Test (TMT) and for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *Facilities Available at Select Location 365 Days Open



Page 10 of 10



