

CHANDAN DIAGNOSTIC CENTRE

Add: Godavari Complex, Near K.V.M Public School Heera Nagar, Haldwani Ph: 7705023379,-

CIN: U85110DL2003PLC308206



Patient Name : Mr.PRADEEP NEGI 102891 Registered On : 23/Mar/2024 09:13:21 Age/Gender Collected : 37 Y 6 M 17 D /M : 23/Mar/2024 10:09:01 UHID/MR NO : CHL2.0000158684 Received : 23/Mar/2024 11:14:13 Visit ID Reported : 23/Mar/2024 15:09:56 : CHL20370862324

: Dr.MEDIWHEEL ARCOFEMI HEALTH Ref Doctor Status : Final Report CARE LTD HLD -

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) **,	Blood			
Blood Group	AB			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE	outset find		ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) ** , wh	ole Blood			
Haemoglobin TLC (WBC)	3,700.00	g/dl /Cu mm	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl 4000-10000	
DLC	5,7.55.55	, 53	.000 .0000	
Polymorphs (Neutrophils)	72.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	25.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	1.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	2.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils ESR	0.00	%	<1	ELECTRONIC IMPEDANCE
Observed	24.00	Mm for 1st hr.		
Corrected	18.00	Mm for 1st hr.	< 9	
PCV (HCT) Platelet count	39.00	%	40-54	
Platelet Count	1.34	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	22.60	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	51.20	%	35-60	ELECTRONIC IMPEDANCE









Add: Godavari Complex,Near K.V.M Public School Heera Nagar,Haldwani Ph: 7705023379,-

CIN: U85110DL2003PLC308206



Patient Name : Mr.PRADEEP NEGI 102891 Registered On : 23/Mar/2024 09:13:21 Age/Gender Collected : 23/Mar/2024 10:09:01 : 37 Y 6 M 17 D /M UHID/MR NO : CHL2.0000158684 Received : 23/Mar/2024 11:14:13 Visit ID : CHL20370862324 Reported : 23/Mar/2024 15:09:56

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.17	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	13.10	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.26	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	90.00	fΙ	80-100	CALCULATED PARAMETER
MCH	29.40	pg	28-35	CALCULATED PARAMETER
MCHC	31.00	%	30-38	CALCULATED PARAMETER
RDW-CV	11.60	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	42.50	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	2,664.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	74.00	/cu mm	40-440	











Add: Godavari Complex, Near K.V.M Public School Heera Nagar, Haldwani Ph: 7705023379,-

CIN: U85110DL2003PLC308206



Patient Name : Mr.PRADEEP NEGI 102891 : 23/Mar/2024 09:13:22 Registered On Age/Gender : 37 Y 6 M 17 D /M Collected : 23/Mar/2024 10:09:01 UHID/MR NO : CHL2.0000158684 Received : 23/Mar/2024 11:14:13 Visit ID : CHL20370862324 Reported : 23/Mar/2024 12:26:18

risit ID : CHL203/0862324 Reported : 23/Mar/2024 12:26:18

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report CARE LTD HLD -

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
CILICOSE FASTING ** Places				

GLUCOSE FASTING ** , Plasma

Glucose Fasting 86.60 mg/dl < 100 Normal GOD POD

100-125 Pre-diabetes ≥ 126 Diabetes

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

Glucose PP ** 110.50 mg/dl <140 Normal GOD POD

Sample:Plasma After Meal 140-199 Pre-diabetes >200 Diabetes

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C) **, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.80	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	40.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	120	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.







Add: Godavari Complex, Near K.V.M Public School Heera Nagar, Haldwani Ph: 7705023379,-

CIN: U85110DL2003PLC308206



Patient Name : Mr.PRADEEP NEGI 102891 Registered On : 23/Mar/2024 09:13:22 Collected Age/Gender : 37 Y 6 M 17 D /M : 23/Mar/2024 10:09:01 UHID/MR NO : CHL2.0000158684 Received : 23/Mar/2024 11:14:13 Visit ID : CHL20370862324 Reported : 23/Mar/2024 12:26:18

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report CARE LTD HLD -

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method	
---	--

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- *Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- *Pregnancy d. chronic renal failure. Interfering Factors:
- *Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) ** Sample:Serum	9.15	mg/dL	7.0-23.0	CALCULATED
Creatinine ** Sample:Serum	0.84	mg/dl	0.6-1.30	MODIFIED JAFFES
Uric Acid ** Sample:Serum	3.90	mg/dl	3.4-7.0	URICASE

LFT (WITH GAMMA GT) ** , Serum





^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.



Add: Godavari Complex,Near K.V.M Public School Heera Nagar,Haldwani Ph: 7705023379,-

CIN: U85110DL2003PLC308206



Patient Name : Mr.PRADEEP NEGI 102891 Registered On : 23/Mar/2024 09:13:22 Age/Gender Collected : 23/Mar/2024 10:09:01 : 37 Y 6 M 17 D /M UHID/MR NO : CHL2.0000158684 Received : 23/Mar/2024 11:14:13 Visit ID : CHL20370862324 Reported : 23/Mar/2024 12:26:18

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	U	Init Bio. Ref. Interva	al Method
SGOT / Aspartate Aminotransferase (AST)	17.18	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	16.70	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	14.80	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.60	gm/dl	6.2-8.0	BIURET
Albumin	4.20	gm/dl	3.4-5.4	B.C.G.
Globulin	2.40	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.75	,	1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	112.80	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.40	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.20	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.20	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) ** , Serum				
Cholesterol (Total)	117.73	mg/dl	<200 Desirable 200-239 Borderline High > 240 High	CHOD-PAP
HDL Cholesterol (Good Cholesterol)	46.20	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	59	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optima 130-159 Borderline High 160-189 High > 190 Very High	
VLDL	12.46	mg/dl	10-33	CALCULATED
Triglycerides	62.30	mg/dl	< 150 Normal 150-199 Borderline High 200-499 High >500 Very High	GPO-PAP







Add: Godavari Complex,Near K.V.M Public School Heera Nagar,Haldwani Ph: 7705023379,-

CIN: U85110DL2003PLC308206



Patient Name : Mr.PRADEEP NEGI 102891 Registered On : 23/Mar/2024 09:13:21 Age/Gender Collected : 37 Y 6 M 17 D /M : 23/Mar/2024 15:24:05 UHID/MR NO : CHL2.0000158684 Received : 23/Mar/2024 18:07:43 Visit ID Reported : 23/Mar/2024 19:35:04 : CHL20370862324

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE ** , Uril	ne			
Color	PALE YELLOW			
Specific Gravity	1.010			
Reaction PH	Acidic (5.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	mg %	< 10 Absent 10-40 (+)	DIPSTICK
			40-200 (++)	
			200-500 (+++)	
			> 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+) 0.5-1.0 (++) 1-2 (+++)	DIPSTICK
		1 1 1	> 2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	1-2/h.p.f			MICROSCOPIC EXAMINATION
Pus cells	0-1/h.p.f			
RBCs	ABSENT			MICROSCOPIC EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC EXAMINATION
Others	ABSENT			2.0
STOOL, ROUTINE EXAMINATION ** , Sto	pol			
Color	BROWNISH			
Consistency	SEMI SOLID			
Reaction (PH)	Acidic (5.0)			









Add: Godavari Complex,Near K.V.M Public School Heera Nagar,Haldwani Ph: 7705023379,-

CIN: U85110DL2003PLC308206



Patient Name : Mr.PRADEEP NEGI 102891 Registered On : 23/Mar/2024 09:13:21 Age/Gender Collected : 23/Mar/2024 15:24:05 : 37 Y 6 M 17 D /M UHID/MR NO : CHL2.0000158684 Received : 23/Mar/2024 18:07:43 Visit ID : CHL20370862324 Reported : 23/Mar/2024 19:35:04

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Mucus	ABSENT			
Blood	ABSENT			
Worm	ABSENT			
Pus cells	ABSENT			
RBCs	ABSENT			
Ova	ABSENT			
Cysts	ABSENT			
Others	ABSENT			







Add: Godavari Complex, Near K.V.M Public School Heera Nagar, Haldwani Ph: 7705023379,-

CIN: U85110DL2003PLC308206



Patient Name : Mr.PRADEEP NEGI 102891

: 37 Y 6 M 17 D /M

Collected Received : 23/Mar/2024 09:13:22 : 23/Mar/2024 11:52:32

Age/Gender UHID/MR NO

: CHL2.0000158684

ceived : 23/Mar/2024 14:04:01

Visit ID

: CHL20370862324

Reported

Registered On

: 24/Mar/2024 11:47:26

Ref Doctor

: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD -

Status

: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

SUGAR, FASTING STAGE **, Urine

Sugar, Fasting stage

ABSENT

gms%

Interpretation:

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2







Add: Godavari Complex, Near K.V.M Public School Heera Nagar, Haldwani Ph: 7705023379,-

CIN: U85110DL2003PLC308206



Patient Name : Mr.PRADEEP NEGI 102891 Age/Gender

: 37 Y 6 M 17 D /M : CHL2.0000158684

Received

: 23/Mar/2024 09:13:22 : 23/Mar/2024 15:24:05

UHID/MR NO Visit ID : CHL20370862324

: 23/Mar/2024 18:07:43 Reported : 23/Mar/2024 19:35:04

: Dr.MEDIWHEEL ARCOFEMI HEALTH Ref Doctor CARE LTD HLD -

Status

Collected

Registered On

: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

SUGAR, PP STAGE **, Urine

Sugar, PP Stage

ABSENT

Interpretation:

(+) < 0.5 gms%

0.5-1.0 gms% (++)

(+++) 1-2 gms%

(++++) > 2 gms%











Add: Godavari Complex,Near K.V.M Public School Heera Nagar,Haldwani Ph: 7705023379,-

CIN: U85110DL2003PLC308206



Patient Name : Mr.PRADEEP NEGI 102891 : 23/Mar/2024 09:13:22 Registered On Age/Gender : 37 Y 6 M 17 D /M Collected : 23/Mar/2024 10:09:01 UHID/MR NO : CHL2.0000158684 Received : 23/Mar/2024 11:14:13 Visit ID : CHL20370862324 Reported : 23/Mar/2024 15:46:15

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report CARE LTD HLD -

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
PSA (Prostate Specific Antigen), Total **	0.60	ng/mL	<4.1	CLIA	
Sample:Serum	5.50	9/1112		· · ·	

Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone:
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

THYROID PROFILE - TOTAL **, Serum

T3, Total (tri-iodothyronine)	99.00	ng/dl	84.61-201.7	CLIA
T4, Total (Thyroxine)	7.90	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	2.400	μIU/mL	0.27 - 5.5	CLIA

Interpretation:

0.3-4.5	μIU/mL	First Trimester	
0.5-4.6	$\mu IU/mL$	Second Trimester	
0.8 - 5.2	$\mu IU/mL$	Third Trimester	
0.5-8.9	μIU/mL	Adults	55-87 Years
0.7 - 27	μIU/mL	Premature	28-36 Week
2.3-13.2	$\mu IU/mL$	Cord Blood	> 37Week
0.7-64	μIU/mL	Child(21 wk - 20 Yrs.)	
1-39	$\mu IU/mL$	Child	0-4 Days
1.7-9.1	$\mu IU/mL$	Child	2-20 Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.









Add: Godavari Complex, Near K.V.M Public School Heera Nagar, Haldwani Ph: 7705023379,-

CIN: U85110DL2003PLC308206



Patient Name : Mr.PRADEEP NEGI 102891 Age/Gender

: 37 Y 6 M 17 D /M

Collected

Registered On

: 23/Mar/2024 09:13:22 : 23/Mar/2024 10:09:01

UHID/MR NO : CHL2.0000158684 Visit ID : CHL20370862324

Received Reported : 23/Mar/2024 11:14:13 : 23/Mar/2024 15:46:15

: Dr.MEDIWHEEL ARCOFEMI HEALTH Ref Doctor CARE LTD HLD -

Status

: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- 4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis
- 6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- 8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.



Page 11 of 14







Add: Godavari Complex, Near K.V.M Public School Heera Nagar, Haldwani Ph: 7705023379,-

CIN: U85110DL2003PLC308206



Patient Name : Mr.PRADEEP NEGI 102891

WII.PRADEEP NEGI 102891

Registered On

: 23/Mar/2024 09:13:24

Age/Gender

: 37 Y 6 M 17 D /M

Collected Received N/A

UHID/MR NO Visit ID : CHL2.0000158684 : CHL20370862324

Reported

: 23/Mar/2024 10:33:38

Ref Doctor

: Dr.MEDIWHEEL ARCOFEMI HEALTH

: N/A

Ref Doctor CARE LTD HLD -

Status : Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA *

(500 mA COMPUTERISED UNIT SPOT FILM DEVICE)

DIGITAL CHEST P-A VIEW:-

- Bilateral lung fields appear grossly unremarkable.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Bilateral hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Soft tissue shadow appears normal.

IMPRESSION:-

No significant abnormality is seen.

Adv:-Clinico-pathological correlation.













Add: Godavari Complex,Near K.V.M Public School Heera Nagar,Haldwani Ph: 7705023379,-

CIN: U85110DL2003PLC308206



Patient Name : Mr.PRADEEP NEGI 102891 Registered On : 23/Mar/2024 09:13:24

 Age/Gender
 : 37 Y 6 M 17 D /M
 Collected
 : N/A

 UHID/MR NO
 : CHL2.0000158684
 Received
 : N/A

Visit ID : CHL20370862324 Reported : 23/Mar/2024 11:47:39

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD - Status : Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

WHOLE ABDOMEN ULTRASONOGRAPHY REPORT

LIVER

• The liver is normal in size and has a normal homogenous echo texture. No focal lesion is seen. (Note: - Small isoechoic focal lesion cannot be ruled out).

PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- Portal vein is not dilated.
- Porta hepatis is normal.

BILIARY SYSTEM

- The intra-hepatic biliary radicles are normal.
- Common bile duct is not dilated.
- The gall bladder is well distended and has normal wall thickness. Polyp of size measuring ~5mm is seen in fundal region of gall bladder. No calculus is seen.

PANCREAS

• The pancreas is normal in size and shape and has a normal homogenous echotexture. Pancreatic duct is not dilated.

KIDNEYS (Note- CT is more sensitive to detect renal calculi).

- Right kidney:-
 - Right kidney is normal in size, measuring ~10.6x5.1 cms.
 - Cortical echogenicity is normal.
 - Pelvicalyceal system is not dilated.
 - Cortico-medullary demarcation is maintained.
 - Parenchymal thickness appear normal.

• Left kidney:-

- Left kidney is normal in size, measuring ~10.7x5.3 cms.
- Cortical echogenicity is normal.
- Pelvicalyceal system is not dilated.
- Cortico-medullary demarcation is maintained.
- Parenchymal thickness appear normal.

SPLEEN

• The spleen is normal in size (\sim 7.8 cms) and has a normal homogenous echo-texture.







Add: Godavari Complex, Near K.V.M Public School Heera Nagar, Haldwani Ph: 7705023379,-

CIN: U85110DL2003PLC308206



Patient Name : Mr.PRADEEP NEGI 102891

: 37 Y 6 M 17 D /M

CARE LTD HLD -

Collected

: 23/Mar/2024 09:13:24

Age/Gender UHID/MR NO

: CHL2.0000158684

Received

Registered On

: 23/Mar/2024 11:47:39

Visit ID Ref Doctor : CHL20370862324 : Dr.MEDIWHEEL ARCOFEMI HEALTH Reported Status

: Final Report

: N/A

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ILIAC FOSSAE & PERITONEUM

- Scan over the iliac fossae does not reveal any fluid collection or large mass.
- No free fluid is noted in peritoneal cavity.

URETERS

- The upper parts of both the ureters are normal.
- Bilateral vesicoureteric junctions are normal.

URINARY BLADDER

• The urinary bladder is normal. Bladder wall is normal in thickness and is regular.

PROSTATE

• The prostate gland is normal in size (~14.9cc volume) and normal in echotexture with smooth outline. No median lobe indentation is seen.

FINAL IMPRESSION:-

• Gall bladder polyp.

Adv: Clinico-pathological & CT Abdomen correlation for further evaluation.

Note:-

- This report is not for any legal purpose as the patient identity is not confirmed.
- In case of any typing error, patient is requested to immediately inform to the doctor (radiologist), as the report is digitally signed.
- <u>Discrepancy of laterality/side can be seen in 0.08% cases therefore review is advised before any operative procedure.</u>

*** End Of Report ***

(**) Test Performed at CHANDAN DIAGNOSTIC CENTRE, HALDWANI-2

Result/s to Follow:

Mill Test (TMT)

DR AZIM ILYAS

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *

**Facilities Available at Select Location*





