

Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85196UP1992PLC014075



Patient Name : Mr.RAJ KUNWAR RAWAT Registered On : 17/Mar/2024 10:35:19 Age/Gender Collected : 17/Mar/2024 11:06:26 : 58 Y 3 M 16 D /M UHID/MR NO : IDCD.0000208001 Received : 17/Mar/2024 12:12:25 Visit ID : IDCD0609942324 Reported : 17/Mar/2024 14:47:42

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) *, Bloo	d			
Blood Group	AB			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	NEGATIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) * , Whole B	lood			
Haemoglobin	8.60	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl	
TLC (WBC)	9,100.00	/Cu mm	12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl 4000-10000	ELECTRONIC IMPEDANCE
DLC	.,	,		
Polymorphs (Neutrophils) Lymphocytes Monocytes Eosinophils Basophils ESR	75.00 19.00 5.00 1.00 0.00	% % % %	55-70 25-40 3-5 1-6 < 1	ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE
Observed	42.00	Mm for 1st hr.		
Corrected	10.00	Mm for 1st hr.	< 9	
PCV (HCT) Platelet count	26.00	%	40-54	
Platelet Count	2.60	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width) P-LCR (Platelet Large Cell Ratio)	15.70 42.70	fL %	9-17 35-60	ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE









 $\label{lem:add:eq:add$

CIN: U85196UP1992PLC014075



Patient Name : Mr.RAJ KUNWAR RAWAT Registered On : 17/Mar/2024 10:35:19 Age/Gender : 58 Y 3 M 16 D /M Collected : 17/Mar/2024 11:06:26 UHID/MR NO : IDCD.0000208001 Received : 17/Mar/2024 12:12:25 Visit ID : IDCD0609942324 Reported : 17/Mar/2024 14:47:42

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.26	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	11.90	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	3.97	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	74.00	fl	80-100	CALCULATED PARAMETER
MCH	21.70	pg	28-35	CALCULATED PARAMETER
MCHC	29.30	%	30-38	CALCULATED PARAMETER
RDW-CV	18.40	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	51.90	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	6,825.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	91.00	/cu mm	40-440	

ADV:- Iron studies

Dr. Shoaib Irfan (MBBS, MD, PDCC)







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85196UP1992PLC014075



Patient Name : Mr.RAJ KUNWAR RAWAT : 17/Mar/2024 10:35:20 Registered On Age/Gender : 17/Mar/2024 14:31:02 : 58 Y 3 M 16 D /M Collected UHID/MR NO : IDCD.0000208001 Received : 17/Mar/2024 15:34:19 Visit ID : IDCD0609942324 Reported : 17/Mar/2024 16:23:04

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
GLUCOSE FASTING , Plasma					
Glucose Fasting	103.30	mg/dl	< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD	

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

Glucose PP	113.70	mg/dl	<140 Normal	GOD POD
Sample:Plasma After Meal			140-199 Pre-diabetes	
			>200 Diabetes	

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

Dr. Shoaib Irfan (MBBS, MD, PDCC)









Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85196UP1992PLC014075



Patient Name : Mr.RAJ KUNWAR RAWAT Registered On : 17/Mar/2024 10:35:21 : 17/Mar/2024 11:06:26 Age/Gender : 58 Y 3 M 16 D /M Collected UHID/MR NO : IDCD.0000208001 Received : 17/Mar/2024 12:43:38 Visit ID : IDCD0609942324 Reported : 17/Mar/2024 15:38:15

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit Bio	. Ref. Interval	Method	
GLYCOSYLATED HAEMOGLOBIN (HBA1C)	** , EDTA BLOOD				
Glycosylated Haemoglobin (HbA1c)	5.10	% NGSP		HPLC (NGSP)	
Glycosylated Haemoglobin (HbA1c)	32.00	mmol/mol/IFCC			
Estimated Average Glucose (eAG)	99	mg/dl			

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy







^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.



Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85196UP1992PLC014075



Patient Name : Mr.RAJ KUNWAR RAWAT

Collected

Registered On

: 17/Mar/2024 10:35:21 : 17/Mar/2024 11:06:26

Age/Gender

: 58 Y 3 M 16 D /M

Received

: 17/Mar/2024 12:43:38

UHID/MR NO Visit ID

: IDCD.0000208001 : IDCD0609942324

Reported

: 17/Mar/2024 15:38:15

Ref Doctor

Dr. Mediwheel - Arcofemi Health Care Ltd.

Status

: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

c. Alcohol toxicity d. Lead toxicity



Dr. Anupam Singh (MBBS MD Pathology)







^{*}Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

^{*}Pregnancy d. chronic renal failure. Interfering Factors:

^{*}Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.



Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85196UP1992PLC014075



Patient Name : Mr.RAJ KUNWAR RAWAT Registered On : 17/Mar/2024 10:35:21 Age/Gender Collected : 58 Y 3 M 16 D /M : 17/Mar/2024 11:06:26 UHID/MR NO : IDCD.0000208001 Received : 17/Mar/2024 13:31:27 Visit ID : IDCD0609942324 Reported : 17/Mar/2024 15:40:09

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
BUN (Blood Urea Nitrogen) Sample:Serum	13.78	mg/dL	7.0-23.0	CALCULATED
Creatinine Sample:Serum	1.35	mg/dl	0.6-1.30	MODIFIED JAFFES
Uric Acid Sample:Serum	6.57	mg/dl	3.4-7.0	URICASE
LFT (WITH GAMMA GT) * , Serum				
SGOT / Aspartate Aminotransferase (AST)	24.50	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	13.60	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	22.90	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.87	gm/dl	6.2-8.0	BIURET
Albumin	3.99	gm/dl	3.4-5.4	B.C.G.
Globulin	2.88	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.39		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	145.27	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.80	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.25	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.55	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) , Serum				
Cholesterol (Total)	125.00	mg/dl	<200 Desirable 200-239 Borderline H > 240 High	CHOD-PAP igh
HDL Cholesterol (Good Cholesterol)	47.20	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	60	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optii 130-159 Borderline H 160-189 High > 190 Very High	
VLDL	17.98	mg/dl	10-33	AN ALL ATER
Triglycerides	89.90	mg/dl	< 150 Normal 150-199 Border 200-499 High	paib Irfan (MBBS, MD, PDCC)







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85196UP1992PLC014075



Patient Name : Mr.RAJ KUNWAR RAWAT Registered On : 17/Mar/2024 10:35:20 Age/Gender Collected : 17/Mar/2024 14:39:23 : 58 Y 3 M 16 D /M UHID/MR NO : IDCD.0000208001 Received : 17/Mar/2024 15:25:41 Visit ID : IDCD0609942324 Reported : 17/Mar/2024 16:56:29

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

		Unit	Bio. Ref. Interval	Method
JRINE EXAMINATION, ROUTINE * , $_{\it Ur}$	ine			
Color	PALE YELLOW			
Specific Gravity	1.020			
Reaction PH	Acidic (6.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++) > 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
Sugai	ADJENT	y111370	0.5-1.0 (++)	DIFSTICK
			1-2 (+++)	
			> 2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	0-1/h.p.f			MICROSCOPIC
				EXAMINATION
Pus cells	0-1/h.p.f			
RBCs	ABSENT			MICROSCOPIC
	ADOFNE			EXAMINATION
Cast	ABSENT			Maranana
Crystals	ABSENT			MICROSCOPIC
Others	ABSENT			EXAMINATION
UGAR, FASTING STAGE * , Urine				
	ADCENT	au== =0/		
Sugar, Fasting stage	ABSENT	gms%		

Interpretation:







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85196UP1992PLC014075



Patient Name : Mr.RAJ KUNWAR RAWAT Registered On : 17/Mar/2024 10:35:20 Age/Gender Collected : 17/Mar/2024 14:39:23 : 58 Y 3 M 16 D /M UHID/MR NO : IDCD.0000208001 Received : 17/Mar/2024 15:25:41

: IDCD0609942324 Visit ID Reported : 17/Mar/2024 16:56:29 Dr. Mediwheel - Arcofemi Health Care Ltd. Status

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

: Final Report

Test Name Result Unit Bio. Ref. Interval Method

< 0.5 (+)

0.5 - 1.0(++)

(+++) 1-2

Ref Doctor

(++++) > 2

SUGAR, PP STAGE *, Urine

Sugar, PP Stage

ABSENT

Interpretation:

< 0.5 gms% (+)

(++)0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%

Dr. Shoaib Irfan (MBBS, MD, PDCC)









Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85196UP1992PLC014075



Patient Name : Mr.RAJ KUNWAR RAWAT : 17/Mar/2024 10:35:21 Registered On Age/Gender : 58 Y 3 M 16 D /M Collected : 17/Mar/2024 11:06:26 UHID/MR NO : IDCD.0000208001 Received : 17/Mar/2024 12:19:10 Visit ID : IDCD0609942324 Reported : 17/Mar/2024 13:48:17

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PSA (Prostate Specific Antigen), Total ** Sample:Serum	0.77	ng/mL	<4.1	CLIA

Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone.
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

THYROID PROFILE - TOTAL **, Serum

T3, Total (tri-iodothyronine)	135.62	ng/dl	84.61-201.7	CLIA
T4, Total (Thyroxine)	7.50	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	5.960	μIU/mL	0.27 - 5.5	CLIA

Interpretation:

0.3-4.5	$\mu IU/mL$	First Trimest	er	
0.5-4.6	$\mu IU/mL$	Second Trimester		
0.8 - 5.2	$\mu IU/mL$	Third Trimester		
0.5 - 8.9	$\mu IU/mL$	Adults	55-87 Years	
0.7 - 27	$\mu IU/mL$	Premature	28-36 Week	
2.3-13.2	$\mu IU/mL$	Cord Blood	> 37Week	
0.7-64	μIU/mL	Child(21 wk	- 20 Yrs.)	
1-39	$\mu IU/mL$	Child	0-4 Days	
1.7-9.1	$\mu IU/mL$	Child	2-20 Week	

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.







Visit ID

CHANDAN DIAGNOSTIC CENTRE

Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85196UP1992PLC014075

: IDCD0609942324



 Patient Name
 : Mr.RAJ KUNWAR RAWAT
 Registered On
 : 17/Mar/2024 10:35:21

 Age/Gender
 : 58 Y 3 M 16 D /M
 Collected
 : 17/Mar/2024 11:06:26

 UHID/MR NO
 : IDCD.0000208001
 Received
 : 17/Mar/2024 12:19:10

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF IMMUNOLOGY

Reported

: 17/Mar/2024 13:48:17

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6**) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- 8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Print

Dr. Anupam Singh (MBBS MD Pathology)

Page 10 of 13







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85196UP1992PLC014075



Patient Name : Mr.RAJ KUNWAR RAWAT Registered On : 17/Mar/2024 10:35:22

 Age/Gender
 : 58 Y 3 M 16 D /M
 Collected
 : N/A

 UHID/MR NO
 : IDCD.0000208001
 Received
 : N/A

Visit ID : IDCD0609942324 Reported : 17/Mar/2024 16:11:56

Ref Doctor : Dr. Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF X-RAY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA *
(500 mA COMPUTERISED UNIT SPOT FILM DEVICE)

DIGITAL CHEST P-A VIEW

- Soft tissue shadow appears normal.
- Bony cage is normal.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Pulmonary parenchyma did not reveal any significant lesion.

IMPRESSION: NORMAL SKIAGRAM

Dr. Anil Kumar Verma (MBBS,DMRD)







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85196UP1992PLC014075



Patient Name : Mr.RAJ KUNWAR RAWAT Registered On : 17/Mar/2024 10:35:22

 Age/Gender
 : 58 Y 3 M 16 D /M
 Collected
 : N/A

 UHID/MR NO
 : IDCD.0000208001
 Received
 : N/A

Visit ID : IDCD0609942324 Reported : 17/Mar/2024 14:08:45

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

LIVER

- Liver is mildly enlarged in size (~ 166 mm) with grade-I fatty changes.
- No obvious focal lesion is seen. The intra-hepatic biliary radicles are normal.
- Portal vein is normal in caliber.

GALL BLADDER & CBD

- The gall bladder is normal in size and has regular walls. Lumen of the gall bladder is anechoic. No wall
 thickening or pericholecystic fluid noted.
- Visualised proximal common bile duct is normal in caliber.

PANCREAS

 The pancreas is normal in size and shape and has a normal homogenous echotexture. Pancreatic duct is not dilated.

KIDNEYS

- Both kidneys are normal in size.
- Right kidney ~ approx 86 x 43 mm with increased renal cortical echogenicity with effaced cortico-medullary-demarcation with outline is irregular & lobulated. (Adv:- RFT correlation).
- Evolving simple cortical cyst ~ approx 9 x 8 mm seen at lower polar region of right kidney.
- Left kidney ~ approx 95 x 54 mm with mildly increased renal cortical echogenicity.
- The collecting system of both the kidneys is normal.

SPLEEN

• The spleen is normal in size and has a normal homogenous echo-texture.

LYMPH NODES

• No significant lymph node noted.







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85196UP1992PLC014075



Patient Name : Mr.RAJ KUNWAR RAWAT Registered On : 17/Mar/2024 10:35:22

 Age/Gender
 : 58 Y 3 M 16 D /M
 Collected
 : N/A

 UHID/MR NO
 : IDCD.0000208001
 Received
 : N/A

Visit ID : IDCD0609942324 Reported : 17/Mar/2024 14:08:45

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

URINARY BLADDER

- Urinary bladder is well distended. Bladder wall is normal in thickness and is regular.
- Pre void urine volume is ~ 140 cc.
- Post void residual urine volume is ~ 24 cc.

PROSTATE

• Prostate is mildly enlarged in size & measures $\sim 39 \times 34 \times 32$ mm, weight ~ 21.4 grams with median lobe indenting bladder base.

IMPRESSION

Indication: Routine screening (No previous records)

- Mild hepatomegaly with grade-I fatty changes in liver.
- Increased right renal cortical echogenicity with effaced cortico-medullary-demarcation with outline is irregular & lobulated with evolving right renal simple cortical cyst. Mildly increased left renal cortical echogenicity. (Adv:- RFT correlation).
- Mild prostatomegaly with post void residual urine volume of ~ 24 cc.

Please correlate clinically

Report prepared by- shanaya

(This report is a professional opinion & not a diagnosis. Kindly intimate us immediately or within 7 days for any reporting / typing error or any query regarding sonographic correlation of clinical findings)

*** End Of Report ***

(**) Test Performed at Chandan Speciality Lab.

Result/s to Follow:

STOOL, ROUTINE EXAMINATION, ECG / EKG, Tread Mill Test (TMT)



Dr. Anil Kumar Verma

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *

*Facilities Available at Select Location





