

प्रति,

समन्वयक,

Mediwheel (Arcofemi Healthcare Limited)

हेल्पलाइन नंबर: 011-41195959

महोदय/ महोदया,

विषय: बैंक ऑफ़ इंडिया के कर्मचारियों के लिए वार्षिक स्वास्थ्य जांच।

हम आपको सूचित करना चाहते हैं कि हमारे कर्मचारी जिनका विवरण निम्नानुसार है हमारे करार के अनुसार आपके 1 उपलब्ध कराई गई कैलेंडर वार्षिक स्वास्थ्य जांच सुविधा का लाभ लेना चाहते हैं।

	कर्मचारी विवरण
नाम	MR. KUMAR RANJIT
क.फू.संख्या	105318
पदनाम	SINGLE WINDOW OPERATOR A
कार्य का स्थान	JAINAMORE
जन्म की तारीख	30-06-1984
स्वास्थ्य जांच की प्रस्तावित तारीख	23-03-2024
बुकिंग संदर्भ सं.	23M105318100099424E

यह अनुमोदन/ संस्तुति पत्र तभी वैध माना जाएगा जब इसे बैंक ऑफ़ इंडिया के कर्मचारी आईडी कार्ड की प्रति के साथ प्रस्तुत किया जाएगा। यह अनुमोदन पत्र दिनांक 12-03-2024 से 31-03-2024 तक मान्य है। इस पत्र के साथ किए जाने वाले चिकित्सा जांच की सूची अनुलग्नक के रूप में दी गई है। कृपया नोट करें कि उक्त स्वास्थ्य जांच हमारी टाई-अप व्यवस्था के अनुसार कैलेंडर सुविधा है। हम अनुरोध करते हैं कि आप हमारे कर्मचारी के स्वास्थ्य जांच संबंधी आवश्यकताओं पर उचित कार्यवाई करें तथा इस संबंध में अपनी सर्वोच्च प्राथमिकता तथा सर्वोत्तम संसाधन उपलब्ध कराएं। उपर्युक्त सारणी में दी गई कर्मचारी कूट संख्या एवं बुकिंग संदर्भ संख्या का उल्लेख अनिवार्य रूप से इनवॉइस में किया जाना चाहिए।

हम इस संबंध में आपके सहयोग की अपेक्षा करते हैं।

भवदीय,

हरना/

(मुख्य महाप्रबंधक)

मानव संसाधन प्रबंधन विभाग

बैंक ऑफ़ इंडिया



(नोट: यह कंप्यूटर द्वारा जनरेट किया गया पत्र है। हस्ताक्षर की आवश्यकता नहीं है। कृपया किसी भी स्पष्टीकरण के लिए Mediwheel (Arcofemi Healthcare Limited) से संपर्क करें।)

**B** बैंक अॉड वडोडर  
Bank of Baroda

नाम: **RANJIT KUMAR**  
Name:

कर्मचारी कूड नं.  
E. C. No. **105318**



*Ranjit Kumar*



उडरकड वडरकडर डू ड (डू) ड.ड. न.डर  
Issuing Authority CM (S), ZO, ND.

*Ranjit Kumar*  
उडरक वड डररररर  
Signature of Holder

डररर डर डरडरडरडर डर डरडर  
डरडर डरडरडरडर (डरडर)  
डूड डरडर डरडर डरडरडर डरडर  
डर-26, डर डरडर डरडर डरडर डरडरडर  
डरडर 400 051, डररर  
डररर : 91 22 6698 51 96 डरररर : 91 22 2652 5747  
If found, please return to:  
Asst. General Manager (Security)  
Bank of Baroda, Baroda Corporate Center  
C-26, G-Block, Bandra-Kurla Complex  
Mumbai 400 051, India  
Phone : 91 22 6698 5196, Fax :91 22 2652 5747

डरर डरडर / Blood Group : **B+**  
डरडर डरडर : **Cut Mark on Right Leg**  
Identification Marks :






भारत सरकार  
Government of India

भारतीय विशिष्ट पहचान प्राधिकरण  
Unique Identification Authority of India

नामांकन क्रम/ Enrolment No.: 2906/00572/00496

To  
रंजित कुमार  
Ranjit Kumar  
S/O Ganesh Prasad,  
RAMASHARAM CLINIC, PO- JAINAMORE PS- JARIDIH,  
VTC BOKARO,  
District Bokaro,  
State: Jharkhand,  
PIN Code: 829301,  
Mobile: 8409020545



Signature Not Verified  
Digitally signed by Ranjit Kumar  
DN: cn=Ranjit Kumar, o=Unique Identification Authority of India, email=Ranjit.Kumar@uidai.gov.in, c=IN

आपका आधार क्रमांक / Your Aadhaar No. :  
XXXX XXXX 3046  
VID : 9117 1955 6420 4661

मेरा आधार, मेरी पहचान



भारत सरकार  
Government of India



Aadhaar no. issued: 25/01/2012



रंजित कुमार  
Ranjit Kumar  
जन्म तिथि/DOB: 30/06/1984  
पुरुष/ MALE

आधार पहचान का प्रमाण है, नागरिकता या जन्मतिथि का नहीं।  
इसका उपयोग सत्यापन (ऑनलाइन प्रमाणीकरण, या म्यूअर कोड/  
ऑनलाइन एनरोलमेंट की स्कैनिंग) के साथ किया जाना चाहिए।  
Aadhaar is proof of identity, not of citizenship  
or date of birth. It should be used with verification (online  
authentication, or scanning of QR code / offline XML).

XXXX XXXX 3046

मेरा आधार, मेरी पहचान



Government of India



सूचना / INFORMATION

- आधार पहचान का प्रमाण है, नागरिकता या जन्मतिथि का नहीं। जन्मतिथि आधार नंबर धारक द्वारा प्रस्तुत सूचना और विनियमों में विनिर्दिष्ट जन्मतिथि के प्रमाण के दस्तावेज पर आधारित है।
- इस आधार पर को यूआईडीएआई द्वारा नियुक्त प्रमाणीकरण एजेंसी के जरूर ऑनलाइन प्रमाणीकरण के द्वारा सत्यापित किया जाना चाहिए या ऐप स्टोर में उपलब्ध एमआधार या आधार म्यूअर कोड स्कैनर ऐप से म्यूअर कोड को स्कैन करके या [www.uidai.gov.in](http://www.uidai.gov.in) पर उपलब्ध सुरक्षित म्यूअर कोड रीडर का उपयोग करके सत्यापित किया जाना चाहिए।
- आधार विशिष्ट और सुरक्षित है।
- पहचान और पते के समर्थन में दस्तावेजों को आधार के लिए नामांकन की तारीख से प्रत्येक 10 वर्ष में कम से कम एक बार आधार में अपडेट करना चाहिए।
- आधार विभिन्न सरकारी और गैर-सरकारी फायदों/सेवाओं का लाभ लेने में सहायता करता है।
- आधार में अपना मोबाइल नंबर और ईमेल आईडी अपडेट राहें।
- आधार सेवाओं का लाभ लेने के लिए एमआधार ऐप डाउनलोड करें।
- आधार/बीयोमेट्रिक्स का उपयोग न करने के समय सुरक्षा सुनिश्चित करने के लिए आधार/बीयोमेट्रिक्स लॉक/अनलॉक सुविधा का उपयोग करें।
- आधार की सहायता करने वाले सहमति लेने के लिए बाध्य हैं।
- Aadhaar is proof of identity, not of citizenship or date of birth (DOB) DOB is based on information supported by proof of DOB document specified in regulations, submitted by Aadhaar number holder
- This Aadhaar letter should be verified through either online authentication by UIDAI-appointed authentication agency or QR code scanning using mAadhaar or Aadhaar QR Scanner app available in app stores or using secure QR code reader app available on [www.uidai.gov.in](http://www.uidai.gov.in)
- Aadhaar is unique and secure
- Documents to support identity and address should be updated in Aadhaar after every 10 years from date of enrolment for Aadhaar
- Aadhaar helps you avail of various Government and Non-Government benefits/services
- Keep your mobile number and email id updated in Aadhaar.
- Download mAadhaar app to avail of Aadhaar services
- Use the feature of Lock/Unlock Aadhaar/biometrics to ensure security when not using Aadhaar/biometrics
- Entities seeking Aadhaar are obligated to seek consent




भारतीय विशिष्ट पहचान प्राधिकरण  
Unique Identification Authority of India



Details as on: 13/02/2024

पता:  
S/O गणेश प्रसाद, रामाश्व क्लिनिक, पो- जैनमोड़ थाना-  
जरीडीह, बोकारो, झारखण्ड-  
झारखण्ड - 829301

Address:  
S/O Ganesh Prasad, RAMASHARAM  
CLINIC, PO- JAINAMORE PS- JARIDIH,  
BOKARO, DIST: Bokaro,  
Jharkhand - 829301



XXXX XXXX 3046

VID : 9117 1955 6420 4661

1947 | [help@uidai.gov.in](mailto:help@uidai.gov.in) | [www.uidai.gov.in](http://www.uidai.gov.in)





# OUT PATIENT DEPARTMENT

# असर्फी हॉस्पिटल

## सबके लिए स्वास्थ्य

### Mediwheel

Department of General Medicine

Regd. No. : MAR23-44295	Visit : OPD/230324/202045
Patient Name : MR. RANJIT KUMAR	Mobile : 8409020545
Age/Sex : 39 Y 8 M 0 D / Male	Date : 23-Mar-2024 3:28 pm
Address : RAMASHANKAR CLINIC, JAINAMORE, BOKARO - 829301, Jharkhand, INDIA	OPD Timing :
Doctor : Dr. Sumeet Kr. MD, Medicine	Referred By :

Allergies :	Height : Ft In	Temp. :	C	SPO2 : 99 %
	Weight : 83.4 Kg	Pulse : 68	BPM	B.P. : 130/80 mm/Hg

### History and complaints :

### Examination:

- Fatty liver grade I

### Diagnosis:

- dyslipidemia

### Investigations:

### Medicines Prescribed:

- Uric acid  
after 2 days

- lipid profile

- cap EVITOL 1 BD  
x 2 days

- D. GERO RED 100  
x 1 mg

### Follow up:

Days

Advice (Diet/ Lifestyle / Rehab)

Date :

Time :

→ Born walk  
30-40 min

Signature of Doctor

\*This document is not valid for Medico-Legal purposes.

39 Years

Male



Rate 71 . Atrial flutter with predominant 3:1 AV block.....A-rate 220, multiple P<sub>s</sub>  
 . Abnormal R-wave progression, early transition.....QRS area>0 in V2  
 . ST elevation, consider anterolateral injury.....ST >0.15mV, I aVL V2-V6  
 . Baseline wander in lead(s) I, II, aVR, aVL, aVF, V1, V2


--AXIS--

P 54  
 QRS 54  
 T 41

12 Lead: Standard Placement

- ABNORMAL ECG -

Unconfirmed Diagnosis



V/February

Device:

Speed: 25 mm/sec

Limb: 10 mm/mV

Chest: 10.0 mm/mV

F 50~ 0.50-100 Hz W

PH100B CL

P?

## RADIOLOGY REPORT

Reg. No.	44295	Ref. Dr.	SELF
Name	MR. RANJIT KUMAR	Study	USG WHOLE ABDOMEN
Age & Sex	39Y/M	Rep Date	23.03.2024


### USG WHOLE ABDOMEN

- LIVER** : Liver is normal in size & shape. It appears bright in echotexture. No obvious focal lesion is seen. IHBR are not dilated.
- GALL BLADDER** : GB is well distended. No obvious calculus or mass lesion is seen. The wall thickness is normal.
- CBD** : CBD is normal in course & caliber.
- PV** : PV is normal in course & caliber.
- PANCREAS** : Pancreas is normal in size, shape & echotexture. Peripancreatic soft tissues appear normal. MPD is not dilated.
- SPLEEN** : Spleen is normal in shape, size & echotexture. It measures 11.2cm in size.
- KIDNEYS** : The right kidney measures 9.2 x 4.4cm. The left kidney measures 9.7 x 5.1cm. Both kidneys are normal in shape, size & position. The pelvicalyceal system is normal. Corticomedullary differentiation is maintained. No focal lesion is seen.
- URINARY BLADDER** : Urinary bladder is well distended. No obvious calculus or mass lesion is seen. The wall thickness is normal.
- PROSTATE** : Prostate is normal in size, shape & echotexture. It measures 3.6 x 3.1 x 3.9cm in size (volume – 23.6gram).
- OTHERS** : No ascites or retroperitoneal lymphadenopathy is seen.

**IMPRESSION** : • Grade I diffuse fatty infiltration of liver.  
Clinical correlation is suggested.



Dr. VAISHALI PATEL  
MBBS, DNB (Radio-diagnosis)  
Consultant Radiologist



### REPORT

### ECHOCARDIOGRAPHY REPORT

Name: MR RANJIT KUMAR

Age: 39

Sex: Male

Date: 23/03/2024

#### 2D & M-MODE MEASUREMENTS

LA Diam	3.4 cm
Ao Diam	3.2 cm
IVSd	1.2 cm
LVIDd	4.1 cm
LVPWd	1.2 cm
IVSs	1.6 cm
LVIDs	2.7 cm

#### 2D & M-MODE CALCULATIONS

EDV(Teich)	74 ml
ESV(Teich)	28 ml
EF(Teich)	62 %
%FS	33 %
SV(Teich)	46 ml
LVd Mass	204.84 g
RWT	0.60

#### MITRAL VALVE

MV E Vel	0.90 m/s
MV DecT	158 ms
MV Dec Slope	5.7 m/s <sup>2</sup>
MV A Vel	0.55 m/s
MV E/A Ratio	1.62

#### AORTIC VALVE

AV Vmax	1.11 m/s
AV maxPG	4.94 mmHg

#### TRICUSPID VALVE

#### PULMONARY VALVE

PV Vmax	1.09 m/s
PV maxPG	4.77 mmHg

#### COMMENTS:

- NORMAL SIZE CARDIAC CHAMBERS
- NO LVRWMA
- GOOD LV SYSTOLIC FUNCTION (EF-60%)
- NORMAL MITRAL INFLOW PATTERN
- NO MR, AR, NO TR, NO PAH
- IAS, IVS INTACT
- NO CLOT, PE
- IVC NORMAL

#### IMPRESSION:

- NORMAL ECHO STUDY

DR. S.H. CHAVAN  
(CONSULTANT CARDIOLOGIST)

TECH. SIG










# ASARFI INSTITUTE OF CARDIAC SCIENCES

Name : MR RANJIT KUMAR

Date : 23/03/2024

Patient Id : 44295



## RADIOLOGY REPORT

Patient Name :	MR.RANJIT KUMAR	Patient ID :	44295
Modality :	DX	Sex :	M
Age :	39Y	Study :	CXR
Reff. Dr. :	DR.SELF	Study Date :	23-03-2024


### X-RAY OF CHEST PA VIEW

#### Findings:

- Prominent bronchovascular marking noted in bilateral lung fields.
- Both costophrenic angles are free.
- Heart shadow appear normal.
- Both hila appears normal.
- Trachea is at midline.

**IMPRESSION:** Non-specific infective changes noted in bilateral lung fields.

*Clinical correlation and other investigation suggested if clinically indicated.*



**Dr. Preetam Debasish Panda**

MD (Radio diagnosis)

Registration No. 12-46299

Date 23-03-2024 Time 12-10-14



**Disclaimer:** - It is an online interpretation of medical imaging based on clinical data. All modern machines/ procedures have their own limitation. If there is any clinical discrepancy, this investigation may be repeated or reassessed by other tests. Patient's identification in online reporting is not established, so in no way can this report be utilized for any medico legal purpose.



**24 HOUR EMERGENCY**

© AHL/D/0070/13/February/24

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"



# ASARFI HOSPITAL LABORATORY

(A Unit of Asarfi Hospital Ltd.)

Baramuri, Bishunpur Polytechnic, Dhanbad 828 130  
Ph. No.: 7808368888, 9790000000, 9234681514



## FINAL REPORT

Name : MR. RANJIT KUMAR  
Reg. No. : MAR23-44295  
Age / Sex : 39 Y 8 M 0 D / Male  
Doctor : Self-Walkin  
Pat. Type : Mediwheel



Collection Time : 23-03-2024 10:40:39  
Receiving Time : 23-03-2024 10:41:47  
Reporting Time : 23-03-2024 14:50:28  
Publish Time : 23-03-2024 3:18 pm

Test Name	Result	Flag	Unit	Reference Range
-----------	--------	------	------	-----------------

### Biochemistry

#### Creatinine, Serum

Method: Enzymatic

Creatinine, Serum

0.8

Machine Name: XL640

mg/dl 0.6-1.4

#### Uric Acid, Serum

Method: Enzymatic

Uric Acid, Serum

6.5

Machine Name: XL640

mg/dl 3.4-7.0

#### Blood Urea Nitrogen (BUN)

Method: Calculated

Blood Urea Nitrogen (BUN)

11.0

Machine Name: XL640

mg/dl 07-21

#### Fasting Blood Glucose, Plasma

Method: GOD-POD

Fasting Blood Glucose, Plasma

101.1

Machine Name: XL640

mg/dl 70-110

#### LIPID PROFILE, SERUM

Method: Spectrophotometry

Triglycerides (Enzymatic)

202.0

H

Machine Name: XL640

mg/dl  
Normal: <150  
Borderline-high:  
150-199 High risk  
200-499  
Very high risk >500  
<200 No risk 200-239  
Moderate  
risk >240 High risk  
0-30  
mg/dl  
L mg/dl  
<40 High Risk ; >60 No  
Risk

Cholesterol, Total (CHOD/PAP)

187.0

mg/dl

VLDL Cholesterol (Calculated)

40.4

H

mg/dl

HDL Cholesterol (Enzymatic)

43.0

L

mg/dl



DR N N SINGH  
MD (PATHOLOGY)

#### Conditions of Laboratory Test(s) & Reporting

(1) It is presumed that the test(s) performed are on the specimen(s) belonging to the patient named or identified and the verification of the particulars have been carried out by the patient or his/her representative at the point of generation of the said specimen(s)/ Sample(s). (2) Laboratory investigations are only tool to facilitate in arriving at diagnosis and should be clinically correlated. (3) Tests results are not valid for medico legal Purposes. (4) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate (haemolysed/clotted/serum etc.) (b) incorrect specimen type for requested test. (c) Specimen quality is unsatisfactory (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unexpected test results please call at +91 9277862282, Email: labasarfi@gmail.com

24 HOUR EMERGENCY

© AHL/D/0066/4197/Jan/24

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"



**FINAL REPORT**

Name : MR. RANJIT KUMAR  
Reg. No. : MAR23-44295  
Age / Sex : 39 Y 8 M 0 D / Male  
Doctor : Self-Walkin  
Pat. Type : Mediwheel



Collection Time : 23-03-2024 10:40:39  
Receiving Time : 23-03-2024 10:41:47  
Reporting Time : 23-03-2024 14:50:28  
Publish Time : 23-03-2024 3:18 pm

Test Name	Result	Flag	Unit	Reference Range
LDL Cholesterol (Calculated)	103.6	H	mg/dl	Optimum:<100 Above optimum: <130; Moderate risk:130-159; High risk:>160 1.2-6.0
Cholesterol Total : HDL Ratio (Calculated)	4.35		mg/dl	1.2-6.0
<b>GLYCOCYLATED HEMOGLOBIN (HbA1C), BLOOD</b>				
Method: HPLC / Nephelometry				
HbA1C	4.72		%	4.4-6.2
Estimated average glucose (eAG)	88.76		mg/dl	

Machine Name: BIO-RAD, D-10 / MISPA

**Interpretation:**

HbA1c result is suggestive of at risk for Diabetes (Prediabetes)/ well controlled Diabetes in a known Diabetic.  
Note: Presence of Hemoglobin variants and/or conditions that affect red cell turnover must be considered, particularly when the HbA1C result does not correlate with the patient's blood glucose levels.

**FACTORS THAT INTERFERE WITH HbA1C | FACTORS THAT AFFECT INTERPRETATION | MEASUREMENT | OF HBA1C RESULTS |**

- | Hemoglobin variants, elevated fetal | Any condition that shortens erythrocyte |
- | hemoglobin (HbF) and chemically | survival or decreases mean erythrocyte |
- | modified derivatives of hemoglobin | age (e.g., recovery from acute blood loss, |
- | (e.g. carbamylated Hb in patients | hemolytic anemia, HbSS, HbCC, and HbSC) |
- | with renal failure) can affect the | will falsely lower HbA1c test results |
- | accuracy of HbA1c measurements | regardless of the assay method used. Iron |
- | deficiency anemia is associated with |
- | higher HbA1c |



**DR N N SINGH**  
MD (PATHOLOGY)

**Conditions of Laboratory Testing & Reporting**  
(1) It is presumed that the patient's name and address are correct and verified. (2) Laboratory investigations are only for diagnostic purposes and should be clinically correlated. (3) Tests results are not valid for medico-legal purposes. (4) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate, (haemolysed, clotted, etc.) (b) incorrect specimen type for requested test. (c) Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unexpected test results please call at +91 929762282. Email: labasarfi@gmail.com

**24 HOUR EMERGENCY**

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"



# ASARFI HOSPITAL LABORATORY

(A Unit of Asarfi Hospital Ltd.)

Baramuri, Bishunpur Pol, Dhanbad 828 130  
Ph. No.: 7808368888 9234681514



MC-5939

## FINAL REPORT

Name : MR. RANJIT KUMAR  
Reg. No. : MAR23-44295  
Age / Sex : 39 Y 8 M 0 D / Male  
Doctor : Self-Walkin  
Pat. Type : Mediwheel



Collection Time : 23-03-2024 10:40:39  
Receiving Time : 23-03-2024 10:41:48  
Reporting Time : 23-03-2024 16:56:45  
Publish Time : 25-03-2024 11:07 am

Test Name	Result	Flag	Unit	Reference Range
Glucose, PP Method: GOD-POD				
Glucose, PP	149.0	H	mg/dl	70-140

Note: Additional tests available for Diabetic control are Glycated Hemoglobin (HbA1c), Fructosamine



DR N N SINGH  
MD (PATHOLOGY)

### Condition of Laboratory Testing & Reporting

(1) It is presumed that the test(s) performed are on the specimen(s) / sample(s) belonging to the patient named or identified and the verification of the particulars have been carried out by the staff or holder representative at the point of generation of the said specimen(s) / Sample(s) (2) Laboratory Investigations are only tool to facilitate in arriving at diagnosis and should be clinically correlated. (3) Tests results are not valid for medico legal Purposes. (4) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (haemolysed/clotted/serum, etc.) (b) incorrect specimen type for requested test. (c) Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology (7) In case of queries or unexpected test results please call at +91 9297662282, Email-labasarfi@gmail.com

24 HOUR EMERGENCY

© AHL/D/0066/4197/Jan/24

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"



MC-5939

**FINAL REPORT**

Name : MR. RANJIT KUMAR  
Reg. No. : MAR23-44295  
Age / Sex : 39 Y 8 M 0 D / Male  
Doctor : Self-Walkin  
Pat. Type : Mediwheel



Collection Time : 23-03-2024 10:40:39  
Receiving Time : 23-03-2024 10:41:47  
Reporting Time : 23-03-2024 14:50:28  
Publish Time : 23-03-2024 3:18 pm

Test Name	Result	Flag	Unit	Reference Range
<b>Liver Function Test (LFT)</b>				
Method: Spectrophotometry		Machine Name: XL-640		
Bilirubin Total (Diazo)	0.4		mg/dl	0.3-1.2
Bilirubin Direct (Diazo)	0.2		mg/dl	0.00-0.2
Bilirubin Indirect (Calculated)	0.2		mg/dl	0.00-1.0
SGPT (IFCC without PDP)	46.4		U/L	7-50
SGOT (IFCC without PDP)	28.8		U/L	5-45
Alkaline Phosphate (PNP AMP Kinetic)	215.0		U/L	70-306
GGT (Enzymatic)	34.2		U/L	0-55
Protein Total (Biuret)	7.4		g/dl	6.4-8.3
Albumin (BCG)	4.4		g/dl	3.5-5.2
Globulin (Calculated)	3		g/dl	2.3-3.5
A : G Ratio (Calculated)	1.47			0.8-2.0



DR N N SINGH  
MD (PATHOLOGY)

**Conditions of Laboratory Testing & Reporting**

(1) It is provided that the analysis and diagnosis are to be done only for the patient named or identified and the verification of the particulars have been carried out. (2) The results are representative at the point of generation of the said specimen(s) Sample(s). (3) Laboratory investigations are only tool to facilitate in arriving at diagnosis and should be clinically correlated. (4) Tests results are not valid for medico legal Purposes. (5) Test requested might not be performed due to following Reason. (a) Specimen received is insufficient or inappropriate. (haemolysed/clotted/epemic etc.) (b) incorrect specimen type for requested test. (c) specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (6) The Results of the Test May vary from lab and also from time to time for the same patient. (7) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (8) In case of queries or unexpected test results please call at +91 929762282, Email-labesarfi@gmail.com

**24 HOUR EMERGENCY**

© AHL/D/0066/4197/Jan/24

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"

MR RANJIT KUMAR

39 Years

# ASARFI HOSPITAL LABORATORY

(A Unit of Asarfi Hospital Ltd.)

Baramuri, Bishunpur Polytechnic, Dhanbad 828 130  
Ph. No.: 7808368888, 919297862282, 919297862282, 34681514



MC-8939

## FINAL REPORT

Name : MR. RANJIT KUMAR  
Reg. No. : MAR23-44295  
Age / Sex : 39 Y 8 M 0 D / Male  
Doctor : Self-Walkin  
Pat. Type : Mediwheel



Collection Time : 23-03-2024 10:40:39  
Receiving Time : 23-03-2024 10:41:47  
Reporting Time : 23-03-2024 14:50:28  
Publish Time : 23-03-2024 3:18 pm

Test Name	Result	Flag	Unit	Reference Range
-----------	--------	------	------	-----------------

Clinical Pathology



  
DR N N SINGH  
MD (PATHOLOGY)

### Condition of Laboratory Testing & Reporting

(1) The patient's name, address, age, sex, occupation, date of birth, and the verification of the particulars have been carried out by the laboratory. (2) Tests results are representative at the point of generation of the said specimen(s) sample(s). (3) Laboratory investigations are only to facilitate in arriving at diagnosis and should be clinically correlated. (4) Tests results are not valid for medico-legal purposes. (5) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (b) Incorrect specimen type for requested test. (c) Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (6) The Results of the Test May vary from lab and also from time to time for the same patient. (7) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (8) In case of query or unexpected test results please call at +91 9297862282, Email-labasarfi@gmail.com

24 HOUR EMERGENCY

© AHL/D/0066/4197/Jan

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"

# ASARFI HOSPITAL LABORATORY

(A Unit of Asarfi Hospital Ltd.)

Baramuni, Bishunpur Polytechnic, Durgam Chauri, Bhubaneswar 751 028

Ph. No.: 7808368888, 91922792282



MC-5939

## FINAL REPORT

Name : MR. RANJIT KUMAR  
Reg. No. : MAR23-44295  
Age / Sex : 39 Y 8 M 0 D / Male  
Doctor : Self-Walkin  
Pat. Type : Mediwheel



Collection Time : 23-03-2024 10:40:39  
Receiving Time : 23-03-2024 10:41:47  
Reporting Time : 23-03-2024 14:50:28  
Publish Time : 23-03-2024 3:18 pm

Test Name	Result	Flag	Unit	Reference Range
<b>Routine Urine Examination; Urine</b>				
Method: Microscopic				Machine Name: Microscope
Leukocytes	NEGATIVE			
Appearance	CLEAR			
Colour	STRAW			
Volume	20		ml.	
Protiens	NEGATIVE			
Glucose	NEGATIVE			
PH	6.0			
Specific Gravity	1.015			
Bilirubin	NEGATIVE			
Ketone Bodies	NEGATIVE			
Bile Salts	XX			
Bile Pigments	XX			
Nitrite	NEGATIVE			
Pus Cells	0-1		/hpf.	
Epithelial Cells	0-1		/hpf.	
R.B.C.	NIL		/hpf.	
Casts	NOT SEEN		/hpf.	



DR N N SINGH  
MD (PATHOLOGY)

### Condition of Laboratory Testing & Reporting

(1) The results of the tests performed on the specimens received are only valid if the verification of the particulars have been carried out. (2) The result of the tests are representative at the point of generation of the said specimen(s)/ Sample(s). (3) Laboratory investigations are only used to facilitate in arriving at diagnosis and should be clinically correlated. (4) Tests results are not valid for medico-legal purposes. (5) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (b) Incorrect specimen type for requested test. (c) Specimen quality is unsatisfactory. (6) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (7) The Results of the Test May vary from lab and also from time to time for the same patient. (8) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (9) In case of queries or unexpected test results please call at +91 922792282, Email: labasarfi@gmail.com

**24 HOUR EMERGENCY**

© AHL/D/0066/4197/Jan/24

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"



# ASARFI HOSPITAL LABORATORY

(A Unit of Asarfi Hospital Ltd.)

Baramuri, Bishunpur Polytechnic, Dhanbad 828 130

Ph. No.: 7808368888, 9783234681514



MC-5939

## FINAL REPORT

Name : MR. RANJIT KUMAR  
Reg. No. : MAR23-44295  
Age / Sex : 39 Y 8 M 0 D / Male  
Doctor : Self-Walkin  
Pat. Type : Mediwheel



Collection Time : 23-03-2024 10:40:39  
Receiving Time : 23-03-2024 10:41:47  
Reporting Time : 23-03-2024 14:50:28  
Publish Time : 23-03-2024 3:18 pm

Test Name	Result	Flag	Unit	Reference Range
Crystals	NOT SEEN		/hpf.	
others	NOT SEEN		.	
<b>Protein:Creatinine Ratio; Urine</b>				
<i>Method: Immunoturbidimetry, Spectrophotome</i>				
Protein	69.0		mg/L	
Creatinine	70.2		mg/dl	
PCR	0.98		mg/g	0-0.5



DR N N SINGH  
MD (PATHOLOGY)

### Condition of Laboratory Testing & Reporting

(1) All tests are performed on the basis of the patient named or identified and the verification of the particulars have been carried out by the patient's doctor. (2) Laboratory investigations are only tool to facilitate in arriving at diagnosis and should be clinically correlated. (3) Tests results are representative at the point of generation of the said specimen(s)/ Sample(s). (4) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (haemolysed/clotted/serum etc.) (b) Incorrect specimen type for requested test. (c) Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unexpected test results please call at +91 9297862282, Email-labasarfi@gmail.com

**24 HOUR EMERGENCY**

© AHL/D/0066/4197/Jan/2

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"



# ASARFI HOSPITAL LABORATORY

(A Unit of Asarfi Hospital Ltd.)

Baramuri, Bishunpur Polytechnic, Kharanbad 828 130  
Ph. No.: 7808368888, 9830234681514



## FINAL REPORT

Name : MR. RANJIT KUMAR  
Reg. No. : MAR23-44295  
Age / Sex : 39 Y 8 M 0 D / Male  
Doctor : Self-Walkin  
Pat. Type : Mediwheel



Collection Time : 23-03-2024 10:40:39  
Receiving Time : 23-03-2024 10:41:47  
Reporting Time : 27-03-2024 11:03:18  
Publish Time : 27-03-2024 12:16 pm

Test Name	Result	Flag	Unit	Reference Range
-----------	--------	------	------	-----------------

### Microbiology

#### Culture & Sensitivity (Urine)

Method : vitek 2 compact

Machine Name: vitek 2 compact

Organism Isolated

NO GROWTH OF ANY ORGANISM

Note:  
In view of developing antibiotics resistance in inida. It is advisalbe to use anitbiotics belonging to Group B & C only if the patient is resistant to antibiotics.  
\* Insturment used Bact/Alert 3D 60 & vitek 2 compact.



DR N N SINGH  
MD (PATHOLOGY)

**DISCLAIMER:** (1) It is presumed that the test(s) performed are on the specimen(s) /Sample(s) belonging to the patient named or identified and the verification of the particulars have been carried out by the patient or his/her representative at the point of generation of the said specimen(s)/ Sample(s). (2) Laboratory investigations are only tool to facilitate in arriving at diagnosis and should be clinically correlated. (3) Tests results are not valid for medico legal Purposes. (4) Test requested might not be performed due to following Reason: (a)Specimen received is insufficient or inappropriate. (haemolyzed/clotted/epemic etc.) (b)Incorrect specimen type for requested test. (c)Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unexpected test results please call at +91 9297862282, Email-labasarfi@gmail.com

**24 HOUR EMERGENCY**

© AHL/D/0066/4197/Jan/24

**"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"**



**FINAL REPORT**

Name : MR. RANJIT KUMAR  
Reg. No. : MAR23-44295  
Age / Sex : 39 Y 8 M 0 D / Male  
Doctor : Self-Walkin  
Pat. Type : Mediwheel



Collection Time : 23-03-2024 10:40:39  
Receiving Time : 23-03-2024 10:41:47  
Reporting Time : 23-03-2024 14:50:28  
Publish Time : 23-03-2024 3:18 pm

Test Name	Result	Flag	Unit	Reference Range
<b>Haematology</b>				
<b>BLOOD GROUP, ABO &amp; RH TYPING</b>				
Method: Agglutination				
ABO GROUP	B	.		0-0
RH TYPING	POSITIVE	.		0-0
<b>ESR (Erythrocyte Sedimentaion Rate)</b>				
Method: Westergren				
ESR	15	H	mm/hr	0-10
				Machine Name: VES-MATIC 20



*[Signature]*  
**DR N N SINGH**  
MD (PATHOLOGY)

**Condition of Laboratory Testing & Reporting**

(1) It is presumed that the sample received are of the patient named or identified and the verification of the particulars have been carried out (2) Tests results are representative at the point of generation of the said specimen(s) Sample(s)(2) Laboratory investigations are only tool to facilitate in arriving at diagnosis and should be clinically correlated. (3) Tests results are not valid for medico legal Purposes. (4) Test requested might not be performed due to following Reason: (a)Specimen received is insufficient or inappropriate. (haemolysed/clotted/epemic etc) (b)incorrect specimen type for requested test. (c)Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology (7) In case of queries or unexpected test results please call at +91 9297862282, Email-labasarfi@gmail.com

**24 HOUR EMERGENCY**

# ASARFI HOSPITAL LABORATORY

(A Unit of Asarfi Hospital Ltd.)

Baramuri, Bishunpur Polytechnic, Dhanbad 828 130  
Ph. No.: 7808368888, 94320734681514



## FINAL REPORT

Name : MR. RANJIT KUMAR  
Reg. No. : MAR23-44295  
Age / Sex : 39 Y 8 M 0 D / Male  
Doctor : Self-Walkin  
Pat. Type : Mediwheel



Collection Time : 23-03-2024 10:40:39  
Receiving Time : 23-03-2024 10:41:47  
Reporting Time : 23-03-2024 14:50:28  
Publish Time : 23-03-2024 3:18 pm

Test Name	Result	Flag	Unit	Reference Range
<b>Nature of Material:</b> EDTA Blood Sample				
<b>Complete Blood Count (CBC)</b>				
Method: Electronical Impedence			Machine Name:	Sysmex 6 part
Hemoglobin (Photometry)	14.9		g/dl	13-18
PCV (Calculated)	46.7		%	40-50
MCH (Calculated)	28.8		Pg	27-31
MCHC (Calculated)	31.9		g/dl	31.5-35.5
Red Cell Distribution Width (RDW) (Electrical Impedence)	13.0		%	11.6-14
Total Leukocyte Count (TLC) (Electrical Impedence)	7,400		/cu-mm	4000-11000
RBC Count (Electrical Impedence)	5.18		million/mm <sup>3</sup>	4.5-5.5
Mean Corpuscular Volume (MCV) (Electrical Impedence)	90.2		fL	83-101
Platelet Count (Electrical Impedence)	1.17	L	lakhs/cumm	1.5-4.5
Neutrophils (VCS Technology)	56		%	55-75
Lymphocytes (VCS Technology)	28		%	15-30
Eosinophils (VCS Technology)	11	H	%	1-6
Monocytes (VCS Technology)	05		%	2-10
Basophils (VCS Technology)	00		%	0-1



DR N N SINGH  
MD (PATHOLOGY)

### Condition of Laboratory Testing & Reporting

(1) All specimens sent to this laboratory should be accompanied by a request slip belonging to the patient named or identified and the verification of the particulars have been carried out by the laboratory representative at the point of generation of the said specimen(s)/ Sample(s). (2) Laboratory investigations are only test to facilitate in arriving at diagnosis and should be clinically correlated. (3) Tests results are not valid for medico legal Purposes. (4) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (haemolysed/diluted/spenic etc.) (b) incorrect specimen type for requested test. (c) Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unexpected test results please call at +91 9297862282, Email lab@asarfi@gmail.com

**24 HOUR EMERGENCY**

© AHL/D/0066/4197/Jan/24

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"

# ASARFI HOSPITAL LABORATORY

(A Unit of Asarfi Hospital Ltd.)

Baramuri, Bishunpur Polytechnic, Dhanbad 828 130  
Ph. No. : 7608368888, 919234681514



## FINAL REPORT



Name : MR. RANJIT KUMAR  
Reg. No. : MAR23-44205  
Age / Sex : 39 Y 8 M OD / Male  
Doctor : Self-Walkin  
Pat. Type : Mediwheel

Collection Time : 23-03-2024 10:40:39  
Receiving Time : 23-03-2024 10:41:47  
Reporting Time : 23-03-2024 14:50:28  
Publish Time : 23-03-2024 3:18 pm

Test Name	Result	Flag	Unit	Reference Range
<b>Immunology and Serology</b>				
<b>THYROID PROFILE, TOTAL, SERUM</b>				
Method: ECLIA				
T3, Total	1.41		ng/ml	0.8-2.0
T4, Total	7.59		µg/dL	5.10-14.10
TSH (Ultrasensitive)	4.29	H	mIU/mL	0.27-4.2

Machine Name: Vitros ECI

### Interpretation:

1. TSH levels are subject to circadian variation, reaching peak levels between 2 - 4.a.m. and at a minimum between 6-10 pm . The variation is of the order of 50% . hence time of the day has influence on the measured serum TSH concentrations.
2. Alteration in concentration of Thyroid hormone binding protein can profoundly affect Total T3 and/or Total T4 levels especially in pregnancy and in patients on steroid therapy.
3. Unbound fraction ( Free,T4 /Free,T3) of thyroid hormone is biologically active form and correlate more closely with clinical status of the patient than total T4/T3 concentration
4. Values <0.03 uIU/mL need to be clinically correlated due to presence of a rare TSH variant in some individuals.



DR N N SINGH  
MD (PATHOLOGY)

### Conditions of Laboratory Testing & Reporting

(1) It is presumed that the test(s) performed are on the specimen(s) belonging to the patient named or identified and the verification of the particulars have been carried out by the patient's representative at the point of generation of the said specimen(s)/ Sample(s) (2) Laboratory investigations are only tool to facilitate in arriving at diagnosis and should be clinically correlated (3) Tests results are not valid for medico legal Purposes. (4) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (haemolysed/clotted/serum etc.) (b) incorrect specimen type for requested test. (c) Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unexpected test results please call at +91 9297862282, Email-labasarfi@gmail.com

**24 HOUR EMERGENCY**

© AHL/D/0066/4197/Jan/24

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"



# नयनश्री नेत्रालय

PHC

(A Unit of Asarfi Hospital Limited)

Baramuri, Bishunpur Polytechnic, Dhanbad - 828 130 (Jharkhand)  
7707013096, 7808368888 | www.asarfihospital.com, info@asarfihospital.com

## PRESCRIPTION FOR GLASS

Reg No 44295

Date: 23/03/24

Name: MR RAHJIT KUMAR Age: 39 Gender: M  F

	RIGHT EYE				LEFT EYE			
	D SPH	D CYL	AXIS	VISION	D SPH	D CYL	AXIS	VISION
FOR DISTANCE VISION								
ADD FOR NEAR VISION								

Lens: White / Photo Chromic / Tinted / Kryptok / Executive / Bifocal / CR 39

P.D:- m.m. For DV m.m. For NV

Remarks: Constant use / Distance use / Near use

Refractionist

AHL/D/079/13/October/23

cf. Routine checkup.

7 GP - 3 year

NO H/O Ocular / Head Trauma

NO H/O Systemic Disease

DS<sub>R</sub>  $\left\{ \begin{array}{l} 6/6 \\ 6/6 \end{array} \right.$

NV<sub>R</sub>  $\left\{ \begin{array}{l} N6 \\ N6 \end{array} \right.$  } 2 glasses.

DS<sub>L</sub>  $\left\{ \begin{array}{l} 6/9 \\ 6/6 \end{array} \right.$



PGP

R  $\rightarrow$  -1.00 DSph

L  $\rightarrow$  -0.50 / -0.50 x 180°

add.

BE  $\rightarrow$  +1.00 DSph.

Keratofocal.

Adm.

Use own glass.

*Signature*  
22/1/21