
SUBURBAN DIAGNOSTICS - KALINA, SANTACRUZ EAST



Patient Name: TEJAVATH KIRAN KUMAR Patient ID: 2408320761 Date and Time: 23rd Mar 24 10:08 AM



ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.

REPORTED BY

Dr Naveed Sheikh PGDCC 2016/11/4694

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. 2) Patient vitals are as entered by the clinician and not derived from the ECG.

Suburban Diagnostics Kalina

Time: 10:32:08 AM

Patient Details Date: 23-Mar-24 Name: MR. TEJAVATH KIRAN KUMAR ID: 2408320761

Age: 39 y Sex: M Height: 161 cms Weight: 74 Kgs Clinical History: Routine Test

Medications: NONE

Test Details

Protocol: Bruce	Pr.MHR: 181 bpm	THR: 153 (85 % of Pr.MHR) bpm
Total Exec. Time: 7 m 5 s	Max. HR: 155 (86% of Pr.MHR)bpm	Max. Mets: 10.20
Max. BP: 160 / 80 mmHg	Max. BP x HR: 24800 mmHg/min	Min. BP x HR: 6000 mmHg/min
Test Termination Criteria: Target	HR attained	

Protocol Details

Stage Name	Stage Time	Mets	Speed	Grade	Heart	Max. BP	Max. ST	Max. ST
	(min : sec)		(mph)	(%)	Rate (bpm)	(mm/Hg)	Level (mm)	Slope (mV/s)
Supine	0:27	1.0	0	0	85	130/80	-0.64	1.06
Standing	0:6	1.0	0	0	75	130/80	-0.64 aVR	0.711
Hyperventilation	0:8	1.0	0	0	83	130/80	-0.64 aVR	0.71
1	3:0	4.6	1.7	10	117	140/80	-1.49 aVL	2.48
2	3:0	7.0	2.5	12	145	150/80	-1.27 V5	2.83 II
Peak Ex	1:5	10.2	3.4	14	155	160/80	-1.27	3.18 II
Recovery(1)	2:0	1.8		0	111	150 / 80	-1.49 aVR	3.89 11
Recovery(2)	2.0	1.0	0	0	97	140/80	-0.42 1	1.77 II
Recovery(3)	0:27	1.0	0	0	99	130/80	-0.21	1.06

HR x Stage	BP x Stage	Mets x Stage
200	300	30 丁
180	270	27
160 ⁺	240	24 +
140	210	21
120	180 ⁺	18 +
100	150	15 -
80	120	12 -
60	90 - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9
40	60 -	6
20	30 +	3
Su St Hy Pr 1 2 Pe Re Re Re	Su St Hy Pr 1 2 Pe Re Re Re	Su St Hy Pr 1 2 Pe Re Re Re

Suburban Diagnostics Kalina

Date: 23-Mar-24 Patient Details Time: 10:32:08 AM Name: MR. TEJAVATH KIRAN KUMAR ID: 2408320761 Age: 39 y Sex: M Height: 161 cms

Weight: 74 Kgs

Interpretation

AVERAGE EFFORT TOLEREANCE NORMAL HEART RATE RESPONSE NORMAL BLOOD PRESSURE RESPONSE NO ANGINA/ANGINA EQUIVALENTS NO ARRTHYMIAS NO SIGNIFICANT ST-T CHANGES NOTED AS COMPARED TO BASELINE ECG IMPRESSION : STRESS TEST IS NEGATIVE FOR INDUCIBLE ISCHAEMIA Disclaimer: Negative stress test does not rule out Coronary Artery Disease

Positive stress test is suggestive but not confirmatory of coronary artery disease Hence clinical correlation is mandatory



Suburban Diagnostics (I) Pvt. Ltd. 1 H Floor, Harbhajan, Above HDFC Bank, Opp. Nafa Petrol Pump, Kalina, CST Road Santacruz (East). Tel. N. 022-61700000

Ref. Doctor:

(Summary Report edited by user)

DR. SHEIKH NAVEED MBBS/PGDCC

Clinical Cardiologist Reg. No. 2016/11/4694

Doctor: NAVEED SHEIKH

(c) Schiller Healthcare India Pvt. Ltd. V 4.51




 Chart Speed: 25 mm/sec
 Filter: 35 Hz
 Mains Filt: ON
 Amp: 10 mm

 Schiller Spandan V 4.51
 Iso = R - 60 ms
 J = R + 60 ms
 Post J = J + 60 ms
 Linked Median




 Chart Speed: 25 mm/sec
 Filter: 35 Hz
 Mains Filt: ON
 Amp: 10 mm

 Schiller Spandan V 4.51
 Iso = R + 60 ms
 J = R + 60 ms
 Post J = J + 60 ms
 Linked Median




Chart Speed: 25 mm/sec Filte Schiller Spandan V 4.51 Iso =

 Filter: 35 Hz
 Mains

 Iso = R - 60 ms
 J = R + 60 ms
 Post J = .

Mains Filt: ON Post J = J + 60 ms

Amp: 10 mm Linked Median




 Chart Speed: 25 mm/sec
 Filter: 35 Hz
 Mains Filt: ON
 Amp: 10 mm

 Schiller Spandan V 4.51
 Iso = R - 60 ms
 J = R + 60 ms
 Post J = J + 60 ms
 Linked Median




 Chart Speed: 25 mm/sec
 Filter: 35 Hz
 Mains Filt: ON
 Amp: 10 mm

 Schiller Spandan V4.51
 /so = R - 60 ms
 J = R + 60 ms
 Post J = J + 60 ms
 Linked Median




 Chart Speed: 25 mm/sec
 Filter: 35 Hz
 Mains Filt: ON
 Amp: 10 mm

 Schiller Spandan V 4.51
 Iso = R - 60 ms
 J = R + 60 ms
 Post J = J + 60 ms
 Linked Median




 Chart Speed: 25 mm/sec
 Filter: 35 Hz
 Mains Filt: ON
 Amp: 10 mm

 Schiller Spandan V 4.51
 Iso = R - 60 ms
 J = R + 60 ms
 Post J = J + 60 ms
 Linked Median




Chart Speed: 25 mm/sec Filter: 35 Hz Mains Filt: ON Amp: 10 mm Schiller Spandan V 4.51 lso = R - 60 ms J = R + 60 ms Post J = J + 60 ms

Linked Median




 Chart Speed: 25 mm/sec
 Filter: 35 Hz
 Mains Filt: ON
 Amp: 10 mm

 Schiller Spandan V 4.51
 Iso = R - 60 ms
 J = R + 60 ms
 Post J = J + 60 ms
 Linked Median



CID : 2408320761 Name : MR.TEJAVATH KIRAN KUMAR Age / Gender : 39 Years / Male Consulting Dr. : -Reg. Location : Kalina, Santacruz East (Main Centre)

Collected Reported

Use a QR Code Scanner Application To Scan the Code :23-Mar-2024 / 08:40 :23-Mar-2024 / 12:00

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

	<u>CBC (Complete Blood Count), Blood</u>							
PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>					
RBC PARAMETERS								
Haemoglobin	14.5	13.0-17.0 g/dL	Spectrophotometric					
RBC	4.79	4.5-5.5 mil/cmm	Elect. Impedance					
PCV	43.1	40-50 %	Calculated					
MCV	89.9	81-101 fl	Measured					
MCH	30.3	27-32 pg	Calculated					
MCHC	33.6	31.5-34.5 g/dL	Calculated					
RDW	12.5	11.6-14.0 %	Calculated					
WBC PARAMETERS								
WBC Total Count	7780	4000-10000 /cmm	Elect. Impedance					
WBC DIFFERENTIAL AND	ABSOLUTE COUNTS							
Lymphocytes	36.6	20-40 %						
Absolute Lymphocytes	2840	1000-3000 /cmm	Calculated					
Monocytes	6.8	2-10 %						
Absolute Monocytes	530	200-1000 /cmm	Calculated					
Neutrophils	53.2	40-80 %						
Absolute Neutrophils	4140	2000-7000 /cmm	Calculated					
Eosinophils	2.8	1-6 %						
Absolute Eosinophils	220	20-500 /cmm	Calculated					
Basophils	0.6	0.1-2 %						
Absolute Basophils	50	20-100 /cmm	Calculated					
Immature Leukocytes	-							

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS Platelet Count 357000 150000-410000 /cmm Elect. Impedance MPV 7.2 6-11 fl Measured PDW 11.6 11-18 % Calculated **RBC MORPHOLOGY** Hypochromia Microcytosis

CID :2408320761 Name : MR.TEJAVATH KIRAN KUMAR Use a QR Code Scanner Application To Scan the Code Age / Gender : 39 Years / Male Consulting Dr. Collected : -:23-Mar-2024 / 08:40 :23-Mar-2024 / 12:30 : Kalina, Santacruz East (Main Centre) Reported Reg. Location Macrocytosis Anisocytosis Poikilocytosis Polychromasia Target Cells **Basophilic Stippling** Normoblasts Others Normocytic, Normochromic WBC MORPHOLOGY PLATELET MORPHOLOGY COMMENT Specimen: EDTA Whole Blood ESR, EDTA WB-ESR 19 2-15 mm at 1 hr. Sedimentation Clinical Significance: The erythrocyte sedimentation rate (ESR), also called a sedimentation rate is the rate red blood cells sediment in a period of time. Interpretation: Factors that increase ESR: Old age, Pregnancy, Anemia Factors that decrease ESR: Extreme leukocytosis, Polycythemia, Red cell abnormalities- Sickle cell disease

Limitations:

- It is a non-specific measure of inflammation.
- The use of the ESR as a screening test in asymptomatic persons is limited by its low sensitivity and specificity.

Reflex Test: C-Reactive Protein (CRP) is the recommended test in acute inflammatory conditions.

Reference:

- Pack Insert
- Brigden ML. Clinical utility of the erythrocyte sedimentation rate. American family physician. 1999 Oct 1;60(5):1443-50.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***





Authenticity Check

Dr.ANUPA DIXIT M.D.(PATH) **Consultant Pathologist & Lab Director**

:2408320761 : MR.TEJAVATH KIRAN KUMAR Age / Gender : 39 Years / Male : -Collected Reported



Use a QR Code Scanner Application To Scan the Code :23-Mar-2024 / 08:40 :23-Mar-2024 / 12:55

Consulting Dr. Reg. Location : Kalina, Santacruz East (Main Centre)

CID

Name

<u>AERFOO</u>	CAMI HEALTHCARE BE	LOW 40 MALE/FEMALE	_
PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	86.2	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	99.0	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.47	0.3-1.2 mg/dl	Vanadate oxidation
BILIRUBIN (DIRECT), Serum	0.14	0-0.3 mg/dl	Vanadate oxidation
BILIRUBIN (INDIRECT), Serum	0.33	<1.2 mg/dl	Calculated
TOTAL PROTEINS, Serum	6.9	5.7-8.2 g/dL	Biuret
ALBUMIN, Serum	4.1	3.2-4.8 g/dL	BCG
GLOBULIN, Serum	2.8	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.5	1 - 2	Calculated
SGOT (AST), Serum	23.0	<34 U/L	Modified IFCC
SGPT (ALT), Serum	35.9	10-49 U/L	Modified IFCC
GAMMA GT, Serum	38.2	<73 U/L	Modified IFCC
ALKALINE PHOSPHATASE, Serum	81.6	46-116 U/L	Modified IFCC
BLOOD UREA, Serum	20.9	19.29-49.28 mg/dl	Calculated
BUN, Serum	9.8	9.0-23.0 mg/dl	Urease with GLDH
CREATININE, Serum	0.75	0.73-1.18 mg/dl	Enzymatic

Note: Kindly note in change in reference range w.e.f. 07-09-2023

CID Name Age / Gender Consulting Dr. Reg. Location	: 39 Years	ATH KIRAN KUMAR	Use a QR Code Scanner Application To Scan the Code Collected :23-Mar-2024 / 16:53 centre) Reported :23-Mar-2024 / 20:27
eGFR, Serum		118	(ml/min/1.73sqm) Calculated
			Normal or High: Above 90 Mild decrease: 60-89 Mild to moderate decrease: 45- 59 Moderate to severe decrease:30 -44 Severe decrease: 15-29 Kidney failure:<15
Note: eGFR esti	mation is calcul	ated using 2021 CKD-EPI C	GFR equation w.e.f 16-08-2023
URIC ACID, Se	erum	5.3	3.7-9.2 mg/dl Uricase/ Peroxidase
Urine Sugar (Fa	asting)	Absent	Absent
Urine Ketones	(Fasting)	Absent	Absent
Urine Sugar (Pl	P)	Absent	Absent
Urine Ketones	(PP)	Absent	Absent
*Sample process	ed at SUBURBA		/T. LTD SDRL, Vidyavihar Lab ** End Of Report ***



Anto

Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

CID :2408320761 Name : MR. TEJAVATH KIRAN KUMAR Age / Gender : 39 Years / Male Consulting Dr. : -Reg. Location : Kalina, Santacruz East (Main Centre)

Use a QR Code Scanner Application To Scan the Code

:23-Mar-2024 / 08:40 :23-Mar-2024 / 14:54

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE **GLYCOSYLATED HEMOGLOBIN (HbA1c) BIOLOGICAL REF RANGE** RESULTS METHOD

HPLC Glycosylated Hemoglobin 5.4 Non-Diabetic Level: < 5.7 % (HbA1c), EDTA WB - CC Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 % Estimated Average Glucose 108.3 mg/dl Calculated (eAG), EDTA WB - CC

Intended use:

PARAMETER

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***



Dr.ANUPA DIXIT M.D.(PATH) **Consultant Pathologist & Lab Director**

Page 5 of 11



CID :2408320761 Name : MR. TEJAVATH KIRAN KUMAR Age / Gender : 39 Years / Male Consulting Dr. : -Reg. Location : Kalina, Santacruz East (Main Centre)



Use a QR Code Scanner Application To Scan the Code :23-Mar-2024 / 08:40 :23-Mar-2024 / 15:58

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE **EXAMINATION OF FAECES**

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Colour	Brown	Brown	-
Form and Consistency	Semi Solid	Semi Solid	-
Mucus	Absent	Absent	-
Blood	Absent	Absent	-
CHEMICAL EXAMINATION			
Reaction (pH)	Acidic (6.5)	-	pH Indicator
Occult Blood	Absent	Absent	Guaiac
MICROSCOPIC EXAMINATION			
Protozoa	Absent	Absent	-
Flagellates	Absent	Absent	-
Ciliates	Absent	Absent	-
Parasites	Absent	Absent	-
Macrophages	Absent	Absent	-
Mucus Strands	Absent	Absent	-
Fat Globules	Absent	Absent	-
RBC/hpf	Absent	Absent	-
WBC/hpf	Absent	Absent	-
Yeast Cells	Absent	Absent	-
Undigested Particles	Present ++		-
Concentration Method (for ova)	No ova detected	- Absent	-
Reducing Substances	-	Absent	Benedicts

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***





Junia Finnel

Dr.VRUSHALI SHROFF M.D.(PATH) Pathologist

CID :2408320761 Name : MR. TEJAVATH KIRAN KUMAR Age / Gender : 39 Years / Male Consulting Dr. : -Reg. Location : Kalina, Santacruz East (Main Centre)



:23-Mar-2024 / 08:40 :23-Mar-2024 / 15:49

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE URINE EXAMINATION REPORT

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Yellow	Pale Yellow	-
Reaction (pH)	5.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.015	1.001-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	30	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Trace	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION	<u>N</u>		
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Occasional	0-2/hpf	
Epithelial Cells / hpf	0-1		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	4-5	Less than 20/hpf	
Othere			

Others

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein (1+ = 25 mg/dl, 2+ =75 mg/dl, 3+ = 150 mg/dl, 4+ = 500 mg/dl)
- Glucose(1 + = 50 mg/dl, 2 + =100 mg/dl, 3 + =300 mg/dl, 4 + =1000 mg/dl)•
- Ketone (1+ =5 mg/dl , 2+ = 15 mg/dl , 3+= 50 mg/dl , 4+ = 150 mg/dl)

Reference: Pack inert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***



Dr.ANUPA DIXIT M.D.(PATH) **Consultant Pathologist & Lab Director**

Use a OR Code Scanner

CID :2408320761 Name : MR. TEJAVATH KIRAN KUMAR Age / Gender : 39 Years / Male Consulting Dr. : -: Kalina, Santacruz East (Main Centre) Reg. Location

Collected Reported

Application To Scan the Code :23-Mar-2024 / 08:40 :23-Mar-2024 / 14:52

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE **BLOOD GROUPING & Rh TYPING**

PARAMETER

RESULTS

ABO GROUP Α **Rh TYPING** Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab

*** End Of Report ***



Dr.ANUPA DIXIT M.D.(PATH) **Consultant Pathologist & Lab Director**

Use a QR Code Scanner Application To Scan the Code

CID : 2408320761 Name : MR.TEJAVATH KIRAN KUMAR Age / Gender : 39 Years / Male Consulting Dr. : -Reg. Location : Kalina, Santacruz East (Main Centre)

Collected Reported

:23-Mar-2024 / 08:40 :23-Mar-2024 / 14:06

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE LIPID PROFILE

PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	205.3	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	107	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	Enzymatic colorimetric
HDL CHOLESTEROL, Serum	47.0	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Elimination/ Catalase
NON HDL CHOLESTEROL, Serum	158.3	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	136.9	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	21.4	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	4.4	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.9	0-3.5 Ratio	Calculated
*Sample processed at SUBURBAN DI		l Viduavibar Lab	

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***



Junia Finnes

Dr.VRUSHALI SHROFF M.D.(PATH) Pathologist

CID :2408320761 Name : MR. TEJAVATH KIRAN KUMAR Age / Gender : 39 Years / Male Consulting Dr. : -: Kalina, Santacruz East (Main Centre) Reg. Location

1.685

Use a QR Code Scanner Application To Scan the Code Collected Reported

0.55-4.78 microIU/ml

:23-Mar-2024 / 08:40 :23-Mar-2024 / 12:36

CLIA

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE **THYROID FUNCTION TESTS RESULTS** PARAMETER **BIOLOGICAL REF RANGE METHOD** Free T3, Serum 4.7 CLIA 3.5-6.5 pmol/L Free T4, Serum 16.8 11.5-22.7 pmol/L CLIA

sensitiveTSH, Serum

CID Name	: 2408320761 : MR.TEJAVATH KIRAN KUMAR		
Age / Gender	: 39 Years / Male		Use a QR Code Scanner Application To Scan the Code
Consulting Dr.	: -	Collected	:23-Mar-2024 / 08:40
Reg. Location	: Kalina, Santacruz East (Main Centre)	Reported	:23-Mar-2024 / 12:36

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors

can give falsely high TSH.

2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am , and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7% (with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours

following the last biotin administration.

2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results.

this assay is designed to minimize interference from heterophilic antibodies.

Reference:

1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)

2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357

3. Tietz, Text Book of Clinical Chemistry and Molecular Biology -5th Edition

4.Biological Variation: From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***



and .

Authenticity Check

Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director



			2					
Date:- 23	03/202	Ч		CID:	24083	32076		
Name:- M	r. Tejar Kum	north k	curan	Sex	/ Age: /	39 485	s/mal	٩
			EYE	E CHECK	UP			
Chief comp	olaints: ト	Jel						
Systemic D)iseases:	Nil						
Past histor	y: Nil							
Unaided V	ision: -							
Aided Visic	on: N·V	RLYN	15	DVL	461	5		
Refraction:		BLJ		B	LJ			
	(Right E	ye)	r		(Left Ey	e)		
	Sph	Cyl	Axis	Vn	Sph	Cyl	Axis	Vn
Distance	<	-		6/5				615

NS

Colour Vision: Normal / Abnormal

Remark: WNL

Near

Suburban Diagnostics (I) Pvt. Ltd.. 1st Floor, Harbhajan, Above HDFC Bank, Opp. Naia Petrol Pump, Kalina, CST Road.. Santacruz (East), Tel. No. 022-61700000

latalkon Dr. D.G. HATALKAR R.No. 61067 M.D. (Ob.Gy)

NS

R

E

P

0

R

T

REGD. OFFICE: Dr. Lal PathLabs Ltd., Block E, Sector-18, Rohini, New Delhi - 110085. | CIN No.: L74899DL1995PLC065388



F. Ku-15-88866666729

Suburban Diagnostics (I) Pvt. Ltd. 1st Floor, Harbhajan, Above HDFC Bank, Opp. Nafa Petrol Pump, Kalina, CST Road, Santacruz (East), Tel. No. 022-61700000

M



USG OF WHOLE ABDOMEN

LIVER : The liver is normal in size, shape and smooth margins. It shows bright parenchymal echo pattern. The intra hepatic biliary and portal radical appear normal. No evidence of any intra hepatic cystic or solid lesion seen. The main portal vein and CBD appears normal.

<u>GALL BLADDER</u> : The gall bladder is physiologically distended and shows normal wall thickness. No evidence of pericholecystic fluid, gall stones or mass lesions seen .

<u>PANCREAS</u> : The pancreas is well visualised and appears normal. No evidence of solid or cystic mass lesion is noted

<u>KIDNEYS</u>: Both the kidneys are normal in size shape and echotexture. No evidence of any calculus, hydronephrosis or mass lesion seen. Right kidney measures: 9.0 x 4.7 cms. Left kidney measures: 9.4 x 5.7 cms.

<u>SPLEEN</u>: The spleen is normal in size and shape and echotexture. No evidence of focal lesion is noted. There is no evidence of any lymphadenopathy or ascites.


URINARY BLADDER: The urinary bladder is well distended. It shows thin walls and sharp mucosa. No evidence of calculus is noted. No mass or diverticulum is seen.

PROSTATE: The prostate is normal in size and measures: 2.9 x 2.4 x 2.2 cms and weighs 8.4 gms.

<u>IMPRESSION</u> : Mild fatty Liver.

-----End of Report-----

DR.ASHA DHAVAN MBBS; D.M.R.E CONSULTANT RADIOLOGIST





DIAGNOSTICS			
CID	: 2408320761		
Name	: Mr TEJAVATH KIRAN KUMAR		
Age / Sex	: 39 Years/Male		Use a QR Code Scanner Application To Scan the Code
Ref. Dr	:	Reg. Date	: 23-Mar-2024
Reg. Location	: Kalina, Santacruz East Main Centre	Reported	: 23-Mar-2024/14:29

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION: NO SIGNIFICANT ABNORMALITY IS DETECTED.

-----End of Report-----

Arshara

DR.ASHA DHAVAN MBBS; D.M.R.E CONSULTANT RADIOLOGIST R E

Ρ

0

R

Т

