

PATIENT NAME : KEVALKUMAR	PARMAR			DR. ARCOFEMI HEALTHC/ (MEDIWHEEL	ARE LTD
CODE/NAME & ADDRESS : C000138 ARCOFEMI HEALTHCARE LTD (MED F-703, LADO SARAI, MEHRAULISO DELHI NEW DELHI 110030 8800465156	IWHEEL UTH WEST	ACCESSION NO : 032 РАПЕНТ ID : KEV Shight Battent ID:	1XC002232 AM290387321	AGE/SEX :37 Years DRAWN :29/03/202 RECEIVED :29/03/202 REPORTED :30/03/202	
Test Report Status <u>Final</u>		Results	Biological	l Reference Interval	Units
MEDI WHEEL FULL BODY HEALT	H CHECK UP BEL	OW 40 MALE			
IMPRESSION		PROMINENT BRONC	HO VASCULAR MAR	KINGS NOTED	
ECG					
ECG		NORMAL SINUS RH	ſΤΗΜ		
MEDICAL HISTORY					
RELEVANT PRESENT HISTORY		NOT SIGNIFICANT			
RELEVANT PAST HISTORY		P/H/O LEFT EYE SUF	GERY 2 YEARS BAG	LK	
RELEVANT PERSONAL HISTORY		NOT SIGNIFICANT			
RELEVANT FAMILY HISTORY		NOT SIGNIFICANT			
OCCUPATIONAL HISTORY HISTORY OF MEDICATIONS		NOT SIGNIFICANT			
ANTHROPOMETRIC DATA & BMI HEIGHT IN METERS		1 75			nto
WEIGHT IN KGS.		1.75 68.3			nts (gs
BMI		22			-
DMI		22	Below 18 18.5 - 24 25.0 - 29	eight Status as follow .5: Underweight .9: Normal 0.9: Overweight Above: Obese	squits
GENERAL EXAMINATION					
MENTAL / EMOTIONAL STATE		NORMAL			
PHYSICAL ATTITUDE		NORMAL			
S	P. V. Kopadia				Page 1 Of 25
Dr.Sahil .N.Shah Consultant Radiologist	Dr.Priyank Kapadi Physician	a			
PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sr Ahmedabad, 380015 Gujrat, India				View Detail	Is View Report
Tel : 079-48912999,079-48913999,079- Email : customercare.ahmedabad@agilu					



						aragnostics
PATIENT NAME : KEVALKUMAR		REF.		DR. ARCOFEM MEDIWHEEL	1I HEALTHCAR	e ltd
CODE/NAME & ADDRESS : C000138		ACCESSION NO : 0321XC00		AGE/SEX		Male
ARCOFEMI HEALTHCARE LTD (MED		PATIENT ID : KEVAM2903	87321	DRAWN	:29/03/2024	00:00:00
F-703, LADO SARAI, MEHRAULISO DELHI	JUIH WESI	ALIENT BATIENT ID:		RECEIVED	: 29/03/2024	08:51:26
NEW DELHI 110030				REPORTED	:30/03/2024	12:39:54
8800465156						
Test Report Status <u>Final</u>		Results	Biological	Reference	Interval L	Inits
GENERAL APPEARANCE / NUTR STATUS	ITIONAL	HEALTHY				
BUILT / SKELETAL FRAMEWOR	К	TALL STATURE				
FACIAL APPEARANCE		NORMAL				
SKIN		NORMAL				
UPPER LIMB		NORMAL				
LOWER LIMB		NORMAL				
NECK		NORMAL				
NECK LYMPHATICS / SALIVARY	(GLANDS	NOT ENLARGED OR TENDER	λ			
THYROID GLAND		NOT ENLARGED				
TEMPERATURE		NORMAL				
PULSE		78/MIN				
RESPIRATORY RATE		NORMAL				
CARDIOVASCULAR SYSTEM						
BP		134/84 MM HG (SITTING)			mn	n/Hg
PERICARDIUM		(STTING) NORMAL				
APEX BEAT		NORMAL				
HEART SOUNDS		S1, S2 HEARD NORMALLY				
MURMURS		ABSENT				
μονιμονο		ADOLINI				
RESPIRATORY SYSTEM						
SIZE AND SHAPE OF CHEST		NORMAL				
MOVEMENTS OF CHEST		SYMMETRICAL				
BREATH SOUNDS INTENSITY		NORMAL				
BREATH SOUNDS QUALITY		VESICULAR (NORMAL)				
ADDED SOUNDS		ABSENT				
S	P. V. Kopadia					Page 2 Of 25
Dr.Sahil .N.Shah Consultant Radiologist	Dr.Priyank Kapadia Physician	a				

PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in

SÉ.





Patient Ref. No. 775000006986307



PATIENT NAME : KEVALKUMAR PARMAR		DR. ARCOFEMI HEALTHCARE LTD MEDIWHEEL
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : 0321XC002232 PATIENT ID : KEVAM290387321 SHFATNBATIENT ID:	AGE/SEX:37 YearsMaleDRAWN:29/03/202400:00:00RECEIVED:29/03/202408:51:26REPORTED:30/03/202412:39:54
Test Report Status <u>Final</u>	Results Biological	Reference Interval Units

PER ABDOMEN

APPEARANCE	NORMAL
LIVER	NOT PALPABLE
SPLEEN	NOT PALPABLE

CENTRAL NERVOUS SYSTEM

HIGHER FUNCTIONS	NORMAL
CRANIAL NERVES	NORMAL
CEREBELLAR FUNCTIONS	NORMAL
SENSORY SYSTEM	NORMAL
MOTOR SYSTEM	NORMAL
REFLEXES	NORMAL

MUSCULOSKELETAL SYSTEM

SPINE	NORMAL
JOINTS	NORMAL

BASIC EYE EXAMINATION

DISTANT VISION LEFT EYE WITHOUT	6/18
GLASSES	
NEAR VISION RIGHT EYE WITHOUT GLASSES	N/6
NEAR VISION LEFT EYE WITHOUT GLASSES	N/36
COLOUR VISION	PARTIAL COLOUR BLINDNESS

P. V. Kapadia

Dr.Sahil .N.Shah Consultant Radiologist

Dr.Priyank Kapadia Physician Page 3 Of 25

回該

View Report

View Details



÷

PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in



PATIENT NAME : KEVALKUMAR PARMAR	REF. DOCTOR : DR. ARCOFEMI HEALTHCARE LTD (MEDIWHEEL		
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : 0321XC002232 PATIENT ID : KEVAM290387321 GLIENT PATIENT ID:	AGE/SEX :37 Years Male DRAWN :29/03/2024 00:00:00 RECEIVED :29/03/2024 08:51:26 REPORTED :30/03/2024 12:39:54	
Test Report Status <u>Final</u>	Results Biologica	al Reference Interval Units	
SUMMARY RELEVANT HISTORY RELEVANT GP EXAMINATION FINDINGS RELEVANT LAB INVESTIGATIONS	NOT SIGNIFICANT PARTIAL COLOUR BLINDNESS CBC:- WBC - LOW		
RELEVANT NON PATHOLOGY DIAGNOSTICS REMARKS / RECOMMENDATIONS	LDL:- HIGH T3:- LOW CHEST X-RAY:- PROMINENT BRONCHO 1) CBC:- WBC - LOW) VASCULAR MARKINGS NOTED	
	ADV:- PHYSICIAN OPINION 2) LDL:- HIGH ADV:- LOW FAT DIET, REGULAR PHYS	ICAL EXERCISE	
	3) T3:- LOW ADV:- ENDOCRINOLOGIST OPINION		

Comments

OUR PANEL DOCTORS FOR NON-PATHOLOGY TESTS:-CHECK UP DONE BY:- DR. NAMRATA AGRAWAL (M.B.B.S) REPORT REVIEWED BY:- DR. PRIYANK KAPADIYA (M.B.B.S DNB MEDICINE) RADIOLOGIST:- DR. SAHIL N SHAH (M.D.RADIOLOGY)

Dr.Sahil .N.Shah Consultant Radiologist P. V. Kapadia

Dr.Priyank Kapadia Physician

PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in Page 4 Of 25









PATIENT NAME : KEVALKUMAR PARMAR		DR. ARCOFEMI HEALTHCARE LTD MEDIWHEEL
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : 0321XC002232 PATIENT ID : KEVAM290387321 SHEATNBATIENT ID:	AGE/SEX :37 Years Male DRAWN :29/03/2024 00:00:00 RECEIVED :29/03/2024 08:51:26 REPORTED :30/03/2024 12:39:54
Test Report Status <u>Final</u>	Results	Units

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE ULTRASOUND ABDOMEN ULTRASOUND ABDOMEN FATTY LIVER.

TMT OR ECHO CLINICAL PROFILE 2D ECHO:-

- 1) NORMAL CHAMBERS AND VALVES.
- 2) GOOD LV SYSTOLIC FUNCTION. LVEF 60%. NO RWMA AT REST.
- 3) NO MR, AR, TR.
- 4) NORMAL LV COMPLIANCE.
- 5) NO PAH.
- 6) NO LV CLOT, VEGETATION OR PERICARDIAL EFFUSION.

7) IAS/IVS INTACT.

P. V. Kapadia

Dr.Sahil .N.Shah Consultant Radiologist

Dr.Priyank Kapadia Physician Page 5 Of 25





View Details



PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in Test Report Status

Final



Biological Reference Interval Units

PATIENT NAME : KEVALKUMAR PARMAR	REF. DOCTOR	: DR. ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : 0321XC002232 PATIENT ID : KEVAM290387321 GENT PATIENT ID:	AGE/SEX :37 Years Male DRAWN :29/03/2024 00:00:00 RECEIVED :29/03/2024 08:51:26 REPORTED :30/03/2024 12:39:54

Results

н	AEMATOLOGY - CBC		
IEDI WHEEL FULL BODY HEALTH CHECK UP B	ELOW 40 MALE		
BLOOD COUNTS,EDTA WHOLE BLOOD			
HEMOGLOBIN (HB) METHOD : PHOTOMETRIC MEASUREMENT	14.0	13.0 - 17.0	g/dL
RED BLOOD CELL (RBC) COUNT METHOD : COULTER PRINCIPLE	4.31 Low	4.5 - 5.5	mil/µL
NHITE BLOOD CELL (WBC) COUNT METHOD : COULTER PRINCIPLE	12.80 High	4.0 - 10.0	thou/µL
PLATELET COUNT METHOD : COULTER PRINCIPLE	377	150 - 410	thou/µL
RBC AND PLATELET INDICES			
HEMATOCRIT (PCV) METHOD : CALCULATED	42.8	40.0 - 50.0	%
MEAN CORPUSCULAR VOLUME (MCV) METHOD : DERIVED PARAMETER FROM RBC HISTOGRAM	99.4	83.0 - 101.0	fL
MEAN CORPUSCULAR HEMOGLOBIN (MCH) METHOD : CALCULATED	32.5 High	27.0 - 32.0	pg
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION (MCHC) METHOD : CALCULATED	32.7	31.5 - 34.5	g/dL
RED CELL DISTRIBUTION WIDTH (RDW) METHOD : DERIVED PARAMETER FROM RBC HISTOGRAM	14.1 High	11.6 - 14.0	%
MENTZER INDEX METHOD : CALCULATED PARAMETER	23.1		
MEAN PLATELET VOLUME (MPV) METHOD : DERIVED PARAMETER FROM PLATELET HISTOGRAM	6.8	6.8 - 10.9	fL
NBC DIFFERENTIAL COUNT			
NEUTROPHILS METHOD : OPTICAL IMPEDENCE & MICROCSOPY	62	40 - 80	%
YMPHOCYTES METHOD : OPTICAL IMPEDENCE & MICROCSOPY	25	20 - 40	%

ejen

Dr.Miral Gajera **Consultant Pathologist**









PATIENT NAME : KEVALKUMAR PARMAR	REF. DOCTOR : DR. ARCOFEMI HEALTHCARE LTD (MEDIWHEEL		
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : 0321XC002232 PATIENT ID : KEVAM290387321 SHEAT BATIENT ID:	AGE/SEX :37 Years Male DRAWN :29/03/2024 00:00:00 RECEIVED :29/03/2024 08:51:26 REPORTED :30/03/2024 12:39:54	
Test Report Status <u>Final</u>	Results Biologic	al Reference Interval Units	

MONOCYTES	11 High	2.0 - 10.0	%
METHOD : OPTICAL IMPEDENCE & MICROCSOPY			
EOSINOPHILS	1	1.0 - 6.0	%
METHOD : OPTICAL IMPEDENCE & MICROCSOPY			
BASOPHILS	1	0 - 1	%
METHOD : IMPEDANCE			
ABSOLUTE NEUTROPHIL COUNT	7.94 High	2.0 - 7.0	thou/µL
METHOD : CALCULATED			
ABSOLUTE LYMPHOCYTE COUNT	3.20 High	1.0 - 3.0	thou/µL
METHOD : CALCULATED PARAMETER			
ABSOLUTE MONOCYTE COUNT	1.41 High	0.2 - 1.0	thou/µL
METHOD : CALCULATED PARAMETER			
ABSOLUTE EOSINOPHIL COUNT	0.13	0.02 - 0.50	thou/µL
METHOD : CALCULATED			
ABSOLUTE BASOPHIL COUNT	0.13 High	0.02 - 0.10	thou/µL
METHOD : CALCULATED			
NEUTROPHIL LYMPHOCYTE RATIO (NLR)	2.5		
METHOD : CALCULATED PARAMETER			

MORPHOLOGY	
RBC	NORMOCYTIC NORMOCHROMIC
METHOD : MICROSCOPIC EXAMINATION	
WBC	LEUCOCYTOSIS
METHOD : MICROSCOPIC EXAMINATION	
PLATELETS	ADEQUATE
METHOD : MICROSCOPIC EXAMINATION	
REMARKS	NO PREMATURE CELLS ARE SEEN. MALARIAL PARASITE NOT DETECTED.
METHOD : MICROSCOPIC EXAMINATION	

Interpretation(s) BLOOD COUNTS,EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology. RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13) for the helpersemine trait from Beta thalassaemia trait

(<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.

Dr.Miral Gajera Consultant Pathologist



View Details



Page 7 Of 25

PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel: 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in



PATIENT NAME : KEVALKUMAR PARMAR	REF. DOCTOR : DR. ARCOFEMI HEALTHCARE LTD (MEDIWHEEL		
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : 0321XC002232 PATIENT ID : KEVAM290387321 SHEAN BATIENT ID:	AGE/SEX:37 YearsMaleDRAWN:29/03/202400:00:00RECEIVED:29/03/202408:51:26REPORTED:30/03/202412:39:54	
Test Report Status <u>Final</u>	Results Biological	Reference Interval Units	

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive

3.3, COVID-19 patients tend to severe in CoviD positive Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients A.-P. Yang, et al. International Immunopharmacology 84 (2020) 106504 This ratio element is a calculated parameter and out of NABL scope.

Dr.Miral Gajera Consultant Pathologist

PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel: 079-48912999,079-48913999,079-48914999 ${\sf Email: customercare.ahmedabad@agilus.in}$

Page 8 Of 25





View Report



Test Report Status

Final



Biological Reference Interval Units

PATIENT NAME : KEVALKUMAR PARMAR	REF. DOCTOR : DR. ARCOFEMI HEALTHCARE LTD (MEDIWHEEL		
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAT, MEHRAULISOUTH WEST	PATIENT ID : KEVAM290387321	AGE/SEX :37 Years Male DRAWN :29/03/2024 00:00:00 RECEIVED :29/03/2024 08:51:26 REPORTED :30/03/2024 12:39:54	

	HAEMATOLOGY		
MEDI WHEEL FULL BODY HEALTH CHECK U	P BELOW 40 MALE		
ERYTHROCYTE SEDIMENTATION RATE (ESR BLOOD	R),EDTA		
E.S.R METHOD : WESTERGREN METHOD	04	0 - 14	mm at 1 hr
GLYCOSYLATED HEMOGLOBIN(HBA1C), ED BLOOD	TA WHOLE		
HBA1C	5.4	Non-diabetic: < 5.7 Pre-diabetics: 5.7 - 6.4 Diabetics: > or = 6.5 Therapeutic goals: < 7.0 Action suggested : > 8.0 (ADA Guideline 2021)	%
	100.2		ma a (dl
ESTIMATED AVERAGE GLUCOSE(EAG)	108.3	< 116.0	mg/dL

Results

Interpretation(s) ERYTHROCYTE SEDIMENTATION RATE (ESR),EDTA BLOOD-TEST DESCRIPTION :-

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change. **TEST INTERPRETATION**

Increase in: Infections, Vasculities, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Estrogen medication, Aging.

Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias, Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis). In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum. Decreased in: Polycythermia vera, Sickle cell anemia

LIMITATIONS

False elevated ESR : Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia False Decreased : Poikilocytosis, (SickleCells, spherocytes), Microcytosis, Low fibrinogen, Very high WBC counts, Drugs (Quinine,

salicylates)

Dr.Miral Gaiera Consultant Pathologist





View Report

Page 9 Of 25

View Details



PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in



PATIENT NAME : KEVALKUMAR PARMAR	REF. DOCTOR : DR. ARCOFEMI HEALTHCARE LTD (MEDIWHEEL		
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : 0321XC002232 РАПЕНТ ID : KEVAM290387321 SHEAN BATIENT ID:	AGE/SEX :37 Years Male DRAWN :29/03/2024 00:00:00 RECEIVED :29/03/2024 08:51:26 REPORTED :30/03/2024 12:39:54	
Test Report Status <u>Final</u>	Results Biological	Reference Interval Units	

REFERENCE :

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis, 10th edition. GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-**Used For**:

1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.

Evaluating the long-clim conductor for a part of the part of the

eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.
 eAG gives an evaluation of blood glucose levels for the last couple of months.
 eAG is calculated as eAG (mg/dl) = 28.7 * HbA1c - 46.7

HbA1c Estimation can get affected due to :

1. Shortened Erythrocyte survival : Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss, hemolytic anemia) will falsely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days. 2.Vitamin C & E are reported to falsely lower test results.(possibly by inhibiting glycation of hemoglobin.

3. Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addiction are reported to interfere with some assay methods, falsely increasing results.

4. Interference of hemoglobinopathies in HbA1c estimation is seen in

 a) Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.
 b) Heterozygous state detected (D10 is corrected for HbS & HbC trait.)
 c) HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c.Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy

Dr.Miral Gajera **Consultant Pathologist**

Page 10 Of 25





View Details



PERFORMED AT : Agilus Diagnostics Ltd. Grand Mali, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in



PATIENT NAME : KEVALKUMAR PARMAR	REF. DOCTOR : DR. ARCOFEMI HEALTHCARE LTD (MEDIWHEEL		
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : 0321XC002232 РАПЕНТ ID : KEVAM290387321 SEIFATNBATIENT ID:	AGE/SEX:37 YearsMaleDRAWN:29/03/202400:00:00RECEIVED:29/03/202408:51:26REPORTED:30/03/202412:39:54	
Test Report Status <u>Final</u>	Results Biological	Reference Interval Units	

IMMUNOHAEMATOLOGY			
MEDI WHEEL FULL BODY HEALTH C	IECK UP BELOW 40 MALE		
ABO GROUP & RH TYPE, EDTA WHO	E BLOOD		
ABO GROUP METHOD : TUBE AGGLUTINATION	TYPE AB		
RH TYPE METHOD : TUBE AGGLUTINATION	POSITIVE		

Interpretation(s) ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same."

The test is performed by both forward as well as reverse grouping methods.

Dr.Miral Gajera Consultant Pathologist

PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel: 079-48912999,079-48913999,079-48914999 ${\sf Email: customercare.ahmedabad@agilus.in}$

Page 11 Of 25







Test Report Status

Final



Biological Reference Interval Units

PATIENT NAME : KEVALKUMAR PARMAR	 R. ARCOFEMI HEALTHCARE LTD MEDIWHEEL
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST	AGE/SEX :37 Years Male DRAWN :29/03/2024 00:00:00 RECEIVED :29/03/2024 08:51:26 REPORTED :30/03/2024 12:39:54

Results

ſ	BIOCHEMISTRY					
MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE GLUCOSE FASTING,FLUORIDE PLASMA						
FBS (FASTING BLOOD SUGAR) METHOD : HEXOKINASE	87	74 - 99	mg/dL			
GLUCOSE, POST-PRANDIAL, PLASMA						
PPBS(POST PRANDIAL BLOOD SUGAR) METHOD : HEXOKINASE	98	70 - 140	mg/dL			
LIPID PROFILE WITH CALCULATED LDL, SER	UM					
CHOLESTEROL, TOTAL	186	Desirable: < 200 BorderlineHigh: 200 - 239 High: > or = 240	mg/dL			
METHOD : ENZYMATIC, COLORIMETRIC TRIGLYCERIDES	106	Desirable: < 150 BorderlineHigh: 150 - 199 High: 200 - 499 Very High: > or = 500	mg/dL			
METHOD : ENZYMATIC, COLORIMETRIC HDL CHOLESTEROL	46	< 40 Low > or = 60 High	mg/dL			
CHOLESTEROL LDL	119 High	Adult levels: Optimal < 100 Near optimal/above optima 100-129 Borderline high : 130-159 High : 160-189	mg/dL I:			
NON HDL CHOLESTEROL	140 High	Very high : = 190 Desirable: Less than 130 Above Desirable: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very high: > or = 220	mg/dL)			

Dr.Miral Gajera **Consultant Pathologist**

Page 12 Of 25







PATIENT NAME : KEVALKUMAR PARMAR	REF. DOCTOR : DR. ARCOFEMI HEALTHCARE LTD (MEDIWHEEL				
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : 032 PATIENT ID : KEV SHEAN BATIENT ID :	1XC002232 AM290387321		:37 Years :29/03/2024 :29/03/2024 :30/03/2024	08:51:26
Test Report Status <u>Final</u>	Results	Biological	Reference	e Interval 🛛 🛛	Jnits
VERY LOW DENSITY LIPOPROTEIN CHOL/HDL RATIO LDL/HDL RATIO	21.2 4.0 2.6	< or = 30 3.3 - 4.4 0.5 - 3.0 3.1 - 6.0 Risk	Desirable/	-	/dL

>6.0 High Risk

METHOD : CALCULATED

Interpretation(s)

Serum lipid profile is measured for cardiovascular risk prediction. Lipid Association of India recommends LDL-C as primary target and Non HDL-C as co-primary treatment target. Risk Stratification for ASCVD (Atherosclerotic cardiovascular disease) by Lipid Association of India

A CAD wit					
A CAD wit					
A.C.ID with	A.CAD with > 1 feature of high risk group				
B. CAD wit	h > 1 feature of Very hi	igh risk g	roup or recurre	ent ACS (within 1 ye	ear) despite LDL-C < or =
50 mg/dl or	polyvascular disease		-		<i>`</i>
1. Establish	ed ASCVD 2. Diabetes	s with 2 r	najor risk facto	rs or evidence of en	d organ damage 3.
Familial Ho	mozygous Hypercholes	terolemi	a		
1. Three ma	ajor ASCVD risk factor	s. 2. Dia	betes with 1 m	ajor risk factor or no	o evidence of end organ
Artery Calc	ium - CAC >300 AU. 7	7. Lipopr	otein a >/= 50r	ng/dl 8. Non stenot	ic carotid plaque
2 major ASCVD risk factors					
0-1 major A	SCVD risk factors				
Major ASCVD (Atherosclerotic cardiovascular disease) Risk Factors					
or = 45 years in males and > or = 55 years in females 3. Current Cigarette smoking or tobacco use					
amily history of premature ASCVD 4. High blood pressure		l pressure			
nd statin in	itiation thresholds bas	sed on th	e risk categor	ies proposed by LA	I in 2020.
	Treatment Goals			Consider Drug T	herapy
	LDL-C (mg/dl)	Non-H	DL (mg/dl)	LDL-C (mg/dl)	Non-HDL (mg/dl)
tegory A	<50 (Optional goal	< 80 (0	Optional goal	>OR = 50	>OR = 80
	< OR = 30)	< OR =	60)		
tegory B	<or 30<="" =="" td=""><td><or =<="" td=""><td>60</td><td>> 30</td><td>>60</td></or></td></or>	<or =<="" td=""><td>60</td><td>> 30</td><td>>60</td></or>	60	> 30	>60
	<50	<80		>OR= 50	>OR= 80
	<70	<100		>OR= 70	>OR=100
	<100	<130		>OR=100	>OR=130
	<100	<130		>OR=130*	>OR=160
	50 mg/dl or 1. Establish Familial Ho 1. Three m. damage. 3. Artery Calc 2 major ASt 0-1 major A osclerotic c n males and mature ASC nd statin in ttegory A	50 mg/dl or polyvascular disease 1. Established ASCVD 2. Diabetes Familial Homozygous Hypercholes 1. Three major ASCVD risk factor damage. 3. CKD stage 3B or 4. 4. Artery Calcium - CAC >300 AU. 72 2 major ASCVD risk factors 0-1 major ASCVD risk factors osclerotic cardiovascular disease) n males and > or = 55 years in femmature ASCVD nd statin initiation thresholds base Treatment Goals LDL-C (mg/dl) ttegory A <50 (Optional goal	50 mg/dl or polyvascular disease 1. Established ASCVD 2. Diabetes with 2 r Familial Homozygous Hypercholesterolemination 1. Three major ASCVD risk factors. 2. Diadetes with 2 r Artery Calcium - CAC >300 AU. 7. Lipopr 2 major ASCVD risk factors 0-1 major ASCVD n males and > or = 55 years in females mature ASCVD n dstatin initiation thresholds based on the Treatment Goals LDL-C (mg/dl) Non-H	50 mg/dl or polyvascular disease 1. Established ASCVD 2. Diabetes with 2 major risk factor Familial Homozygous Hypercholesterolemia 1. Three major ASCVD risk factors. 2. Diabetes with 1 m damage. 3. CKD stage 3B or 4. 4. LDL >190 mg/dl 5. Ex Artery Calcium - CAC >300 AU. 7. Lipoprotein a >/= 50r 2 major ASCVD risk factors 0-1 major ASCVD 4. High blood 1 10 tegory A <50 (Optional goal	1. Established ASCVD 2. Diabetes with 2 major risk factors or evidence of en Familial Homozygous Hypercholesterolemia 1. Three major ASCVD risk factors. 2. Diabetes with 1 major risk factor or no damage. 3. CKD stage 3B or 4. 4. LDL >190 mg/dl 5. Extreme of a single risk Artery Calcium - CAC >300 AU. 7. Lipoprotein a >/= 50mg/dl 8. Non stenot 2 major ASCVD risk factors 0-1 major ASCVD 14. High blood pressure 15. Current Cigarette smoking or t 16. Mattin initiation thresholds based on the risk categories proposed by LA 17. LDL-C (mg/dl

*After an adequate non-pharmacological intervention for at least 3 months.

Dr.Miral Gajera Consultant Pathologist





Page 13 Of 25



PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel: 079-48912999,079-48913999,079-48914999 ${\sf Email: customercare.ahmedabad@agilus.in}$

Test Report Status

Final



Biological Reference Interval Units

PATIENT NAME : KEVALKUMAR PARMAR	REF. DOCTOR	DR. ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : 0321XC002232 PATIENT ID : KEVAM290387321 SHENT BATIENT ID:	AGE/SEX :37 Years Male DRAWN :29/03/2024 00:00:00 RECEIVED :29/03/2024 08:51:26 REPORTED :30/03/2024 12:39:54

References: Management of Dyslipidaemia for the Prevention of Stroke: Clinical Practice Recommendations from the Lipid Association of
India. Current Vascular Pharmacology, 2022, 20, 134-155.

Results

LIVER FUNCTION PROFILE, SERUM			
BILIRUBIN, TOTAL	0.59	Upto 1.2	mg/dL
BILIRUBIN, DIRECT	0.23 High	Upto 0.2	mg/dL
METHOD : DIAZO COLORIMETRIC			
BILIRUBIN, INDIRECT	0.36	0.00 - 1.00	mg/dL
TOTAL PROTEIN	6.1 Low	6.4 - 8.3	g/dL
METHOD : COLORIMETRIC			
ALBUMIN	4.1	3.5 - 5.2	g/dL
METHOD : BROMOCRESOL GREEN GLOBULIN	2.0	2.0 - 4.1	g/dL
			5.
ALBUMIN/GLOBULIN RATIO	2.1 High	1.0 - 2.0	RATIO
ASPARTATE AMINOTRANSFERASE(AST/SGOT) METHOD : IFCC WITHOUT PYRIDOXAL-5-PHOSPHATE	9	0 - 40	U/L
ALANINE AMINOTRANSFERASE (ALT/SGPT) METHOD : IFCC WITHOUT PYRIDOXAL-5-PHOSPHATE	18	0 - 41	U/L
ALKALINE PHOSPHATASE	46	40 - 129	U/L
METHOD : COLORIMETRIC GAMMA GLUTAMYL TRANSFERASE (GGT)	30	8 - 61	U/L
METHOD : ENZYMATIC, COLORIMETRIC	50	8 - 61	0/L
LACTATE DEHYDROGENASE	214	135 - 225	U/L
METHOD : UV ASSAY METHOD			
BLOOD UREA NITROGEN (BUN), SERUM			
BLOOD UREA NITROGEN	20	6 - 20	mg/dL
CREATININE, SERUM			
CREATININE	0.78 Low	0.90 - 1.30	mg/dL
METHOD : JAFFE ALKALINE PICRATE		0.00 1100	

BUN/CREAT RATIO

Dr.Miral Gajera **Consultant Pathologist**











PATIENT NAME : KEVALKUMAR PARMAR	REF		RCOFEMI HEALTHCARE LTD IWHEEL
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : 0321XCO РАПЕНТ ID : KEVAM290 ЯЫТАТЛЕНТ ID:	0387321 DRA REC	E/SEX :37 Years Male AWN :29/03/2024 00:00:00 CEIVED :29/03/2024 08:51:26 PORTED :30/03/2024 12:39:54
Test Report Status <u>Final</u>	Results	Biological Ref	erence Interval Units
BUN/CREAT RATIO	25.64 High	5.0 - 15.0	
URIC ACID, SERUM			
URIC ACID	4.3	3.4 - 7.0	mg/dL
TOTAL PROTEIN, SERUM			
TOTAL PROTEIN METHOD : COLORIMETRIC	6.1 Low	6.4 - 8.3	g/dL
ALBUMIN, SERUM			
ALBUMIN METHOD : BROMOCRESOL GREEN	4.1	3.5 - 5.2	g/dL
GLOBULIN			
GLOBULIN	2.0	2.0 - 4.1	g/dL
ELECTROLYTES (NA/K/CL), SERUM			
SODIUM, SERUM	140.2	136 - 145	mmol/L
METHOD : ISE POTASSIUM, SERUM	3.74	3.3 - 5.1	mmol/L
METHOD : ISE CHLORIDE, SERUM METHOD : ION SELECTIVE ELECTRODE TECHNOLOGY	106.3 High	98 - 106	mmol/L

Interpretation(s)

Dr.Miral Gajera **Consultant Pathologist**









PATIENT NAME : KEVALKUMAR PARMAR		DR. ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	АССЕSSION NO : 0321XC002232 РАПЕНТ ID : KEVAM290387321 ЯНГАЛВАПЕНТ ID:	AGE/SEX: 37 YearsMaleDRAWN: 29/03/202400:00:00RECEIVED: 29/03/202408:51:26REPORTED: 30/03/202412:39:54
Test Report Status <u>Final</u>	Results Biologica	Reference Interval Units

Sodium	Potassium	Chloride
Decreased in:CCF, cirrhosis,	Decreased in: Low potassium	Decreased in: Vomiting, diarrhea,
vomiting, diarrhea, excessive	intake,prolonged vomiting or diarrhea,	renal failure combined with salt
sweating, salt-losing	RTA types I and II,	deprivation, over-treatment with
nephropathy,adrenal insufficiency,	hyperaldosteronism, Cushing's	diuretics, chronic respiratory acidosis,
nephrotic syndrome, water	syndrome,osmotic diuresis (e.g.,	diabetic ketoacidosis, excessive
intoxication, SIADH. Drugs:	hyperglycemia),alkalosis, familial	sweating, SIADH, salt-losing
thiazides, diuretics, ACE inhibitors,	periodic paralysis,trauma	nephropathy, porphyria, expansion of
chlorpropamide,carbamazepine,anti	(transient).Drugs: Adrenergic agents,	extracellular fluid volume,
depressants (SSRI), antipsychotics.	diuretics.	adrenalinsufficiency,
		hyperaldosteronism, metabolic
		alkalosis. Drugs: chronic
		laxative,corticosteroids, diuretics.
Increased in: Dehydration	Increased in: Massive hemolysis,	Increased in: Renal failure, nephrotic
(excessivesweating, severe	severe tissue damage, rhabdomyolysis,	syndrome, RTA, dehydration,
vomiting or diarrhea),diabetes	acidosis, dehydration,renal failure,	overtreatment with
mellitus, diabetesinsipidus,	Addison's disease, RTA type IV,	saline,hyperparathyroidism, diabetes
hyperaldosteronism, inadequate	hyperkalemic familial periodic	insipidus, metabolic acidosis from
water intake. Drugs: steroids,	paralysis. Drugs: potassium salts,	diarrhea (Loss of HCO3-), respiratory
licorice, oral contraceptives.	potassium- sparing diuretics,NSAIDs,	alkalosis, hyperadre no corticism.
	beta-blockers, ACE inhibitors, high-	Drugs: acetazolamide, and rogens,
	dose trimethoprim-sulfamethoxazole.	hydrochlorothiazide, salicylates.
Interferences: Severe lipemia or	Interferences: Hemolysis of sample,	Interferences: Test is helpful in
hyperproteinemi, if sodium analysis	delayed separation of serum,	assessing normal and increased anion
involves a dilution step can cause	prolonged fist clenching during blood	gap metabolic acidosis and in
spurious results. The serum sodium	drawing, and prolonged tourniquet	distinguishing hypercalcemia due to
falls about 1.6 mEq/L for each 100	placement. Very high WBC/PLT counts	hyperparathyroidism (high serum
mg/dL increase in blood glucose.	may cause spurious. Plasma potassium	chloride) from that due to malignancy
	levels are normal.	(Normal serum chloride)

Interpretation(s) GLUCOSE FASTING,FLUORIDE PLASMA-TEST DESCRIPTION

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in the urine

Increased in: Diabetes mellitus, Cushing's syndrome (10 – 15%), chronic pancreatitis (30%). Drugs: corticosteroids, phenytoin, estrogen, thiazides. **Decreased in** :Pancreatic islet cell disease with increased insulin,insulinoma,adrenocortical insufficiency,hypopituitarism,diffuse liver disease, malignancy(adrenocortical,stomach,fibrosarcoma),infant of a diabetic mother,enzyme deficiency diseases(e.g.galactosemia),Drugs-insulin,ethanol,propranolol ulfonylureas,tolbutamide,and other oral hypoglycemic agents.

NOTE: While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within individuals. Thus, glycosylated hemoglobin (HbA1c) levels are favored to monitor glycemic control.

High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.

GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.Additional test HbA1c LIVER FUNCTION PROFILE, SERUM-

Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. **Elevated levels** results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors &Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood. ALT

Dr.Miral Gaiera Consultant Pathologist



View Details

æ:



Page 16 Of 25

PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999

Email : customercare.ahmedabad@agilus.in





PATIENT NAME : KEVALKUMAR PARMAR	REF. DOCTOR :	DR. ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : 0321XC002232 PATIENT ID : KEVAM290387321 SEITENT ID:	AGE/SEX :37 Years Male DRAWN :29/03/2024 00:00:00 RECEIVED :29/03/2024 08:51:26 REPORTED :30/03/2024 12:39:54
Test Report Status <u>Final</u>	Results Biologica	l Reference Interval Units

is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health.AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Pagets disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilsons disease.

GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc. Total Protein also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and

globulin.Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease.Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic

syndrome, Protein-losing enteropathy etc. (hypoalbuminemia) can be caused by:Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular

permeability or decreased lymphatic clearance, malnutrition and wasting etc BLOOD UREA NITROGEN (BUN), SERUM-**Causes of Increased** levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism) **Causes of decreased** level include Liver disease, SIADH.

CREATININE, SERUM-Higher than normal level may be due to:

• Blockage in the urinary tract, Kidney problems, such as kidney damage or failure, infection, or reduced blood flow, Loss of body fluid (dehydration), Muscle problems, such as breakdown of muscle fibers, Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia)

Lower than normal level may be due to:• Myasthenia Gravis, Muscuophy URIC ACID, SERUM-Causes of Increased levels:-Dietary(High Protein Intake,Prolonged Fasting,Rapid weight loss),Gout,Lesch nyhan syndrome,Type 2 DM,Metabolic syndrome Causes of decreased levels-Low Zinc intake, OCP, Multiple Sclerosis

TOTAL PROTEIN, SERUM-is a biochemical test for measuring the total amount of protein in serum.Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma,Waldenstroms disease

Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

ALBUMIN, SERUM-Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance,malnutrition and wasting etc.

Dr.Miral Gajera Consultant Pathologist

Page 17 Of 25





View Details



PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in



PATIENT NAME : KEVALKUMAR PARMAR	REF. DOCTOR : DR. ARCOFEMI HEALTHCARE LTD (MEDIWHEEL		
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : 0321) PATIENT ID : KEVAM	XC002232 M290387321	AGE/SEX :37 Years Male DRAWN :29/03/2024 00:00:00 RECEIVED :29/03/2024 08:51:26 REPORTED :30/03/2024 12:39:54
Test Report Status <u>Final</u>	Results	Biologic	cal Reference Interval Units
	INICAL PATH - URINALYS	IS	
MEDI WHEEL FULL BODY HEALTH CHECK UP	BELOW 40 MALE		
PHYSICAL EXAMINATION, URINE COLOR APPEARANCE	Yellow Clear		
CHEMICAL EXAMINATION, URINE		. – –	_
PH METHOD : REFLECTANCE SPECTROPHOTOMETRY SPECIFIC GRAVITY	5.5 >=1.030	4.7 - 7.5 1.003 -	
METHOD : REFLECTANCE SPECTROPHOTOMETRY PROTEIN	NOT DETECTED	NOT DET	
METHOD : REFLECTANCE SPECTROPHOTOMETRY GLUCOSE METHOD : REFLECTANCE SPECTROPHOTOMETRY	NOT DETECTED	NEGATI	VE
KETONES METHOD : REFLECTANCE SPECTROPHOTOMETRY	NOT DETECTED		
BLOOD METHOD : REFLECTANCE SPECTROPHOTOMETRY BILIRUBIN	NOT DETECTED	NEGATI\ NOT DE	
METHOD : REFLECTANCE SPECTROPHOTOMETRY UROBILINOGEN	NORMAL	NORMAL	
METHOD : REFLECTANCE SPECTROPHOTOMETRY NITRITE METHOD : REFLECTANCE SPECTROPHOTOMETRY	NOT DETECTED	NOT DET	TECTED
LEUKOCYTE ESTERASE METHOD : REFLECTANCE SPECTROPHOTOMETRY	NOT DETECTED	NOT DET	TECTED

MICROSCOPIC EXAMINATION, URINE

RED BLOOD CELLS	NOT DETECTED	NOT DETECTED	/HPF
PUS CELL (WBC'S)	0-1	0-5	/HPF
EPITHELIAL CELLS	1-2	0-5	/HPF

Dr.Miral Gajera Consultant Pathologist



Page 18 Of 25

View Report





PATIENT NAME : KEVALKUMAR PARMAR		DR. ARCOFEMI HEALTHCARE LTD MEDIWHEEL
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : 0321XC002232 PATIENT ID : KEVAM290387321	AGE/SEX :37 Years Male DRAWN :29/03/2024 00:00:00 RECEIVED :29/03/2024 08:51:26 REPORTED :30/03/2024 12:39:54
Test Report Status <u>Final</u>	Results Biological	Reference Interval Units
CASTS	NOT DETECTED	

CASTS	NOT DETECTED	
CRYSTALS	NOT DETECTED	
BACTERIA	NOT DETECTED	NOT DETECTED
YEAST	NOT DETECTED	NOT DETECTED
REMARKS	MICROSCOPIC EXAMINAT CENTRIFUGED URINARY SI	ION OF URINE IS CARRIED OUT ON EDIMENT.

Interpretation(s)

The following table describes the probable conditions, in which the analytes are present in urine

Presence of	Conditions		
Proteins	Inflammation or immune illnesses		
Pus (White Blood Cells)	Urinary tract infection, urinary tract or kidney stone, tumors or any kind		
	of kidney impairment		
Glucose	Diabetes or kidney disease		
Ketones	Diabetic ketoacidosis (DKA), starvation or thirst		
Urobilinogen	Liver disease such as hepatitis or cirrhosis		
Blood	Renal or genital disorders/trauma		
Bilirubin	Liver disease		
Erythrocytes	Urological diseases (e.g. kidney and bladder cancer, urolithiasis), urinary tract infection and glomerular diseases		
Leukocytes	es Urinary tract infection, glomerulonephritis, interstitial nephritis either acute or chronic, polycystic kidney disease, urolithiasis, contamination b genital secretions		
Epithelial cells Urolithiasis, bladder carcinoma or hydronephrosis, ureteric stents or bladder catheters for prolonged periods of time			
Granular Casts	Low intratubular pH, high urine osmolality and sodium concentration, interaction with Bence-Jones protein		
Hyaline casts	Physical stress, fever, dehydration, acute congestive heart failure, renal diseases		
Calcium oxalate	Metabolic stone disease, primary or secondary hyperoxaluria, intravenous infusion of large doses of vitamin C, the use of vasodilator naftidrofuryl oxalate or the gastrointestinal lipase inhibitor orlistat, ingestion of ethylene glycol or of star fruit (Averrhoa carambola) or its juice		

Dr.Miral Gajera Consultant Pathologist

间接

Page 19 Of 25

View Report

View Details

Ô

转进



PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in



PATIENT NAME : KEVALKUMAR PARMAR REF. DOCTOR : DR. ARCOFEMI HEALTHCARE LTD (MEDIWHEEL CODE/NAME & ADDRESS : C000138364 ACCESSION NO : 0321XC002232 AGE/SEX : 37 Years Male ARCOFEMI HEALTHCARE LTD (MEDIWHEEL :29/03/2024 00:00:00 PATIENT ID : KEVAM290387321 DRAWN F-703, LADO SARAI, MEHRAULISOUTH WEST ALLENT BATTENT ID: RECEIVED : 29/03/2024 08:51:26 DELHI REPORTED :30/03/2024 12:39:54 NEW DELHI 110030 8800465156

Test	Report	Status	<u>Final</u>
------	--------	--------	--------------

Results

Biological Reference Interval Units

Uric acid	arthritis
Bacteria	Urinary infectionwhen present in significant numbers & with pus cells.
Trichomonas vaginalis	Vaginitis, cervicitis or salpingitis

Dr.Miral Gajera Consultant Pathologist

PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in Page 20 Of 25



View Details

View Report





PATIENT NAME : KEVALKUMAR PARMA	NR I		DR. ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
CODE/NAME & ADDRESS : C000138364	ACCESSION NO : 0321)		AGE/SEX : 37 Years Male
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	PATIENT ID KEVAN	290387321	DRAWN :29/03/2024 00:00:00
F-703, LADO SARAI, MEHRAULISOUTH WE		290307321	RECEIVED : 29/03/2024 08:51:26
DELHI NEW DELHI 110030			REPORTED : 30/03/2024 12:39:54
8800465156			
Test Report Status <u>Final</u>	Results	Biologica	I Reference Interval Units
c	LINICAL PATH - STOOL ANAL	/SIS	
MEDI WHEEL FULL BODY HEALTH CHEC	CK UP BELOW 40 MALE		
PHYSICAL EXAMINATION, STOOL			
COLOUR	BROWN		
CONSISTENCY	WELL FORMED		
MUCUS	ABSENT	NOT DET	FCTED
VISIBLE BLOOD	ABSENT	ABSENT	
ADULT PARASITE	NOT DETECTED		
METHOD : MICROSCOPIC EXAMINATION			
CHEMICAL EXAMINATION, STOOL STOOL PH OCCULT BLOOD METHOD : HEMOSPOT	NEGATIVE NOT DETECTED	NOT DET	ECTED
MICROSCOPIC EXAMINATION, STOOL			
PUS CELLS	NOT DETECTED		/hpf
RED BLOOD CELLS METHOD : MICROSCOPIC EXAMINATION	NOT DETECTED	NOT DETE	ECTED /HPF
CYSTS METHOD : MICROSCOPIC EXAMINATION	NOT DETECTED	NOT DET	ECTED
OVA	NOT DETECTED		
METHOD : MICROSCOPIC EXAMINATION	NOT DETECTED	NOT DET	ECTED
METHOD : MICROSCOPIC EXAMINATION TROPHOZOITES	NOT DETECTED	NOT DET	ECTED
METHOD : MICROSCOPIC EXAMINATION			
	ABSENT		
VEGETABLE CELLS	ABSENT		
CHARCOT LEYDEN CRYSTALS	ABSENT		
Joien .			Page 21 Of 2 回路该您想回 回路波路回

Dr.Miral Gajera **Consultant Pathologist**

PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in









PATIENT NAME : KEVALKUMAR PARMAR	REF. DOCTOR : DR. ARCOFEMI HEALTHCARE LTD (MEDIWHEEL		
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : 0321XC002232 PATIENT ID : KEVAM290387321	AGE/SEX:37 YearsMaleDRAWN:29/03/202400:00:00RECEIVED:29/03/202408:51:26REPORTED:30/03/202412:39:54	
Test Report Status Final	Results Biological	Reference Interval Units	

Interpretation(s)

Stool routine analysis is only a screening test for disorders of gastrointentestinal tract like infection, malabsorption, etc. The following table describes the probable conditions, in which the analytes are present in stool.

PRESENCE OF	CONDITION
Pus cells	Pus in the stool is an indication of infection
Red Blood cells	Parasitic or bacterial infection or an inflammatory bowel condition such as ulcerative colitis
Parasites	Infection of the digestive system. Stool examination for ova and parasite detects presence of parasitic infestation of gastrointestinal tract. Various forms of parasite that can be detected include cyst, trophozoite and larvae. One negative result does not rule out the possibility of parasitic infestation. Intermittent shedding of parasites warrants examinations of multiple specimens tested on consecutive days. Stool specimens for parasitic examination should be collected before initiation of antidiarrheal therapy or antiparasitic therapy. This test does not detect presence of opportunistic parasites like Cyclospora, Cryptosporidia and Isospora species. Examination of Ova and Parasite has been carried out by direct and concentration techniques.
Mucus	Mucus is a protective layer that lubricates, protects& reduces damage due to bacteria or viruses.
Charcot-Leyden crystal	Parasitic diseases.
Ova & cyst	Ova & cyst indicate parasitic infestation of intestine.
Frank blood	Bleeding in the rectum or colon.
Occult blood	Occult blood indicates upper GI bleeding.
Macrophages	Macrophages in stool are an indication of infection as they are protective cells.
Epithelial cells	Epithelial cells that normally line the body surface and internal organs show up in stool when there is inflammation or infection.
Fat	Increased fat in stool maybe seen in conditions like diarrhoea or malabsorption.
pH	Normal stool pH is slightly acidic to neutral. Breast-fed babies generally have an acidic stool.

ADDITIONAL STOOL TESTS :

- Stool Culture:- This test is done to find cause of GI infection, make decision about best treatment for GI infection & to find out if 1. treatment for GI infection worked.
- 2. Fecal Calprotectin: It is a marker of intestinal inflammation. This test is done to differentiate Inflammatory Bowel Disease (IBD) from Irritable Bowel Syndrome (IBS).
- 3. Fecal Occult Blood Test(FOBT): This test is done to screen for colon cancer & to evaluate possible cause of unexplained anaemia.
- 4. Clostridium Difficile Toxin Assay: This test is strongly recommended in healthcare associated bloody or waterydiarrhoea, due to

Dr.Miral Gajera Consultant Pathologist



Page 22 Of 25

View Details



PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel: 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in



PATIENT NAME : KEVALKUMAR PARMAR	REF. DOCTOR : DR. ARCOFEMI HEALTHCARE LTD (MEDIWHEEL			
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : 0321XC002232 РАПЕНТ ID : KEVAM290387321 АНТЕНТ ID:	AGE/SEX :37 Years Male DRAWN :29/03/2024 00:00:00 RECEIVED :29/03/2024 08:51:26 REPORTED :30/03/2024 12:39:54		
Test Report Status <u>Final</u>	Results Biological	Reference Interval Units		

overuse of broad spectrum antibiotics which alter the normal GI flora.

- Biofire (Film Array) GI PANEL: In patients of Diarrhoea, Dysentry, Rice watery Stool, FDA approved, Biofire Film Array Test,(Real Time Multiplex PCR) is strongly recommended as it identifies organisms, bacteria,fungi,virus ,parasite and other opportunistic pathogens, Vibrio cholera infections only in 3 hours. Sensitivity 96% & Specificity 99%.
- 6. <u>Rota Virus Immunoassay</u>: This test is recommended in severe gastroenteritis in infants & children associated with watery diarrhoea, vomitting& abdominal cramps. Adults are also affected. It is highly contagious in nature.

Dr.Miral Gajera Consultant Pathologist

PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in Page 23 Of 25



View Details View Report





PATIENT NAME : KEVALKUMAR PARMAR		DR. ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
CODE/NAME & ADDRESS : C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : 0321XC002232 PATIENT ID : KEVAM290387321 GLIENT BATIENT ID:	AGE/SEX :37 Years Male DRAWN :29/03/2024 00:00:00 RECEIVED :29/03/2024 08:51:26 REPORTED :30/03/2024 12:39:54

est	керо	t Stati	ıs <u>F</u>	inal

Results

Biological Reference Interval Units

SPECIALISED CHEMISTRY - HORMONE			
MEDI WHEEL FULL BODY HEALTH CHECK UP BE	LOW 40 MALE		
THYROID PANEL, SERUM			
T3 METHOD : ECLIA	57.06 Low	80.0 - 200.0	ng/dL
T4 METHOD : ECLIA	6.06	5.10 - 14.10	µg/dL
TSH (ULTRASENSITIVE) METHOD : ECLIA	1.470	0.270 - 4.200	µIU/mL

Interpretation(s)

Triiodothyronine T3, Thyroxine T4, and Thyroid Stimulating Hormone TSH are thyroid hormones which affect almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate.

Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hyperthyroidism, TSH levels are low. Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3. Measurement of the serum TT3 level is a more sensitive test for the diagnosis of hyperthyroidism, and measurement of TT4 is more useful in the diagnosis of hypothyroidism. Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active. It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.

Sr. No.	TSH	Total T4	FT4	Total T3	Possible Conditions
1	High	Low	Low	Low	(1) Primary Hypothyroidism (2) Chronic autoimmune Thyroiditis (3)
					Post Thyroidectomy (4) Post Radio-Iodine treatment
2	High	Normal	Normal	Normal	(1)Subclinical Hypothyroidism (2) Patient with insufficient thyroid
					hormone replacement therapy (3) In cases of Autoimmune/Hashimoto
					thyroiditis (4). Isolated increase in TSH levels can be due to Subclinical
					inflammation, drugs like amphetamines, Iodine containing drug and
					dopamine antagonist e.g. domperidone and other physiological reasons.
3	Normal/Low	Low	Low	Low	(1) Secondary and Tertiary Hypothyroidism
4	Low	High	High	High	(1) Primary Hyperthyroidism (Graves Disease) (2) Multinodular Goitre
		_	_	_	(3)Toxic Nodular Goitre (4) Thyroiditis (5) Over treatment of thyroid
					hormone (6) Drug effect e.g. Glucocorticoids, dopamine, T4
					replacement therapy (7) First trimester of Pregnancy
5	Low	Normal	Normal	Normal	(1) Subclinical Hyperthyroidism

Dr.Miral Gajera **Consultant Pathologist**



Page 24 Of 25

View Details



PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel: 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in



PATIENT NAME : KEVALKUMAR PARMAR REF. DOCTOR : DR. ARCOFEMI HEALTHCARE LTD (MEDIWHEEL CODE/NAME & ADDRESS : C000138364 ACCESSION NO : 0321XC002232 AGE/SEX : 37 Years Male ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID DRAWN :29/03/2024 00:00:00 : KEVAM290387321 F-703, LADO SARAI, MEHRAULISOUTH WEST RECEIVED : 29/03/2024 08:51:26 ABHAN BATIENT ID: DELHI REPORTED : 30/03/2024 12:39:54 NEW DELHI 110030 8800465156

Test Report Status	<u>Final</u>	Results	Biological Reference Interval	Units

6	High	High	High	High	igh (1) TSH secreting pituitary adenoma (2) TRH secreting tumor	
7	Low	Low	Low	Low	Low (1) Central Hypothyroidism (2) Euthyroid sick syndrome (3) Recent	
				treatment for Hyperthyroidism		
8	Normal/Low	Normal	Normal	High	(1) T3 thyrotoxicosis (2) Non-Thyroidal illness	
9	Low	High	High	Normal	(1) T4 Ingestion (2) Thyroiditis (3) Interfering Anti TPO antibodies	

REF: 1. TIETZ Fundamentals of Clinical chemistry 2. Guidlines of the American Thyroid association duriing pregnancy and Postpartum, 2011. NOTE: It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.TSH is not affected by variation in thyroid - binding protein. TSH has a diurnal rhythm, with peaks at 2:00 - 4:00 a.m. And troughs at 5:00 - 6:00 p.m. With ultradian variations.

> **End Of Report** Please visit www.agilusdiagnostics.com for related Test Information for this accession

CONDITIONS OF LABORATORY TESTING & REPORTING

1. It is presumed that the test sample belongs to the patient	5. AGILUS Diagnostics confirms that all t
named or identified in the test requisition form.	performed or assayed with highest quality
2. All tests are performed and reported as per the	safety & technical integrity.
turnaround time stated in the AGILUS Directory of Services.	6. Laboratory results should not be inter
3. Result delays could occur due to unforeseen	it must be correlated with clinical informat
circumstances such as non-availability of kits / equipment	interpreted by registered medical practitio
breakdown / natural calamities / technical downtime or any	determine final diagnosis.
other unforeseen event.	7. Test results may vary based on time of
4. A requested test might not be performed if:	physiological condition of the patient, curr
i. Specimen received is insufficient or inappropriate	nutritional and dietary changes. Please co
ii. Specimen quality is unsatisfactory	or call us for any clarification.
iii. Incorrect specimen type	8. Test results cannot be used for Medico
	O The second of examine releases call exchange

iv. Discrepancy between identification on specimen container label and test requisition form

tests have been y standards, clinical

rpreted in isolation; ation and be oners only to

of collection, rrent medication or onsult your doctor

co legal purposes. 9. In case of queries please call customer care (91115 91115) within 48 hours of the report.

Agilus Diagnostics Ltd

Fortis Hospital, Sector 62, Phase VIII, Mohali 160062

Dr.Miral Gajera **Consultant Pathologist**



Page 25 Of 25



PERFORMED AT : Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@agilus.in