

Name





#### LABORATORY REPORT

Ref. By : Mediwheel Full Body Health Checkup Dis. At : Pt. ID :

Bill. Loc. : Health packages Pt. Loc :

Reg Date and Time : 29-Mar-2024 08:50 | Sample Type : Whole Blood EDTA | Mobile No. :

Sample Date and Time : 29-Mar-2024 08:50 Sample Coll. By : non Ref Id1 : Report Date and Time : 29-Mar-2024 12:17 Acc. Remarks : Ref Id2 :

TEST RESULTS UNIT BIOLOGICAL REF RANGE REMARKS

#### **HAEMOGRAM REPORT HB AND INDICES** Haemoglobin Photometric Method 14.1 G% 13.00 - 17.00 **RBC** (Electrical Impedance) 4.25 millions/cumm4.50 - 5.50 PCV(Calc) 42.63 % 40.00 - 50.00 MCV (RBC histogram) fL 100.3 83.00 - 101.00 MCH (Calc) H 33.2 pg 27.00 - 32.00 MCHC (Calc) 33.1 gm/dL 31.50 - 34.50 RDW (RBC histogram) 13.30 % 11.00 - 16.00 TOTAL AND DIFFERENTIAL WBC COUNT **Total WBC Count** 6280 4000.00 - 10000.00 /µL Neutrophil 56 % 40.00 - 70.00 Lymphocyte 35 % 20.00 - 40.00 **Eosinophil** 02 % 1.00 - 6.00 Monocytes 07 % 2.00 - 10.00 **Basophil** 00 % 0.00 - 2.002000.00 - 7000.00 Neutrophil 3517 /µL Lymphocyte 2198 1000.00 - 3000.00 /µL 126 /µL 20.00 - 500.00 Eosinophil 440 200.00 - 1000.00 Monocyte /µL Basophil 0 /µL 0.00 - 100.00PLATELET COUNT 150000.00 - 410000.00 **Platelet Count** 144000 /µL MPV fL Н 14.00 6.5 - 12

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

Dr. Shweta Patel

**Consultant Pathologist** 

Page 1 of 11







Name : Mr MANISH KUMAR Sex/Age : Male / 32 Years Case ID: 40308001441

Ref. By : Mediwheel Full Body Health Checkup Pt. ID Dis. At

Bill. Loc. : Health packages Pt. Loc : Reg Date and Time : 29-Mar-2024 08:50 Sample Type : Whole Blood EDTA Mobile No. :

Sample Date and Time : 29-Mar-2024 08:50 Sample Coll. By : non Ref Id1 Report Date and Time : 29-Mar-2024 12:17 Acc. Remarks Ref Id2

**PDW** 16.9 9 - 16 Н

**ESR**Westergren Method 04 mm after 1hr 3 - 15

Method:

TLC-SF cube technology(Flow Cytometry+ fluorescence),

DC by microscopy,

Platelet count by electrical impedance+/-SF cube technology

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

Dr. Shweta Patel

Consultant Pathologist

Page 2 of 11







JORATORT REFORT

Name : Mr MANISH KUMAR Sex/Age : Male / 32 Years Case ID : 40308001441

Ref. By : Mediwheel Full Body Health Checkup Dis. At : Pt. ID : Bill. Loc. : Health packages Pt. Loc :

Reg Date and Time : 29-Mar-2024 08:50 | Sample Type : Whole Blood EDTA | Mobile No. :

Sample Date and Time : 29-Mar-2024 08:50 | Sample Coll. By : non | Ref Id1 : Report Date and Time : 29-Mar-2024 13:08 | Acc. Remarks : Ref Id2 :

TEST RESULTS UNIT BIOLOGICAL REF RANGE REMARKS

#### HAEMATOLOGY INVESTIGATIONS

BLOOD GROUP AND RH TYPING (Erythrocyte Magnetized Technology)
(Both Forward and Reverse Group)

ABO Type B

Rh Type POSITIVE

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

Dr. Shweta Patel

Consultant Pathologist

Page 3 of 11







Name : Mr MANISH KUMAR Sex/Age : Male / 32 Years Case ID : 40308001441

Ref. By : Mediwheel Full Body Health Checkup Dis. At : Pt. ID : Bill. Loc. : Health packages Pt. Loc :

Reg Date and Time : 29-Mar-2024 08:50 | Sample Type : Whole Blood EDTA | Mobile No. :

Sample Date and Time : 29-Mar-2024 08:50 Sample Coll. By : non Ref Id1 : Report Date and Time : 29-Mar-2024 11:59 Acc. Remarks : Ref Id2 :

TEST RESULTS UNIT BIOLOGICAL REF RANGE REMARKS

# **Glycated Haemoglobin Estimation**

**HbA1C** 5.2 % of total Hb <5.7: Normal

Immunoturbidimetric 5.7-6.4: Prediabetes

>=6.5: Diabetes

Estimated Avg Glucose (3 Mths) 102.54 mg/dL Not available

Calculated

Please Note change in reference range as per ADA 2021 guidelines.

#### Interpretation:

HbA1C level reflects the mean glucose concentration over previous 8-12 weeks and provides better indication of long term glycemic control.

Levels of HbA1C may be low as result of shortened RBC life span in case of hemolytic anemia.

Increased HbA1C values may be found in patients with polycythemia or post splenectomy patients.

Patients with Homozygous forms of rare variant Hb(CC,SS,EE,SC) HbA1c can not be quantitated as there is no HbA.

In such circumstances glycemic control can be monitored using plasma glucose levels or serum Fructosamine.

The A1c target should be individualized based on numerous factors, such as age, life expectancy, comorbid conditions, duration of diabetes, risk of hypoglycemia or adverse consequences from hypoglycemia, patient motivation and adherence.

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

Dr. Shweta Patel

Consultant Pathologist

Page 4 of 11







Name : Mr MANISH KUMAR Sex/Age : Male / 32 Years Case ID: 40308001441

Ref. By : Mediwheel Full Body Health Checkup Pt. ID Dis. At Bill. Loc. : Health packages Pt. Loc :

Reg Date and Time : 29-Mar-2024 08:50 | Sample Type : Plasma Fluoride F, Plasma Mobile No. :

Fluoride PP

Sample Date and Time : 29-Mar-2024 08:50 Sample Coll. By : non Ref Id1 Report Date and Time : 29-Mar-2024 13:25 Acc. Remarks Ref Id2

**TEST BIOLOGICAL REF RANGE RESULTS** UNIT **REMARKS** FUS: NIL Plasma Glucose - F 103.93 mg/dL 70 - 100 Plasma Glucose - PP 135.80 70 - 140 PPUS: NIL mg/dL

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

Dr. Shweta Patel

Consultant Pathologist

Page 5 of 11



Name





#### LABORATORY REPORT

Sex/Age : Male Case ID: 40308001441 / 32 Years

Ref. By : Mediwheel Full Body Health Checkup Pt. ID Dis. At

Bill. Loc. : Health packages Pt. Loc :

Reg Date and Time : 29-Mar-2024 08:50 Sample Type Mobile No. :

Sample Date and Time : 29-Mar-2024 08:50 Sample Coll. By : non Ref Id1 Report Date and Time : 29-Mar-2024 11:51 Acc. Remarks Ref Id2

**TEST RESULTS** UNITBIOLOGICAL REF RANGE **REMARKS** 

# **BIOCHEMICAL INVESTIGATIONS**

# **Lipid Profile**

Cholesterol Colorimetric, CHOD-POD		172.66	mg/dL	110 - 200
HDL Cholesterol	L	37.9	mg/dL	40 - 60
Triglyceride GPO-POD		123.30	mg/dL	40 - 200
<b>VLDL</b> Calculated		24.66	mg/dL	10 - 40
Chol/HDL Calculated	Н	4.56		0 - 4.1
LDL Cholesterol	Н	110.10	mg/dL	0.00 - 100.00

Calculated

#### NEW ATP III GUIDELINES (MAY 2001), MODIFICATION OF NCEP

LDL CHOLESTEROL	CHOLESTEROL	HDL CHOLESTEROL	TRIGLYCERIDES
Optimal<100	Desirable<200	Low<40	Normal<150
Near Optimal 100-129	Border Line 200-239	High >60	Border High 150-199
Borderline 130-159	High >240		High 200-499
High 160-189	-		-

- LDL Cholesterol level is primary goal for treatment and varies with risk category and assesment
- For LDL Cholesterol level Please consider direct LDL value
  - Risk assessment from HDL and Triglyceride has been revised. Also LDL goals have changed.
- Detail test interpreation available from the lab
- All tests are done according to NCEP guidelines and with FDA approved kits.
- · LDL Cholesterol level is primary goal for treatment and varies with risk category and assesment

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

Dr. Shweta Patel

Consultant Pathologist

Page 6 of 11



Name





### LABORATORY REPORT

Ref. By : Mediwheel Full Body Health Checkup Dis. At : Pt. ID :

Bill. Loc. : Health packages Pt. Loc :

Reg Date and Time : 29-Mar-2024 08:50 | Sample Type : Serum | Mobile No. :

Sample Date and Time : 29-Mar-2024 08:50 | Sample Coll. By : non | Ref Id1 : Report Date and Time : 29-Mar-2024 11:51 | Acc. Remarks : Ref Id2 :

TEST RESULTS UNIT BIOLOGICAL REF RANGE REMARKS

# **BIOCHEMICAL INVESTIGATIONS**

#### **Liver Function Test**

S.G.P.T.			
S.G.P.T.	52.56	U/L	0 - 63
	35.34	U/L	15 - 37
Alkaline Phosphatase Modified IFCC method	124.52	U/L	40 - 150
Proteins (Total) Biuret	7.59	g/dL	6.4 - 8.2
	4.75	g/dL	3.4 - 5.0
	2.84	gm/dL	2 - 4.1
	1.7		1.0 - 2.1
	0.44	mg/dL	0.2 - 1.0
Bilirubin Conjugated Diazotized Sulfanilic Acid Method	0.20	mg/dL	
Bilirubin Unconjugated Calculated	0.24	mg/dL	0 - 0.8

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

Dr. Shweta Patel

Consultant Pathologist

Page 7 of 11







Sex/Age : **Male** / **32 Years** Case ID : **40308001441** 

Name : Mr MANISH KUMAR Sex/Age : Male / 32 Years Case ID : 40308

Ref. By : Mediwheel Full Body Health Checkup Dis. At : Pt. ID :

Bill. Loc. : Health packages Pt. Loc :

Reg Date and Time : 29-Mar-2024 08:50 Sample Type : Serum Mobile No. : Sample Date and Time : 29-Mar-2024 08:50 Sample Coll. By : non Ref Id1 :

Report Date and Time : 29-Mar-2024 11:58 Acc. Remarks : Ref Id2 :

TEST RESULTS UNIT BIOLOGICAL REF RANGE REMARKS

## **BIOCHEMICAL INVESTIGATIONS**

# **Renal Function Test**

	Rena	I Function	lest
<b>Urea</b> Urease/GLDH	21.30	mg/dL	19.01 - 44.1
Creatinine Jaffe compensated	0.86	mg/dL	0.70 - 1.30
Uric Acid Uricase-Peroxidase method	6.84	mg/dL	3.5 - 7.2
Sodium ISE	141.8	mmol/L	136 - 145
Potassium ISE	4.45	mmol/L	3.5 - 5.1
Chloride ISE	101.7	mmol/L	98 - 107
Calcium Arsenazo III	9.93	mg/dL	8.4 - 10.2

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

Dr. Shweta Patel

Consultant Pathologist

Page 8 of 11



Bill. Loc. : Health packages





Pt. Loc

#### LABORATORY REPORT

: Mr MANISH KUMAR Sex/Age : Male Case ID: 40308001441 Name / 32 Years

Pt. ID Ref. By : Mediwheel Full Body Health Checkup Dis. At

Reg Date and Time : 29-Mar-2024 08:50 Sample Type : Serum Mobile No. :

Sample Date and Time : 29-Mar-2024 08:50 Sample Coll. By : non Ref Id1 Report Date and Time : 29-Mar-2024 11:26 Acc. Remarks Ref Id2

**TEST RESULTS** UNIT BIOLOGICAL REF RANGE **REMARKS** 

# **BIOCHEMICAL INVESTIGATIONS**

## **Thyroid Function Test**

Triiodothyronine (T3)	1.27	ng/mL	0.70 - 2.04
Thyroxine (T4) ECLIA	8.04	μg/dL	4.6 - 10.5
TSH ECLIA	3.210	μIU/mL	0.40 - 4.20

#### **INTERPRETATIONS**

Useful for Monitoring patients on thyroid replacement therapy, Confirmation of thyroid-stimulating hormone (TSH) suppression in thyroid cancer patients on thyroxine therapy, for Prediction of thyrotropin-releasing hormone-stimulated TSH response, as An aid in the diagnosis of primary hyperthyroidism, for Differential diagnosis of hypothyroidism.

The ability to quantitate circulating levels of thyroid-stimulating hormone (TSH) is important in evaluating thyroid function. It is especially useful in the differential diagnosis of primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low or normal. Concentrations of 5.1 mIU/mI to 7.0 mIU/ml are considered borderline hypothyroid

#### **CAUTIONS**

Sick, hospitalized patients may have falsely low or transiently elevated thyroid stimulating hormone.

Some patients who have been exposed to animal antigens, either in the environment or as part of treatment or imaging procedure, may have circulating antianimal antibodies present. These antibodies may interfere with the assay reagents to produce unreliable results.

TSH ref range in Pregnacy Reference range (microIU/ml)

0.24 - 2.00 First trimester 0.43-2.2 Second trimester Third trimester 0.8 - 2.5

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

Dr. Shweta Patel

Consultant Pathologist

Page 9 of 11







Case ID: 40308001441

#### LABORATORY REPORT

Sex/Age : Male / 32 Years

Ref. By : Mediwheel Full Body Health Checkup Dis. At : Pt. ID :

Bill. Loc. : Health packages Pt. Loc :

Reg Date and Time : 29-Mar-2024 08:50 | Sample Type : Spot Urine | Mobile No. :

Sample Date and Time : 29-Mar-2024 08:50 Sample Coll. By : non Ref Id1 : Report Date and Time : 29-Mar-2024 11:50 Acc. Remarks : Ref Id2 :

TEST RESULTS UNIT BIOLOGICAL REF RANGE REMARKS

# URINE EXAMINATION (STRIP METHOD AND FLOWCYTOMETRY)

Physical examination

Name

Colour Pale yellow

Transparency Clear

Chemical Examination By Sysmex UC-3500

**Sp.Gravity** 1.020 1.003 - 1.035

рΗ 6.0 4.6 - 8 Leucocytes (ESTERASE) **Negative** Negative **Protein** Negative Negative Glucose **Negative** Negative **Ketone Bodies Urine** Negative Negative Urobilinogen **Negative** Negative **Bilirubin** Negative Negative **Blood** Negative Negative **Nitrite** Negative Negative

Flowcytometric Examination By Sysmex UF-5000

 Leucocyte
 Nil
 /HPF
 Nil

 Red Blood Cell
 Nil
 /HPF
 Nil

**Epithelial Cell** 3-5 /HPF Present(+) **Bacteria** Nil /µL Nil Nil Yeast /µL Nil Cast Nil /HPF Nil

Crystals Nil /HPF Nil

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

Dr. Shweta Patel

Consultant Pathologist

Page 10 of 11







: 40308001441 : Mr MANISH KUMAR Sex/Age : Male Name / 32 Years Case ID

Pt. ID Ref. By : Mediwheel Full Body Health Checkup Dis. At

Bill. Loc. : Health packages Pt. Loc

Reg Date and Time : 29-Mar-2024 08:50 Sample Type : Spot Urine Mobile No. : Sample Date and Time : 29-Mar-2024 08:50 Sample Coll. By : non Ref Id1

Report Date and Time : 29-Mar-2024 11:50 Acc. Remarks Ref Id2

Parameter Unit	Unit	Expected value	Result/Notations				
			Trace	+	++	+++	++++
рН	-	4.6-8.0	T III T III S	- 20	1-41		27 - 11 1
SG	-	1.003-1.035	120		1		2
Protein	mg/dL	Negative (<10)	10	25	75	150	500
Glucose	mg/dL	Negative (<30)	30	50	100	300	1000
Bilirubin	mg/dL	Negative (0.2)	0.2	1	3	6	-
Ketone	mg/dL	Negative (<5)	5	15	50	150	
Urobilinogen	mg/dL	Negative (<1)	1	4	8	12	-

Parameter	Unit	Expected value	Result/Notifications				
and the sales of the sales		211	Trace	+	++	+++	++++
Leukocytes (Strip)	/micro L	Negative (<10)	10	25	100	500	-
Nitrite(Strip)	-	Negative	25	-	-	-	-0
Erythrocytes(Strip)	/micro L	Negative (<5)	10	25	50	150	250
Pus cells (Microscopic)	/hpf	<5	51	5	17.0	-	74
Red blood cells(Microscopic)	/hpf	<2	20	-	-	-	-
Cast (Microscopic)	/lpf	<2		-	0 <del>-</del> 0	-	- 51

**Pending Services** ----- End Of Report -----Stool Examination

# For test performed on specimens received or collected from non-NSRL locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender. NSRL will be responsible Only for the analytical part of test carried out. All other responsibility will be of referring Laboratory.

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

Dr. Shweta Patel

**Consultant Pathologist** 

Page 11 of 11