Stold dos



TING OUT

ભારત સરકાર

Government of India

ઝાલા હકૂમતસિંહ Zala Hakumatsinh


જન્મ તારીખ / DOB : 10/06/1975


पुरुष / Male



6413 2579 9290

યાધાર – સામાન્ય માણસનો અધિકાર







LABORATORY REPORT Name Mr. Hakumatsinh Zala Reg. No 403101846 Sex/Age Male/48 Years Reg. Date 29-Mar-2024 09:21 AM Ref. By **Collected On Client Name** Mediwheel **Report Date** 29-Mar-2024 04:44 PM

Medical Summary

GENERAL EXAMINATION

Height (cms): 174

Weight (kgs):69.0

Blood Pressure: 110/70mmHg

Pulse: 60/Min

No Clubbing/Cynosis/Pallor/Pedel Oedem

Systemic Examination:

Cardio vascular System - S1,S2 Normal, No Murmur

Respiratory system - AEBE

Central Nervous System - No FND

Abdomen - Soft, Non Tender, No Organomegaly

Epilepsy - N/A

This is an electronically authenticated report

M.D, GENERAL MEDICINE

DR.MUKESH LADDHA

Page 3 of 5

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075







Reg. No

: 403101846

Ref Id

Collected On

: 29-Mar-2024 09:21 AM

Name

: Mr. Hakumatsinh Zala

/ Male

Reg. Date

: 29-Mar-2024 09:21 AM

Age/Sex

: 48 Years

Pass. No.

Tele No.

: 8320659776

Ref. By

Dispatch At

Sample Type + EDTA

Location

CHPI

Sample Type:EDTA			·	Location	: C	HPL
Parameter	Results		Unit	Biological F	Ref. Inte	rval
•	CON	IPLETI	E BLOOD COUNT (CB	<u>C)</u>		
Hemoglobin (Colorimetric method)	13.9		g/dL	13.5 - 18		
Hematrocrit (Calculated)	42.40		%	40 - 50		
RBC Count (Electrical Impedance)	5.50		million/cmm	4.73 - 5.5		
MCV (Calculated)	L 77.0		fL	83 - 101		
MCH (Calculated)	L 25.2		Pg	27 - 32		
MCHC (Calculated)	32.7		%	31.5 - 34.5		
RDW (Calculated)	14.5		%	11.5 - 14.5		*
WBC Count Flowcytometry with manual Microscopy	5480		/cmm	4000 - 1000	00	
MPV (Calculated)	10.4		fL	6.5 - 11.5		
DIFFERENTIAL WBC COUNT	[%]		EXPECTED VALUES	[Abs]		EXPECTED VALUES
Neutrophils (%)	55.60	%	40 - 80	3047	/cmm	2000 - 7000
Lymphocytes (%)	33.10	%	20 - 40	1814	/cmm	1000 - 3000
Eosinophils (%)	1.90	%	0 - 6	493	/cmm	200 - 1000
Monocytes (%)	9.00	%	2 - 10	104	/cmm	20 - 500
Basophils (%)	0.40	%	0 - 2	22	/cmm	0 - 100
PERIPHERAL SMEAR STUDY						
RBC Morphology	Normocy	tic and I	Normochromic.			
WBC Morphology	Normal					
PLATELET COUNTS						
Platelet Count (Electrical Impedance	e) 187000		/cmm	150000 - 45	50000	
Platelets	Platelets	are ade	equate with normal morpho	ology.		
Parasites			is not detected.	. ,		
Comment	_					
Comment	-					

This is an electronically authenticated report.

Approved By:

Dr. Purvish Darji

MD (Pathology)

Approved On:

29-Mar-2024 10:29 AM Page 1 of 11

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075

^{*} This test has been out sourced.







: 403101846 Ref Id

: Mr. Hakumatsinh Zala

: 48 Years / Male Pass. No.

Collected On

: 29-Mar-2024 09:21 AM

Reg. Date

: 29-Mar-2024 09:21 AM

Tele No.

: 8320659776

Dispatch At

Location

: CHPL

Parameter

Sample Type: EDTA

Reg. No

Age/Sex

Ref. By

Name

Result

Unit

Biological Ref. Interval

HEMATOLOGY

BLOOD GROUP & RH

Specimen: EDTA and Serum; Method: Forward Reverse Tube Agglutination

ABO

"A"

Rh (D)

Positive

Note

ERYTHROCYTE SEDIMANTATION RATE [ESR]

ESR 1 hour Westergreen method 04

mm/hr

ESR AT 1 hour: 1-7

ERYTHRO SEDIMENTION RATE, BLOOD -

Erythrocyte sedimentation rate (ESR) is a non - specific phenomena and is clinically useful in the diagnosis and monitoring of disorders associated with an increased production of acute phase reactants. The ESR is increased in prenancy from about the 3rd month and returns to normal by the 4th week post partum. ESR is influenced by age, sex, menstrual cycle and drugs (eg. corticosteroids, contraceptives). It is especially low (o-1mm) in polycythaemia, hypofibrinogenemia or or congestive cardiac failure and when there are abnormalities or the red cells such as poikilocytosis, spherocytosis or sickle cells.

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Purvish Darji

MD (Pathology)

Approved On:

29-Mar-2024 03:28 PM Page 2 of 11

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075

'B' Block, Mondeal Business Park, Near Gurudwara, Bodakdev, S.G. Highway, Ahmedabad - 380 054, Gujarat

%+91 79 4039 2653

📞+91 75730 30001 🗷 info@curovis.co.in 🐡 www.curovis.co.in







Reg. No : 403101846 Ref Id

Collected On

: 29-Mar-2024 09:21 AM

Name

Age/Sex

Ref. By

GOD-POD Method

: Mr. Hakumatsinh Zala

Reg. Date

: 29-Mar-2024 09:21 AM

: 48 Years / Male Pass. No. Tele No.

: 8320659776

Dispatch At

Location : CHPL

Sample Type: Flouride F,Flouride PP		Location	: CHPL
Parameter	Result	Unit	Biological Ref. Interval
	BIO - CHEMISTRY		
Fasting Blood Sugar (FBS) GOD-POD Method	96.30	mg/dL	70 - 110
Post Prandial Blood Sugar (PPBS)	83.6	ma/dl	70 - 140

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Purvish Darji

MD (Pathology)

Approved On:

29-Mar-2024 05:36 PM Page 3 of 11

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075

'B' Block, Mondeal Business Park, Near Gurudwara, Bodakdev, S.G. Highway, Ahmedabad - 380 054, Gujarat

%+91 79 4039 2653

📞+91 75730 30001 🗷 info@curovis.co.in 🚭 www.curovis.co.in







Reg. No : 403101846 Ref Id

Collected On

: 29-Mar-2024 09:21 AM

Name

: Mr. Hakumatsinh Zala

Reg. Date

: 29-Mar-2024 09:21 AM

Age/Sex

: 48 Years / Male Pass. No. Tele No. : 8320659776

Ref. By

Dispatch At

Location · CHDI

Sample Type: Serum		Location	: CHPL
Parameter	Result	Unit	Biological Ref. Interval
	<u>Lipid Profile</u>		
Cholesterol	166.00	mg/dL	Desirable: <200.0 Borderline High: 200- 239 High: >240.0
Enzymatic, colorimetric method			
Triglyceride	42.10	mg/dL	Normal: <150.0 Borderline: 150-199 High: 200-499 Very High : > 500.0
Enzymatic, colorimetric method			
HDL Cholesterol	46.80	mg/dL	Low: <40 High: >60
Accelerator selective detergent method			
LDL	110.78	mg/dL	Optimal: < 100.0 Near Optimal: 100-129 Borderline High: 130- 159 High : 160-189 Very High : >190.0
Calculated			
VLDL Calculated	8.42	mg/dL	15 - 35
LDL / HDL RATIO Calculated	2.37	·	0 - 3.5
Cholesterol /HDL Ratio	3.55		0 - 5.0

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Purvish Darji

MD (Pathology)

Approved On:

29-Mar-2024 11:17 AM Page 4 of 11

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075







Reg. No Name

Age/Sex

Ref. By

: 403101846

: 48 Years

Ref Id

: Mr. Hakumatsinh Zala

/ Male

Pass. No. :

Collected On

: 29-Mar-2024 09:21 AM

Reg. Date

: 29-Mar-2024 09:21 AM

Tele No.

: 8320659776

Dispatch At

Location : CHPL

Sample Type : Serum		Location	: CHPL
Parameter	Result	Unit	Biological Ref. Interval
	LFT WITH GGT		
Total Protein	6.34	gm/dL	1Day: 3.4-5.0 1Day to 1Month: 4.6-6.8 2 to 12Months: 4.8-7.6 >=1Year: 6.0-8.0 Adults: 6.6-8.7
Biuret Reaction			
Albumin	4.65	g/dL	
By Bromocresol Green	•		
Globulin (Calculated)	1.69	g/dL	2.3 - 3.5
A/G Ratio (Calulated)	2.75		0.8 - 2.0
SGOT	20.80	U/L	0 - 40
UV without P5P			
SGPT	20.60	U/L	0 - 40
UV without P5P			·
Alakaline Phosphatase	63.7	IU/I	53 - 128
P-nitrophenyl phosphatase-AMP Buffer, Multiple-point rate			
Total Bilirubin	0.77	mg/dL	0.3 - 1.2
Vanadate Oxidation			
Direct Bilirubin	0.20	mg/dL	0.0 - 0.4
Vanadate Oxidation			
Indirect Bilirubin	0.57	mg/dL	0.0 - 1.1
Calculated			
GGT	47	U/L	< 55
SZASZ Method			

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Purvish Darji

MD (Pathology)

Approved On:

29-Mar-2024 12:18 PM Page 5 of 11

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075





Pass. No.

Ref Id



Reg. No : 403101846 Name : Mr. Hakumatsinh Zala

Age/Sex : 48 Years / Male

Ref. By

Sample Type : Serum

TEST REPORT

Collected On

: 29-Mar-2024 09:21 AM

Reg. Date

: 29-Mar-2024 09:21 AM

Tele No.

: 8320659776

Dispatch At

Location : CHPI

Sample Type . Setum		Location	, Offi L
Parameter	Result	Unit	Biological Ref. Interval
	BIO - CHEMISTRY		
Uric Acid Enzymatic, colorimetric method	3.87	mg/dL	3.5 - 7.2
Creatinine Enzymatic Method	1.00	mg/dL	0.9 - 1.3
BUN UV Method	11.30	mg/dL	6.0 - 20.0

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Purvish Darji

MD (Pathology)

Approved On:

29-Mar-2024 11:08 AM Page 6 of 11

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075





Ref Id Rea. No : 403101846

: Mr. Hakumatsinh Zala

Name : 48 Years Age/Sex

Sample Type: EDTA

/ Male Pass. No.

Reg. Date

Unit

: 29-Mar-2024 09:21 AM : 29-Mar-2024 09:21 AM

Tele No.

: 8320659776

.

: CHPL

Dispatch At

Collected On

Location

Biological Ref. Interval

Result **HEMOGLOBIN A1 C ESTIMATION**

Specimen: Blood EDTA

*Hb A1C

Parameter

Ref. By

5.1

% of Total Hb

Normal: < 5.7 %

Pre-Diabetes: 5.7 % -

6.4 %

Diabetes: 6.5 % or

higher

Boronate Affinity with Fluorescent Quenching

Mean Blood Glucose

99.67

mg/dL

Calculated

Degree of Glucose Control Normal Range:

Poor Control >7.0%

Good Control 6.0 - 7.0 %**Non-diabetic level < 6.0 %

- * High risk of developing long term complication such as retinopathy, nephropathy, neuropathy, cardiopathy, etc.
- Some danger of hypoglycemic reaction in Type I diabetics.
- * Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1c levels in this area.

EXPLANATION:-

*Total haemoglobin A1 c is continuously synthesised in the red blood cell throught its 120 days life span. The concentration of HBA1c in the cell reflects the average blood glucose concentration it encounters.

- *The level of HBA1c increases proportionately in patients with uncontrolled diabetes. It reflects the average blood glucose concentration over an extended time period and remains unaffected by short-term fluctuations in blood glucose levels.
- *The measurement of HbA1c can serve as a convenient test for evaluating the adequacy of diabetic control and in preventing various diabetic complications. Because the average half life of a red blood cell is sixty days, HbA1c has been accepted as a measurnment which eflects the mean daily blood glucose concentration, better than fasting blood glucose determination, and the degree of carbohydrate imbalance over the preceding two months.

*It may also provide a better index of control of the diabetic patient without resorting to glucose loading procedures.

HbA1c assay Interferences:

*Errneous values might be obtained from samples with abnormally elevated quantities of other Haemoglobins as a result of either their simultaneous elution with HbA1c(HbF) or differences in their glycation from that of HbA(HbS)

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Purvish Darji

MD (Pathology)

Approved On:

30-Mar-2024 04:30 PM Page 7 of 11

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075

B' Block, Mondeal Business Park, Near Gurudwara, Bodakdev, S.G. Highway, Ahmedabad - 380 054, Gujarat

%+91 79 4039 2653

📞+91 75730 30001 🛮 info@curovis.co.in 🚭 www.curovis.co.in







Reg. No : 403101846 Ref Id Name : Mr. Hakumatsinh Zala

Age/Sex

Ref. By

: 48 Years / Male Pass. No.

Collected On

: 29-Mar-2024 09:21 AM

Reg. Date

: 29-Mar-2024 09:21 AM

Tele No.

: 8320659776

Dispatch At

Location

: CHPL

Test

Result

Unit

Biological Ref. Interval

URINE ROUTINE EXAMINATION

D.	JV6	10		EVA	RAINI	A T	ion.	
PI	4 Y S	iiC:A	۱ı	1-XA	MIN	ΔΙΙ	IC)N	

Sample Type: Urine Spot

Quantity

20 cc

Colour

Pale Yellow

Clarity

Clear

Clear

CHEMICAL EXAMINATION (BY REFLECTANCE PHOTOMETRIC)

Sp. Gravity Protein

5.0 1.005 4.6 - 8.0 1.001 - 1.035

Nil

Nil

Nil Nil

Ketone Bodies

Nil Nil Nil Nil

Urobilinogen Bilirubin

Glucose

Nil

Nil

Nil

Nitrite Blood

Nil

Nil

MICROSCOPIC EXAMINATION (MANUAL BY MICROSCOPY)

Leucocytes (Pus Cells) Erythrocytes (Red Cells) Occasional/hpf

Nil Nil

Nil

Nil

Epithelial Cells Crystals

Occasional Absent

Absent

Casts

Absent Absent Absent

Amorphous Material Bacteria

Absent

Absent Absent

Remarks

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Purvish Darji

MD (Pathology)

Approved On:

29-Mar-2024 12:57 PM Page 8 of 11

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075

'B' Block, Mondeal Business Park, Near Gurudwara, Bodakdev, S.G. Highway, Ahmedabad - 380 054, Gujarat

%+91 79 4039 2653

📞+91 75730 30001 🛮 info@curovis.co.in ಿ www.curovis.co.in





Reg. No

403101846

Ref Id

Collected On

: 29-Mar-2024 09:21 AM

Name : Mr. Hakumatsinh Zala Reg. Date

: 29-Mar-2024 09:21 AM

Age/Sex

: 48 Years / Male

Tele No. Pass. No.

: 8320659776

Ref. By

Dispatch At

Location

Unit

: CHPL

Sample Type: Serum

Parameter

Result

Biological Ref. Interval

IMMUNOLOGY

THYROID FUNCTION TEST

T3 (Triiodothyronine)

0.90

ng/mL

0.86 - 1.92

CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY

Triiodothyronine (T3) is a hormone synthesized and secreted by the thyroid gland in response to the pituitary hormone TSH (thyroid stimulating hormone) and is regulated by a negative feedback mechanism involving the thyroid gland, pituitary gland and hypothalamus.

In the circulation, 99.7% of T3 is reversibly bond to transport proteins, primarily thyroxine-binding globulin (TBG) and to a lesser extent albumin and prealbumin. The remaining unbound T3 is free in the circulation and is metabolically active.

In hypothyroidism and hyperthyroidism, F T3 (free T3) levels parallel changes in total T3 levels. Measuring F T3 is useful in certain conditions such as normal pregnancy and steroid therapy, when altered levels of total T3 occur due to changes in T3 binding proteins, especially TBG.

T4 (Thyroxine)

CHEMILUMINECENT MICROPARTICLE IMMUNOASSAY

6.00

µa/dL

3.2 - 12.6

Thyroxin (T4) is a hormone synthesized and secreted by the thyroid gland in response to the pituitary hormone TSH (thyroid stimulating hormone) and is regulated by a negative feedback mechanism involving the thyroid gland, pituitary gland and hypothalamus. In the circulation, 99.95% of T4 is reversibly bond to transport proteins, primarily thyroxine-binding globulin (TBG) and to a lesser extent albumin and thyroxine-binding prealbumin. The remaining unbound T4 is free in the circulation and is both metabolically active and a precursor to triiodothyronine (T3).

In hypothyroidism and hyperthyroidism, F T4 (free T4) levels parallel changes in total T4 levels. Measuring FT4 is useful in certain conditions such as normal pregnancy and steroid therapy, when altered levels of total T4 occur due to changes in T4 binding proteins, especially TBG.

Limitations:

- 1. The anticonvulsant drug phenytoin may interfere with total and F T4 levels due to competition for TBG binding
- 2.F T4 values may be decreased in patients taking carbamazepine.
- 3. Thyroid autoantibodies in human serum may interfere and cause falsely elevated F T4 results.

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Purvish Darji

MD (Pathology)

Approved On:

29-Mar-2024 12:21 PM Page 9 of 11

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075

'B' Block, Mondeal Business Park, Near Gurudwara, Bodakdev, S.G. Highway, Ahmedabad - 380 054, Gujarat

%+91 79 4039 2653

📞+91 75730 30001 🛮 🗷 info@curovis.co.in 🚭 www.curovis.co.in





Reg. No : 403101846 Ref Id

: Mr. Hakumatsinh Zala

: 48 Years / Male

Pass. No.

Collected On

: 29-Mar-2024 09:21 AM

Reg. Date

: 29-Mar-2024 09:21 AM

Tele No.

: 8320659776

Dispatch At

Location

: CHPL

TSH

Name

Age/Sex

Ref. By

Sample Type: Serum

6.490

uIU/ml

0.35 - 5.50

CHEMILUMINECENT MICROPARTICLE IMMUNOASSAY

Thyroid stimulating hormone (TSH) is synthesized and secreted by the anterior pituitary in response to a negative feedback mechanism involving concentrations of FT3 (free T3) and FT4 (free T4). Additionally, the hypothalamic tripeptide, thyrotropin-relasing hormone (TRH), directly stimulates TSH production. TSH stimulates thyroid cell production and hypertrophy, also stimulate the thyroid gland to synthesize and secrete T3 and T4. Quantification of TSH is significant to differentiate primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.

TSH levels During Pregnancy: First Trimester :0.1 to 2.5 µIÚ/mL Second Trimester: 0.2 to 3.0 µIU/mL Third trimester: 0.3 to 3.0 µIU/mL

Referance : Carl A.Burtis, Edward R.Ashwood, David E.Bruns. Tietz Textbook of Clinical Chemistry and Molecular

Diagnostics. 5th Eddition. Philadelphia: WB Sounders, 2012:2170

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Purvish Darji

MD (Pathology)

Approved On:

29-Mar-2024 12:21 PM Page 10 of 1

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075

'B' Block, Mondeal Business Park, Near Gurudwara, Bodakdev, S.G. Highway, Ahmedabad - 380 054, Gujarat

%+91 79 4039 2653

📞+91 75730 30001 🛮 🗷 info@curovis.co.in 🗢 www.curovis.co.in





Reg. No

403101846

Ref Id

Collected On

: 29-Mar-2024 09:21 AM

; Mr. Hakumatsinh Zala

Reg. Date

: 29-Mar-2024 09:21 AM

Age/Sex

: 48 Years / Male Tele No.

: 8320659776

Ref. By

Parameter

Name

Dispatch At

Location

Unit

: CHPL

Sample Type: Serum

Biological Ref. Interval

Result **IMMUNOLOGY**

TOTAL PROSTATE SPECIFIC ANTIGEN (PSA) CMIA

0.50

ng/mL

0 - 4

Measurement of total PSA alone may not clearly distinguish between benign prostatic hyperplasia (BPH) from cancer, this is especially true for the total PSA values between 4-8 ng/mL.

Pass. No.

Percentage of free PSA = free PSA/total PSA X 100

Percentage of free PSA: Patients with prostate cancer generally have a lower percentage of Free PSA than patients with benign prostatic hyperplasia. Percentage Free PSA of less than 25% is a high likelihood of prostatic cancer.

--- End Of Report --

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Purvish Darji

MD (Pathology)

Approved On:

29-Mar-2024 12:19 PM Page 11 of 1

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075

'B' Block, Mondeal Business Park, Near Gurudwara, Bodakdev, S.G. Highway, Ahmedabad - 380 054, Gujarat

%+91 79 4039 2653

📞+91 75730 30001 🛛 info@curovis.co.in 🚭 www.curovis.co.in



			LABORATORY REPORT			
Name	:	Mr. Hakumatsinh Zala		Reg. No	:	403101846
Sex/Age	:	Male/48 Years		Reg. Date	:	29-Mar-2024 09:21 AM
Ref. By	:			Collected On	:	
Client Name	:	Mediwheel	<u> </u>	Report Date	:	29-Mar-2024 03:39 PM

Electrocardiogram

Findings

Normal Sinus Rhythm.

Within Normal Limit.



This is an electronically authenticated report


Dr.Jay Soni

M.D, GENERAL MEDICINE

DR.MUKESH LADDHA

Page 1 of 5

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075





LABORATORY REPORT Name Mr. Hakumatsinh Zala Reg. No 403101846 Sex/Age Male/48 Years Reg. Date 29-Mar-2024 09:21 AM Ref. By Collected On **Client Name** Mediwheel **Report Date** 29-Mar-2024 03:39 PM

2D Echo Colour Doppler

- 1. Normal sized LA, LV, RA, RV.
- 2. Fair LV systolic function, LVEF: 55 %.
- 3. No RWMA.
- 4. Normal LV compliance.
- 5. All cardiac valves are structurally normal.
- 6. Trivial MR, Trivial TR, Trivial PR, Trivial AR.
- 7. No PAH, RVSP: 22 mm Hg.
- 8. IAS/IVS: Intact.
- 9. No clot/vegetation/pericardial effusion.
- 10. No coarctation of aorta.



This is an electronically authenticated report

M.D, GENERAL MEDICINE

DR.MUKESH LADDHA

Page 2 of 5

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075



			LABORATORY REPORT			
Name	:	Mr. Hakumatsinh Zala		Reg. No	:	403101846
Sex/Age	:	Male/48 Years		Reg. Date	:	29-Mar-2024 09:21 AM
Ref. By	:			Collected On	:	
Client Name	:	Mediwheel		Report Date	:	29-Mar-2024 04:37 PM
			X RAY CHEST PA			

Cardiac size appears within normal limits.

Both costo-phrenic angles appear free of fluid.

No evidence of any active infiltrations or consolidation.

Both domes of diaphragm appear normal.

COMMENT: No significant abnormality is detected.

----- End Of Report -----

This is an electronically authenticated report

DR DHAVAL PATEL **Consultant Radiologist** MB, DMRE Reg No:0494



Page 2 of 2

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075



			LABORATORY REPORT			
Name	:	Mr. Hakumatsinh Zala		Reg. No	:	403101846
Sex/Age	:	Male/48 Years		Reg. Date	:	29-Mar-2024 09:21 AM
Ref. By	:			Collected On	:	
Client Name	:	Mediwheel		Report Date	:	29-Mar-2024 04:35 PM

USG ABDOMEN

Liver appears normal in size & in echogenicity. No evidence of focal solid or cystic lesion seen. No evidence of dilatation of intra-hepatic billiary or portal radicals. PV is normal in caliber.

Gall bladder is normally distended. No evidence of calculus or mass seen. Gall bladder wall thickness appears normal.

Pancreas Visualized portion appears normal in size and echopattern. No evidence of focal lesions.

Spleen appears normal in size & echopattern. No evidence of focal lesions.

Both kidneys are normal in size, shape and position. C.M. differentiation on both sides is maintained. No evidence of hydronephrosis, calculus or solid mass on either side.

Urinary bladder is partially distended. No evidence of calculus or mass.

Prostate appears normal in size and echopattern. No evidence of focal lesions.

No evidence of free fluid in peritoneal cavity. No evidence of para-aortic lymph adenopathy. No evidence of dilated small bowel loops.

Mild changes of gastritis

COMMENTS:

Mild changes of gastritis.

This is an electronically authenticated report

DR DHAVAL PATEL Consultant Radiologist MB, DMRE Reg No:0494



Page 1 of 2



			LABORATORY REPORT			
Name	:	Mr. Hakumatsinh Zala		Reg. No		403101846
Sex/Age	:	Male/48 Years		Reg. Date	:	29-Mar-2024 09:21 AM
Ref. By	:			Collected On	:	
Client Name	:	Mediwheel		Report Date	:	29-Mar-2024 04:10 PM

Eye Check - Up

	Without Glasses	With Glasses
Right Eye	6/12	6/5
Left Eye	6/5	6/5

Near Vision: Right Eye - N/6, Left Eye - N/6

Fundus Examination - Within Normal Limits.

ColorVision: Normal

Comments: Right eye cataract surgery

- End Of Report ---



This is an electronically authenticated report


Dr Kejal Patel MB,DO(Ophth)

Page 5 of 5



LABORATORY REPORT Name Mr. Hakumatsinh Zala Reg. No 403101846 Sex/Age Male/48 Years Reg. Date 29-Mar-2024 09:21 AM Ref. By **Collected On Client Name** Mediwheel **Report Date** 29-Mar-2024 04:10 PM

AUDIOGRAM




EAR MODE	Air Conduction		Bone Conduction		Colour
	Masked	UnMasked	Masked	UnMasked	Code
LEFT		X	J	>	Blue
RIGHT	Δ	0		(Red

Threshold In dB	RIGHT	LEFT
AIR CONDUCTION	11.5	11 .
BONE CONDUCTION	· · · · · · · · · · · · · · · · · · ·	
SPEECH		
SPEECH		

Comments: -Bilateral Hearing Sensitivity Within Normal Limits

-- End Of Report -



This is an electronically authenticated report

Dr Kejal Patel MB,DO(Ophth)

Page 4 of 5

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075