

Hiranandani HOSPITAL
(A Fortis Network Hospital)

BMI CHART

Hiranandani Fortis Hospital
Mini Seashore Road,
Sector 10 - A, Vashi,
Navi Mumbai - 400 703.
Tel.: +91-22-3919 9222
Fax: +91-22-3919 9220/21
Email: vashi@vashihospital.com

Date: 30/13/24
Sex: M / F M F
Age: 40 yrs

Name: Sujata more
BP: 110/80 mmHg height (cms): 160 cm Weight(kgs): 73.9 kg BMI: 28

WEIGHT lbs 100 105 100 115 120 125 130 135 140 145 150 155 160 165 170 175 180 185 190 195 200 205 210 215
kgs 45.5 47.7 50 50 52.3 54.5 56.8 59.1 61.4 63.6 65.9 68.2 70.5 72.7 75.0 77.3 79.5 81.8 84.1 86.4 88.6 90.9 93.2 95.5 97.7

HEIGHT In/cm	<input type="checkbox"/> Underweight	<input type="checkbox"/> Healthy	<input type="checkbox"/> Overweight	<input type="checkbox"/> Obese	<input type="checkbox"/> Extremely Obese
5'0" - 152.4	19 20 21 22 23	24 25 26 27 28	29 30 31 32 33	34 35 36 37 38	39 40 41 42
5'1" - 154.9	18 19 20 21 22	23 24 25 26 27	28 29 30 31 32	33 34 35 36 37	38 39 40 41 42
5'2" - 157.4	17 18 19 20 21	22 23 24 25 26	27 28 29 30 31	32 33 34 35 36	37 38 39 40 41 42
5'3" - 160.0	16 17 18 19 20	21 22 23 24 25	26 27 28 29 30	31 32 33 34 35	36 37 38 39 40 41 42
5'4" - 162.5	15 16 17 18 19	20 21 22 23 24	25 26 27 28 29	30 31 32 33 34	35 36 37 38 39 40 41 42
5'5" - 165.1	14 15 16 17 18	19 20 21 22 23	24 25 26 27 28	29 30 31 32 33	34 35 36 37 38 39 40 41 42
5'6" - 167.6	13 14 15 16 17	18 19 20 21 22	23 24 25 26 27	28 29 30 31 32	33 34 35 36 37 38 39 40 41 42
5'7" - 170.1	12 13 14 15 16	17 18 19 20 21	22 23 24 25 26	27 28 29 30 31	32 33 34 35 36 37 38 39 40 41 42
5'8" - 172.7	11 12 13 14 15	16 17 18 19 20	21 22 23 24 25	26 27 28 29 30	31 32 33 34 35 36 37 38 39 40 41 42
5'9" - 176.2	10 11 12 13 14	15 16 17 18 19	20 21 22 23 24	25 26 27 28 29	30 31 32 33 34 35 36 37 38 39 40 41 42
5'10" - 177.8	9 10 11 12 13	14 15 16 17 18	19 20 21 22 23	24 25 26 27 28	29 30 31 32 33 34 35 36 37 38 39 40 41 42
5'11" - 180.3	8 9 10 11 12	13 14 15 16 17	18 19 20 21 22	23 24 25 26 27	28 29 30 31 32 33 34 35 36 37 38 39 40 41 42
6'0" - 182.8	7 8 9 10 11	12 13 14 15 16	17 18 19 20 21	22 23 24 25 26	27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42
6'1" - 185.4	6 7 8 9 10	11 12 13 14 15	16 17 18 19 20	21 22 23 24 25	26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42
6'2" - 187.9	5 6 7 8 9	10 11 12 13 14	15 16 17 18 19	20 21 22 23 24	25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42
6'3" - 190.5	4 5 6 7 8	9 10 11 12 13	14 15 16 17 18	19 20 21 22 23	24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42
6'4" - 193.0	3 4 5 6 7	8 9 10 11 12	13 14 15 16 17	18 19 20 21 22	23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42

Doctors Notes:

Signature

UHID	13062314
Name	Mrs Sujata More
OPD	Optical
Date	30/03/2024
Sex	F
Age	40
Health Check-Up	

Drug allergy: - 2 prot kum
 Sys illness: - 2
 Heart: - 2

cls no
 ths no


(Bil)
 > RG - 6/60
 > LG - 6/60

(P)
 > RG - 1.00 / - 0.75 X 96° 6/6
 > LG - 2.50 am 6/6

(P.U.P.)
 > RG - 15.7
 > LG - 15.5

(Signature)

Hirrandani Healthcare Pvt. Ltd.
 Mini Sea Shore Road, Sector 10 - A, Vashi, Navi Mumbai - 400703
 Board Line: 022 - 39199222 | Fax: 022 - 39199220
 Emergency: 022 - 39199100 | Ambulance: 1255
 For Appointment: 022 - 39199222 | Health Checkup: 022 - 39199300
 www.fortishealthcare.com
 CIN : U85100MH2005PTC154823
 GST IN: 27AABCH5894D1ZG | PAN NO: AABCH5894D



UHD	13062314	7387696540
Name	Mrs Sujata More	
OPD	Dental	
Date	30/03/2024	
Sex	F	
Age	40	
Health Check-Up		

PMH - Pt is 6 month pregnant
 Drug allergy:
 Sys illness:

OIE -

Pulp pulp c

Missing c

Caries c

Advice -

RCT c

Extraction c

Prosthesis c

Scaling

Dr. Sushmita



PATIENT NAME : MRS.SUJATA MORE

CODE/NAME & ADDRESS : C000045507 FORTIS WASHI-CHC - SPLDZ FORTIS HOSPITAL # VASHI, MUMBAI 44001

REF. DOCTOR :

ACCESSION NO : 0022XC006383

PATIENT ID : FH.13062314

CLIENT PATIENT ID: UID:13062314

AGE/SEX : 40 Years Female
 DRAWN : 30/03/2024 10:14:00
 RECEIVED : 30/03/2024 10:14:49
 REPORTED : 30/03/2024 13:14:29

CLINICAL INFORMATION :

UID:13062314 REQNO-1685483

CORP-OPD

BILLNO-150124OPCR018079

BILLNO-150124OPCR018079

Test Report Status Final

Results

Biological Reference Interval Units

HAEMATOLOGY - CBC

CBC-5, EDTA WHOLE BLOOD

BLOOD COUNTS, EDTA WHOLE BLOOD

HEMOGLOBIN (HB)

METHOD : SLS METHOD

RED BLOOD CELL (RBC) COUNT

METHOD : HYDRODYNAMIC FOCUSING

WHITE BLOOD CELL (WBC) COUNT

METHOD : FLUORESCENCE FLOW CYTOMETRY

PLATELET COUNT

METHOD : HYDRODYNAMIC FOCUSING BY DC DETECTION

RBC AND PLATELET INDICES

HEMATOCRIT (PCV)

METHOD : CUMULATIVE PULSE HEIGHT DETECTION METHOD

MEAN CORPUSCULAR VOLUME (MCV)

METHOD : CALCULATED PARAMETER

MEAN CORPUSCULAR HEMOGLOBIN (MCH)

METHOD : CALCULATED PARAMETER

MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION(MCHC)

METHOD : CALCULATED PARAMETER

RED CELL DISTRIBUTION WIDTH (RDW)

METHOD : CALCULATED PARAMETER

MENTZER INDEX

METHOD : CALCULATED PARAMETER

MEAN PLATELET VOLUME (MPV)

METHOD : CALCULATED PARAMETER

WBC DIFFERENTIAL COUNT

11.1 Low	12.0 - 15.0	g/dL
3.57 Low	3.8 - 4.8	mil/pl
10.65 High	4.0 - 10.0	thou/pl
230	150 - 410	thou/pl
33.9 Low	36.0 - 46.0	%
95.0	83.0 - 101.0	fL
31.1	27.0 - 32.0	pg
32.7	31.5 - 34.5	g/dL
13.0	11.6 - 14.0	%
26.6	6.8 - 10.9	fL

(Signature)

Dr. Akshay Dhore, MD
 (Reg.no. MMC 2019/09/6377)
 Consultant Pathologist

PERFORMED AT :

Agilus Diagnostics Ltd.
 Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
 Navi Mumbai, 400703
 Maharashtra, India
 Tel : 022-39199222, 022-49723322, Fax :
 CIN - U74899PB1995PLC045956
 Email : -

Patient Ref. No. 2200000912290



View Details



View Report





PATIENT NAME : MRS.SUJATA MORE

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLD

FORTIS HOSPITAL # VASHI,

MUMBAI 440001

CLINICAL INFORMATION :

UID:13062314 REQNO-1685483

CORP-OPD

BILLNO-1501240PCR018079

BILLNO-1501240PCR018079

Test Report Status Final

Results

Biological Reference Interval Units

ACCESSION NO : 0022XC006383

AGE/SEX : 40 Years Female

DRAWN : 30/03/2024 10:14:00

RECEIVED : 30/03/2024 10:14:49

REPORTED : 30/03/2024 13:14:29

PATIENT ID : FH.13062314

CLIENT PATIENT ID: UID:13062314

ABHA NO :

REF. DOCTOR :

NEUTROPHILS METHOD : FLOW CYTOMETRY WITH LIGHT SCATTERING

72

40.0 - 80.0

%

LYMPHOCYTES METHOD : FLOW CYTOMETRY WITH LIGHT SCATTERING

20

20.0 - 40.0

%

MONOCYTES METHOD : FLOW CYTOMETRY WITH LIGHT SCATTERING

7

2.0 - 10.0

%

EOSINOPHILS METHOD : FLOW CYTOMETRY WITH LIGHT SCATTERING

1

1 - 6

%

BASOPHILS METHOD : FLOW CYTOMETRY WITH LIGHT SCATTERING

0

0 - 2

%

ABSOLUTE NEUTROPHIL COUNT METHOD : CALCULATED PARAMETER

7.67 High

2.0 - 7.0

thou/ μ L

ABSOLUTE LYMPHOCYTE COUNT METHOD : CALCULATED PARAMETER

2.13

1.0 - 3.0

thou/ μ L

ABSOLUTE MONOCYTE COUNT METHOD : CALCULATED PARAMETER

0.75

0.2 - 1.0

thou/ μ L

ABSOLUTE EOSINOPHIL COUNT METHOD : CALCULATED PARAMETER

0.11

0.02 - 0.50

thou/ μ L

ABSOLUTE BASOPHIL COUNT METHOD : CALCULATED PARAMETER

0.00 Low

0.02 - 0.10

thou/ μ L

NEUTROPHIL LYMPHOCYTE RATIO (NLR) METHOD : CALCULATED

3.6

MORPHOLOGY

RBC

METHOD : MICROSCOPIC EXAMINATION

WBC

METHOD : MICROSCOPIC EXAMINATION

PLATELETS

METHOD : MICROSCOPIC EXAMINATION

ADEQUATE

LEUCOCYTOSIS

MILD HYPOCHROMASIA, NORMOCYTIC

Dr. Akshay Dhote, MD
 (Reg.no, MMC 2019/09/6377)
 Consultant Pathologist

(Signature)

PERFORMED AT :
 Agilus Diagnostics Ltd.
 Hirnandani Hospital-Vashi, Mini Seashore Road, Sector 10,
 Navi Mumbai, 400703
 Maharashtra, India
 Tel : 022-39199222, 022-49723322, Fax :
 CIN - U74899PB1995PLC045956
 Email : -

Patient Ref. No. 2200000912290

View Report

View Details





PATIENT NAME : MRS.SUJATA MORE

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SP/2D
FORTIS HOSPITAL # VASHI,
MUMBAI 440001

REF. DOCTOR :

ACCESSION NO : 0022XC006383

AGE/SEX : 40 Years Female

PATIENT ID : FH.13062314

DRAWN : 30/03/2024 10:14:00

CLIENT PATIENT ID: UID:13062314

RECEIVED : 30/03/2024 10:14:49

ABHA NO :

REPORTED : 30/03/2024 13:14:29

CLINICAL INFORMATION :

UID:13062314 REQNO-1685483
CORP-OPD
BILLNO-1501240PCR018079

BILLNO-1501240PCR018079

Test Report Status Final

Results

Biological Reference Interval Units

Interpretation(s)

RBC AND PLATELET INDICES-Mentzer Index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13) from beta thalassaemia trait.
(<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.
WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease.
(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients ; A.-P. Yang, et al.; International Immunopharmacology 84 (2020) 106504
This ratio element is a calculated parameter and out of NABL scope.


(Signature)

Dr. Akshay Dhore, MD
(Reg.no, MMC 2019/09/6377)
Consultant Pathologist

PERFORMED AT :

Agilus Diagnostics Ltd,
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
Navi Mumbai, 400703
Maharashtra, India
Tel : 022-39199222, 022-49723322, Fax :
CIN - U74899PB1995PLC045956
Email : -

Patient Ref. No. 2200000912290





PATIENT NAME : MRS.SUJATA MORE

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD
FORTIS HOSPITAL # VASHI,
MUMBAI 440001

ACCESSION NO : 0022XC006383

PATIENT ID : FH.13062314

CLIENT PATIENT ID: UID:13062314

ABHA NO :

AGE/SEX : 40 Years Female

DRAWN : 30/03/2024 10:14:00

RECEIVED : 30/03/2024 10:14:49

REPORTED : 30/03/2024 13:14:29

CLINICAL INFORMATION :

UID:13062314 REQNO-1685483

CORP-OPD

BILLNO-1501240PCR018079

BILLNO-1501240PCR018079

Test Report Status Final

Results

Biological Reference Interval Units

HAEMATOLOGY

ERYTHROCYTE SEDIMENTATION RATE (ESR), EDTA BLOOD

E.S.R

METHOD : WESTERGREEN METHOD

88 High

0 - 20

mm at 1 hr

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD

HBA1C

6.1 High

Non-diabetic: < 5.7
Pre-diabetics: 5.7 - 6.4
Diabetics: > or = 6.5
Therapeutic goals: < 7.0
Action suggested : < 8.0
(ADA Guideline 2021)

mg/dL

ESTIMATED AVERAGE GLUCOSE(EAG)

METHOD : HB VARIANT (HPLC)

128.4 High

METHOD : CALCULATED PARAMETER

> 116.0

Interpretation(s)

ERYTHROCYTE SEDIMENTATION RATE (ESR), EDTA BLOOD-TEST DESCRIPTION :-

(sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic; it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition. CRP is superior to ESR because it is more sensitive and reflects a more rapid change.

TEST INTERPRETATION

Increase in: Infections, Vasculitis, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy tissue injury, Pregnancy, Estrogen medication, Aging.

Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias, Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis).

Decreased in: Polycythemia vera, Sickle cell anemia

LIMITATIONS

False elevated ESR : Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia


False Decreased : Polycythosias,(SickleCells,spherocytes),Microcytosis, Low fibrinogen, Very high WBC counts, Drugs(Quinine, salicylates)

Dr. Akshay Dhore, MD
(Reg, no. MMC 2019/09/6377)
Consultant Pathologist

(Signature)

PERFORMED AT :
Agilus Diagnostics Ltd,
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
Navi Mumbai, 400703
Maharashtra, India
Tel : 022-39199222, 022-49723322, Fax :
CIN - U74899PB1995PLC045956
Email :-

Patient Ref. No. 2200000912290





PATIENT NAME : MRS.SUJATA MORE

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLD

FORTIS HOSPITAL # VASHI,

MUMBAI 440001

REF. DOCTOR :

ACCESSION NO : 0022XC006383

AGE/SEX : 40 Years Female

DRAWN : 30/03/2024 10:14:00

RECEIVED : 30/03/2024 10:14:49

REPORTED : 30/03/2024 13:14:29

PATIENT ID : FH.13062314

CLIENT PATIENT ID : UID:13062314

MUMBAI 440001

CLINICAL INFORMATION :

UID:13062314 REQNO-1685483

CORP-OPD

BILLNO-1501240PCR018079

BILLNO-1501240PCR018079

BILLNO-1501240PCR018079

Test Report Status Final

Results

Biological Reference Interval Units

REFERENCE :
1. Nathan and Osk's Haematology of Infancy and Childhood, 5th edition; 2. Paediatric reference intervals, AACCPress, 7th edition. Edited by S. Soldin; 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis, 10th edition.
GLYCOSYLATED HEMOGLOBIN(HbA1c), EDTA WHOLE BLOOD-Used For:

1. Evaluating the long-term control of blood glucose concentrations in diabetic patients;
2. Diagnosing diabetes;
3. Identifying patients at increased risk for diabetes (prediabetes);
The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patient's metabolic control has remained continuously within the target range;

1. eAG gives an evaluation of blood glucose levels for the last couple of months;
2. eAG is calculated as $eAG (mg/dl) = 28.7 * HbA1c - 46.7$

HbA1c Estimation can get affected due to :

1. Shortened Erythrocyte survival : Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss, hemolytic anemia) will falsely lower HbA1c test results; Fructosamine is recommended in these patients which indicates diabetes control over 15 days;
2. Vitamin C & E are reported to falsely lower test results (possibly by inhibiting glycation of hemoglobin);
3. Iron deficiency anemia is reported to increase test results. Hypertiglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addition are reported to interfere with some assay methods, falsely increasing results;
4. Interference of hemoglobinopathies in HbA1c estimation is seen in

a) Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.
b) Heterozygous state detected (D10 is corrected for HbS & HbC trait).
c) HbF > 25% on alternate platform (Boronate affinity chromatography) is recommended for testing of HbA1c (HPLC method) is recommended for detecting a hemoglobinopathy

Dr. Akshay Dhore, MD
(Reg.no. MMC 2019/09/6377)
Consultant Pathologist

(Signature)

PERFORMED AT :

Agilus Diagnostics Ltd.
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
Navi Mumbai, 400703
Maharashtra, India

Tel : 022-39199222, 022-49723322, Fax :
CIN - U74899PB1995PLC045956

Email : -

Patent Ref. No. 2200000912290

View Details



Page 5 Of 17



PATIENT NAME : MRS.SUJATA MORE

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC - SPLZD

FORTIS HOSPITAL # VASHI,

MUMBAI 440001

CLINICAL INFORMATION :

UID:13062314 REQNO-1685483

CORP-OPD

BILLNO-1501240PCR018079

BILLNO-1501240PCR018079

Test Report Status **Final**

Results

Biological Reference Interval Units

IMMUNOHAEMATOLOGY

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD

ABO GROUP

METHOD : TUBE AGGLUTINATION

RH TYPE

METHOD : TUBE AGGLUTINATION

TYPE O

POSITIVE

Interpretation(s)

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same."

The test is performed by both forward as well as reverse grouping methods.

[Signature]

Dr. Akshay Dhore, MD
(Reg.no. MMC 2019/09/6377)
Consultant Pathologist

PERFORMED AT :

Agilus Diagnostics Ltd.
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
Navi Mumbai, 400703
Maharashtra, India

Tel : 022-39199222, 022-49723322, Fax :
CIN - U74099PB1995PLC045956

Email : -

Patient Ref. No. 2200000912290



View Details



View Report





PATIENT NAME : MRS.SUJATA MORE

CODE/NAME & ADDRESS : C000045507
FORTIS VASHI-CHC -SPLDZ
FORTIS HOSPITAL # VASHI,
MUMBAI 440001

REF. DOCTOR :

ACCESSION NO : 0022XC006383

AGE/SEX : 40 Years Female
DRAWN : 30/03/2024 10:14:00
RECEIVED : 30/03/2024 10:14:49
REPORTED : 30/03/2024 13:14:29

PATIENT ID : FH.13062314
CLIENT PATIENT ID: UID:13062314
ABHA NO :

UID:13062314 REQNO-1685483
CORP-OPD
BILLNO-1501240PCR018079

BILLNO-1501240PCR018079

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

LIVER FUNCTION PROFILE, SERUM

BILIRUBIN, TOTAL
METHOD : JENDRASSIK AND GROFF
0.29 0.2 - 1.0 mg/dL

BILIRUBIN, DIRECT
METHOD : JENDRASSIK AND GROFF
0.10 0.0 - 0.2 mg/dL

BILIRUBIN, INDIRECT
METHOD : CALCULATED PARAMETER
0.19 0.1 - 1.0 mg/dL

TOTAL PROTEIN
METHOD : BIURET
5.8 Low 6.4 - 8.2 g/dL

ALBUMIN
METHOD : BCP DYE BINDING
2.5 Low 3.4 - 5.0 g/dL

GLOBULIN
METHOD : CALCULATED PARAMETER
3.3 2.0 - 4.1 g/dL

ALBUMIN/GLOBULIN RATIO
METHOD : CALCULATED PARAMETER
0.8 Low 1.0 - 2.1 RATIO

ASPARTATE AMINOTRANSFERASE(AST/SGOT)
METHOD : UV WITH PSP
17 15 - 37 U/L

ALANINE AMINOTRANSFERASE (ALT/SGPT)
METHOD : UV WITH PSP
19 < 34.0 U/L

ALKALINE PHOSPHATASE
METHOD : PNP-ANP
81 30 - 120 U/L

GAMMA GLUTAMYL TRANSFERASE (GGT)
METHOD : GAMMA GLUTAMYL CARBOXY ANTIPOANINIDE
22 5 - 55 U/L

LACTATE DEHYDROGENASE
METHOD : LACTATE -PIRVUATE
146 81 - 234 U/L

FBS (FASTING BLOOD SUGAR)
METHOD : HEXOKINASE
119 High Normal : < 100 mg/dL
Pre-diabetes: 100-125 mg/dL
Diabetes: >=126 mg/dL

Dr. Akshay Dhote, MD
(Reg.no. MMC 2019/09/6377)
Consultant Pathologist

(Signature)

PERFORMED AT :
Agilus Diagnostics Ltd,
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
Navi Mumbai, 400703
Maharashtra, India
Tel : 022-39199222, 022-49723322, Fax :
CIN - U74699PB1955PLC045956
Email : -



Patient Ref. No. 2200000912290



PATIENT NAME : MRS.SUJATA MORE

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLD

FORTIS HOSPITAL # VASHI,

MUMBAI 440001

REF. DOCTOR :

ACCESSION NO : 0022XC006383

AGE/SEX : 40 Years Female

PATIENT ID : FH.13062314

DRAWN : 30/03/2024 10:14:00

CLIENT PATIENT ID: VID:13062314

RECEIVED : 30/03/2024 10:14:49

ABHA NO :

REPORTED : 30/03/2024 13:14:29

CLINICAL INFORMATION :

UID:13062314 REQNO-1685483

CORP-OPD

BILLNO-1501240PCR018079

BILLNO-1501240PCR018079

Test Report Status Final

Results

Biological Reference Interval Units

KIDNEY PANEL - 1

BLOOD UREA NITROGEN (BUN), SERUM

BLOOD UREA NITROGEN

METHOD : UREASE - UV

3 Low

6 - 20

mg/dL

CREATININE EGFR- EPI

CREATININE

METHOD : ALKALINE PICRATE KINETIC JAFFES

0.41 Low

0.60 - 1.10

mg/dL

AGE

40

years

GLOMERULAR FILTRATION RATE (FEMALE)

METHOD : CALCULATED PARAMETER

127.47

Refer Interpretation Below mL/min/1.73m²

BUN/CREAT RATIO

METHOD : CALCULATED PARAMETER

7.32

5.00 - 15.00

URIC ACID, SERUM

URIC ACID

METHOD : URICASE UV

3.1

2.6 - 6.0

mg/dL

TOTAL PROTEIN, SERUM

TOTAL PROTEIN

METHOD : BIURET

5.8 Low

6.4 - 8.2

g/dL

Dr. Akshay Dhore, MD
 (Reg.no, MMC 2019/09/6377)
 Consultant Pathologist

PERFORMED AT :

Agilus Diagnostics Ltd.
 Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
 Navi Mumbai, 400703
 Maharashtra, India
 Tel : 022-39199222, 022-49723322, Fax :
 CIN - U74899PB1995PLC045956
 Email : -

Patient Ref. No. 2200000912290



View Details



View Report





PATIENT NAME : MRS.SUJATA MORE

CODE/NAME & ADDRESS : C000045507

FORTIS WASHI-CHC - SPLZD

FORTIS HOSPITAL # VASHI,

MUMBAI 44001

CLINICAL INFORMATION :

UID:13062314 REQNO-1685483

CORP-OPD

BILLNO-150124OPCR018079

BILLNO-150124OPCR018079

Test Report Status Final

Results

Biological Reference Interval Units

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

ALBUMIN, SERUM

ALBUMIN

METHOD : BCP DYE BINDING

2.5 Low

3.4 - 5.0

g/dL

GLOBULIN

GLOBULIN

METHOD : CALCULATED PARAMETER

3.3

2.0 - 4.1

g/dL

ELECTROLYTES (NA/K/CL), SERUM

SODIUM, SERUM

METHOD : ISE INDIRECT

141

136 - 145

mmol/L

POTASSIUM, SERUM

METHOD : ISE INDIRECT

2.98 Low

3.50 - 5.10

mmol/L

CHLORIDE, SERUM

METHOD : ISE INDIRECT

105

98 - 107

mmol/L

Interpretation(s)

Interpretation(s)

LIVER FUNCTION PROFILE, SERUM-

Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give

yellow discoloration in jaundice. Elevated levels results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in viral hepatitis, drug reactions, alcoholic liver disease, Gilbert's syndrome, and other conditions. Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin in gallstones getting into the bile ducts, tumors & scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicous anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

Dr. Akshay Dhore, MD

(Reg.no. MMC 2019/09/6377)

Consultant Pathologist

PERFORMED AT :

Agilus Diagnostics Ltd,
 Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
 Navi Mumbai, 400703
 Maharashtra, India
 Tel : 022-39199222, 022-49723322, Fax :
 CIN - U74899PB1995PLC045956
 Email : -

Patient Ref. No. 2200000912290

View Report



View Details



PATIENT NAME : MRS.SUJATA MORE
 CODE/NAME & ADDRESS : C000045507
 FORTIS WASHI-CHC -SPLD
 FORTIS WASHI HOSPITAL # VASHI,
 MUMBAI 440001

CLINICAL INFORMATION :
 UID:13062314 REQNO-1685483
 CORP-OPD
 BILLNO-1501240PCR018079
 BILLNO-1501240PCR018079

Test Report Status Final

Results

Biological Reference Interval Units

ACCESSION NO : 0022XC006383

PATIENT ID : FH.13062314

CLIENT PATIENT ID: UID:13062314

ABHA NO :

AGE/SEX : 40 Years Female
 DRAWN : 30/03/2024 10:14:00
 RECEIVED : 30/03/2024 10:14:49
 REPORTED : 30/03/2024 13:14:29

REF. DOCTOR :

PATIENT NAME : MRS.SUJATA MORE

CODE/NAME & ADDRESS : C000045507

FORTIS WASHI-CHC -SPLD

FORTIS WASHI HOSPITAL # VASHI,

MUMBAI 440001

CLINICAL INFORMATION :

UID:13062314 REQNO-1685483

CORP-OPD

BILLNO-1501240PCR018079

BILLNO-1501240PCR018079

Test Report Status Final

Results

Biological Reference Interval Units


AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood. ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscle, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health. AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis. ALT is a protein found in almost all body tissues. Tissues with higher amounts of ALT include the liver, bile ducts and bone. Elevated ALP levels are seen in biliary obstruction, Osteoblast bone tumors, osteoarthritis, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Paget's disease, rickets, Sarcoidosis etc. Lower-than-normal ALP levels are seen in biliary obstruction. In Hypophosphatasia, Malnutrition, Protein deficiency, Wilson's disease. GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc. Total protein also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms syndrome, Protein-losing enteropathy etc. Albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, burns, hemodialysis, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc. Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and so that no glucose is excreted in the urine. Increased in: Diabetes mellitus, Cushing's syndrome (10 - 15%), chronic pancreatitis (30%). Drugs: corticosteroids, phenytoin, estrogen, thiazides, malabsorcy, galdactosemia), infant of a diabetic mother, enzyme deficiency. NOTE: While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within individuals. Thus, glycosylated hemoglobin (HbA1c) levels are favored to monitor glycemic control. High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glycosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycaemia, Increased insulin response & sensitivity etc. Causes of decreased level include Liver disease, SIADH, CRATININE EGRF - EPI - Kidney disease outcomes quality Initiative (KIDQI) guidelines state that estimation of GFR is the best overall indices of the kidney function. - The GFR is a rough measure of number of functioning nephrons. Reduction in GFR implies progression of underlying disease. - Creatinine is mainly derived from the metabolism of creatine in muscle, and its generation is proportional to the total muscle mass. As a result, mean creatinine generation is higher in men than in women, in younger than in older individuals, and in blacks than in whites. - Creatinine is filtered from the blood by the kidneys and excreted into urine at a relatively steady rate. - When kidney function is compromised, excretion of creatine decreases with a consequent increase in blood creatinine levels. With the creatinine test, a reasonable estimate of the actual GFR can be determined. - This equation takes into account several factors that impact creatinine production, including age, gender, and race. - CKD EPI (Chronic kidney disease epidemiology collaboration) equation performed better than MDRD equation especially when GFR is high (>50 ml/min per 1.73m2)... This formula has less bias and greater accuracy which helps in early diagnosis and also reduces the rate of false positive diagnosis of CKD. References: National Kidney Foundation (NKF) and the American Society of Nephrology (ASN). Estimated GFR Calculated Using the CKD-EPI equation-<https://www.kidney.org/doing/egfr> Guzman JK, et al. Impact of Removing Race Variable on CKD Classification Using the Creatinine-Based 2011 CKD-EPI Equation. *Kidney Med* 2022; 4:100471. 35756325 UIC ACID, SERUM-Causes of Increased levels:- Dietary (High Protein Intake, Prolonged Fasting, Rapid weight loss), Gout, Less nyhan syndrome, Type 2 DM, Metabolic Syndrome Causes of decreased levels:- Low Zinc intake, OCP, Multiple Sclerosis TOTAL PROTEIN, SERUM-is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease.

Dr. Akshay Dhore, MD
 (Reg.no. MMC 2019/09/6377)
 Consultant Pathologist

PERFORMED AT :

Agilus Diagnostics Ltd.
 Hirandani Hospital-Vashi, Mini Seashore Road, Sector 10,
 Navy Mumbai, 400703
 Maharashtra, India
 Tel : 022-39199222, 022-49723322, Fax :
 CIN - U74899PB1995PLC045956
 Email : -

(Signature)



Page 10 Of 17





PATIENT NAME : MRS.SUJATA MORE

REF. DOCTOR :

CODE/NAME & ADDRESS : C000045507

ACCESSION NO : 0022XC006383

FORTIS WASHI-CHC -SPLZD

FORTIS WASHI-CHC # VASHI,

MUMBAI 440001

PATIENT ID : FH.13062314

CLIENT PATIENT ID: UID:13062314

AGE/SEX : 40 Years Female

DRAWN : 30/03/2024 10:14:00

RECEIVED : 30/03/2024 10:14:49

REPORTED : 30/03/2024 13:14:29

CLINICAL INFORMATION :

UID:13062314 REQNO-1685483

CORP-OPD

BILLNO-1501240PCR018079

BILLNO-1501240PCR018079

Test Report Status **Final**

Results

Biological Reference Interval Units

Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.
ALBUMIN, Serum-Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodialysis, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.

Dr. Akshay Dhote, MD
(Reg.no. MMC 2019/09/6377)
Consultant Pathologist

PERFORMED AT :

Agilus Diagnostics Ltd.
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
Navi Mumbai, 400703
Maharashtra, India
Tel : 022-39199222, 022-49723322, Fax :
CIN - U74099PB1995PLC045956
Email : -

Patient Ref. No. 2200000912290

View Details View Report





PATIENT NAME : MRS.SUJATA MORE

CODE/NAME & ADDRESS : C000045507
FORTIS WASHI-CHC -SPLDZ
FORTIS HOSPITAL # VASHI,
MUMBAI 440001

CLINICAL INFORMATION :

UID:13062314 REQNO-1685483

CORP-OPD

BILLNO-1501240PCR018079

BILLNO-1501240PCR018079

Test Report Status Final

Results

Biological Reference Interval Units

ACCESSION NO : 0022XC006383

PATIENT ID : FH.13062314

CLIENT PATIENT ID: UID:13062314

ABHA NO :

AGE/SEX : 40 Years Female

DRAWN : 30/03/2024 10:14:00

RECEIVED : 30/03/2024 10:14:49

REPORTED : 30/03/2024 13:14:29

BIOCHEMISTRY - LIPID

LIPID PROFILE, SERUM

CHOLESTEROL, TOTAL

174

METHOD : ENZYMATIC/COLORIMETRIC/CHOLESTEROL OXIDASE, ESTERASE, PEROXIDASE
TRIGLYCERIDES

200 High

< 200 Desirable
200 - 239 Borderline High
>/= 240 High
< 150 Normal
150 - 199 Borderline High
200 - 499 High
>/=500 Very High
< 40 Low
>/=60 High

mg/dL

METHOD : ENZYMATIC ASSAY
HDL CHOLESTEROL

44

METHOD : DIRECT MEASURE - PEG
LDL CHOLESTEROL, DIRECT

102

mg/dL

< 100 Optimal
100 - 129 Near or above
optimal
130 - 159 Borderline High
160 - 189 High
>/= 190 Very High

mg/dL

METHOD : DIRECT MEASURE WITHOUT SAMPLE PRETREATMENT
NON HDL CHOLESTEROL

130

METHOD : CALCULATED PARAMETER
VERY LOW DENSITY LIPOPROTEIN
METHOD : CALCULATED PARAMETER
CHOL/HDL RATIO

40.0 High

mg/dL

3.3 - 4.4 Low Risk
4.5 - 7.0 Average Risk
7.1 - 11.0 Moderate Risk
< 11.0 High Risk

METHOD : CALCULATED PARAMETER

(Signature)

Dr. Akshay Dhore, MD
(Reg.no, MMC 2019/09/6377)
Consultant Pathologist

PERFORMED AT :

Agilus Diagnostics Ltd.
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
Navi Mumbai, 400703
Maharashtra, India
Tel : 022-39199222,022-49723322, Fax :
CIN - U74899PB1995PLC045956
Email : -

Patient Ref. No. 2200000912290



View Details



View Report





PATIENT NAME : MRS.SUJATA MORE

CODE/NAME & ADDRESS : C000045507 FORTIS VASHI-CHC - SPLD FORTIS HOSPITAL # VASHI, NUMBAI 44001

REF. DOCTOR :

ACCESSION NO : 0022XC006383

AGE/SEX : 40 Years Female

DRAWN : 30/03/2024 10:14:00

RECEIVED : 30/03/2024 10:14:49

REPORTED : 30/03/2024 13:14:29

CLINICAL INFORMATION :

UID:13062314 REQNO-1685483

CORP-OPD

BILNO-150124OPCR018079

BILNO-150124OPCR018079

Test Report Status **Final**

Results

Biological Reference Interval Units

LDL/HDL RATIO

2.3

0.5 - 3.0 Desirable/Low Risk
3.1 - 6.0 Borderline/Moderate Risk
>6.0 High Risk

METHOD : CALCULATED PARAMETER

Interpretation(s)

(Handwritten signature)

Dr. Akshay Dhotre, MD
(Reg.no. MMC 2019/09/6377)
Consultant Pathologist

PERFORMED AT :

Agilus Diagnostics Ltd.
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
Navi Mumbai, 400703
Maharashtra, India
Tel : 022-39199222, 022-49723322, Fax :
CIN - U74899PB1995PLC045956
Email : -

View Details View Report



Patient Ref. No. 2200000912290



PATIENT NAME : MRS.SUJATA MORE

CODE/NAME & ADDRESS : C000045507
FORTIS WASHI-CHC - SPLDZ
FORTIS HOSPITAL # WASHI,
MUMBAI 440001

CLINICAL INFORMATION :

UID:13062314 REQNO-1685483

CORP-OPD
BILLNO-1501240PCR018079

BILLNO-1501240PCR018079

Test Report Status Final

Results

Biological Reference Interval Units

REF. DOCTOR :

ACCESSION NO : 0022XC006383

PATIENT ID : FH.13062314

CLIENT PATIENT ID: UID:13062314

ABHA NO :

REPORTED : 30/03/2024 13:14:29

RECEIVED : 30/03/2024 10:14:49

DRAWN : 30/03/2024 10:14:00

AGE/SEX : 40 Years Female

PHYSICAL EXAMINATION, URINE

COLOR

METHOD : PHYSICAL

APPEARANCE

METHOD : VISUAL

HAZY

PALE YELLOW

CHEMICAL EXAMINATION, URINE

pH

METHOD : REFLECTANCE SPECTROPHOTOMETRY- DOUBLE INDICATOR METHOD

SPECIFIC GRAVITY

METHOD : REFLECTANCE SPECTROPHOTOMETRY (APPARENT PKA CHANGE OF PRETREATED POLYELECTROLYTES IN RELATION TO IONIC CONCENTRATION)

1.003 - 1.035

PROTEIN

METHOD : REFLECTANCE SPECTROPHOTOMETRY - PROTEIN-ERROR-OF-INDICATOR PRINCIPLE

NOT DETECTED

GLUCOSE

METHOD : REFLECTANCE SPECTROPHOTOMETRY, DOUBLE SEQUENTIAL ENZYME REACTION-GOD/POD

NOT DETECTED

KETONES

METHOD : REFLECTANCE SPECTROPHOTOMETRY, ROTHERA'S PRINCIPLE

NOT DETECTED

BLOOD

METHOD : REFLECTANCE SPECTROPHOTOMETRY, PEROXIDASE LIKE ACTIVITY OF HAEMOGLOBIN

NOT DETECTED

BILIRUBIN

METHOD : REFLECTANCE SPECTROPHOTOMETRY, DIAZOTIZATION-COUPUNG OF BILIRUBIN WITH DIAZOTIZED SALT

NOT DETECTED

UROBILINOGEN

METHOD : REFLECTANCE SPECTROPHOTOMETRY (MODIFIED EHRICH REACTION)

NORMAL

NITRITE

METHOD : REFLECTANCE SPECTROPHOTOMETRY, CONVERSION OF NITRATE TO NITRITE

NOT DETECTED

LEUKOCYTE ESTERASE

METHOD : REFLECTANCE SPECTROPHOTOMETRY, ESTERASE HYDROLYSIS ACTIVITY

NOT DETECTED

DETECTED (FEW)

(Signature)

(Signature)

Dr. Akshay Dhore, MD
(Reg.no. MMC 2019/09/6377)
Consultant Pathologist

Dr. Rekha Nair, MD
(Reg No. MMC 2001/06/2354)
Microbiologist

PERFORMED AT :

Agilus Diagnostics Ltd.
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
New Mumbai, 400703
Maharashtra, India
CIN - U74899MH1995PLC045956
Tel : 022-39199222,022-49723322, Fax :
Email : -

Patient Ref. No. 22000000912290



View Details



View Report





PATIENT NAME : MRS.SUJATA MORE

REF. DOCTOR :

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD

FORTIS HOSPITAL # VASHI,

MUMBAI 440001

CLINICAL INFORMATION :

UID:13062314 REQNO-1685483
CORP-OPD
BILLNO-150124OPCR018079
BILLNO-150124OPCR018079

Test Report Status	Final	Results	Biological Reference Interval Units
--------------------	-------	---------	-------------------------------------

MICROSCOPIC EXAMINATION, URINE

REMARKS	Method	Result	Units
RED BLOOD CELLS	METHOD : MICROSCOPIC EXAMINATION	NOT DETECTED	/HPF
PUS CELL (WBC'S)	METHOD : MICROSCOPIC EXAMINATION	8-10	/HPF
EPITHELIAL CELLS	METHOD : MICROSCOPIC EXAMINATION	0-1	/HPF
CASTS	METHOD : MICROSCOPIC EXAMINATION	NOT DETECTED	
CRYSTALS	METHOD : MICROSCOPIC EXAMINATION	NOT DETECTED	
BACTERIA	METHOD : MICROSCOPIC EXAMINATION	NOT DETECTED	
YEAST	METHOD : MICROSCOPIC EXAMINATION	NOT DETECTED	
URINARY MICROSCOPIC EXAMINATION DONE ON URINARY CENTRIFUGED SEDIMENT			

Interpretation(s)

[Signature]

[Signature]

Dr. Akshay Dhore, MD
(Reg.no. MMC 2019/09/6377)
Consultant Pathologist

Dr. Rekha Nair, MD
(Reg No. MMC 2001/06/2354)
Microbiologist

PERFORMED AT :

Agilus Diagnostics Ltd.
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
Navi Mumbai, 400703
Maharashtra, India
Tel : 022-39199222, 022-49723322, Fax :
CIN - U74099PB1995PLC045956
Email : -



View Details View Report



PATIENT NAME : MRS.SUJATA MORE

REF. DOCTOR :

CODE/NAME & ADDRESS : C000045507

ACCESSION NO : 0022XC006383

AGE/SEX : 40 Years Female

FORTIS VASHI-CHC -SPLD

PATIENT ID : FH.13062314

DRAWN : 30/03/2024 10:14:00

FORTIS HOSPITAL # VASHI,

CLIENT PATIENT ID: UID:13062314

RECEIVED : 30/03/2024 10:14:49

MUMBAI 440001

ABHA NO :

REPORTED : 30/03/2024 13:14:29

CLINICAL INFORMATION :

UID:13062314 REQNO-1685483

CORP-OPD

BILLNO-1501240PCR018079

BILLNO-1501240PCR018079

Test Report Status **Final**

Results

Biological Reference Interval Units

SPECIALISED CHEMISTRY - HORMONE

THYROID PANEL, SERUM

T3

255.4 High

Non-Pregnant Women ng/dL
80.0 - 200.0

Pregnant Women

1st Trimester:105.0 - 230.0

2nd Trimester:129.0 - 262.0

3rd Trimester:135.0 - 262.0

Non-Pregnant Women ug/dL

5.10 - 14.10

Pregnant Women

1st Trimester: 7.33 - 14.80

2nd Trimester: 7.93 - 16.10

3rd Trimester: 6.95 - 15.70

Non-Pregnant Women IU/mL

0.27 - 4.20

Pregnant Women (As per

American Thyroid Association)

1st Trimester 0.100 - 2.500

2nd Trimester 0.200 - 3.000

3rd Trimester 0.300 - 3.000

T4

8.06

Non-Pregnant Women

80.0 - 200.0

Pregnant Women

1st Trimester:105.0 - 230.0

2nd Trimester:129.0 - 262.0

3rd Trimester:135.0 - 262.0

Non-Pregnant Women

5.10 - 14.10

Pregnant Women

1st Trimester: 7.33 - 14.80

2nd Trimester: 7.93 - 16.10

3rd Trimester: 6.95 - 15.70

Non-Pregnant Women

0.27 - 4.20

Pregnant Women (As per

American Thyroid Association)

1st Trimester 0.100 - 2.500

2nd Trimester 0.200 - 3.000

3rd Trimester 0.300 - 3.000

METHOD : ELECTROCHEMILUMINESCENCE,SANDWICH IMMUNOASSAY

TSH (ULTRASENSITIVE)

4.290 High

METHOD : ELECTROCHEMILUMINESCENCE IMMUNOASSAY, COMPETITIVE PRINCIPLE

Comments
RECHECKED FOR T3 , KINDLY CORRELATE CLINICALLY.
Interpretation(s)



Dr. Akshay Dhore, MD
(Reg.no. MMC 2019/09/6377)
Consultant Pathologist

PERFORMED AT :

Agilus Diagnostics Ltd.
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
Maharashtra, India
Navi Mumbai, 400703
Tel : 022-39199222,022-49723322, Fax :
CIN - U74899PB1995PLC045956
Email : -

Patient Ref. No. 22000000912290



View Details

View Report



PATIENT NAME : MRS.SUJATA MORE

CODE/NAME & ADDRESS : C000045507
FORTIS VASHI-CHC - SPLZD
FORTIS HOSPITAL # VASHI,
MUMBAI 440001

CLINICAL INFORMATION :

UID:13062314 REQNO-1685483
CORP-OPD
BILLNO-150124OPCR018079
BILLNO-150124OPCR018079

Test Report Status **Final**

Results

Biological Reference Interval Units

REF. DOCTOR :

ACCESSION NO : 0022XC006383

PATIENT ID : FH.13062314

CLIENT PATIENT ID: UID:13062314
ABHA NO :

AGE/SEX : 40 Years Female
DRAWN : 30/03/2024 10:14:00
RECEIVED : 30/03/2024 10:14:49
REPORTED : 30/03/2024 13:14:29

End Of Report
Please visit www.agilusdiagnostics.com for related Test Information for this accession

Dr. Akshay Dhore, MD
(Reg.no. MMC 2019/09/6377)
Consultant Pathologist

PERFORMED AT :

Agilus Diagnostics Ltd.
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
Navi Mumbai, 400703
Maharashtra, India
Tel : 022-39199222, 022-49723322, Fax :
CIN - U74899PB1995PLC045956
Email : -

Patient Ref. No. 22000000912290

View Details



View Report





PATIENT NAME : MRS.SUJATA MORE

REF. DOCTOR :

CODE/NAME & ADDRESS : C000045507

ACCESSION NO : 0022XC006437

FORTIS VASHI-CHC - SPLZD

FORTIS VASHI HOSPITAL # VASHI,

MUMBAI 440001

ABHA NO :

CLIENT PATIENT ID: VID:13062314

REPORTED : 30/03/2024 13:43:08

RECEIVED : 30/03/2024 12:50:42

DRAWN : 30/03/2024 12:47:00

AGE/SEX : 40 Years Female

CLINICAL INFORMATION :

UID:13062314 REQNO-1685483

CORP-OPD

BILLNO-1501240PCR018079

BILLNO-1501240PCR018079

Test Report Status **Final**

Results

Biological Reference Interval Units

GLUCOSE, POST-PRANDIAL, PLASMA

PBS(POST PRANDIAL BLOOD SUGAR)

METHOD : HEXOKINASE

196 High

70 - 140

mg/dL

Interpretation(s)

GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glycosuria, Glycaemic Index & response to food consumed, Alimentary Hypoglycaemia, Increased insulin response & sensitivity etc. Additional test HbA1c

****End Of Report****

Please visit www.agilusdiagnostics.com for related Test Information for this accession

Dr. Akshay Dhotre, MD
(Reg.no. MMC 2019/09/6377)
Consultant Pathologist

(Signature)

PERFORMED AT :

Agilus Diagnostics Ltd.
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10,
Navi Mumbai, 400703
Maharashtra, India

Tel : 022-39199222, 022-49723322, Fax :
CIN - U74899PB1995PLC045956

Email : -

Patient Ref. No. 2200000912344



View Report

View Details



Female

3/20/2024 10:59:40 AM

HC

Normal


Rate 83 Sinus rhythm
 PR 97 Short PR interval
 QRS 90 RSR' in V1 or V2, right VCD or RVH
 QT 515 Prolonged QT interval
 QTc 606

--AXIS--
 P 9
 QRS 44
 T 37

12 Lead; standard Placement

- ABNORMAL ECG -

Unconfirmed Diagnosis



Device:
 Speed: 25 mm/sec
 Limb: 10 mm/mV
 Chest: 10.0 mm/mV

F 50~ 0.50-100 Hz W

100B CLP

P2

(For Billing/Reports & Discharge Summary only)



DEPARTMENT OF NIC

Date: 30/Mar/2024

Name: Mrs. Sujata More
 Age | Sex: 40 YEAR(S) | Female
 Order Station : FO-OPD
 Bed Name :
 UHID | Episode No : 13062314 | 18329/24/1501
 Order No | Order Date: 1501/PN/OP/2403/38396 | 30-Mar-2024
 Admitted On | Reporting Date : 30-Mar-2024 12:43:13
 Order Doctor Name : Dr.SELF.

ECHOCARDIOGRAPHY TRANSTHORACIC

FINDINGS:

- No left ventricle regional wall motion abnormality at rest.
- Normal left ventricle systolic function. LVEF = 60%.
- No left ventricle diastolic dysfunction. No e/o raised LVEDP.
- Trivial mitral regurgitation.
- No aortic regurgitation. No aortic stenosis.
- Trivial tricuspid regurgitation. No pulmonary hypertension.
- PASP = 25 mm of Hg.
- Intact IVS and IAS.
- No left ventricle clot/vegetation/pericardial effusion.
- Normal right atrium and right ventricle dimension.
- Normal left atrium and left ventricle dimension.
- Normal right ventricle systolic function. No hepatic congestion.
- IVC measures 14 mm with normal inspiratory collapse

M-MODE MEASUREMENTS:

LA	mm	28
AO Root	mm	17
AO CUSP SEP	mm	11
LVID (s)	mm	28
LVID (d)	mm	43
IVS (d)	mm	09
LVPW (d)	mm	09
RVID (d)	mm	24
RA	mm	28
LVEF	%	60

DR. PRASHANT PAWAR
DNB(MED), DNB (CARD)

DR. AMIT SINGH,
MD(MED), DM(CARD)

- No RWMA.
- Trivial MR and TR. No PH.
- Normal LV and RV systolic function.

Final Impression :

GRADE OF REGURGITATION	V max (m/sec)	MEAN (mmHg)	PEAK (mmHg)	MITRAL VALVE	AORTIC VALVE	TRICUSPID VALVE	PULMONARY VALVE
Trivial			N				2.0
Trivial							25
Trivial							Nil
Trivial							Nil

E/A RATIO: 1.3
 A WAVE VELOCITY: 0.7 m/sec.
 E WAVE VELOCITY: 0.9 m/sec.

DOPPLER STUDY:

Name: Mrs. Sujata More
 Age | Sex: 40 YEAR(S) | Female
 Order Station : FO-OPD
 Bed Name :

UHD | Episode No : 13062314 | 18329/24/1501
 Order No | Order Date: 1501/PN/OP/2403/38396 | 30-Mar-2024
 Admitted On | Reporting Date : 30-Mar-2024 12:43:13
 Order Doctor Name : Dr.SELF.

DEPARTMENT OF NIC

Date: 30/Mar/2024

(For Billing/Reports & Discharge Summary only)

Hiranandani Healthcare Pvt. Ltd.
 Mini Sea Shore Road, Sector 10-A, Vashi, Navi Mumbai - 400703.
 Board Line: 022 - 39199222 | Fax: 022 - 39133220
 Emergency: 022 - 39199100 | Ambulance: 1255
 For Appointment: 022 - 39199200 | Health Checkup: 022 - 39199300
 www.fortishealthcare.com | vashi@fortishealthcare.com
 CIN: U85100MH2005PTC 154823
 GST IN : 27AABCH5894D1ZG
 PAN NO : AABCH5894D



Hiranandani
 HOSPITAL
 (A Fortis Network Hospital)

No evidence of ascites.

Fetus B FHR ~ 148 bpm.

Fetus A FHR ~ 155 bpm.

corresponds to 22 weeks & 4 days.

UTERUS is gravid and shows twin live intrauterine foetuses with FL of fetus A on maternal right corresponds to 23 weeks & 2 days & FL of fetus B on maternal left

thickness. No evidence of intravescical calculi.

URINARY BLADDER is normal in capacity and contour. Bladder wall is normal in

pancreas is obscured.

PANCREAS: Head and body of pancreas is visualised and appears normal. Rest of the

Left kidney measures 10.9 x 5.7 cm.

Right kidney measures 10.0 x 4.7 cm.

normal. No evidence of calculi/hydronephrosis.

BOTH KIDNEYS are normal in size and echogenicity. The central sinus complex is

SPLEEN is normal in size and echogenicity.

CBD appears normal in caliber.

collection.

thickness. No evidence of calculi in gall bladder. No evidence of pericholecystic

GALL BLADDER is physiologically distended. Gall bladder reveals normal wall

appears normal in caliber.

LIVER is normal in size and echogenicity. No IHBR dilatation. Two well-defined hyperechoic lesions are seen in segment VII, largest measuring 3.4 x 2.7 cm. Portal vein

USG - WHOLE ABDOMEN

IPID No	:	18329/24/1501	ReportDate/Time	:	01-04-2024 09:32:35
Modality	:	US	Scan Date/Time	:	30-03-2024 13:06:30
Sex / Age	:	F / 40Y 4M 1D	Accession No.	:	PHC.7829308
Patient Name	:	Sujata More	Patient ID	:	13062314

(For Billing/Reports & Discharge Summary only)

PAN NO : AABCH5894D

GST IN : 27AABCH5894D1ZG

CIN: U85100MH2005PTC 154823

www.fortishealthcare.com | vashi@fortishealthcare.com

For Appointment: 022 - 39199200 | Health Checkup: 022 - 39199300

Emergency: 022 - 39199100 | Ambulance: 1255

Board Line: 022 - 39199222 | Fax: 022 - 39133220

Mini Sea Shore Road, Sector 10-A, Vashi, Navi Mumbai - 400703.

Hiranandani Healthcare Pvt. Ltd.



DR. KUNAL NIGAM
M.D. (Radiologist)



in any manner.

I, Dr. Kunal Nigam (name of the person conducting ultra sonography) declare that while conducting ultra sonography on Mrs. Sujata More (name of the pregnant woman), I have neither detected nor disclosed the sex of her fetus to anybody

P.S. All congenital anomalies cannot be appreciated in the single examination is subjective to technical parameters, fetal position and amount of liquor. Non-anatomical anomalies may not be appreciated on an ultrasound.

- **Hepatic lesions as described - likely hemangiomas. Triple phase CECT abdomen is recommended for confirmation if clinically indicated.**
- **Gravid uterus with twin live intrauterine foetuses with FL of fetus A on maternal right corresponds to 23 weeks & 2 days & FL of fetus B on maternal left corresponds to 22 weeks & 4 days. Recommended detailed obstetric study if clinically indicated.**

Impression:

Patient Name	: Sujata More	Patient ID	: 13062314
Sex / Age	: F / 40Y 4M 1D	Accession No.	: PHC:7829308
Modality	: US	Scan DateTime	: 30-03-2024 13:06:30
IPID No	: 18329/24/1501	ReportDateTime	: 01-04-2024 09:32:35

(For Billing/Reports & Discharge Summary only)

Mini Sea Shore Road, Sector 10-A, Vashi, Navi Mumbai - 400703.
Board Line: 022 - 39199222 | Fax: 022 - 39133220
Emergency: 022 - 39199100 | Ambulance: 1255
For Appointment: 022 - 39199200 | Health Checkup: 022 - 39199300
www.fortishealthcare.com | vashi@fortishealthcare.com
CIN: U85100MH2005PTC 154823
GST IN : 27AABCH5894D1ZG
PAN NO : AABCH5894D



Hiranandani
HOSPITAL
(A Fortis Network Hospital)