



CIN: U85110DL2003PLC308206



Patient Name : Mrs.HIMADRI BAJPAI Registered On : 13/Apr/2024 09:17:09 Age/Gender : 29 Y 2 M 0 D /F Collected : 13/Apr/2024 09:44:17 UHID/MR NO : ALDP.0000138363 Received : 13/Apr/2024 10:48:21 Visit ID : ALDP0015362425 Reported : 13/Apr/2024 13:53:34

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) *, Blood	d			
Blood Group	В			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE	- contract to		ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) * , Whole B	lood			
Haemoglobin	13.60	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	
TLC (WBC) DLC	8,700.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
Polymorphs (Neutrophils)	49.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	44.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	4.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	3.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils ESR	0.00	%	<1	ELECTRONIC IMPEDANCE
Observed	2.00	Mm for 1st hr.		
Corrected	45	Mm for 1st hr.	< 20	
PCV (HCT)	42.00	%	40-54	
Platelet count			-	
Platelet Count	2.82	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	15.80	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	-	%	35-60	ELECTRONIC IMPEDANCE











CIN: U85110DL2003PLC308206



Patient Name : Mrs.HIMADRI BAJPAI Registered On : 13/Apr/2024 09:17:09 Age/Gender : 29 Y 2 M 0 D /F Collected : 13/Apr/2024 09:44:17 UHID/MR NO : ALDP.0000138363 : 13/Apr/2024 10:48:21 Received Visit ID : ALDP0015362425 Reported : 13/Apr/2024 13:53:34

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.29	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	10.30	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.52	Mill./cu mm	3.7-5.0	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	93.10	fΙ	80-100	CALCULATED PARAMETER
MCH	30.10	pg	28-35	CALCULATED PARAMETER
MCHC	32.40	%	30-38	CALCULATED PARAMETER
RDW-CV	13.60	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	45.70	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	4,263.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	261.00	/cu mm	40-440	

Dr. Akanksha Singh (MD Pathology)









CIN: U85110DL2003PLC308206



Patient Name : Mrs.HIMADRI BAJPAI : 13/Apr/2024 09:17:12 Registered On Age/Gender : 29 Y 2 M 0 D /F Collected : 13/Apr/2024 09:44:17 UHID/MR NO : ALDP.0000138363 Received : 13/Apr/2024 10:48:21 Visit ID : ALDP0015362425 Reported : 13/Apr/2024 14:29:22

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Uı	nit Bio. Ref. Inte	rval Method	
GLUCOSE FASTING * , Plasma					
Glucose Fasting	81.60	mg/dl	< 100 Normal 100-125 Pre-diabetes	GOD POD	

≥ 126 Diabetes

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

Glucose PP *	98.80	mg/dl	<140 Normal	GOD POD
Sample:Plasma After Meal			140-199 Pre-diabetes	
			>200 Diabetes	

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C) *, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.30	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	34.40	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	105	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.



Home Sample Collection 1800-419-0002





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name : Mrs.HIMADRI BAJPAI Registered On : 13/Apr/2024 09:17:12 Age/Gender : 29 Y 2 M 0 D /F Collected : 13/Apr/2024 09:44:17 UHID/MR NO : ALDP.0000138363 Received : 13/Apr/2024 10:48:21 Visit ID : ALDP0015362425 Reported : 13/Apr/2024 14:29:22

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method	
---	--

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- *Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- *Pregnancy d. chronic renal failure. Interfering Factors:

^{*}Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) * Sample:Serum	15.97	mg/dL	7.0-23.0	CALCULATED
Creatinine * Sample:Serum	0.60	mg/dl	0.5-1.20	MODIFIED JAFFES
Uric Acid * Sample:Serum	3.77	mg/dl	2.5-6.0	URICASE

LFT (WITH GAMMA GT) *, Serum





^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.





CIN: U85110DL2003PLC308206



: 13/Apr/2024 09:17:12 Patient Name : Mrs.HIMADRI BAJPAI Registered On : 29 Y 2 M 0 D /F Age/Gender Collected : 13/Apr/2024 09:44:17 UHID/MR NO : ALDP.0000138363 Received : 13/Apr/2024 10:48:21 Visit ID Reported : 13/Apr/2024 14:29:22 : ALDP0015362425

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	U	nit Bio. Ref. Interva	al Method
SGOT / Aspartate Aminotransferase (AST)	18.60	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	11.80	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	20.50	IU/L	11-50	OPTIMIZED SZAZING
Protein	7.30	gm/dl	6.2-8.0	BIURET
Albumin	3.90	gm/dl	3.4-5.4	B.C.G.
Globulin	3.40	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.15	7	1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	112.70	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.40	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.10	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.30	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) * , Serum				
Cholesterol (Total)	200.00	mg/dl	<200 Desirable 200-239 Borderline High > 240 High	CHOD-PAP
HDL Cholesterol (Good Cholesterol)	55.80	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	126	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optima 130-159 Borderline High 160-189 High	
. VLDL	18.52	mg/dl	> 190 Very High 10-33	CALCULATED
Triglycerides	92.60	mg/dl	< 150 Normal	GPO-PAP
Highycenides	72.0 U	mg/ul	150-199 Borderline High 200-499 High >500 Very High	

Dr.Akanksha Singh (MD Pathology)









Test Name

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Method

Patient Name : Mrs.HIMADRI BAJPAI Registered On : 13/Apr/2024 09:17:11 Collected : 13/Apr/2024 15:42:44 Age/Gender : 29 Y 2 M 0 D /F UHID/MR NO : ALDP.0000138363 Received : 13/Apr/2024 15:53:31 Visit ID Reported : 13/Apr/2024 16:11:06 : ALDP0015362425

Result

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Unit

Rio Ref Interval

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE * , U.	rina			
Color Specific Crowlty	LIGHT YELLOW 1.030			
Specific Gravity Reaction PH	Acidic (5.0)			DIPSTICK
	CLEAR			DIPSTICK
Appearance Protein	ABSENT	ma 9/	< 10 Absent	DIPSTICK
rioteili	ADSEIVI	mg %	10-40 (+)	DIPSTICK
			40-200 (++)	
			200-500 (+++)	
			> 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
			0.5-1.0 (++)	
			1-2 (+++)	
		1 1 X 1	> 2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	2-4/h.p.f			MICROSCOPIC
				EXAMINATION
Pus cells	0-2/h.p.f			
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
0.11	ADOSNIT			EXAMINATION
Others	ABSENT			
Urine Microscopy is done on centrifuged u	rine sediment.			
SUGAR, FASTING STAGE * , Urine				
Sugar, Fasting stage	ABSENT	gms%		









CIN: U85110DL2003PLC308206



Patient Name : Mrs.HIMADRI BAJPAI

ender : 29 Y 2 M 0 D /F

Collected

: 13/Apr/2024 09:17:11 : 13/Apr/2024 15:42:44

Age/Gender UHID/MR NO

: ALDP.0000138363

Received

Registered On

: 13/Apr/2024 15:53:31

Visit ID

: ALDP0015362425

Reported

: 13/Apr/2024 16:11:06

Ref Doctor

: Dr.Mediwheel - Arcofemi Health Care Ltd.

Status

: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

Interpretation:

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2

SUGAR, PP STAGE * , Urine

Sugar, PP Stage

ABSENT

Interpretation:

(+) < 0.5 gms%

(++) 0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%

Dr.Akanksha Singh (MD Pathology)

Page 7 of 11









CIN: U85110DL2003PLC308206



Patient Name : Mrs.HIMADRI BAJPAI : 13/Apr/2024 09:17:12 Registered On Age/Gender : 29 Y 2 M 0 D /F Collected : 13/Apr/2024 09:44:17 UHID/MR NO : ALDP.0000138363 Received : 13/Apr/2024 10:48:21 Visit ID : 13/Apr/2024 15:23:52 : ALDP0015362425 Reported

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interva	l Method
THYROID PROFILE - TOTAL * , Serum				
T3, Total (tri-iodothyronine)	156.00	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	4.70	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	7.300	μIŪ/mL	0.27 - 5.5	CLIA
		,		
Interpretation:				
		0.3-4.5 $\mu IU/r$	nL First Trimes	ter
		0.5-4.6 μIU/r	nL Second Trin	nester
		0.8-5.2 μIU/r	nL Third Trime	ster
		0.5-8.9 μIU/r	nL Adults	55-87 Years
		0.7-27 μIU/r	nL Premature	28-36 Week
		2.3-13.2 μIU/r		> 37Week
		0.7-64 μIU/r		(- 20 Yrs.)
			/mL Child	0-4 Days
		1.7-9.1 μIU/r		2-20 Week

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- **5**) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6)** In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8)** Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr. Akanksha Singh (MD Pathology)

Page 8 of 11









Age/Gender

UHID/MR NO

Ref Doctor

Visit ID

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mrs.HIMADRI BAJPAI

: 29 Y 2 M 0 D /F

: ALDP.0000138363

: ALDP0015362425

Collected :

Registered On

Reported

: N/A

Received : N/A

: 13/Apr/2024 16:20:46

: 13/Apr/2024 09:17:14

: Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF X-RAY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA *

X-RAY REPORT (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) CHEST P-A VIEW

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.



Dr. Aishwarya Neha (MD Radiodiagnosis











CIN: U85110DL2003PLC308206



Patient Name : Mrs.HIMADRI BAJPAI Registered On : 13/Apr/2024 09:17:14

 Age/Gender
 : 29 Y 2 M 0 D /F
 Collected
 : N/A

 UHID/MR NO
 : ALDP.0000138363
 Received
 : N/A

Visit ID : ALDP0015362425 Reported : 13/Apr/2024 13:11:56

Ref Doctor : Dr. Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

LIVER: - Normal in size (12.3 cm), shape and echogenicity. No focal lesion is seen. No intra hepatic biliary radicle dilation is seen.

GALL BLADDER: Well distended. Normal wall thickness is seen. No evidence of calculus/focal mass lesion/pericholecystic fluid is seen.

CBD:- Normal in calibre at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

PANCREAS: - Head is visualised, normal in size & echopattern. No evidence of ductal dilatation or calcification is seen. Rest of the pancreas is obscured by bowel gases.

SPLEEN: - Normal in size (8.0 cm), shape and echogenicity. No evidence of mass lesion is seen.

RIGHT KIDNEY: - Normal in size, shape and position. Cortical echogenicity is normal with maintained corticomedullary differentiation. No focal lesion or calculus is seen. Pelvicalyceal system is not dilated.

LEFT KIDNEY: - Normal in size, shape and position. Cortical echogenicity is normal with maintained corticomedullary differentiation. No focal lesion or calculus is seen. Pelvicalyceal system is not dilated.

URINARY BLADDER: Is adequately distended. No evidence of wall thickening/calculus is seen.

UTERUS:- Is normal in size (9.2 x 3.3 cm). No focal myometrial lesion is seen. Endometrium is normal in thickness 6.2 mm.

OVARIES: Right ovary is bulky in size 5.8 x 2.7 cm with a simple cystic lesion measuring $\sim 31 \times 27$ mm? follicular cyst.

Left ovary is normal in size - $2.7 \times 1.4 \times 3.1$ cm vol - 6.2 cc and shows multiple tiny follicles arranged peripherally with central echogenic stroma.

ADNEXA: No obvious adnexal pathology is seen.

HIGH RESOLUTION:- No evidence of bowel loop dilatation or abnormal wall thickening is seen. No significant retroperitoneal lymphadenopathy is seen. No free fluid is seen in the abdomen/pelvis.

IMPRESSION:

- Bulky right ovary with simple cystic lesion? follicular cyst.
- Left polycystic ovarian syndrome pattern.

ADV: - Hormonal correlation.



Home Sample Collection 1800-419-0002





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name

: Mrs.HIMADRI BAJPAI

Registered On

: 13/Apr/2024 09:17:14

Age/Gender

: 29 Y 2 M 0 D /F

Collected Received : N/A

UHID/MR NO Visit ID : ALDP.0000138363 : ALDP0015362425

Reported

: 13/Apr/2024 13:11:56

Ref Doctor

Dr. Mediwheel - Arcofemi Health Care Ltd.

Status

: Final Report

: N/A

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

*** End Of Report ***

Result/s to Follow:

STOOL, ROUTINE EXAMINATION, ECG / EKG, Tread Mill Test (TMT), PAP SMEAR FOR CYTOLOGICAL EXAMINATION







Dr. Aishwarya Neha (MD Radiodiagnosis

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *

*Facilities Available at Select Location

Page 11 of 11



