

BMI CHART

Hiranandani Fortis Hospital Mini Seashore Road. Sector 10 - A, Vashi, Navi Mumbai - 400 703.

Tel.: +91-22-3919 9222 Fax: +91-22-3919 9220/21 Email : vashi@vashihospital.com

Signature

Date 29 13 124

synni Sea Shore Road, Sector 10 -A, Vashi, Navi Mumbai - 400703

Board Line: 022 - 39199222 | Fax: 022 - 39199220 Emergency: 022 - 39199100 | Ambulance: 1255

For Appointment: 022 - 39199222 | Health Checkup: 022 - 39199300 www.fortishealthcare.com |

CIN: U85100MH2005PTC154823

GST IN: 27AABCH5894D1ZG | PAN NO: AABCH5894D





(A 17 Fortis Network Hospital)

Name OPD	13049280 Mr Dattatraya Kurlewar	Date	23/03/2024
	Opthal Opthal	Sex	M Age 37
		Healt	h Check-Up = ,

Drug allergy: -) Not know.

Sys illness: -> No

> RONG

Dr.Vipin Dehane Department of Dentistry and Maxillofacial Surgery

BDS, MDS (Oral & Maxillofacial Surgeon and Implantologist)

Regt no. A-15656

Email: vipin.dehane@fortishealthcare.com

mobile no: +919422903990

Fortis Hiranandani Hospitals Mini Seashore Road, sector 10-A Vashi. Navi Mumbai- 400703 Tel: +912239199222/62857000

Contact no. for appointments: 7387696540

Dattatraya kurlewar +919004080953

By: Dr. Trupti Zade

Treatment Plans

Registration Number: A-52385

Treatment

Notes

Date: 23 Mar, 2024

DENTAL IMPLANT- HIGH END

SCALING GR II

TS-ITTIA

54,500.00

3,630.00

Cost INR

Estimated Amount: 58,130.00 INR

Grand Total: 58,130.00 INR

*Taxes as applicable

of Kontrad TH.

DR-Broden

Dr.Vipin Dehane

Department of Dentistry and Maxillofacial Surgery

BDS, MDS (Oral & Maxillofacial Surgeon and Implantologist)

Regt no. A-15656

Email: vipin.dehane@fortishealthcare.com

mobile no: +919422903990

Fortis Hiranandani Hospitals Mini Seashore Road, sector 10-A Vashi, Navi Mumbai- 400703 Tel: +912239199222/62857000

Contact no. for appointments: 7387696540

Dattatraya kurlewar +919004080953

By: Dr. Trupti Zade

Treatment Plans

Registration Number: A-52385

Date: 23 Mar, 2024

Treatment	Notes		Cost INR
ROOT CANAL TREATMENT (ANTERIOR TEETH), GRADE- III	Teeth: 21		6,655.00
CROWN METAL FREE (TYPE 3)	Teeth: 21		15,975.00
IMPLANT SINGLE STAGE	Teeth: 37	Osstom J. III / IV.	36,300.00
SCALING GR II			3,630.00

Estimated Amount: 62,560.00 INR

Grand Total: 62,560.00 INR

*Taxes as applicable

Generated On: 23 Mar 2024

Page 1 of 1

DR. VIPIN DEHANE/
BDS, MDS (Orâl & Maxillo Facial Surgeon)
Reg, No. A-15656
Head of Dept. of Dept. Stry & Maxillofacial Surgery

Fortis Hospital Limited Vas Mumbai)

Mini Sea Shore Road, Sector 10 -A, Vashi, Navi Mumbai - 400703

Board Line: 022 - 39199222 | Fax: 022 - 39199220 Emergency: 022 - 39199100 | Ambulance: 1255

For Appointment: 022 - 39199222 | Health Checkup: 022 - 39199300

www.fortishealthcare.com | CIN: U85100MH2005PTC154823

GST IN: 27AABCH5894D1ZG | PAN NO: AABCH5894D





(A 11 Fortis Network Hospital)

UHID	13049280	Date	23/03/	2024	
Name Mr Dattatraya Kurlewar OPD Dental	Mr Dattatrava Kurlewar		24		
	Sex	IVI	Age	37	
4.44	V 10 3 10 2 10 2	Healt	th Check	K-Up .	

OlE - Stain + Drug allergy: Sys illness: alculus + Implant c -

Obre- J. Di. Tuepti

DR. VAPAN D Sup





REF. DOCTOR :



PATIENT NAME: MR.DATTATRAYA GYANOBA KURLEWAR CODE/NAME & ADDRESS : C000045507

ACCESSION NO : 0022XC004942

FORTIS VASHI-CHC -SPLZD

FORTIS HOSPITAL # VASHI,

MUMBAI 440001

PATIENT ID : FH.13049280

CLIENT PATIENT ID: UID:13049280

ABHA NO

AGE/SEX :37 Years Male

DRAWN :23/03/2024 09:31:00 RECEIVED: 23/03/2024 09:34:36

REPORTED :23/03/2024 14:47:40

CLINICAL INFORMATION:

UID:13049280 REQNO-1681633 CORP-OPD

BILLNO-1501240PCR016859 BILLNO-1501240PCR016859

Test Report Status Final Results Biological Reference Interval Units

**************************************	HAEMATOLOGY - CE	3C	
CBC-5, EDTA WHOLE BLOOD			
BLOOD COUNTS, EDTA WHOLE BLOOD			
HEMOGLOBIN (HB) METHOD: SLS METHOD	13.7	13.0 - 17.0	g/dL
RED BLOOD CELL (RBC) COUNT METHOD: HYDRODYNAMIC FOCUSING	5.32	4.5 - 5.5	mil/µL
WHITE BLOOD CELL (WBC) COUNT METHOD: FLUORESCENCE FLOW CYTOMETRY	9.00	4.0 - 10.0	thou/μL
PLATELET COUNT METHOD: HYDRODYNAMIC FOCUSING BY DC DETECTION	256	150 - 410	thou/µL
RBC AND PLATELET INDICES			
HEMATOCRIT (PCV) METHOD: CUMULATIVE PULSE HEIGHT DETECTION METHOD	42.0	40.0 - 50.0	%
MEAN CORPUSCULAR VOLUME (MCV) METHOD: CALCULATED PARAMETER	78.9 Low	83.0 - 101.0	fL
MEAN CORPUSCULAR HEMOGLOBIN (MCH) METHOD: CALCULATED PARAMETER	25.8 Low	27.0 - 32.0	pg
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION(MCHC) METHOD: CALCULATED PARAMETER	32.6	31.5 - 34.5	g/dL
RED CELL DISTRIBUTION WIDTH (RDW) METHOD: CALCULATED PARAMETER	13.0	11.6 - 14.0	%
MENTZER INDEX METHOD: CALCULATED PARAMETER	14.8		
MEAN PLATELET VOLUME (MPV) METHOD: CALCULATED PARAMETER	10.9	6.8 - 10.9	fL

WBC DIFFERENTIAL COUNT

(Atthating

Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) Consultant Pathologist

Page 1 Of 17







PERFORMED AT:

Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India Tel: 022-39199222,022-49723322, Fax:

CIN - U74899PB1995PLC045956







PATIENT NAME: MR.DATTATRAYA GYANOBA KURLEWAR CODE/NAME & ADDRESS: C000045507

ACCESSION NO : 0022XC004942

REF. DOCTOR:

PATIENT ID : FH.13049280

CLIENT PATIENT ID: UID:13049280

ABHA NO

AGE/SEX :37 Years Male

DRAWN :23/03/2024 09:31:00

RECEIVED: 23/03/2024 09:34:36 REPORTED :23/03/2024 14:47:40

CLINICAL INFORMATION:

MUMBAI 440001

FORTIS VASHI-CHC -SPLZD

FORTIS HOSPITAL # VASHI,

UID:13049280 REQNO-1681633 CORP-OPD

BILLNO-1501240PCR016859

BILLNO-1501240PCR016859

Test Report Status <u>Final</u>	Results	Biological Referenc	e Interval Units
NEUTROPHILS METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING	47	40.0 - 80.0	%
LYMPHOCYTES METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING	34	20.0 - 40.0	%
MONOCYTES METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING	7	2.0 - 10.0	%
EOSINOPHILS METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING	12 High	1 - 6	%
BASOPHILS METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING	0	0 - 2	%
ABSOLUTE NEUTROPHIL COUNT METHOD: CALCULATED PARAMETER	4.23	2.0 - 7.0	thou/µL
BSOLUTE LYMPHOCYTE COUNT METHOD : CALCULATED PARAMETER	3.06 High	1.0 - 3.0	thou/µL
BSOLUTE MONOCYTE COUNT METHOD: CALCULATED PARAMETER	0.63	0.2 - 1.0	thou/µL
BSOLUTE EOSINOPHIL COUNT METHOD: CALCULATED PARAMETER	1.08 High	0.02 - 0.50	thou/μL
BSOLUTE BASOPHIL COUNT METHOD: CALCULATED PARAMETER	0 Low	0.02 - 0.10	thou/µL
EUTROPHIL LYMPHOCYTE RATIO (NLR) METHOD: CALCULATED	1.4		

MORPHOLOGY

RBC

METHOD: MICROSCOPIC EXAMINATION

WBC

METHOD: MICROSCOPIC EXAMINATION

PLATELETS

METHOD: MICROSCOPIC EXAMINATION

PREDOMINANTLY NORMOCYTIC NORMOCHROMIC, MILD MICROCYTOSIS

EOSINOPHILIA PRESENT

ADEQUATE



Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) **Consultant Pathologist**

Page 2 Of 17







Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India

Tel: 022-39199222,022-49723322, Fax: CIN - U74899PB1995PLC045956









REF. DOCTOR:

CODE/NAME & ADDRESS : C000045507 FORTIS VASHI-CHC -SPLZD

FORTIS HOSPITAL # VASHI,

MUMBAI 440001

ACCESSION NO : 0022XC004942 PATIENT ID : FH.13049280 CLIENT PATIENT ID: UID:13049280

ABHA NO

AGE/SEX :37 Years

Male

DRAWN :23/03/2024 09:31:00 RECEIVED: 23/03/2024 09:34:36

REPORTED :23/03/2024 14:47:40

CLINICAL INFORMATION:

UID:13049280 REQNO-1681633

CORP-OPD

BILLNO-1501240PCR016859 BILLNO-1501240PCR016859

Test Report Status

Final

Results

Biological Reference Interval

Units

Interpretation(s)

RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13)

from Beta thalassaemia trait

(<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < (Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients; A.-P. Yang, et al.; International Immunopharmacology 84 (2020) 106504

This ratio element is a calculated parameter and out of NABL scope.

(prohoting

Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) Consultant Pathologist

Page 3 Of 17







PERFORMED AT :

Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India Tel: 022-39199222,022-49723322, Fax: CIN - U74899PB1995PLC045956







Male

PATIENT NAME: MR.DATTATRAYA GYANOBA KURLEWAR

REF. DOCTOR:

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

ACCESSION NO : 0022XC004942

PATIENT ID : FH.13049280 CLIENT PATIENT ID: UID:13049280

ABHA NO

AGE/SEX :37 Years

DRAWN :23/03/2024 09:31:00 RECEIVED: 23/03/2024 09:34:36

REPORTED :23/03/2024 14:47:40

CLINICAL INFORMATION:

UID:13049280 REQNO-1681633

CORP-OPD

BILLNO-1501240PCR016859 BILLNO-1501240PCR016859

Test Report Status

Final

Results

Biological Reference Interval Units

HAEMATOLOGY

ERYTHROCYTE SEDIMENTATION RATE (ESR), EDTA BLOOD

E.S.R

METHOD: WESTERGREN METHOD

12

0 - 14

mm at 1 hr

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD

HBA1C

6.4 High

Non-diabetic: < 5.7 Pre-diabetics: 5.7 - 6.4

Diabetics: > or = 6.5Therapeutic goals: < 7.0 Action suggested: > 8.0

(ADA Guideline 2021)

METHOD: HB VARIANT (HPLC)

ESTIMATED AVERAGE GLUCOSE(EAG)

METHOD: CALCULATED PARAMETER

137.0 High

< 116.0

mg/dL

%

Interpretation(s)
ERYTHROCYTE SEDIMENTATION RATE (ESR), EDTA BLOOD-TEST DESCRIPTION:
Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic; it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition,CRP is superior to ESR because it is more sensitive and reflects a more rapid change.

Increase in: Infections, Vasculities, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy,

Increase in: Infections, Vasculities, Innaminatory artiflus, Renal disease, America, Handing and Physician Co. Aging.

Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias, Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis).

In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum. Decreased in: Polycythermia vera, Sickle cell anemia

False elevated ESR: Increased fibrinogen, Drugs(Vitamin A, Dextran etc.), Hypercholesterolemia
False Decreased: Polikilocytosis, (SickleCells, spherocytes), Microcytosis, Low fibrinogen, Very high WBC counts, Drugs(Quinine, salicylates)

Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) **Consultant Pathologist**

Page 4 Of 17





View Details

View Report



PERFORMED AT:

Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India Tel: 022-39199222,022-49723322, Fax: CIN - U74899PB1995PLC045956 Email: -







REF. DOCTOR :

CODE/NAME & ADDRESS: C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

ACCESSION NO : 0022XC004942 PATIENT ID : FH.13049280

CLIENT PATIENT ID: UID:13049280

ABHA NO

AGE/SEX :37 Years Male

DRAWN :23/03/2024 09:31:00 RECEIVED : 23/03/2024 09:34:36

REPORTED :23/03/2024 14:47:40

CLINICAL INFORMATION:

UID:13049280 REQNO-1681633

CORP-OPD

BILLNO-1501240PCR016859 BILLNO-1501240PCR016859

Test Report Status

Final

Results

Biological Reference Interval

Units

REFERENCE:

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition; 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin; 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis, 10th edition.

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-Used For:

1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.
2. Diagnosing diabetes.
3. Identifying patients at increased risk for diabetes (prediabetes).
The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range.
1. eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.
2. eAG gives an evaluation of blood glucose levels for the last couple of months.
3. eAG is calculated as eAG (mg/dl) = 28.7 * HbA1c - 46.7

HbA1c Estimation can get affected due to:

1. Shortened Erythrocyte survival: Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss, hemolytic anemia) will falsely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days.

2. Vitamin C & E are reported to falsely lower test results. (possibly by inhibiting glycation of hemoglobin.

3. Iron deficiency amemia is reported to increase test results. Hypertriglyceridemia unemia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates diabetes of hemoglobinopathies in HbA1c estimation is seen in

a) Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.
b) Heterozygous state detected (D10 is corrected for HbS & HbC trait.)
c) HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c.Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy

pronoting

Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) Consultant Pathologist

Page 5 Of 17







PERFORMED AT :

Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India

Tel: 022-39199222,022-49723322, Fax: CIN - U74899PB1995PLC045956







REF. DOCTOR:

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

ACCESSION NO: 0022XC004942 PATIENT ID : FH.13049280 CLIENT PATIENT ID: UID:13049280

ABHA NO

AGE/SEX :37 Years Male

:23/03/2024 09:31:00 DRAWN RECEIVED: 23/03/2024 09:34:36

REPORTED :23/03/2024 14:47:40

CLINICAL INFORMATION:

UID:13049280 REQNO-1681633

CORP-OPD

BILLNO-1501240PCR016859 BILLNO-1501240PCR016859

Test Report Status

Final

Results

Biological Reference Interval

Units

IMMUNOHAEMATOLOGY

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD

ABO GROUP

TYPE O

METHOD: TUBE AGGLUTINATION RH TYPE

METHOD: TUBE AGGLUTINATION

POSITIVE

Interpretation(s)
ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same."

The test is performed by both forward as well as reverse grouping methods.

Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) Consultant Pathologist

Page 6 Of 17





View Report



PERFORMED AT :

Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703

Maharashtra, India Tel: 022-39199222,022-49723322, Fax:

CIN - U74899PB1995PLC045956 Fmail: -







Male

PATIENT NAME: MR.DATTATRAYA GYANOBA KURLEWAR CODE/NAME & ADDRESS : C000045507

REF. DOCTOR: ACCESSION NO : 0022XC004942

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

PATIENT ID : FH.13049280 CLIENT PATIENT ID: UID:13049280

ABHA NO

AGE/SEX :37 Years

DRAWN :23/03/2024 09:31:00

RECEIVED: 23/03/2024 09:34:36 REPORTED :23/03/2024 14:47:40

CLINICAL INFORMATION:

UID:13049280 REQNO-1681633 CORP-OPD BILLNO-1501240PCR016859

Test Report Status <u>Final</u>	Results	Biological Reference Inter	rval Units
<u>KIDNEY PANEL - 1</u> BLOOD UREA NITROGEN (BUN), SERUM BLOOD UREA NITROGEN	8	6 - 20	***
METHOD: UREASE - UV REATININE EGFR- EPI			mg/dL
CREATININE METHOD : ALKALINE PICRATE KINETIC JAFFES IGE	0.98 37	0.90 - 1.30	mg/dL years
LOMERULAR FILTRATION RATE (MALE) METHOD: CALCULATED PARAMETER	101.85	Refer Interpretation Below	
UN/CREAT RATIO			
UN/CREAT RATIO METHOD : CALCULATED PARAMETER	8.16	5.00 - 15.00	

URIC ACID, SERUM

URIC ACID METHOD: URICASE UV

8.3 High

3.5 - 7.2

mg/dL

TOTAL PROTEIN, SERUM

TOTAL PROTEIN

METHOD : BIURET

7.7

6.4 - 8.2

g/dL

(Artists)

Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) Consultant Pathologist



Page 8 Of 17



Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India Tel: 022-39199222,022-49723322, Fax:

CIN - U74899PB1995PLC045956









CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI, MUMBAI 440001

REF. DOCTOR: ACCESSION NO : 0022XC004942

PATIENT ID : FH.13049280 CLIENT PATIENT ID: UID:13049280

ABHA NO

AGE/SEX :37 Years Male

DRAWN :23/03/2024 09:31:00

RECEIVED: 23/03/2024 09:34:36 REPORTED :23/03/2024 14:47:40

CLINICAL INFORMATION :

UID:13049280 REQNO-1681633 CORP-OPD BILLNO-1501240PCR016859 BILLNO-1501240PCR016859

Test Report Status Final	Results		
	Nasares	Biological Referen	ce Interval Units
ALBUMIN, SERUM ALBUMIN			
METHOD : BCP DYE BINDING	4.4	3.4 - 5.0	g/dL
GLOBULIN			
SLOBULIN METHOD : CALCULATED PARAMETER	3.3	2.0 - 4.1	g/dL
LECTROLYTES (NA/K/CL), SERUM			
ODIUM, SERUM METHOD: ISE INDIRECT	138	136 - 145	mmol/L
OTASSIUM, SERUM METHOD: ISE INDIRECT	4.25	3.50 - 5.10	mmol/L
HLORIDE, SERUM HETHOD : ISE INDIRECT	102	98 - 107	mmol/L

Interpretation(s)

Interpretation(s)
LIVER FUNCTION PROFILE, SERUMBilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. Elevated levels results from increased bilirubin production (eg., hemotysis and ineffective erythropoiesis), decreased bilirubin metabolism (eg., hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors &Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin when may be a result of Hemotytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that

prohotis

Dr. Akshay Dhotre, MD (Reg, no. MMC 2019/09/6377) Consultant Pathologist

Page 9 Of 17





View Report



CIN - U74899PB1995PLC045956

Email: -

PERFORMED AT :











CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI, MUMBAI 440001

REF. DOCTOR : ACCESSION NO: 0022XC004942

PATIENT ID : FH.13049280 CLIENT PATIENT ID: UID:13049280

ABHA NO

AGE/SFX :37 Years Male

DRAWN :23/03/2024 09:31:00 RECEIVED: 23/03/2024 09:34:36

REPORTED :23/03/2024 14:47:40

CLINICAL INFORMATION :

UID:13049280 REQNO-1681633 CORP-OPD BILLNO-1501240PCR016859 BILLNO-1501240PCR016859

Test Report Status

Final

Results

Biological Reference Interval Units

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscless, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepaticellular injury, to determine liver health. AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepaticis, obstruction of bile ducts, cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, in Hypophosphatasia, Malnutrition, Protein deficiency, Wilsons disease.

Osteoblastic bone turnors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Pagets disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen of GT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive globulin. Higher-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemony) and pancreas. Conditions that increase serum GGT are obstructive globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms syndrome, Protein-losing enteropathy etc.

Albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels permeability or d

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in the unit.

Increased in: Diabetes mellitus, Cushing's syndrome (10 – 15%), chronic pancreatitis (30%). Drugs:corticosteroids, phenytoin, estrogen, thiazides.

Increased in: Pancreatic islet cell disease with increased insulin, insulinoma, adrenocortical insufficiency, hypopituitarism, diffuse liver disease, diseases(e.g.galactosemia), Drugs-insulin, ethanol, propranolo; sultonyluraes, tolbutamide, and other oral hypoglycemic agents.

NOTE: While random serum glucose levels correlate with home glucose monitoring results (weakly mean capillary glucose values), there is wide fluctuation within High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic BLOOD UREA NITROGEN (BUN), SERUM-Causes of Increased levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Causes of decreased level include Liver disease, SIADH.

CREATININE EGFR. EPI— Kidney disease outcomes quality initiative (KDOQI) guidelines state that estimation of GFR is the best overall indices of the Kidney function.

1 tigives a rough measure of number of functioning neptrons. Reduction in GFR implies propression of underlying disease.

1 tigives a rough measure of number of functioning neptrons. Reduction in GFR implies propression of underlying disease.

1 tigives in mainty derived from the blood by the kidneys and excretion in muscle, and its generation is proportional to the total muscle mass. As a result, mean creatinine generation is higher in men than in women, in younger than in older individuals, and in blacks than in whites.

1 When kidney function is compromised, excretion of creatinine decreases with a consequent increase in blood creatinine levels. With the creatinine test, a reasonable of the actual GFR can be deter

National Kidney Foundation (NKF) and the American Society of Nephrology (ASN).
Estimated GFR Calculated Using the CKD-EPI equation-https://testguide.labmed.uw.edu/guideline/egfr
Ghuman JK, et al. Impact of Removing Race Variable on CKD Classification Using the Creatinine-Based 2021 CKD-EPI Equation. Kidney Med 2022, 4:100471. 35756325
Harrison's Principle of Internal Medicine, 21st ed. pg 62 and 334
URIC ACID, SERUM-Causes of Increased levels:-Dietary(High Protein Intake, Prolonged Fasting, Rapid weight loss), Gout, Lesch nyhan syndrome, Type 2 DM, Metabolic TOTAL PROTEIN, SERUM-is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin.
Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease.

polistan

Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) Consultant Pathologist

Page 10 Of 17







Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India Tel: 022-39199222,022-49723322, Fax: CIN - U74899PB1995PLC045956 Email: -









REF. DOCTOR:

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI, MUMBAI 440001

ACCESSION NO : 0022XC004942

PATIENT ID : FH.13049280 CLIENT PATIENT ID: UID:13049280

ABHA NO

AGE/SEX :37 Years Male

DRAWN :23/03/2024 09:31:00

RECEIVED : 23/03/2024 09:34:36 REPORTED :23/03/2024 14:47:40

CLINICAL INFORMATION:

UID:13049280 REQNO-1681633

CORP-OPD

BILLNO-1501240PCR016859 BILLNO-1501240PCR016859

Test Report Status **Final**

Results

Biological Reference Interval Units

Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

ALBUMIN, SERUM-Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.



Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) Consultant Pathologist

PERFORMED AT :

Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India Tel: 022-39199222,022-49723322, Fax: CIN - U74899PB1995PLC045956 Email: -







Page 11 Of 17







PATIENT NAME: MR.DATTATRAYA GYANOBA KURLEWAR CODE/NAME & ADDRESS : C000045507

ACCESSION NO : 0022XC004942

REF. DOCTOR:

PATIENT ID

: FH.13049280 CLIENT PATIENT ID: UID:13049280

ABHA NO

AGE/SEX :37 Years Male

DRAWN :23/03/2024 09:31:00

RECEIVED: 23/03/2024 09:34:36 REPORTED :23/03/2024 14:47:40

CLINICAL INFORMATION :

MUMBAI 440001

FORTIS VASHI-CHC -SPLZD

FORTIS HOSPITAL # VASHI,

UID:13049280 REQNO-1681633

CORP-OPD

BILLNO-1501240PCR016859 BILLNO-1501240PCR016859

Test Report Status

Results

Biological Reference Interval

Units

BIOCHEMISTRY - LIPID

LIPID PROFILE, SERUM

CHOLESTEROL, TOTAL

METHOD: ENZYMATIC ASSAY HDL CHOLESTEROL

202 High

< 200 Desirable

mg/dL

200 - 239 Borderline High

>/= 240 High

METHOD: ENZYMATIC/COLORIMETRIC, CHOLESTEROL OXIDASE, ESTERASE, PEROXIDASE TRIGLYCERIDES 149

< 150 Normal

mg/dL

150 - 199 Borderline High 200 - 499 High

>/=500 Very High

< 40 Low >/=60 High mg/dL

METHOD : DIRECT MEASURE - PEG

LDL CHOLESTEROL, DIRECT

125

40

< 100 Optimal

mg/dL

100 - 129 Near or above

optimal

130 - 159 Borderline High

160 - 189 High

>/= 190 Very High

METHOD: DIRECT MEASURE WITHOUT SAMPLE PRETREATMENT

NON HDL CHOLESTEROL

162 High

Desirable: Less than 130

mg/dL Above Desirable: 130 - 159 Borderline High: 160 - 189

High: 190 - 219

Very high: > or = 220

mg/dL

METHOD: CALCULATED PARAMETER VERY LOW DENSITY LIPOPROTEIN

METHOD: CALCULATED PARAMETER

METHOD: CALCULATED PARAMETER

29.8

</=30.0

CHOL/HDL RATIO

5.1 High

3.3 - 4.4 Low Risk 4.5 - 7.0 Average Risk 7.1 - 11.0 Moderate Risk

> 11.0 High Risk

pohotin

Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) Consultant Pathologist

Page 12 Of 17







Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India Tel: 022-39199222,022-49723322, Fax: CIN - U74899PB1995PLC045956







REF. DOCTOR:



PATIENT NAME: MR.DATTATRAYA GYANOBA KURLEWAR

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

ACCESSION NO : 0022XC004942

PATIENT ID : FH.13049280 CLIENT PATIENT ID: UID:13049280

ABHA NO

AGE/SEX :37 Years Male

DRAWN :23/03/2024 09:31:00 RECEIVED :23/03/2024 09:34:36

REPORTED :23/03/2024 14:47:40

CLINICAL INFORMATION:

UID:13049280 REQNO-1681633 CORP-OPD BILLNO-1501240PCR016859 BILLNO-1501240PCR016859

Test Report Status <u>Final</u>	Results	Biological Reference Interval Units
LDL/HDL RATIO	3.1 High	0.5 - 3.0 Desirable/Low Risk 3.1 - 6.0 Borderline/Moderate Risk
METHOD: CALCULATED PARAMETER		>6.0 High Risk

Interpretation(s)

Months

Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) Consultant Pathologist

PERFORMED AT :

Agilus Diagnostics Ltd.
Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703
Maharashtra, India
Tel: 022-39199222,022-49723322, Fax:
CIN - U74899PB1995PLC045956
Email: -

Page 13 Of 17





View Details

View Report









PATIENT NAME: MR.DATTATRAYA GYANOBA KURLEWAR CODE/NAME & ADDRESS: C000045507

ACCESSION NO : 0022XC004942

REF. DOCTOR:

PATIENT ID : FH.13049280 CLIENT PATIENT ID: UID:13049280

ABHA NO

AGE/SEX

:37 Years Male

:23/03/2024 09:31:00

RECEIVED: 23/03/2024 09:34:36 REPORTED :23/03/2024 14:47:40

CLINICAL INFORMATION :

MUMBAI 440001

FORTIS VASHI-CHC -SPLZD

FORTIS HOSPITAL # VASHI,

UID:13049280 REQNO-1681633

CORP-OPD

BILLNO-1501240PCR016859 BILLNO-1501240PCR016859

Test Report Status

Final

Results

Biological Reference Interval

Units

CLINICAL PATH - URINALYSIS

KIDNEY PANEL - 1

PHYSICAL EXAMINATION, URINE

PALE YELLOW

METHOD: PHYSICAL

APPEARANCE METHOD : VISUAL

CLEAR

CHEMICAL EXAMINATION, URINE

6.0

4.7 - 7.5

METHOD: REFLECTANCE SPECTROPHOTOMETRY- DOUBLE INDICATOR METHOD SPECIFIC GRAVITY

1.015

1.003 - 1.035

METHOD: REFLECTANCE SPECTROPHOTOMETRY (APPARENT PKA CHANGE OF PRETREATED POLYELECTROLYTES IN RELATION TO IONIC CONCENTRATION) **PROTEIN**

NOT DETECTED

NOT DETECTED

METHOD: REFLECTANCE SPECTROPHOTOMETRY - PROTEIN-ERROR-OF-INDICATOR PRINCIPLE **GLUCOSE**

NOT DETECTED METHOD: REFLECTANCE SPECTROPHOTOMETRY, DOUBLE SEQUENTIAL ENZYME REACTION-GOD/POD

NOT DETECTED

KETONES

NOT DETECTED

NOT DETECTED

METHOD: REFLECTANCE SPECTROPHOTOMETRY, ROTHERA'S PRINCIPLE BLOOD

NITRITE

NOT DETECTED

NOT DETECTED

METHOD: REFLECTANCE SPECTROPHOTOMETRY, PEROXIDASE LIKE ACTIVITY OF HAEMOGLOBIN BILIRUBIN

NOT DETECTED

NOT DETECTED

METHOD: REFLECTANCE SPECTROPHOTOMETRY, DIAZOTIZATION- COUPLING OF BILIRUBIN WITH DIAZOTIZED SALT UROBILINOGEN

NORMAL

NORMAL

METHOD: REFLECTANCE SPECTROPHOTOMETRY (MODIFIED EHRLICH REACTION)

NOT DETECTED

NOT DETECTED

METHOD: REFLECTANCE SPECTROPHOTOMETRY, CONVERSION OF NITRATE TO NITRITE LEUKOCYTE ESTERASE

NOT DETECTED

NOT DETECTED

METHOD: REFLECTANCE SPECTROPHOTOMETRY, ESTERASE HYDROLYSIS ACTIVITY


Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) Consultant Pathologist

Dr. Rekha Nair, MD (Reg No. MMC 2001/06/2354) Microbiologist

Page 14 Of 17







Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India

Tel: 022-39199222,022-49723322, Fax: CIN - U74899PB1995PLC045956









REF. DOCTOR: ACCESSION NO: 0022XC004942

URINARY MICROSCOPIC EXAMINATION DONE ON URINARY

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

PATIENT ID : FH.13049280 CLIENT PATIENT ID: UID:13049280

ABHA NO

AGE/SEX :37 Years Male

DRAWN :23/03/2024 09:31:00 RECEIVED: 23/03/2024 09:34:36

REPORTED :23/03/2024 14:47:40

CLINICAL INFORMATION:

UID:13049280 REQNO-1681633

CORP-OPD

BILLNO-1501240PCR016859 BILLNO-1501240PCR016859

Test Report Status <u>Final</u>	Results	Biological Reference I	nterval Units
MICROSCOPIC EXAMINATION, URINE			
RED BLOOD CELLS METHOD: MICROSCOPIC EXAMINATION	NOT DETECTED	NOT DETECTED	/HPF
PUS CELL (WBC'S) METHOD: MICROSCOPIC EXAMINATION	2-3	0-5	/HPF
EPITHELIAL CELLS METHOD: MICROSCOPIC EXAMINATION	0-1	0-5	/HPF
CASTS METHOD: MICROSCOPIC EXAMINATION	NOT DETECTED		
CRYSTALS METHOD: MICROSCOPIC EXAMINATION	NOT DETECTED		
BACTERIA METHOD: MICROSCOPIC EXAMINATION	NOT DETECTED	NOT DETECTED	
YEAST METHOD: MICROSCOPIC EXAMINATION	NOT DETECTED	NOT DETECTED	

CENTRIFUGED SEDIMENT

Interpretation(s)

REMARKS



Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) Consultant Pathologist



Dr. Rekha Nair, MD (Reg No. MMC 2001/06/2354) Microbiologist





Page 15 Of 17

View Report



Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India

Tel: 022-39199222,022-49723322, Fax: CIN - U74899PB1995PLC045956







PATIENT NAME: MR.DATTATRAYA GYANOBA KURLEWAR REF. DOCTOR:

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

ACCESSION NO : 0022XC004942

PATIENT ID : FH.13049280 CLIENT PATIENT ID: UID:13049280

ABHA NO

AGE/SEX :37 Years Male

DRAWN :23/03/2024 09:31:00 RECEIVED :23/03/2024 09:34:36 REPORTED :23/03/2024 14:47:40

CLINICAL INFORMATION:

UID:13049280 REQNO-1681633 CORP-OPD

BILLNO-1501240PCR016859 BILLNO-1501240PCR016859

Test Report Status Final Results Biological Reference Interval Units

SPECIALISED CHEMISTRY - HORMONE

THYROID PANEL, SERUM

METHOD: ELECTROCHEMILUMINESCENCE, SANDWICH IMMUNOASSAY

T3 131.7 80.0 - 200.0 ng/dL

METHOD: ELECTROCHEMILUMINESCENCE IMMUNOASSAY, COMPETITIVE PRINCIPLE

T4 6.64 5.10 - 14.10 µg/dL

METHOD: ELECTROCHEMILUMINESCENCE IMMUNOASSAY, COMPETITIVE PRINCIPLE

TSH (ULTRASENSITIVE) 1.490 0.270 - 4.200 µIU/mL

Interpretation(s)



Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) Consultant Pathologist Page 16 Of 17





liew Details

View Report



PERFORMED AT:

Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India

Tel: 022-39199222,022-49723322, Fax: CIN - U74899PB1995PLC045956





REF. DOCTOR : PATIENT NAME: MR.DATTATRAYA GYANOBA KURLEWAR

CODE/NAME & ADDRESS : C000045507

FORTIS VASHI-CHC -SPLZD FORTIS HOSPITAL # VASHI,

MUMBAI 440001

ACCESSION NO: 0022XC004942

: FH.13049280 PATIENT ID CLIENT PATIENT ID: UID:13049280

ABHA NO

Male :37 Years AGE/SEX :23/03/2024 09:31:00

DRAWN RECEIVED: 23/03/2024 09:34:36 REPORTED :23/03/2024 14:47:40

CLINICAL INFORMATION:

UID:13049280 REQNO-1681633 CORP-OPD BILLNO-1501240PCR016859 BILLNO-1501240PCR016859

Test Report Status

Final

Biological Reference Interval

Units

SPECIALISED CHEMISTRY - TUMOR MARKER

Results

PROSTATE SPECIFIC ANTIGEN, SERUM

PROSTATE SPECIFIC ANTIGEN

0.425

0.0 - 1.4

ng/mL

METHOD: ELECTROCHEMILUMINESCENCE, SANDWICH IMMUNOASSAY

Interpretation(s)
PROSTATE SPECIFIC ANTIGEN, SERUM-- PSA is detected in the male patients with normal, benign hyperplastic and malignant prostate tissue and in patients with prostatitis.
- PSA is not detected (or detected at very low levels) in the patients without prostate tissue (because of radical prostatectomy or cystoprostatectomy) and also in the female

patients.

It a suitable marker for monitoring of patients with Prostate Cancer and it is better to be used in conjunction with other diagnostic procedures.

Serial PSA levels can help determine the success of prostatectomy and the need for further treatment, such as radiation, endocrine or chemotherapy and useful in detecting residual disease and early recurrence of tumor. detecting residual disease and early recurrence of tumor.

Elevated levels of PSA can be also observed in the patients with non-malignant diseases like Prostatitis and Benign Prostatic Hyperplasia. detecting residual disease and early recurrence of tumor.

Elevated levels of PSA can be also observed in the patients with non-malignant diseases like Prostatitis and Benign Prostate Hyperplasia.

Elevated levels of PSA can be also observed in the patients with non-malignant diseases like Prostatitis and Benign Prostate Hyperplasia. detection of the prostate gland may lead to elevated PSA Specimens for total PSA assay should be obtained before biopsy, prostatectomy or prostatic massage, since manipulation of the prostate gland may lead to elevated PSA Specimens for total PSA specimens up to 3 weeks.

As per American unological guidelines, PSA screening is recommended for early detection of Prostate cancer above the age of 40 years. Following Age specific reference range can be used as a guide lines.

Measurement of total PSA alone may not clearly distinguish between benign prostatic hyperplasia (BPH) from cancer, this is especially true for the total PSA values between 4-10 ng/mL.

Total PSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be the cause of erroneous between 4-10 ng/mL.

Total PSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be the cause of erroneous between 4-10 ng/mL.

References
1. Burtis CA, Ashwood ER, Bruns DE. Teitz textbook of clinical chemistry and Molecular Diagnostics. 4th edition.

2. Williamson MA, Snyder LM. Wallach's Interpretation of diagnostic tests. 9th edition.

Please visit www.agilusdiagnostics.com for related Test Information for this accession **End Of Report**

Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) Consultant Pathologist

Page 17 Of 17

Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India Tel: 022-39199222,022-49723322, Fax:

CIN - U74899PB1995PLC045956

Email: -



PERFORMED AT :







REF. DOCTOR: ACCESSION NO: 0022XC005032

CODE/NAME & ADDRESS : C000045507 FORTIS VASHI-CHC -SPLZD

FORTIS HOSPITAL # VASHI,

MUMBAI 440001

: FH.13049280 PATIENT ID CLIENT PATIENT ID: UID:13049280

ABHA NO

:37 Years AGE/SEX

Male

:23/03/2024 13:12:00 DRAWN RECEIVED : 23/03/2024 13:12:34

REPORTED :23/03/2024 15:50:42

CLINICAL INFORMATION:

UID:13049280 REQNO-1681633 CORP-OPD BILLNO-1501240PCR016859 BILLNO-1501240PCR016859

Test Report Status

Results

Biological Reference Interval

Units

BIOCHEMISTRY

GLUCOSE, POST-PRANDIAL, PLASMA

PPBS(POST PRANDIAL BLOOD SUGAR)

Final

106

70 - 140

mg/dL

METHOD : HEXOKINASE

Interpretation(s)
GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Plasma-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Plasma-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Plasma-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Plasma-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Plasma-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Plasma-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Plasma-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Plasma-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics and Plasma-High fasting glucose level may be seen due to effect of Oral Hypoglycaemics and Plasma-High fasting glucose level may be seen due to effect of Oral Hypoglycaemics and Plasma-High fasting glucose level may be seen due to effect of Oral Hypoglycaemics and Plasma-High fasting glucose level may be seen due to effect of Oral Hypoglycaemics and Plasma-High fasting glucose level may be seen due to effect of Oral Hypoglycaemics and Plasma-High fasting glucose level may be seen due to effect of Oral Hypoglycaemics and Plasma-High fasting glucose level may be seen due to effect of Oral Hypoglycaemics and Plasma-High fasting glucose level may be seen due to effect of Oral Hyp

End Of Report

Please visit www.agilusdiagnostics.com for related Test Information for this accession

politing

Dr. Akshay Dhotre, MD (Reg,no. MMC 2019/09/6377) Consultant Pathologist

Page 1 Of 1

View Report



Agilus Diagnostics Ltd. Hiranandani Hospital-Vashi, Mini Seashore Road, Sector 10, Navi Mumbai, 400703 Maharashtra, India Tel: 022-39199222,022-49723322, Fax:

CIN - U74899PB1995PLC045956



HC	Trowner	·				Š.
3/23/2024 12:45:57 PM	al P axis, V-rate 50- 99	Unconfirmed Diagnosis	*A	9x -		F 50~ 0.50-100 Hz W 100B
	normal	- NORMAL ECG - Unco	5 3			mV Chest: 10.0 mm/mV
Male	Baseline wander in lead(s) V5	57 39 43 Standard Placement		A A T		Speed: 25 mm/sec Limb: 10 mm/
O+cQ	PR 132 QRSD 94 QT 366 QTC 404	AXIS P 57 QRS 39 T 43 12 Lead; Stand			H——	Devi ce

Hiranandani Healthcare Pvt. Ltd.

Mini Sea Shore Road, Sector 10-A, Vashi, Navi Mumbai - 400703.

Board Line: 022 - 39199222 | Fax: 022 - 39133220 Emergency: 022 - 39199100 | Ambulance: 1255

For Appointment: 022 - 39199200 | Health Checkup: 022 - 39199300

www.fortishealthcare.com | vashi@fortishealthcare.com

CIN: U85100MH2005PTC 154823 GST IN: 27AABCH5894D1ZG PAN NO: AABCH5894D





DEPARTMENT OF NIC

Date: 23/Mar/2024

Name: Mr. Dattatraya Gyanoba Kurlewar

Age | Sex: 37 YEAR(S) | Male Order Station : FO-OPD

Bed Name:

UHID | Episode No : 13049280 | 17081/24/1501

Order No | Order Date: 1501/PN/OP/2403/35810 | 23-Mar-2024 Admitted On | Reporting Date : 23-Mar-2024 14:15:25

Order Doctor Name : Dr.SELF .

ECHOCARDIOGRAPHY TRANSTHORACIC

FINDINGS:

- No left ventricle regional wall motion abnormality at rest.
- Normal left ventricle systolic function. LVEF = 60%.
- No left ventricle diastolic dysfunction.
- No left ventricle hypertrophy. No left ventricle dilatation.
- · Structurally normal valves.
- · No mitral regurgitation.
- No aortic regurgitation. No aortic stenosis.
- · No tricuspid regurgitation. No pulmonary hypertension.
- · Intact IAS and IVS.
- No left ventricle clot/vegetation/pericardial effusion.
- Normal right atrium and right ventricle dimensions.
- Normal left atrium and left ventricle dimension.
- Normal right ventricle systolic function. No hepatic congestion.
- · IVC measures 13 mm with normal inspiratory collapse.

M-MODE MEASUREMENTS:

LA	33	mm
AO Root	23	mm
AO CUSP SEP	18	mm
LVID (s)	28	mm
LVID (d)	46	mm
IVS (d)	10	mm
LVPW (d)	10	mm
RVID (d)	27	mm
RA	28	mm
LVEF	60	%

Hiranandani Healthcare Pvt. Ltd.

Mini Sea Shore Road, Sector 10-A, Vashi, Navi Mumbai - 400703.

Board Line: 022 - 39199222 | Fax: 022 - 39133220 Emergency: 022 - 39199100 | Ambulance: 1255

For Appointment: 022 - 39199200 | Health Checkup: 022 - 39199300

www.fortishealthcare.com | vashi@fortishealthcare.com

CIN: U85100MH2005PTC 154823 GST IN: 27AABCH5894D1ZG PAN NO: AABCH5894D





DEPARTMENT OF NIC

Date: 23/Mar/2024

Name: Mr. Dattatraya Gyanoba Kurlewar

Age | Sex: 37 YEAR(S) | Male

Order Station: FO-OPD

Bed Name:

UHID | Episode No: 13049280 | 17081/24/1501

Order No | Order Date: 1501/PN/OP/2403/35810 | 23-Mar-2024

Admitted On | Reporting Date: 23-Mar-2024 14:15:25

Order Doctor Name: Dr.SELF.

DOPPLER STUDY:

E WAVE VELOCITY: 0.9 m/sec. A WAVE VELOCITY: 0.6 m/sec

E/A RATIO:1.5

		MEAN (mmHg)	GRADE OF REGURGITATION
MITRAL VALVE	N		Nil
AORTIC VALVE	05		Nil
TRICUSPID VALVE	N		Nil
PULMONARY VALVE	2.0		Nil

Final Impression:

Normal 2 Dimensional and colour doppler echocardiography study.

DR. PRASHANT PAWAR DNB(MED), DNB (CARD) DR.AMIT SINGH, MD(MED),DM(CARD)

Hiranandani Healthcare Pvt. Ltd.

Mini Sea Shore Road, Sector 10-A, Vashi, Navi Mumbai - 400703.

Board Line: 022 - 39199222 | Fax: 022 - 39133220 Emergency: 022 - 39199100 | Ambulance: 1255

For Appointment: 022 - 39199200 | Health Checkup: 022 - 39199300

www.fortishealthcare.com | vashi@fortishealthcare.com

CIN: U85100MH2005PTC 154823 GST IN: 27AABCH5894D1ZG PAN NO: AABCH5894D





Patient Name	:	Dattatraya Gyanoba Kurlewar	Patient ID		13049280
Sex / Age	:	M / 37Y 9M 9D	Accession No.		PHC.7768166
Modality		US	Scan DateTime	·	23-03-2024 11:39:53
IPID No	:	17081/24/1501	ReportDatetime	-	23-03-2024 11:53:10

USG - WHOLE ABDOMEN

LIVER is normal in size and echogenicity. No IHBR dilatation. No focal lesion is seen in liver. Portal vein appears normal in caliber.

GALL BLADDER is physiologically distended. Gall bladder reveals normal wall thickness. No evidence of calculi in gall bladder. No evidence of pericholecystic collection.

CBD appears normal in caliber.

SPLEEN is normal in size and echogenicity.

BOTH KIDNEYS are normal in size and echogenicity. The central sinus complex is normal. No evidence of calculi/hydronephrosis.

Right kidney measures 10.8 x 5.8 cm.

Left kidney measures 12.2 x 6.0 cm.

PANCREAS: Head and body of pancreas is visualised and appears normal. Rest of the pancreas is obscured.

URINARY BLADDER is normal in capacity and contour. Bladder wall is normal in thickness. No evidence of intravesical calculi.

PROSTATE is normal in size & echogenicity. It measures ~ 14.1 cc in volume.

No evidence of ascites.

Impression:

No significant abnormality is detected.

DR. CHETAN KHADKE

M.D. (Radiologist)

-------- rt. Ltu.

about:blank

Mini Sea Shore Road, Sector 10-A, Vashi, Navi Mumbai - 400703. Board Line: 022 - 39199222 | Fax: 022 - 39133220

Emergency: 022 - 39199100 | Ambulance: 1255

For Appointment: 022 - 39199200 | Health Checkup: 022 - 39199300

www.fortishealthcare.com | vashi@fortishealthcare.com

CIN: U85100MH2005PTC 154823 GST IN: 27AABCH5894D1ZG PAN NO: AABCH5894D





DEPARTMENT OF RADIOLOGY

Date: 23/Mar/2024

Name: Mr. Dattatraya Gyanoba Kurlewar

Age | Sex: 37 YEAR(S) | Male Order Station: FO-OPD

Bed Name:

UHID | Episode No : 13049280 | 17081/24/1501

Order No | Order Date: 1501/PN/OP/2403/35810 | 23-Mar-2024 Admitted On | Reporting Date: 23-Mar-2024 13:59:22

Order Doctor Name : Dr.SELF.

X-RAY-CHEST- PA

Findings:

Both lung fields are clear.

The cardiac shadow appears within normal limits.

Trachea and major bronchi appears normal.

Both costophrenic angles are well maintained.

Bony thorax is unremarkable.

DR. YOGINI SHAH

Helah

DMRD., DNB. (Radiologist)